

# rngtools: Unit testing results\*

Renaud Gaujoux

rngtools version 1.0 as of November 6, 2012

## 1 Details

RUNIT TEST PROTOCOL -- Tue Nov 6 15:04:21 2012

\*\*\*\*\*

Number of test functions: 6

Number of errors: 0

Number of failures: 0

1 Test Suite :

package:rngtools - 6 test functions, 0 errors, 0 failures

Details

\*\*\*\*\*

Test Suite: package:rngtools

Test function regexp: ^test.

Test file regexp: ^runit.\*[rR]\$

Involved directory:

/tmp/tmp.XpaXKPw7Fk/rngtools/tests

-----

Test file: /tmp/tmp.XpaXKPw7Fk/rngtools/tests/runit.format.r

test.RNGdigest: (30 checks) ... OK (0.02 seconds)

test.RNGtype: (22 checks) ... OK (0.01 seconds)

-----

Test file: /tmp/tmp.XpaXKPw7Fk/rngtools/tests/runit.RNG.r

test.getRNG: (18 checks) ... OK (0 seconds)

test.setRNG: (26 checks) ... OK (0.01 seconds)

-----

Test file: /tmp/tmp.XpaXKPw7Fk/rngtools/tests/runit.RNGseq.r

test.RNGseq: (51 checks) ... OK (0.02 seconds)

test.RNGseq\_seed: (75 checks) ... OK (0.01 seconds)

Total execution time

\*\*\*\*\*

	user	system	elapsed
	0.232	0.008	0.239

---

\*Vignette computed on Tue Nov 6 15:04:21 2012

## Session Information

- R version 2.15.2 (2012-10-26), i686-pc-linux-gnu
- Locale: LC\_CTYPE=en\_ZA.UTF-8, LC\_NUMERIC=C, LC\_TIME=en\_ZA.UTF-8, LC\_COLLATE=en\_ZA.UTF-8, LC\_MONETARY=en\_ZA.UTF-8, LC\_MESSAGES=en\_ZA.UTF-8, LC\_PAPER=C, LC\_NAME=C, LC\_ADDRESS=C, LC\_TELEPHONE=C, LC\_MEASUREMENT=en\_ZA.UTF-8, LC\_IDENTIFICATION=C
- Base packages: base, datasets, graphics, grDevices, methods, parallel, stats, utils
- Other packages: codetools~0.2-8, digest~0.5.2, pkgmaker~0.9.2, rngtools~1.0, RUnit~0.4.26, stringr~0.6.1
- Loaded via a namespace (and not attached): plyr~1.7.1, xtable~1.7-0