

Package ‘metan’

September 10, 2020

Type Package

Title Multi Environment Trials Analysis

Version 1.8.1

Maintainer Tiago Olivoto <tiagoolivoto@gmail.com>

Description Performs stability analysis of multi-environment trial data using parametric and non-parametric methods. Parametric methods includes Additive Main Effects and Multiplicative Interaction (AMMI) analysis by Gauch (2013) <doi:10.2135/cropsci2013.04.0241>, Genotype plus Genotype-Environment (GGE) biplot analysis by Yan & Kang (2003) <doi:10.1201/9781420040371>, joint Regression Analysis by Eberhart & Russel (1966) (<doi:10.2135/cropsci1966.0011183X000600010011x>), ecovalence by Wricke (1965), genotypic confidence index by Annicchiarico (1992), Murakami & Cruz's (2004) method <doi:10.12702/1984-7033.v04n01a02>, stability variance by Shukla (1972) <doi:10.1038/hdy.1972.87>, weighted average of absolute scores by Olivoto et al. (2019a) <doi:10.2134/agronj2019.03.0220>, and multi-trait stability index by Olivoto et al. (2019b) <doi:10.2134/agronj2019.03.0221>. Non-parametric methods includes superiority index by Lin & Binns (1988) <doi:10.4141/cjps88-018>, nonparametric measures of phenotypic stability by Huehn (1990) <https://link.springer.com/article/10.1007/BF00024241>, TOP third statistic by Fox et al. (1990) <doi:10.1007/BF00040364>, geometric adaptability index described by Shahbazi (2019) <doi:10.1016/j.scienta.2019.04.047>. Functions for computing biometrical analysis such as path analysis, canonical correlation, partial correlation, clustering analysis, and tools for inspecting, manipulating, summarizing and plotting typical multi-environment trial data are also provided.

License GPL-3

URL <https://github.com/TiagoOlivoto/metan>

BugReports <https://github.com/TiagoOlivoto/metan/issues>

Depends R (>= 3.5.0)

RdMacros mathjaxr

Imports ade4,
cowplot,

dplyr ($\geq 1.0.0$),
 FWDselect,
 GGally,
 ggforce,
 ggplot2 ($\geq 3.3.0$),
 ggrepel,
 grid,
 lme4,
 lmerTest,
 magrittr,
 methods,
 progress,
 purrr,
 rlang ($\geq 0.1.2$),
 tibble,
 tidyr,
 tidyselect ($\geq 1.0.0$)

Suggests DT,

knitr,
 mathjaxr,
 readxl,
 rmarkdown,
 roxygen2

VignetteBuilder knitr

Encoding UTF-8

Language en-US

LazyData true

RoxygenNote 7.1.1

R topics documented:

metan-package	5
AMMI_indexes	6
Annicchiarico	8
anova_ind	9
anova_joint	11
arrange_ggplot	12
as.lpcor	13
barplots	14
bind_cv	18
can_corr	19
clustering	21
coincidence_index	23
colindia	24
comb_vars	25
correlated_vars	26
corr_ci	27
corr_coef	28
corr_plot	29
corr_ss	32

corr_stab_ind	33
covcor_design	34
cv_ammi	36
cv_ammif	38
cv_blup	40
data_alpha	42
data_g	43
data_ge	44
data_ge2	44
desc_stat	45
doo	48
ecovalence	49
env_dissimilarity	50
fai_blup	51
find_outliers	53
Fox	54
gafem	55
gai	57
gamem	58
gamem_met	60
get_model_data	63
ge_cluster	70
ge_details	71
ge_effects	72
ge_factanal	73
ge_means	75
ge_plot	76
ge_reg	77
ge_stats	78
ge_winners	80
gge	81
gtb	83
gytb	85
Huehn	87
impute_missing_val	88
inspect	90
int.effects	91
is.lpcor	91
is_balanced_trial	92
lineplots	92
lpcor	95
mahala	96
mahala_design	97
make_long	98
make_mat	99
meansGxE	100
mgidi	100
mtsi	102
non_collinear_vars	104
pairs_mantel	105
path_coeff	107
performs_ammi	110

plot.anova_joint	112
plot.can_cor	112
plot.clustering	115
plot.correlated_vars	115
plot.corr_coef	116
plot.cvalidation	117
plot.env_dissimilarity	119
plot.fai_blup	120
plot.gafem	121
plot.gamem	122
plot.ge_cluster	124
plot.ge_effects	125
plot.ge_factanal	126
plot.ge_reg	128
plot.gge	129
plot.mgidi	132
plot.mtsi	134
plot.performs_amm	136
plot.resp_surf	136
plot.sh	138
plot.waas	139
plot.waasb	140
plot.wsm	142
plot_blup	143
plot_ci	145
plot_eigen	146
plot_scores	148
plot_waasby	152
predict.gamem	154
predict.gge	155
predict.performs_amm	156
predict.waas	157
predict.waasb	158
print.AMMI_indexes	159
print.Annicchiarico	159
print.anova_ind	160
print.anova_joint	161
print.can_cor	162
print.coincidence	162
print.colindia	163
print.corr_coef	164
print.ecovalence	165
print.env_dissimilarity	165
print.Fox	166
print.gamem	167
print.ge_factanal	167
print.ge_reg	168
print.ge_stats	169
print.Huehn	170
print.lpcor	170
print.mgidi	171
print.mtsi	172

print.path_coeff	173
print.performs_amm	174
print.Schmidt	174
print.sh	175
print.Shukla	176
print.superiority	177
print.Thennarasu	177
print.waas	178
print.waasb	179
print.waas_means	180
rbind_fill	180
reorder_cormat	181
resca	182
Resende_indexes	183
residual_plots	185
resp_surf	187
Schmidt	188
Select_helper	189
Shukla	191
Smith_Hazel	192
solve_svd	193
split_factors	194
stars_pval	195
superiority	196
themes	197
Thennarasu	198
to_factor	199
tukey_hsd	199
utils_class	200
utils_data	201
utils_mat	202
utils_na_zero	203
utils_num_str	205
utils_rows_cols	209
utils_stats	213
waas	216
waasb	219
waas_means	224
wsmp	226
Index	228

Description

metan provides functions for performing the most used analyses in the evaluation of multi-environment trials, including, but not limited to:

- ANOVA-based stability statistics;
- AMMI-based stability indexes;
- BLUP-based stability indexes;
- Cross-validation procedures for AMMI-family and BLUP models;
- GGE biplot analysis;
- Estimation using AMMI considering different numbers of interaction principal component axes;
- Graphics tools for generating biplots;
- Nonparametric stability statistics;
- Variance components and genetic parameters in mixed-effect models;
- Within-environment analysis of variance;

metan also provides functions for biometrical analysis such as path analysis, canonical correlation, partial correlation, clustering analysis, as well as tools for summarizing and plotting data.

A complete guide may be found at <https://tiagoolivoto.github.io/metan/>

AMMI_indexes

AMMI-based stability indexes

Description

This function computes the following AMMI-based stability indexes: ASV, AMMI stability value (Purchase et al., 2000); SIPC, sums of the absolute value of the IPCA scores (Sneller et al. 1997); EV, averages of the squared eigenvector values (Sneller et al. 1997); and Za, absolute value of the relative contribution of IPCAs to the interaction (Zali et al. 2012), and WAAS, weighted average of absolute scores (Olivoto et al. 2019).

Usage

```
AMMI_indexes(.data, order.y = NULL, level = 0.95)
```

Arguments

<code>.data</code>	An object of class <code>waas</code> or <code>performs_ammi</code>
<code>order.y</code>	A vector of the same length of <code>x</code> used to order the response variable. Each element of the vector must be one of the 'h' or 'l'. If 'h' is used, the response variable will be ordered from maximum to minimum. If 'l' is used then the response variable will be ordered from minimum to maximum. Use a comma-separated vector of names. For example, <code>order.y = c("h,h,l,h,l")</code> .
<code>level</code>	The confidence level. Defaults to 0.95.

Details

The ASV index is computed as follows:

$$ASV_i = \left[\left[\frac{r \lambda_1^2}{r \lambda_2^2} \times (\lambda_1^{0.5} a_{i1} t_{j1}) \right]^2 + (\lambda_2^{0.5} a_{i2} t_{j2})^2 \right]^{0.5}$$

where r is the number of replications included in the analysis,

The SIPC index is computed as follows:

$$SIPC_i = \sum_{k=1}^P \left| \lambda_k^{0.5} a_{ik} \right|$$

where P is the number of IPCA retained via F-tests.

The EV index is computed as follows:

$$EV_i = \sum_{k=1}^P a_{ik}^2 / P$$

The ZA index is computed as follows:

$$Za_i = \sum_{k=1}^P \theta_k a_{ik}$$

where θ_k is the percentage sum of squares explained by the k th IPCA.

$$WAAS_i = \sum_{k=1}^p |IPCA_{ik} \times EP_k| / \sum_{k=1}^p EP_k$$

where $WAAS_i$ is the weighted average of absolute scores of the i th genotype; $IPCA_{ik}$ is the score of the i th genotype in the k th IPCA; and EP_k is the explained variance of the k th IPCA for $k = 1, 2, \dots, p$, considering p the number of significant PCAs.

Five simultaneous selection indexes (ssi) are also computed by summation of the ranks of the ASV, SIPC, EV and Za indexes and the ranks of the mean yields (Farshadfar, 2008), which results in ssiASV, ssiSIPC, ssiEV, ssiZa, and ssiWAAS, respectively.

Value

A list where each element contains the result AMMI-based stability indexes for one variable.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Purchase, J.L., H. Hatting, and C.S. van Deventer. 2000. Genotype vs environment interaction of winter wheat (*Triticum aestivum* L.) in South Africa: II. Stability analysis of yield performance. *South African J. Plant Soil* 17:101-107. doi: [10.1080/02571862.2000.10634878](https://doi.org/10.1080/02571862.2000.10634878)
- Sneller, C.H., L. Kilgore-Norquest, and D. Dombek. 1997. Repeatability of Yield Stability Statistics in Soybean. *Crop Sci.* 37:383-390. doi: [10.2135/cropsci1997.0011183X003700020013x](https://doi.org/10.2135/cropsci1997.0011183X003700020013x)
- Zali, H., E. Farshadfar, S.H. Sabaghpour, and R. Karimizadeh. 2012. Evaluation of genotype vs environment interaction in chickpea using measures of stability from AMMI model. *Ann. Biol. Res.* 3:3126-3136.
- Olivoto, T., A.D.C. L'ucio, J.A.G. da Silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019a. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. *Agron. J.* 111:2949-2960. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)

Examples

```
library(metan)
model <- waas(data_ge,
              env = ENV,
              gen = GEN,
              rep = REP,
              resp = c(GY, HM),
              verbose = FALSE)
model_indexes <- AMMI_indexes(model)

# Alternatively (and more intuitively) using %>%
res_ind <- data_ge %>%
  waas(ENV, GEN, REP, c(GY, HM)) %>%
  AMMI_indexes()
```

Annicchiarico

Annicchiarico's genotypic confidence index

Description

Stability analysis using the known genotypic confidence index (Annicchiarico, 1992).

Usage

```
Annicchiarico(.data, env, gen, rep, resp, prob = 0.25, verbose = TRUE)
```

Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s)
<code>env</code>	The name of the column that contains the levels of the environments.
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>rep</code>	The name of the column that contains the levels of the replications/blocks
<code>resp</code>	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
<code>prob</code>	The probability of error assumed.
<code>verbose</code>	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

A list where each element is the result for one variable and contains the following data frames:

- **environments** Contains the mean, environmental index and classification as favorable and unfavorable environments.
- **general** Contains the genotypic confidence index considering all environments.
- **favorable** Contains the genotypic confidence index considering favorable environments.
- **unfavorable** Contains the genotypic confidence index considering unfavorable environments.

Author(s)

Tiago Olivoto, <tiagoolivoto@gmail.com>

References

Annicchiarico, P. 1992. Cultivar adaptation and recommendation from alfalfa trials in Northern Italy. J. Genet. Breed. 46:269-278.

See Also

[superiority](#), [ecovalence](#), [ge_stats](#)

Examples

```
library(metan)
Ann <- Annicchiarico(data_ge2,
                     env = ENV,
                     gen = GEN,
                     rep = REP,
                     resp = PH)

print(Ann)
```

anova_ind

Within-environment analysis of variance

Description

Performs a within-environment analysis of variance in randomized complete block or alpha-lattice designs and returns values such as Mean Squares, p-values, coefficient of variation, heritability, and accuracy of selection.

Usage

```
anova_ind(.data, env, gen, rep, resp, block = NULL)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments. The analysis of variance is computed for each level of this factor.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks.
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> .
block	Defaults to NULL. In this case, a randomized complete block design is considered. If block is informed, then a resolvable alpha-lattice design (Patterson and Williams, 1976) is employed. All effects, except the error, are assumed to be fixed.

Value

A list where each element is the result for one variable containing:

1. **individual**: A tidy tbl_df with the results of the individual analysis of variance with the following column names:
 - **For analysis in alpha-lattice designs**: **ENV**: The environment code; **MEAN**: The grand mean; **MSG**, **MSCR**, **MSIB_R**: The mean squares for genotype, replicates and incomplete blocks within replicates, respectively. **FCG**, **FCR**, **FCIB_R**: The F-calculated for genotype, replicates and incomplete blocks within replicates, respectively. **PFG**, **PFCR**, **PFIB_R**: The P-values for genotype, replicates and incomplete blocks within replicates, respectively. **MSE**: The mean square error. **CV**: coefficient of variation. **h2**: broad-sense heritability. **AS**: accuracy of selection (square root of **h2**)
 - **For analysis in randomized complete block design**: **MSG**, **MSB**: The mean squares for genotype and blocks, respectively. **FCG**, **FCB**: The F-calculated for genotype and blocks, respectively. **PFG**, **PFB**: The P-values for genotype and blocks, respectively. **MSE**: The mean square error. **CV**: coefficient of variation. **h2**: broad-sense heritability. **AS**: accuracy of selection (square root of **h2**)
1. **MSRatio** The ratio between the higher and lower residual mean square.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Patterson, H.D., and E.R. Williams. 1976. A new class of resolvable incomplete block designs. *Biometrika* 63:83-92.

Examples

```
library(metan)
# ANOVA for all variables in data
ind_an <- anova_ind(data_ge,
                    env = ENV,
                    gen = GEN,
                    rep = REP,
                    resp = everything())
# mean for each environment
get_model_data(ind_an)

# P-value for genotype effect
get_model_data(ind_an, "PFG")
```

anova_joint	<i>Joint analysis of variance</i>
-------------	-----------------------------------

Description

Performs a joint analysis of variance to check for the presence of genotype-vs-environment interactions using both randomized complete block and alpha-lattice designs.

Usage

```
anova_joint(.data, env, gen, rep, resp, block = NULL, verbose = TRUE)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments. The analysis of variance is computed for each level of this factor.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks.
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> .
block	Defaults to NULL. In this case, a randomized complete block design is considered. If block is informed, then a resolvable alpha-lattice design (Patterson and Williams, 1976) is employed. All effects, except the error, are assumed to be fixed.
verbose	Logical argument. If verbose = FALSE the code will run silently.

Value

A list where each element is the result for one variable containing the following objects:

- **anova:** The two-way ANOVA table
- **model:** The model of class `lm`.
- **augment:** Information about each observation in the dataset. This includes predicted values in the `fitted` column, residuals in the `resid` column, standardized residuals in the `stdres` column, the diagonal of the 'hat' matrix in the `hat`, and standard errors for the fitted values in the `se.fit` column.
- **details:** A tibble with the following data: `Ngen`, the number of genotypes; `OVmean`, the grand mean; `Min`, the minimum observed (returning the genotype and replication/block); `Max` the maximum observed, `MinGEN` the loser winner genotype, `MaxGEN`, the winner genotype.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Patterson, H.D., and E.R. Williams. 1976. A new class of resolvable incomplete block designs. *Biometrika* 63:83-92.

See Also

[get_model_data anova_ind](#)

Examples

```
library(metan)
# traditional usage approach
j_an <- anova_joint(data_ge,
                    env = ENV,
                    gen = GEN,
                    rep = REP,
                    resp = everything())

# Predicted values
get_model_data(j_an)

# Details
get_model_data(j_an, "details")
```

arrange_ggplot

Arrange multiple ggplot2 graphics in a single image window

Description

This is a helper function to arrange ggplot2 objects in the metan package. It imports [plot_grid](#). For a complete usability use that function.

Usage

```
arrange_ggplot(
  ...,
  plotlist = NULL,
  nrow = NULL,
  ncol = NULL,
  rel_widths = 1,
  rel_heights = 1,
  labels = NULL,
  hjust = -0.5,
  vjust = 1.5,
  align = "hv"
)
```

Arguments

...	An object of class gg
plotlist	List of plots to display.
nrow, ncol	The number of rows and columns, respectively.
rel_widths, rel_heights	The Numerical vector of relative columns widths and rows heights, respectively.
labels	List of labels to be added to the plots.

hjust, vjust Adjusts the horizontal and vertical position of each label.

align Specifies whether graphs in the grid should be horizontally ("h") or vertically ("v") aligned. "hv" (default) align in both directions, "none" do not align the plot.

Value

None.

Examples

```
library(ggplot2)
library(metan)
p1 <- ggplot(mtcars, aes(wt, mpg)) +
  geom_point()

p2 <- ggplot(mpg, aes(class, hwy)) +
  geom_boxplot()

arrange_ggplot(p1, p2)
```

as.lpcor

Coerce to an object of class lpcor

Description

Functions to check if an object is of class lpcor, or coerce it if possible.

Usage

```
as.lpcor(...)
```

Arguments

... A comma-separated list of matrices to be coerced to a list.

Value

An object of class lpcor.

Examples

```
library(metan)
library(dplyr)
mt_num = mtcars %>% select_if(., is.numeric)
lpdata = as.lpcor(cor(mt_num[1:5]),
  cor(mt_num[1:5]),
  cor(mt_num[2:6]),
  cor(mt_num[4:8]))
is.lpcor(lpdata)
```


Description

- `plot_bars()` Creates a bar plot based on one categorical variable and one numeric variable. It can be used to show the results of a one-way trial with **qualitative treatments**.
- `plot_factbars()` Creates a bar plot based on two categorical variables and one numeric variable. It can be used to show the results of a two-way trial with **qualitative-qualitative treatment structure**.

Usage

```
plot_bars(  
  .data,  
  x,  
  y,  
  order = NULL,  
  y.lim = NULL,  
  y.breaks = waiver(),  
  y.expand = 0.05,  
  y.contract = 0,  
  xlab = NULL,  
  ylab = NULL,  
  n.dodge = 1,  
  check.overlap = FALSE,  
  color.bar = "black",  
  fill.bar = "gray",  
  lab.bar = NULL,  
  lab.bar.hjust = 0.5,  
  lab.bar.vjust = -0.5,  
  lab.bar.angle = 0,  
  size.text.bar = 5,  
  values = FALSE,  
  values.hjust = 0.5,  
  values.vjust = 1.5,  
  values.angle = 0,  
  values.digits = 2,  
  values.size = 4,  
  lab.x.hjust = 0.5,  
  lab.x.vjust = 1,  
  lab.x.angle = 0,  
  errorbar = TRUE,  
  stat.erbar = "se",  
  width.erbar = NULL,  
  level = 0.95,  
  invert = FALSE,  
  width.bar = 0.9,  
  size.line = 0.5,  
  size.text = 12,
```



```
fontfam = "sans",
na.rm = TRUE,
verbose = FALSE,
plot_theme = theme_metan()
)

plot_factbars(
  .data,
  ...,
  resp,
  y.lim = NULL,
  y.breaks = waiver(),
  y.expand = 0.05,
  y.contract = 0,
  xlab = NULL,
  ylab = NULL,
  n.dodge = 1,
  check.overlap = FALSE,
  lab.bar = NULL,
  lab.bar.hjust = 0.5,
  lab.bar.vjust = -0.5,
  lab.bar.angle = 0,
  size.text.bar = 5,
  values = FALSE,
  values.hjust = 0.5,
  values.vjust = 1.5,
  values.angle = 0,
  values.digits = 2,
  values.size = 4,
  lab.x.hjust = 0.5,
  lab.x.vjust = 1,
  lab.x.angle = 0,
  errorbar = TRUE,
  stat.erbar = "se",
  width.erbar = NULL,
  level = 0.95,
  invert = FALSE,
  col = TRUE,
  palette = "Spectral",
  width.bar = 0.9,
  legend.position = "bottom",
  size.line = 0.5,
  size.text = 12,
  fontfam = "sans",
  na.rm = TRUE,
  verbose = FALSE,
  plot_theme = theme_metan()
)
```

Arguments

`.data` The data set.

<code>x, y</code>	Argument valid for <code>plot_bars()</code> . The variables to be mapped to the x and y axes, respectively.
<code>order</code>	Argument valid for <code>plot_bars()</code> . Controls the order of the factor in the x axis. Defaults to the order of the factors in <code>.data</code> . Use <code>order = "asce"</code> or <code>order = "desc"</code> to reorder the labels to ascending or descending order, respectively, based on the values of the variable <code>y</code> .
<code>y.lim</code>	The range of y axis. Defaults to NULL (maximum and minimum values of the data set). New values can be inserted as <code>y.lim = c(y.min, y.max)</code> .
<code>y.breaks</code>	The breaks to be plotted in the y-axis. Defaults to <code>waiver()</code> . automatic breaks. The same arguments than <code>x.breaks</code> can be used.
<code>y.expand, y.contract</code>	A multiplication range expansion/contraction factor. <code>y.expand</code> expands the upper limit of the y scale, while <code>y.contract</code> contracts the lower limit of the y scale. By default <code>y.expand = 0.05</code> and <code>y.contract = 0</code> produces a plot without spacing in the lower y limit and an expansion in the upper y limit.
<code>xlab, ylab</code>	The labels of the axes x and y, respectively. Defaults to NULL.
<code>n.dodge</code>	The number of rows that should be used to render the x labels. This is useful for displaying labels that would otherwise overlap.
<code>check.overlap</code>	Silently remove overlapping labels, (recursively) prioritizing the first, last, and middle labels.
<code>color.bar, fill.bar</code>	Argument valid for <code>plot_bars()</code> . The color and fill values of the bars.
<code>lab.bar</code>	A vector of characters to show in each bar. Defaults to NULL.
<code>lab.bar.hjust, lab.bar.vjust</code>	The horizontal and vertical adjust for the labels in the bar. Defaults to 0.5 and -0.5, respectively.
<code>lab.bar.angle</code>	The angle for the labels in the plot. Defaults to 0. Use in combination with <code>lab.bar.hjust</code> and <code>lab.bar.vjust</code> to best fit the labels in the plot.
<code>size.text.bar</code>	The size of the text in the bar labels.
<code>values</code>	Logical argument. Shows the values in the plot bar? Defaults to FALSE
<code>values.hjust, values.vjust</code>	The horizontal and vertical adjust for the values in the bar. Defaults to 0.5 and 1.5, respectively. If <code>values = TRUE</code> the values are shown below the error bar.
<code>values.angle</code>	The angle for the labels in the plot. Defaults to 0. Use in combination with <code>values.hjust</code> and <code>values.vjust</code> to best fit the values in the plot bar.
<code>values.digits</code>	The significant digits to show if <code>values = TRUE</code> . Defaults to 2.
<code>values.size</code>	The size of the text for values shown in the bars. Defaults to 3.
<code>lab.x.hjust, lab.x.vjust</code>	The horizontal and vertical adjust for the labels in the bar. Defaults to 0.5 and 1, respectively.
<code>lab.x.angle</code>	The angle for the labels in x axis. Defaults to 0. Use in combination with <code>lab.x.hjust</code> and <code>lab.x.vjust</code> to best fit the labels in the axis.
<code>errorbar</code>	Logical argument, set to TRUE. In this case, an error bar is shown.
<code>stat.erbar</code>	The statistic to be shown in the errorbar. Must be one of the <code>stat.erbar = "se"</code> (standard error, default), <code>stat.erbar = "sd"</code> (standard deviation), or <code>stat.erbar = "ci"</code> (confidence interval), based on the confidence level in the argument level.

<code>width.erbar</code>	The width of the error bar. Defaults to 25% of <code>width.bar</code> .
<code>level</code>	The confidence level
<code>invert</code>	Logical argument. If TRUE, rotate the plot in <code>plotBars()</code> and invert the order of the factors in <code>plotFactbars()</code> .
<code>width.bar</code>	The width of the bars in the graph. Defaults to 0.9. Possible values are in the range 0-1.
<code>size.line</code>	The size of the line in the bars. Default to 0.5.
<code>size.text</code>	The size of the text. Default to 12.
<code>fontfam</code>	The family of the font text. Defaults to "sans".
<code>na.rm</code>	Should 'NA' values be removed to compute the statistics? Defaults to true
<code>verbose</code>	Logical argument. If TRUE a tibble containing the mean, N, standard deviation, standard error of mean and confidence interval is returned.
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>...</code>	Argument valid for <code>plotFactbars()</code> . A comma-separated list of unquoted variable names. Sets the two variables to be mapped to the x axis.
<code>resp</code>	Argument valid for <code>plotFactbars()</code> . The response variable to be mapped to the y axis.
<code>col</code>	Logical argument valid for <code>plotFactbars()</code> . If FALSE, a gray scale is used.
<code>palette</code>	Argument valid for <code>plotFactbars()</code> The color palette to be used. For more details, see <code>?scale_colour_brewer</code>
<code>legend.position</code>	The position of the legend in the plot.

Value

An object of class `gg`, `ggplot`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

See Also

[plot_lines](#), [plot_factlines](#)

Examples

```
library(metan)
# two categorical variables
plot_factbars(data_ge2,
              GEN,
              ENV,
              resp = PH)

# one categorical variable
p1 <- plot_bars(data_g, GEN, PH)
p2 <- plot_bars(data_g, GEN, PH,
               n.dodge = 2, # two rows for x labels
               y.expand = 0.1, # expand y scale
```



```

y.contract = -0.75, # contract the lower limit
errorbar = FALSE, # remove errorbar
color.bar = "red", # color of bars
fill.bar = alpha_color("cyan", 75), # create a transparent color
lab.bar = letters[1:13]) # add labels
arrange_ggplot(p1, p2)

```

bind_cv

Bind cross-validation objects

Description

Helper function that combines objects of class `cv_ammif`, `cv_ammif` or `cv_blup`. It is useful when looking for a boxplot containing the RMSPD values of those cross-validation procedures.

Usage

```
bind_cv(..., bind = "boot", sort = TRUE)
```

Arguments

<code>...</code>	Input objects of class <code>cv_ammif</code> , <code>cv_ammif</code> or <code>cv_blup</code> .
<code>bind</code>	What data should be used? To plot the RMSPD, use 'boot' (default). Use <code>bind = 'means'</code> to return the RMSPD mean for each model.
<code>sort</code>	Used to sort the RMSPD mean in ascending order.

Value

An object of class `cv_ammif`. The results will depend on the argument `bind`. If `bind = 'boot'` then the RMSPD of all models in `...` will be bind to a unique data frame. If `bind = 'means'` then the RMSPD mean of all models in `...` will be bind to an unique data frame.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```

library(metan)
# Two examples with only 5 resampling procedures
AMMI = cv_ammif(data_ge,
  resp = GY,
  gen = GEN,
  env = ENV,
  rep = REP,
  nboot = 5)
BLUP = cv_blup(data_ge,
  resp = GY,
  gen = GEN,
  env = ENV,
  rep = REP,
  nboot = 5)

```



```

bind_data = bind_cv(AMMI, BLUP)
plot(bind_data)

print(bind_cv(AMMI, BLUP, bind = 'means'))

```

can_corr

*Canonical correlation analysis***Description**

Performs canonical correlation analysis with collinearity diagnostic, estimation of canonical loads, canonical scores, and hypothesis testing for correlation pairs.

Usage

```

can_corr(
  .data,
  FG,
  SG,
  by = NULL,
  use = "cor",
  test = "Bartlett",
  prob = 0.05,
  center = TRUE,
  stdscores = FALSE,
  verbose = TRUE,
  collinearity = TRUE
)

```

Arguments

.data	The data to be analyzed. It can be a data frame (possible with grouped data passed from group_by()).
FG, SG	A comma-separated list of unquoted variable names that will compose the first (smallest) and second (highest) group of the correlation analysis, respectively. Select helpers are also allowed.
by	One variable (factor) to compute the function by. It is a shortcut to group_by() . To compute the statistics by more than one grouping variable use that function.
use	The matrix to be used. Must be one of 'cor' for analysis using the correlation matrix (default) or 'cov' for analysis using the covariance matrix.
test	The test of significance of the relationship between the FG and SG. Must be one of the 'Bartlett' (default) or 'Rao'.
prob	The probability of error assumed. Set to 0.05.
center	Should the data be centered to compute the scores?
stdscores	Rescale scores to produce scores of unit variance?
verbose	Logical argument. If TRUE (default) then the results are shown in the console.
collinearity	Logical argument. If TRUE (default) then a collinearity diagnostic is performed for each group of variables according to Olivoto et al.(2017).

Value

If `.data` is a grouped data passed from `group_by()` then the results will be returned into a list-column of data frames.

- **Matrix** The correlation (or covariance) matrix of the variables
- **MFG, MSG** The correlation (or covariance) matrix for the variables of the first group or second group, respectively.
- **MFG_SG** The correlation (or covariance) matrix for the variables of the first group with the second group.
- **Coef_FG, Coef_SG** Matrix of the canonical coefficients of the first group or second group, respectively.
- **Loads_FG, Loads_SG** Matrix of the canonical loadings of the first group or second group, respectively.
- **Score_FG, Score_SG** Canonical scores for the variables in FG and SG, respectively.
- **Crossload_FG, Crossload_SG** Canonical cross-loadings for FG variables on the SG scores, and cross-loadings for SG variables on the FG scores, respectively.
- **SigTest** A dataframe with the correlation of the canonical pairs and hypothesis testing results.
- **collinearity** A list with the collinearity diagnostic for each group of variables.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., V.Q. Souza, M. Nardino, I.R. Carvalho, M. Ferrari, A.J. Pelegrin, V.J. Szareski, and D. Schmidt. 2017. Multicollinearity in path analysis: a simple method to reduce its effects. *Agron. J.* 109:131-142. doi: [10.2134/agronj2016.04.0196](https://doi.org/10.2134/agronj2016.04.0196)

Examples

```
library(metan)

cc1 <- can_corr(data_ge2,
                FG = c(PH, EH, EP),
                SG = c(EL, ED, CL, CD, CW, KW, NR))

# Canonical correlations for each environment
cc3 <- data_ge2 %>%
  can_corr(FG = c(PH, EH, EP),
           SG = c(EL, ED, CL, CD, CW, KW, NR),
           by = ENV,
           verbose = FALSE)
```


clustering

*Clustering analysis***Description**

Performs clustering analysis with selection of variables.

Usage

```
clustering(
  .data,
  ...,
  by = NULL,
  scale = FALSE,
  selvar = FALSE,
  verbose = TRUE,
  distmethod = "euclidean",
  clustmethod = "average",
  nclust = NULL
)
```

Arguments

<code>.data</code>	The data to be analyzed. It can be a data frame, possible with grouped data passed from <code>group_by()</code> .
<code>...</code>	The variables in <code>.data</code> to compute the distances. Set to <code>NULL</code> , i.e., all the numeric variables in <code>.data</code> are used.
<code>by</code>	One variable (factor) to compute the function by. It is a shortcut to <code>group_by()</code> . To compute the statistics by more than one grouping variable use that function.
<code>scale</code>	Should the data be scaled before computing the distances? Set to <code>FALSE</code> . If <code>TRUE</code> , then, each observation will be divided by the standard deviation of the variable $Z_{ij} = X_{ij} / sd(j)$
<code>selvar</code>	Logical argument, set to <code>FALSE</code> . If <code>TRUE</code> , then an algorithm for selecting variables is implemented. See the section Details for additional information.
<code>verbose</code>	Logical argument. If <code>TRUE</code> (default) then the results for variable selection are shown in the console.
<code>distmethod</code>	The distance measure to be used. This must be one of 'euclidean', 'maximum', 'manhattan', 'canberra', 'binary', 'minkowski', 'pearson', 'spearman', or 'kendall'. The last three are correlation-based distance.
<code>clustmethod</code>	The agglomeration method to be used. This should be one of 'ward.D', 'ward.D2', 'single', 'complete', 'average' (= UPGMA), 'mcquitty' (= WPGMA), 'median' (= WPGMC) or 'centroid' (= UPGMC).
<code>nclust</code>	The number of clusters to be formed. Set to <code>NULL</code>

Details

When `selvar = TRUE` a variable selection algorithm is executed. The objective is to select a group of variables that most contribute to explain the variability of the original data. The selection of the variables is based on eigenvalue/eigenvectors solution based on the following steps. **1:** compute

the distance matrix and the co-optic correlation with the original variables (all numeric variables in dataset); **2**: compute the eigenvalues and eigenvectors of the correlation matrix between the variables; **3**: delete the variable with the largest weight (highest eigenvector in the lowest eigenvalue); **4**: compute the distance matrix and cophenetic correlation with the remaining variables; **5**: compute the Mantel's correlation between the obtained distances matrix and the original distance matrix; **6**: iterate steps 2 to 5 $p - 2$ times, where p is the number of original variables. At the end of the $p - 2$ iterations, a summary of the models is returned. The distance is calculated with the variables that generated the model with the largest cophenetic correlation. I suggest a careful evaluation aiming at choosing a parsimonious model, i.e., the one with the fewer number of variables, that presents acceptable cophenetic correlation and high similarity with the original distances.

Value

- **data** The data that was used to compute the distances.
- **cutpoint** The cutpoint of the dendrogram according to Mojena (1977).
- **distance** The matrix with the distances.
- **de** The distances in an object of class `dist`.
- **hc** The hierarchical clustering.
- **Sqt** The total sum of squares.
- **tab** A table with the clusters and similarity.
- **clusters** The sum of square and the mean of the clusters for each variable.
- **cofgrap** If `selectvar = TRUE`, then, `cofgrap` is a `ggplot2`-based graphic showing the cophenetic correlation for each model (with different number of variables). Else, will be a `NULL` object.
- **statistics** If `selectvar = TRUE`, then, `statistics` shows the summary of the models fitted with different number of variables, including cophenetic correlation, Mantel's correlation with the original distances (all variables) and the p-value associated with the Mantel's test. Else, will be a `NULL` object.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Mojena, R. 2015. Hierarchical grouping methods and stopping rules: an evaluation. *Comput. J.* 20:359-363. doi: [10.1093/comjnl/20.4.359](https://doi.org/10.1093/comjnl/20.4.359)

Examples

```
library(metan)

# All rows and all numeric variables from data
d1 <- clustering(data_ge2)

# Based on the mean for each genotype
mean_gen <-
  data_ge2 %>%
  means_by(GEN) %>%
  column_to_rownames("GEN")

d2 <- clustering(mean_gen)
```



```
# Select variables for compute the distances
d3 <- clustering(mean_gen, selvar = TRUE)

# Compute the distances with standardized data
# Define 4 clusters
d4 <- clustering(data_ge,
                 by = ENV,
                 scale = TRUE,
                 nclust = 4)
```

coincidence_index	<i>Computes the coincidence index of genotype selection</i>
-------------------	---

Description

Computes the coincidence index (Hamblin and Zimmermann, 1986) as follows:

$$CI = \frac{A - C}{M - C} \times 100$$

where A is the number of selected genotypes common to different methods; C is the number of expected genotypes selected by chance; and M is the number of genotypes selected according to the selection intensity.

Usage

```
coincidence_index(..., total, sel1 = NULL, sel2 = NULL)
```

Arguments

...	A comma-separated list of objects of class mgidi, fai_blup, or sh. When a model is informed, then the selected genotypes are extracted automatically.
total	The total number of genotypes in the study.
sel1, sel2	The selected genotypes by the method 1 and 2, respectively. Defaults to NULL.

Value

A list with the following elements:

- **coincidence**: A data frame with the coincidence index, number of common genotypes and the list of common genotypes for each model combination.
- **coincidence_mat**: A matrix-like containing the coincidence index.
- **genotypes**: The number of common genotypes for all models, i.e., the intersection of the selected genotypes of all models

References

Hamblin, J., and M.J. de O. Zimmermann. 1986. Breeding Common Bean for Yield in Mixtures. p. 245-272. In Plant Breeding Reviews. John Wiley & Sons, Inc., Hoboken, NJ, USA. doi: [10.1002/9781118061015.ch8](https://doi.org/10.1002/9781118061015.ch8)

Examples

```
sel1 <- paste("G", 1:30, sep = "")
sel2 <- paste("G", 16:45, sep = "")
coincidence_index(sel1 = sel1, sel2 = sel2, total = 150)
```

colindia

*Collinearity Diagnostics***Description**

Perform a (multi)collinearity diagnostic of a correlation matrix of predictor variables using several indicators, as shown by Olivoto et al. (2017).

Usage

```
colindia(.data, ..., by = NULL, n = NULL)
```

Arguments

<code>.data</code>	The data to be analyzed. It must be a symmetric correlation matrix, or a data frame, possible with grouped data passed from <code>group_by()</code> .
<code>...</code>	Variables to use in the correlation. If <code>...</code> is null then all the numeric variables from <code>.data</code> are used. It must be a single variable name or a comma-separated list of unquoted variables names.
<code>by</code>	One variable (factor) to compute the function by. It is a shortcut to <code>group_by()</code> . To compute the statistics by more than one grouping variable use that function.
<code>n</code>	If a correlation matrix is provided, then <code>n</code> is the number of objects used to compute the correlation coefficients.

Value

If `.data` is a grouped data passed from `group_by()` then the results will be returned into a list-column of data frames.

- **cormat** A symmetric Pearson's coefficient correlation matrix between the variables
- **corlist** A hypothesis testing for each of the correlation coefficients
- **evalevet** The eigenvalues with associated eigenvectors of the correlation matrix
- **VIF** The Variance Inflation Factors, being the diagonal elements of the inverse of the correlation matrix.
- **CN** The Condition Number of the correlation matrix, given by the ratio between the largest and smallest eigenvalue.
- **det** The determinant of the correlation matrix.
- **ncorhigh** Number of correlation greather than 10.81.
- **largest_corr** The largest correlation (in absolute value) observed.
- **smallest_corr** The smallest correlation (in absolute value) observed.
- **weight_var** The variables with largest eigenvector (largest weight) in the eigenvalue of smallest value, sorted in decreasing order.

order	The order on how the results will appear in the output. Default is order = 'first'. In this case, assuming that .data has four columns, namely, V1, V2, V3, V4, the order of columns in the output will be V1.V2, V1.V3, V1.V4, V2.V3, V2.V4, V3.V4. If order = 'second', the result will be then V1.V2, V1.V3, V2.V3, V1.V4, V2.V4, V3.V4.
FUN	The function that will be applied to each combination. The default is +, i.e., V1 + V2.
verbose	Logical argument. If verbose = FALSE the code will run silently.

Value

A data frame containing all possible combination of variables. Each combination is the result of the function in FUN applied to the two variables.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
data <- data.frame(A = rnorm(n = 5, mean = 10, sd = 3),
                  B = rnorm(n = 5, mean = 120, sd = 30),
                  C = rnorm(n = 5, mean = 40, sd = 10),
                  D = rnorm(n = 5, mean = 1100, sd = 200),
                  E = rnorm(n = 5, mean = 2, sd = 1))
comb1 <- comb_vars(data)
comb2 <- comb_vars(data, FUN = '*', order = 'second')
```

correlated_vars	<i>Generate correlated variables</i>
-----------------	--------------------------------------

Description

Generate correlated variables

Usage

```
correlated_vars(
  y,
  min_cor = -1,
  max_cor = 1,
  nvars,
  constant = NULL,
  operation = "*",
  x = NULL
)
```


Arguments

y	A vector to generate variables correlated with.
min_cor	The minimum desired correlation.
max_cor	The maximum desired correlation.
nvars	The number of variables.
constant	A constant. Use operation to define which operation is used.
operation	The operation to be applied to the constant value.
x	An optional vector of the same length of y. If not informed (default) then a normally distributed variable (mean = 0, sd = 1) will be used.

Value

A data frame with the y variable and the correlated variables.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
y <- rnorm(n = 10)
cor_vars <- correlated_vars(y, nvar = 6)
plot(cor_vars)
```

corr_ci

*Confidence interval for correlation coefficient***Description**

Computes the half-width confidence interval for correlation coefficient using the nonparametric method proposed by Olivoto et al. (2018).

Usage

```
corr_ci(.data = NA, ..., r = NULL, n = NULL, by = NULL, verbose = TRUE)
```

Arguments

.data	The data to be analyzed. It can be a data frame (possible with grouped data passed from group_by()) or a symmetric correlation matrix.
...	Variables to compute the confidence interval. If not informed, all the numeric variables from .data are used.
r	If data is not available, provide the value for correlation coefficient.
n	The sample size if data is a correlation matrix or if r is informed.
by	One variable (factor) to compute the function by. It is a shortcut to group_by() . To compute the statistics by more than one grouping variable use that function.
verbose	If verbose = TRUE then some results are shown in the console.

Details

The half-width confidence interval is computed according to the following equation:

$$CI_w = 0.45304^r \times 2.25152 \times n^{-0.50089}$$

where n is the sample size and r is the correlation coefficient.

Value

A tibble containing the values of the correlation, confidence interval, upper and lower limits for all combination of variables.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., A.D.C. Lucio, V.Q. Souza, M. Nardino, M.I. Diel, B.G. Sari, D.. K. Kryszun, D. Meira, and C. Meier. 2018. Confidence interval width for Pearson's correlation coefficient: a Gaussian-independent estimator based on sample size and strength of association. *Agron. J.* 110:1-8. doi: [10.2134/agronj2016.04.0196](https://doi.org/10.2134/agronj2016.04.0196)

Examples

```
library(metan)

CI1 <- corr_ci(data_ge2)

# By each level of the factor 'ENV'
CI2 <- corr_ci(data_ge2, CD, TKW, NKE,
               by = ENV,
               verbose = FALSE)

CI2
```

corr_coef

Computes Pearson's correlation matrix with p-values

Description

Computes Pearson's correlation matrix with p-values

Usage

```
corr_coef(data, ..., verbose = TRUE)
```


Arguments

data	The data set.
...	Variables to use in the correlation. If no variable is informed all the numeric variables from data are used.
verbose	Logical argument. If verbose = FALSE the code is run silently.

Value

A list with the correlation coefficients and p-values

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)

# All numeric variables
all <- corr_coef(data_ge2)

# Select variables
sel <- corr_coef(data_ge2, EP, EL, CD, CL)
print(sel)
```

corr_plot

Visualization of a correlation matrix

Description

Graphical and numerical visualization of a correlation matrix

Usage

```
corr_plot(
  .data,
  ...,
  col.by = NULL,
  upper = "corr",
  lower = "scatter",
  decimal.mark = ".",
  axis.labels = FALSE,
  show.labels.in = "show",
  size.axis.label = 12,
  diag = TRUE,
  diag.type = "histogram",
  bins = 20,
  col.diag = "gray",
  alpha.diag = 1,
```



```

col.up.panel = "gray",
col.lw.panel = "gray",
col.dia.panel = "gray",
prob = 0.05,
col.sign = "green",
alpha.sign = 0.15,
lab.position = "tr",
progress = NULL,
smooth = FALSE,
col.smooth = "red",
size.smooth = 0.3,
confint = TRUE,
size.point = 1,
shape.point = 19,
alpha.point = 0.7,
fill.point = NULL,
col.point = "black",
minsize = 2,
maxsize = 3,
pan.spacing = 0.15,
digits = 2,
export = FALSE,
file.type = "pdf",
file.name = NULL,
width = 8,
height = 7,
resolution = 300
)

```

Arguments

<code>.data</code>	The data. Should, preferentially, contain numeric variables only. If <code>.data</code> has factor-columns, these columns will be deleted with a warning message.
<code>...</code>	Variables to use in the correlation. If no variable is informed all the numeric variables from <code>.data</code> are used.
<code>col.by</code>	A categorical variable to map the color of the points by. Defaults to <code>NULL</code> .
<code>upper</code>	The visualization method for the upper triangular correlation matrix. Must be one of 'corr' (numeric values), 'scatter' (the scatterplot for each pairwise combination), or <code>NULL</code> to set a blank diagonal.
<code>lower</code>	The visualization method for the lower triangular correlation matrix. Must be one of 'corr' (numeric values), 'scatter' (the scatterplot for each pairwise combination), or <code>NULL</code> to set a blank diagonal.
<code>decimal.mark</code>	The decimal mark. Defaults to ".".
<code>axis.labels</code>	Should the axis labels be shown in the plot? Set to <code>FALSE</code> .
<code>show.labels.in</code>	Where to show the axis labels. Defaults to "show" bottom and left. Use "diag" to show the labels on the diagonal. In this case, the diagonal layer (boxplot, density or histogram) will be overwritten.
<code>size.axis.label</code>	The size of the text for axis labels if <code>axis.labels = TRUE</code> . Defaults to 12.
<code>diag</code>	Should the diagonal be shown?

diag.type	The type of plot to show in the diagonal if diag TRUE. It must be one of the 'histogram' (to show an histogram), 'density' to show the Kernel density, or 'boxplot' (to show a boxplot).
bins	The number of bins, Defaults to 20.
col.diag	If diag = TRUE then diagcol is the color for the distribution. Set to gray.
alpha.diag	Alpha-transparency scale [0-1] to make the diagonal plot transparent. 0 = fully transparent; 1 = full color. Set to 0.15
col.up.panel, col.lw.panel, col.dia.panel	The color for the upper, lower, and diagonal panels, respectively. Set to 'gray'.
prob	The probability of error. Significant correlations will be highlighted with '**', '***', and '****' (0.05, 0.01, and 0.001, respectively). Scatterplots with significant correlations may be color-highlighted.
col.sign	The color that will highlight the significant correlations. Set to 'green'.
alpha.sign	Alpha-transparency scale [0-1] to make the plot area transparent. 0 = fully transparent; 1 = full color. Set to 0.15
lab.position	The position that the labels will appear. Set to 'tr', i.e., the legends will appear in the top and right of the plot. Other allowed options are 'tl' (top and left), 'br' (bottom and right), 'bl' (bottom and left).
progress	NULL (default) for a progress bar in interactive sessions with more than 15 plots, TRUE for a progress bar, FALSE for no progress bar.
smooth	Should a linear smooth line be shown in the scatterplots? Set to FALSE.
col.smooth	The color for the smooth line.
size.smooth	The size for the smooth line.
confint	Should a confidence band be shown with the smooth line? Set to TRUE.
size.point	The size of the points in the plot. Set to 0.5.
shape.point	The shape of the point, set to 1.
alpha.point	Alpha-transparency scale [0-1] to make the points transparent. 0 = fully transparent; 1 = full color. Set to 0.7
fill.point	The color to fill the points. Valid argument if points are between 21 and 25.
col.point	The color for the edge of the point, set to black.
minsize	The size of the letter that will represent the smallest correlation coefficient.
maxsize	The size of the letter that will represent the largest correlation coefficient.
pan.spacing	The space between the panels. Set to 0.15.
digits	The number of digits to show in the plot.
export	Logical argument. If TRUE, then the plot is exported to the current directory.
file.type	The format of the file if export = TRUE. Set to 'pdf'. Other possible values are *.tiff using file.type = 'tiff'.
file.name	The name of the plot when exported. Set to NULL, i.e., automatically.
width	The width of the plot, set to 8.
height	The height of the plot, set to 7.
resolution	The resolution of the plot if file.type = 'tiff' is used. Set to 300 (300 dpi).

Value

An object of class gg, ggmatrix.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
dataset <- data_ge2

# Default plot setting
corr_plot(dataset)

# Chosing variables to be correlated
corr_plot(dataset, CD, EL, PERK, NKR)

# Changing the layout
corr_plot(dataset, CD, EL, PERK, NKR,
          lower = NULL,
          upper = 'corr')

# Axis labels, similar to the function pairs()
# Gray scale
corr_plot(dataset, CD, EL, PERK, NKR,
          shape.point = 19,
          size.point = 2,
          alpha.point = 0.5,
          alpha.diag = 0,
          pan.spacing = 0,
          col.sign = 'gray',
          alpha.sign = 0.3,
          axis.labels = TRUE)

corr_plot(dataset, CD, EL, PERK, NKR, CW, NKE,
          prob = 0.01,
          shape.point = 21,
          col.point = 'black',
          fill.point = 'orange',
          size.point = 2,
          alpha.point = 0.6,
          maxsize = 4,
          minsize = 2,
          smooth = TRUE,
          size.smooth = 1,
          col.smooth = 'black',
          col.sign = 'cyan',
          col.up.panel = 'black',
          col.lw.panel = 'black',
          col.dia.panel = 'black',
          pan.spacing = 0,
          lab.position = 'tl')
```


Description

Find the required (sufficient) sample size for computing a Pearson correlation coefficient with a desired confidence interval (Olivoto et al., 2018) as follows

$$n = \left[\frac{CI_w}{0.45304^r \times 2.25152} \right]^{-0.50089}$$

where CI_w is desired confidence interval and r is the correlation coefficient.

Usage

```
corr_ss(r, CI, verbose = TRUE)
```

Arguments

<code>r</code>	The magnitude of the correlation coefficient.
<code>CI</code>	The half-width for confidence interval at $p < 0.05$.
<code>verbose</code>	Logical argument. If <code>verbose = FALSE</code> the code is run silently.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., A.D.C. Lucio, V.Q. Souza, M. Nardino, M.I. Diel, B.G. Sari, D.. K. Krysczun, D. Meira, and C. Meier. 2018. Confidence interval width for Pearson's correlation coefficient: a Gaussian-independent estimator based on sample size and strength of association. *Agron. J.* 110:1-8. doi: [10.2134/agronj2016.04.0196](https://doi.org/10.2134/agronj2016.04.0196)

Examples

```
corr_ss(r = 0.60, CI = 0.1)
```

corr_stab_ind	<i>Correlation between stability indexes</i>
---------------	--

Description

Computes the Spearman's rank correlation between the parametric and nonparametric stability indexes computed with the function [ge_stats](#).

Usage

```
corr_stab_ind(x, stats = "all", plot = TRUE, ...)
```


Arguments

<code>x</code>	An object of class <code>ge_stats</code> .
<code>stats</code>	The statistics to compute the correlation. See the section Details for more information.
<code>plot</code>	Plot the heat map with the correlations? Defaults to TRUE.
<code>...</code>	Other arguments to be passed to the function <code>plot.corr_coef</code> .

Details

The argument `stats` is used to chose the statistics to show the ranks. Allowed values are "all" (All statistics, default), "par" (Parametric statistics), "nonpar" (Non-parametric statistics), "ammi" (AMMI-based stability statistics), or the following values that can be combined into comma-separated character vector. "Y" (Response variable), "Var" (Genotype's variance), "Shukla" (Shukla's variance), "Wi_g", "Wi_f", "Wi_u" (Annichiarico's genotypic confidence index for all, favorable and unfavorable environments, respectively), "Ecoval" (Wricke's ecovalence), "Sij" (Deviations from the joint-regression analysis), "R2" (R-squared from the joint-regression analysis), "ASV" (AMMI-stability value), "SIPC" (sum of the absolute values of the IPCA scores), "EV" (Average of the squared eigenvector values), "ZA" (Absolute values of the relative contributions of the IPCAs to the interaction), "WAAS" (Weighted Average of Absolute Scores), "HMGV" (Harmonic mean of the genotypic value), "RPGV" (Relative performance of the genotypic values), "HMRPGV" (Harmonic mean of the relative performance of the genotypic values), "Pi_a", "Pi_f", "Pi_u" (Superiority indexes for all, favorable and unfavorable environments, respectively), "Gai" (Geometric adaptability index), "S1" (mean of the absolute rank differences of a genotype over the n environments), "S2" (variance among the ranks over the k environments), "S3" (sum of the absolute deviations), "S6" (relative sum of squares of rank for each genotype), "N1", "N2", "N3", "N4" (Thennarasu's statistics)).

Value

A list with the data (ranks) correlation, p-values and a heat map showing the correlation coefficients.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- ge_stats(data_ge, ENV, GEN, REP, GY)
a <- corr_stab_ind(model)
b <- corr_stab_ind(model, stats = "ammi")
c <- corr_stab_ind(model, stats = c("ASV", "Sij", "R2", "WAAS", "N1"))
```

covcor_design

Variance-covariance matrices for designed experiments

Description

Compute variance-covariance and correlation matrices using data from a designed (RCBD or CRD) experiment.

Usage

```
covcor_design(.data, gen, rep, resp, design = "RCBD", by = NULL, type = NULL)
```

Arguments

<code>.data</code>	The data to be analyzed. It can be a data frame, possible with grouped data passed from <code>group_by()</code> .
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>rep</code>	The name of the column that contains the levels of the replications/blocks.
<code>resp</code>	The response variables. For example <code>resp = c(var1, var2, var3)</code> .
<code>design</code>	The experimental design. Must be RCBD or CRD.
<code>by</code>	One variable (factor) to compute the function by. It is a shortcut to <code>group_by()</code> . To compute the statistics by more than one grouping variable use that function.
<code>type</code>	What the matrices should return? Set to NULL, i.e., a list of matrices is returned. The argument type allow the following values 'pcor', 'gcor', 'rcor', (which will return the phenotypic, genotypic and residual correlation matrices, respectively) or 'pcov', 'gcov', 'rcov' (which will return the phenotypic, genotypic and residual variance-covariance matrices, respectively). Alternatively, it is possible to get a matrix with the means of each genotype in each trait, by using <code>type = 'means'</code> .

Value

An object of class `covcor_design` containing the following items:

- **geno_cov** The genotypic covariance.
- **phen_cov** The phenotypic covariance.
- **resi_cov** The residual covariance.
- **geno_cor** The phenotypic correlation.
- **phen_cor** The phenotypic correlation.
- **resi_cor** The residual correlation.

If `.data` is a grouped data passed from `group_by()` then the results will be returned into a list-column of data frames.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
# List of matrices
data <- subset(data_ge2, ENV == 'A1')
matrices <- covcor_design(data, gen = GEN, rep = REP,
                          resp = c(PH, EH, NKE, TKW))

# Genetic correlations
gcor <- covcor_design(data,
                      gen = GEN,
                      rep = REP,
```



```

      resp = c(PH, EH, NKE, TKW),
      type = 'gcor')

# Residual (co)variance matrix for each environment
rcov <- covcor_design(data_ge2,
                      gen = GEN,
                      rep = REP,
                      resp = c(PH, EH, CD, CL),
                      by = ENV,
                      type = "rcov")

```

cv_amm

Cross-validation procedure

Description

Cross-validation for estimation of AMMI models

Usage

```

cv_amm(
  .data,
  env,
  gen,
  rep,
  resp,
  block = NULL,
  naxis = 2,
  nboot = 200,
  design = "RCBD",
  verbose = TRUE
)

```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks. AT LEAST THREE REPLICATES ARE REQUIRED TO PERFORM THE CROSS-VALIDATION.
resp	The response variable.
block	Defaults to NULL. In this case, a randomized complete block design is considered. If block is informed, then a resolvable alpha-lattice design (Patterson and Williams, 1976) is employed. All effects, except the error, are assumed to be fixed.
naxis	The number of axis to be considered for estimation of GE effects.

nboot	The number of resamples to be used in the cross-validation. Defaults to 200.
design	The experimental design. Defaults to RCBD (Randomized complete Block Design). For Completely Randomized Designs inform design = 'CRD'.
verbose	A logical argument to define if a progress bar is shown. Default is TRUE.

Details

The original dataset is split into two datasets: training set and validation set. The 'training' set has all combinations (genotype x environment) with N-1 replications. The 'validation' set has the remaining replication. The splitting of the dataset into modeling and validation sets depends on the design informed. For Completely Randomized Block Design (default), and alpha-lattice design (declaring block arguments), complete replicates are selected within environments. The remained replicate serves as validation data. If design = 'RCD' is informed, completely randomly samples are made for each genotype-by-environment combination (Olivoto et al. 2019). The estimated values considering naxis-Interaction Principal Component Axis are compared with the 'validation' data. The Root Mean Square Prediction Difference (RMSPD) is computed. At the end of boots, a list is returned.

IMPORTANT: If the data set is unbalanced (i.e., any genotype missing in any environment) the function will return an error. An error is also observed if any combination of genotype-environment has a different number of replications than observed in the trial.

Value

An object of class cv_amm with the following items: * **RMSPD**: A vector with nboot-estimates of the Root Mean Squared Prediction Difference between predicted and validating data.

- **RMSPDmean**: The mean of RMSPDmean estimates.
- **Estimated**: A data frame that contain the values (predicted, observed, validation) of the last loop.
- **Modeling**: The dataset used as modeling data in the last loop
- **Testing**: The dataset used as testing data in the last loop.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. Agron. J. 111:2949-2960. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)
- Patterson, H.D., and E.R. Williams. 1976. A new class of resolvable incomplete block designs. Biometrika 63:83-92.

See Also

[cv_ammif](#), [cv_blup](#)

Examples

```
library(metan)
model <- cv_ammif(data_ge,
                  env = ENV,
                  gen = GEN,
                  rep = REP,
                  resp = GY,
                  nboot = 5,
                  naxis = 2)
```

cv_ammif

Cross-validation procedure

Description

Cross-validation for estimation of all AMMI-family models

Usage

```
cv_ammif(
  .data,
  env,
  gen,
  rep,
  resp,
  nboot = 200,
  block,
  design = "RCBD",
  verbose = TRUE
)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks. AT LEAST THREE REPLICATES ARE REQUIRED TO PERFORM THE CROSS-VALIDATION.
resp	The response variable.
nboot	The number of resamples to be used in the cross-validation. Defaults to 200.
block	Defaults to NULL. In this case, a randomized complete block design is considered. If block is informed, then a resolvable alpha-lattice design (Patterson and Williams, 1976) is employed. All effects, except the error, are assumed to be fixed.

design	The experimental design used in each environment. Defaults to RCBD (Randomized complete Block Design). For Completely Randomized Designs inform design = 'CRD'.
verbose	A logical argument to define if a progress bar is shown. Default is TRUE.

Details

cv_ammif provides a complete cross-validation of replicate-based data using AMMI-family models. By default, the first validation is carried out considering the AMMIF (all possible axis used). Considering this model, the original dataset is split up into two datasets: training set and validation set. The 'training' set has all combinations (genotype x environment) with N-1 replications. The 'validation' set has the remaining replication. The splitting of the dataset into modeling and validation sets depends on the design informed. For Completely Randomized Block Design (default), and alpha-lattice design (declaring block arguments), complete replicates are selected within environments. The remained replicate serves as validation data. If design = 'RCD' is informed, completely random samples are made for each genotype-by-environment combination (Olivoto et al. 2019). The estimated values for each member of the AMMI-family model are compared with the 'validation' data. The Root Mean Square Prediction Difference (RMSPD) is computed. At the end of boots, a list is returned.

IMPORTANT: If the data set is unbalanced (i.e., any genotype missing in any environment) the function will return an error. An error is also observed if any combination of genotype-environment has a different number of replications than observed in the trial.

Value

An object of class cv_ammif with the following items:

- **RMSPD:** A vector with nboot-estimates of the Root Mean Squared Prediction Difference between predicted and validating data.
- **RMSPDmean:** The mean of RMSPDmean estimates.
- **Estimated:** A data frame that contain the values (predicted, observed, validation) of the last loop.
- **Modeling:** The dataset used as modeling data in the last loop
- **Testing:** The dataset used as testing data in the last loop.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Patterson, H.D., and E.R. Williams. 1976. A new class of resolvable incomplete block designs. Biometrika 63:83-92.

See Also

[cv_ami](#), [cv_blup](#)

Examples

```
library(metan)
model <- cv_ammif(data_ge,
                  env = ENV,
                  gen = GEN,
                  rep = REP,
                  resp = GY,
                  nboot = 5)

plot(model)
```

cv_blup

Cross-validation procedure

Description

Cross-validation for blup prediction.

Usage

```
cv_blup(
  .data,
  env,
  gen,
  rep,
  resp,
  block = NULL,
  nboot = 200,
  random = "gen",
  verbose = TRUE
)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks. AT LEAST THREE REPLICATES ARE REQUIRED TO PERFORM THE CROSS-VALIDATION.
resp	The response variable.
block	Defaults to NULL. In this case, a randomized complete block design is considered. If block is informed, then a resolvable alpha-lattice design (Patterson and Williams, 1976) is employed. See how fixed and random effects are considered, see the section Details .
nboot	The number of resamples to be used in the cross-validation. Defaults to 200

random	The effects of the model assumed to be random. See Details for more information.
verbose	A logical argument to define if a progress bar is shown. Default is TRUE.

Details

This function provides a cross-validation procedure for mixed models using replicate-based data. By default, complete blocks are randomly selected within each environment. In each iteration, the original dataset is split up into two datasets: training and validation data. The 'training' set has all combinations (genotype x environment) with $R - 1$ replications. The 'validation' set has the remaining replication. The estimated values are compared with the 'validation' data and the Root Means Square Prediction Difference (Olivoto et al. 2019) is computed. At the end of boots, a list is returned.

Six models may be fitted depending upon the values in block and random arguments.

- **Model 1:** block = NULL and random = "gen" (The default option). This model considers a Randomized Complete Block Design in each environment assuming genotype and genotype-environment interaction as random effects. Environments and blocks nested within environments are assumed to fixed factors.
- **Model 2:** block = NULL and random = "env". This model considers a Randomized Complete Block Design in each environment treating environment, genotype-environment interaction, and blocks nested within environments as random factors. Genotypes are assumed to be fixed factors.
- **Model 3:** block = NULL and random = "all". This model considers a Randomized Complete Block Design in each environment assuming a random-effect model, i.e., all effects (genotypes, environments, genotype-vs-environment interaction and blocks nested within environments) are assumed to be random factors.
- **Model 4:** block is not NULL and random = "gen". This model considers an alpha-lattice design in each environment assuming genotype, genotype-environment interaction, and incomplete blocks nested within complete replicates as random to make use of inter-block information (Mohring et al., 2015). Complete replicates nested within environments and environments are assumed to be fixed factors.
- **Model 5:** block is not NULL and random = "env". This model considers an alpha-lattice design in each environment assuming genotype as fixed. All other sources of variation (environment, genotype-environment interaction, complete replicates nested within environments, and incomplete blocks nested within replicates) are assumed to be random factors.
- **Model 6:** block is not NULL and random = "all". This model considers an alpha-lattice design in each environment assuming all effects, except the intercept, as random factors.

IMPORTANT: An error is returned if any combination of genotype-environment has a different number of replications than observed in the trial.

Value

An object of class cv_blup with the following items: * **RMSPD**: A vector with nboot-estimates of the root mean squared prediction difference between predicted and validating data. * **RMSPDmean** The mean of RMSPDmean estimates.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. *Agron. J.* 111:2949-2960. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)
- Patterson, H.D., and E.R. Williams. 1976. A new class of resolvable incomplete block designs. *Biometrika* 63:83-92.
- Mohring, J., E. Williams, and H.-P. Piepho. 2015. Inter-block information: to recover or not to recover it? *TAG. Theor. Appl. Genet.* 128:1541-54. doi: [10.1007/s0012201525300](https://doi.org/10.1007/s0012201525300)

See Also

[cv_amm](#), [cv_ammif](#)

Examples

```
library(metan)
model <- cv_blup(data_ge,
  env = ENV,
  gen = GEN,
  rep = REP,
  resp = GY,
  nboot = 5)
```

data_alpha

Data from an alpha lattice design

Description

Alpha lattice design of spring oats

Format

A tibble with 72 observations on the following 5 variables.

- **PLOT** Plot number
- **REP** Replicate code
- **BLOCK** Incomplete block code
- **GEN** Genotype code
- **YIELD** Observed dry matter yield (tonnes/ha)

Details

A spring oats trial grown in Craibstone. There were 24 varieties in 3 replicates, each consisting of 6 incomplete blocks of 4 plots. Planted in a resolvable alpha design. The plots were laid out in a single line.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Source

J. A. John & E. R. Williams (1995). Cyclic and computer generated designs, Chapman and Hall, London. Page 146.

data_g

Single maize trial

Description

This dataset contain data on 15 traits assessed in 13 maize hybrids. The experimental design was a RCBD with 3 blocks and 1 replications per block. It is used as an example in the function [gamem](#) of the **metan** package.

Format

A tibble with 39 observations on the following 17 variables.

- **GEN** A factor with 13 levels; each level represents one maize hybrid.
- **REP** A factor with 3 levels; each level represents one replication/block.
- **PH** Plant height, in cm.
- **EH** Ear height, in cm.
- **EP** Ear position, i.e., the ratio EH/PH.
- **EL** Ear length, in cm.
- **ED** Ear diameter, in mm.
- **CL** Cob length, in cm.
- **CD** Cob diameter, in mm.
- **CW** Cob weight, in g.
- **KW** Kernel weight, in cm.
- **NR** Number of rows.
- **NKR** Number of kernels per row.
- **CDED** Cob diameter / Ear diameter ratio.
- **PERK** Percentage of kernels.
- **TKW** Thousand-kernel weight
- **NKE** Number of kernels per row.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Source

Personal data

data_ge	<i>Multi-environment trial of oat</i>
---------	---------------------------------------

Description

This dataset contain data on two variables assessed in 10 genotypes growing in 11 environments. The experimental design was a RCBD with 3 replicates(blocks). This data provide examples for several functions of **metan** package.

Format

A tibble with 420 observations on the following 5 variables.

- **ENV** A factor with 14 levels; each level represents one cultivation environment.
- **GEN** A factor with 10 levels; each level represents one genotype.
- **REP** A factor with 3 levels; each level represents one replication/block.
- **GY** A continuous variable (grain yield) observed in each plot.
- **HM** A continuous variable (hectoliter mass) observed in each plot.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Source

Personal data

data_ge2	<i>Multi-environment trial of maize</i>
----------	---

Description

This dataset contain data on 15 traits assessed in 13 maize hybrids growing in 4 environments. The experimental design was a RCBD with 3 blocks and 1 replications per block. It may be used as example in several functions of **metan** package.

Format

A tibble with 156 observations on the following 18 variables.

- **ENV** A factor with 4 levels; each level represents one cultivation environment.
- **GEN** A factor with 13 levels; each level represents one maize hybrid.
- **REP** A factor with 3 levels; each level represents one replication/block.
- **PH** Plant height, in cm.
- **EH** Ear height, in cm.
- **EP** Ear position, i.e., the ratio EH/PH.
- **EL** Ear length, in cm.

- **ED** Ear diameter, in mm.
- **CL** Cob length, in cm.
- **CD** Cob diameter, in mm.
- **CW** Cob weight, in g.
- **KW** Kernel weight, in cm.
- **NR** Number of rows.
- **NKR** Number of kernels per row.
- **CDED** Cob diameter / Ear diameter ratio.
- **PERK** Percentage of kernels.
- **TKW** Thousand-kernel weight
- **NKE** Number of kernels per row.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Source

Personal data

desc_stat	<i>Descriptive statistics</i>
-----------	-------------------------------

Description

- `desc_stat()` Computes the most used measures of central tendency, position, and dispersion.
- `desc_wider()` is useful to put the variables in columns and grouping variables in rows. The table is filled with a statistic chosen with the argument `stat`.

Usage

```
desc_stat(
  .data = NULL,
  ...,
  by = NULL,
  stats = "main",
  hist = FALSE,
  level = 0.95,
  digits = 4,
  na.rm = FALSE,
  verbose = TRUE,
  plot_theme = theme_metan()
)

desc_wider(.data, which)
```


Arguments

<code>.data</code>	The data to be analyzed. It can be a data frame (possible with grouped data passed from <code>group_by()</code>) or a numeric vector. For <code>desc_wider()</code> <code>.data</code> is an object of class <code>desc_stat</code> .
<code>...</code>	A single variable name or a comma-separated list of unquoted variables names. If no variable is informed, all the numeric variables from <code>.data</code> will be used. Select helpers are allowed.
<code>by</code>	One variable (factor) to compute the function by. It is a shortcut to <code>group_by()</code> . To compute the statistics by more than one grouping variable use that function.
<code>stats</code>	<p>The descriptive statistics to show. This is used to filter the output after computation. Defaults to "main" (cv, max, mean median, min, sd.amo, se, ci). Other allowed values are "all" to show all the statistics, "robust" to show robust statistics, "quantile" to show quantile statistics, or chose one (or more) of the following:</p> <ul style="list-style-type: none"> • "av.dev": average deviation. • "ci": 95 percent confidence interval of the mean. • "cv": coefficient of variation. • "iqr": interquartile range. • "gmean": geometric mean. • "hmean": harmonic mean. • "Kurt": kurtosis. • "mad": median absolute deviation. • "max": maximum value. • "mean": arithmetic mean. • "median": median. • "min": minimum value. • "n": the length of the data. • "ps": the pseudo-sigma (iqr / 1.35). • "q2.5", "q25", "q75", "q97.5": the percentile 2.5\ quartile, third quartile, and percentile 97.5\ • range: The range of data). • "sd.amo", "sd.pop": the sample and population standard deviation. • "se": the standard error of the mean. • "skew": skewness. • "sum". the sum of the values. • "sum.dev": the sum of the absolute deviations. • "sum.sq.dev": the sum of the squared deviations. • "valid.n": The size of sample with valid number (not NA). • "var.amo", "var.pop": the sample and population variance. <p>Use a names to select the statistics. For example, <code>stats = c("median,mean,cv,n")</code>. Note that the statistic names are not case-sensitive. Both comma or space can be used as separator.</p>
<code>hist</code>	Logical argument defaults to FALSE. If <code>hist = TRUE</code> then a histogram is created for each selected variable.
<code>level</code>	The confidence level to compute the confidence interval of mean. Defaults to 0.95.

digits	The number of significant digits.
na.rm	Logical. Should missing values be removed? Defaults to FALSE.
verbose	Logical argument. If verbose = FALSE the code is run silently.
plot_theme	The graphical theme of the plot. Default is plot_theme = theme_metan(). For more details, see theme .
which	A statistic to fill the table.

Value

- desc_stats() returns a tibble with the statistics in the columns and variables (with possible grouping factors) in rows.
- desc_wider() returns a tibble with variables in columns and grouping factors in rows.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
#####
# Example 1: main statistics (coefficient of variation, maximum, #
# mean, median, minimum, sample standard deviation, standard #
# error and confidence interval of the mean) for all numeric #
# variables in data #
#####

desc_stat(data_ge2)

#####
#Example 2: robust statistics using a numeric vector as input #
# data #
#####
vect <- data_ge2$TKW
desc_stat(vect, stats = "robust")

#####
# Example 3: Select specific statistics. In this example, NAs #
# are removed before analysis with a warning message #
#####
desc_stat(c(12, 13, 19, 21, 8, NA, 23, NA),
          stats = c('mean, se, cv, n, valid.n'),
          na.rm = TRUE)

#####
# Example 4: Select specific variables and compute statistics by#
# levels of a factor variable (GEN) #
#####
stats <-
  desc_stat(data_ge2,
            EP, EL, EH, ED, PH, CD,
            by = GEN)

stats

# To get a 'wide' format with the maximum values for all variables
```



```

desc_wider(stats, max)

#=====#
# Example 5: Compute all statistics for all numeric variables  #
# by two or more factors. Note that group_by() was used to pass #
# grouped data to the function desc_stat()                      #
#=====#

data_ge2 %>%
  group_by(ENV, GEN) %>%
  desc_stat()

```

doo

Alternative to dplyr::do for doing anything

Description

Provides an alternative to the `dplyr::do()` using `nest()`, `mutate()` and `map()` to apply a function to a grouped data frame.

Usage

```
doo(.data, .fun, ...)
```

Arguments

<code>.data</code>	a (grouped) data frame
<code>.fun</code>	A function, formula, or atomic vector.
<code>...</code>	Additional arguments passed on to <code>.fun</code>

Details

If the applied function returns a data frame, then the output will be automatically unnested. Otherwise, the output includes the grouping variables and a column named "data" , which is a "list-columns" containing the results for group combinations.

Value

a data frame

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
# Head the first two lines of each environment
data_ge2 %>%
  group_by(ENV) %>%
  doo(~head(., 2))

# Genotype analysis for each environment using 'gafem()'
# variable PH
data_ge2 %>%
  group_by(ENV) %>%
  doo(~gafem(., GEN, REP, PH, verbose = FALSE))
```

ecovalence

Stability analysis based on Wricke's model

Description

The function computes the ecovalence (Wricke, 1965) for stability analysis.

Usage

```
ecovalence(.data, env, gen, rep, resp, verbose = TRUE)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks.
resp	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
verbose	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

An object of class `ecovalence` containing the results for each variable used in the argument `resp`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Wricke, G. 1965. Zur berechnung der okovalenz bei sommerweizen und hafer. Z. Pflanzenzuchtg 52:127-138.

Examples

```
library(metan)
out <- ecovalence(data_ge2,
                  env = ENV,
                  gen = GEN,
                  rep = REP,
                  resp = PH)
```

env_dissimilarity	<i>Dissimilarity between environments</i>
-------------------	---

Description

Computes the dissimilarity between environments based on several approaches. See the section **details** for more details.

Usage

```
env_dissimilarity(.data, env, gen, rep, resp)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks.
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> . Select helpers are also allowed.

Details

Robertson (1959) proposed the partition of the mean square of the genotype-environment interaction (MS_{GE}) into single (S) and complex (C) parts, where $S = \frac{1}{2}(\sqrt{Q1} - \sqrt{Q2})^2$ and $C = (1 - r)\sqrt{Q1 - Q2}$, being r the correlation between the genotype's average in the two environments; and $Q1$ and $Q2$ the genotype mean square in the environments 1 and 2, respectively. Cruz and Castoldi (1991) proposed a new decomposition of the MS_{GE}, in which the complex part is given by $C = \sqrt{(1 - r)^3 \times Q1 \times Q2}$.

Value

A list with the following matrices:

- SPART_CC: The percentage of the single (non cross-over) part of the interaction between genotypes and pairs of environments according to the method proposed by Cruz and Castoldi (1991).

- CPART_CC: The percentage of the complex (cross-over) part of the interaction between genotypes and pairs of environments according to the method proposed by Cruz and Castoldi (1991).
- SPART_R0: The percentage of the single (non cross-over) part of the interaction between genotypes and pairs of environments according to the method proposed by Robertson (1959).
- CPART_R0: The percentage of the complex (cross-over) part of the interaction between genotypes and pairs of environments according to the method proposed by Robertson (1959).
- MSGE: Interaction mean square between genotypes and pairs of environments.
- SSGE: Interaction sum of square between genotypes and pairs of environments.
- correlation: Correlation coefficients between genotypes's average in each pair of environment.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Cruz, C.D., Castoldi, F. (1991). Decomposicao da interacao genotipos x ambientes em partes simples e complexa. Ceres, 38:422-430. Available at: <http://www.ceres.ufv.br/ojs/index.php/ceres/article/view/2165/>.

Robertson, A. (1959). Experimental design on the measurement of heritabilities and genetic correlations. biometrical genetics. New York: Pergamon Press.

Examples

```
mod <- env_dissimilarity(data_ge, ENV, GEN, REP, GY)
print(mod)
```

fai_blup

Multi-trait selection index

Description

Multitrait index based on factor analysis and ideotype-design proposed by Rocha et al. (2018).

Usage

```
fai_blup(
  .data,
  use_data = "blup",
  DI = NULL,
  UI = NULL,
  SI = 15,
  mineval = 1,
  verbose = TRUE
)
```


Arguments

<code>.data</code>	An object of class <code>waasb</code> or a two-way table with genotypes in the rows and traits in columns. In the last case the row names must contain the genotypes names.
<code>use_data</code>	Define which data to use. If <code>.data</code> is an object of class <code>gamem</code> . Defaults to "blup" (the BLUPs for genotypes). Use "pheno" to use phenotypic means instead BLUPs for computing the index.
<code>DI, UI</code>	A vector of the same length of <code>.data</code> to construct the desirable (DI) and undesirable (UI) ideotypes. For each element of the vector, allowed values are 'max', 'min', 'mean', or a numeric value. Use a comma-separated vector of text. For example, <code>DI = c("max,max,min,min")</code> . By default, DI is set to "max" for all traits and UI is set to "min" for all traits.
<code>SI</code>	An integer (0-100). The selection intensity in percentage of the total number of genotypes. Defaults to 15.
<code>mineval</code>	The minimum value so that an eigenvector is retained in the factor analysis.
<code>verbose</code>	Logical value. If TRUE some results are shown in console.

Value

An object of class `fai_blup` with the following items:

- **data** The data (BLUPS) used to compute the index.
- **eigen** The eigenvalues and explained variance for each axis.
- **FA** The results of the factor analysis.
- **canonical_loadings** The canonical loadings for each factor retained.
- **FAI** A list with the FAI-BLUP index for each ideotype design.
- **selection_differential** A list with the selection differential for each ideotype design.
- **sel_gen** The selected genotypes.
- **ideotype_construction** A list with the construction of the ideotypes.
- **total_gain** A list with the total gain for variables to be increased or decreased.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Rocha, J.R.A.S.C.R, J.C. Machado, and P.C.S. Carneiro. 2018. Multitrait index based on factor analysis and ideotype-design: proposal and application on elephant grass breeding for bioenergy. GCB Bioenergy 10:52-60. doi: [10.1111/gcbb.12443](https://doi.org/10.1111/gcbb.12443)

Examples

```
library(metan)

mod <- waasb(data_ge,
             env = ENV,
             gen = GEN,
             rep = REP,
             resp = c(GY, HM))
```



```
FAI <- fai_blup(mod,
                SI = 15,
                DI = c('max', 'max'),
                UI = c('min', 'min'))
```

find_outliers	<i>Find possible outliers in a dataset</i>
---------------	--

Description

Find possible outliers in the dataset.

Usage

```
find_outliers(
  .data = NULL,
  var = NULL,
  by = NULL,
  plots = FALSE,
  coef = 1.5,
  verbose = TRUE,
  plot_theme = theme_metan()
)
```

Arguments

.data	The data to be analyzed. Must be a dataframe or an object of class <code>split_factors</code> .
var	The variable to be analyzed.
by	One variable (factor) to compute the function by. It is a shortcut to <code>group_by()</code> . To compute the statistics by more than one grouping variable use that function.
plots	If TRUE, then histograms and boxplots are shown.
coef	The multiplication coefficient, defaults to 1.5. For more details see <code>?boxplot.stat</code> .
verbose	If verbose = TRUE then some results are shown in the console.
plot_theme	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)

find_outliers(data_ge2, var = PH, plots = TRUE)

# Find outliers within each environment
find_outliers(data_ge2, var = PH, by = ENV)
```


Fox

*Fox's stability function***Description**

Performs a stability analysis based on the criteria of Fox et al. (1990), using the statistical "TOP third" only. A stratified ranking of the genotypes at each environment is done. The proportion of locations at which the genotype occurred in the top third are expressed in the output.

Usage

```
Fox(.data, env, gen, resp, verbose = TRUE)
```

Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
<code>env</code>	The name of the column that contains the levels of the environments.
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>resp</code>	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
<code>verbose</code>	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

An object of class `Fox`, which is a list containing the results for each variable used in the argument `resp`. For each variable, a tibble with the following columns is returned.

- **GEN** the genotype's code.
- **mean** the mean for the response variable.
- **TOP** The proportion of locations at which the

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Fox, P.N., B. Skovmand, B.K. Thompson, H.J. Braun, and R. Cormier. 1990. Yield and adaptation of hexaploid spring triticale. *Euphytica* 47:57-64. doi: [10.1007/BF00040364](https://doi.org/10.1007/BF00040364).

Examples

```
library(metan)
out <- Fox(data_ge2, ENV, GEN, PH)
print(out)
```


gafem

*Genotype analysis by fixed-effect models***Description**

One-way analysis of variance of genotypes conducted in both randomized complete block and alpha-lattice designs.

Usage

```
gafem(.data, gen, rep, resp, prob = 0.05, block = NULL, verbose = TRUE)
```

Arguments

.data	The dataset containing the columns related to, Genotypes, replication/block and response variable(s).
gen	The name of the column that contains the levels of the genotypes, that will be treated as random effect.
rep	The name of the column that contains the levels of the replications (assumed to be fixed).
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> . Select helpers are also allowed.
prob	The error probability. Defaults to 0.05.
block	Defaults to NULL. In this case, a randomized complete block design is considered. If block is informed, then a resolvable alpha-lattice design (Patterson and Williams, 1976) is employed. All effects, except the error, are assumed to be fixed. Use the function gamem to analyze a one-way trial with mixed-effect models.
verbose	Logical argument. If verbose = FALSE the code are run silently.

Details

gafem analyses data from a one-way genotype testing experiment. By default, a randomized complete block design is used according to the following model:

$$Y_{ij} = m + g_i + r_j + e_{ij}$$

where Y_{ij} is the response variable of the i th genotype in the j th block; m is the grand mean (fixed); g_i is the effect of the i th genotype; r_j is the effect of the j th replicate; and e_{ij} is the random error.

When block is informed, then a resolvable alpha design is implemented, according to the following model:

$$Y_{ijk} = m + g_i + r_j + b_{jk} + e_{ijk}$$

where where y_{ijk} is the response variable of the i th genotype in the k th block of the j th replicate; m is the intercept, t_i is the effect for the i th genotype r_j is the effect of the j th replicate, b_{jk} is the effect of the k th incomplete block of the j th replicate, and e_{ijk} is the plot error effect corresponding to y_{ijk} . All effects, except the random error are assumed to be fixed.

Value

A list where each element is the result for one variable containing the following objects:

- **anova:** The one-way ANOVA table.
- **model:** The model with of `lm`.
- **augment:** Information about each observation in the dataset. This includes predicted values in the `fitted` column, residuals in the `resid` column, standardized residuals in the `stdres` column, the diagonal of the 'hat' matrix in the `hat`, and standard errors for the fitted values in the `se.fit` column.
- **hsd:** The Tukey's 'Honest Significant Difference' for genotype effect.
- **details:** A tibble with the following data: `Ngen`, the number of genotypes; `OVmean`, the grand mean; `Min`, the minimum observed (returning the genotype and replication/block); `Max` the maximum observed, `MinGEN` the loser winner genotype, `MaxGEN`, the winner genotype.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Patterson, H.D., and E.R. Williams. 1976. A new class of resolvable incomplete block designs. *Biometrika* 63:83-92.

See Also

[get_model_data](#) [gamem](#)

Examples

```
library(metan)
# RCBD
rcbd <- gafem(data_g,
              gen = GEN,
              rep = REP,
              resp = c(PH, ED, EL, CL, CW))

# Fitted values
get_model_data(rcbd)

# ALPHA-LATTICE DESIGN
alpha <- gafem(data_alpha,
               gen = GEN,
               rep = REP,
               block = BLOCK,
               resp = YIELD)

# Fitted values
get_model_data(alpha)
```

gai	<i>Geometric adaptability index</i>
-----	-------------------------------------

Description

Performs a stability analysis based on the geometric mean (GAI), according to the following model (Mohammadi and Amri, 2008):

$$GAI = \sqrt[E]{\bar{Y}_1 + \bar{Y}_2 + \dots + \bar{Y}_i}$$

where \bar{Y}_1 , \bar{Y}_2 , and \bar{Y}_i are the mean yields of the first, second and i -th genotypes across environments, and E is the number of environments

Usage

```
gai(.data, env, gen, rep, resp, verbose = TRUE)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks.
resp	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
verbose	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

An object of class `gai`, which is a list containing the results for each variable used in the argument `resp`. For each variable, a tibble with the following columns is returned.

- **GEN** the genotype's code.
- **GAI** Geometric adaptability index
- **GAI_R** The rank for the GAI value.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Mohammadi, R., & Amri, A. (2008). Comparison of parametric and non-parametric methods for selecting stable and adapted durum wheat genotypes in variable environments. *Euphytica*, 159(3), 419-432. doi: [10.1007/s1068100796006](https://doi.org/10.1007/s1068100796006).

Examples

```
library(metan)
out <- gai(data_ge2, ENV, GEN, REP, c(EH, PH, EL, CD, ED, NKE))
```


gamem

*Genotype analysis by mixed-effect models***Description**

Analysis of genotypes in single experiments using mixed-effect models with estimation of genetic parameters.

Usage

```
gamem(.data, gen, rep, resp, block = NULL, prob = 0.05, verbose = TRUE)
```

Arguments

.data	The dataset containing the columns related to, Genotypes, replication/block and response variable(s).
gen	The name of the column that contains the levels of the genotypes, that will be treated as random effect.
rep	The name of the column that contains the levels of the replications (assumed to be fixed).
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> . Select helpers are also allowed.
block	Defaults to NULL. In this case, a randomized complete block design is considered. If block is informed, then an alpha-lattice design is employed considering block as random to make use of inter-block information, whereas the complete replicate effect is always taken as fixed, as no inter-replicate information was to be recovered (Mohring et al., 2015).
prob	The probability for estimating confidence interval for BLUP's prediction.
verbose	Logical argument. If verbose = FALSE the code are run silently.

Details

gamem analyses data from a one-way genotype testing experiment. By default, a randomized complete block design is used according to the following model:

$$Y_{ij} = m + g_i + r_j + e_{ij}$$

where Y_{ij} is the response variable of the i th genotype in the j th block; m is the grand mean (fixed); g_i is the effect of the i th genotype (assumed to be random); r_j is the effect of the j th replicate (assumed to be fixed); and e_{ij} is the random error.

When block is informed, then a resolvable alpha design is implemented, according to the following model:

$$Y_{ijk} = m + g_i + r_j + b_{jk} + e_{ijk}$$

where where y_{ijk} is the response variable of the i th genotype in the k th block of the j th replicate; m is the intercept, t_i is the effect for the i th genotype r_j is the effect of the j th replicate, b_{jk} is the effect of the k th incomplete block of the j th replicate, and e_{ijk} is the plot error effect corresponding to y_{ijk} .

Value

An object of class `gamem`, which is a list with the following items for each element (variable):

- **fixed:** Test for fixed effects.
- **random:** Variance components for random effects.
- **LRT:** The Likelihood Ratio Test for the random effects.
- **BLUPgen:** The estimated BLUPS for genotypes
- **ranef:** The random effects of the model
- **Details:** A tibble with the following data: `Ngen`, the number of genotypes; `OVmean`, the grand mean; `Min`, the minimum observed (returning the genotype and replication/block); `Max` the maximum observed, `MinGEN` the winner genotype, `MaxGEN`, the loser genotype.
- **ESTIMATES:** A tibble with the values for the genotypic variance, block-within-replicate variance (if an alpha-lattice design is used by informing the block in `block`), the residual variance and their respective contribution to the phenotypic variance; broad-sense heritability, heritability on the entry-mean basis, genotypic coefficient of variation residual coefficient of variation and ratio between genotypic and residual coefficient of variation.
- **residuals:** The residuals of the model.
- **formula** The formula used to fit the model.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Mohring, J., E. Williams, and H.-P. Piepho. 2015. Inter-block information: to recover or not to recover it? *TAG. Theor. Appl. Genet.* 128:1541-54. doi: [10.1007/s0012201525300](https://doi.org/10.1007/s0012201525300)

See Also

[get_model_data waasb](#)

Examples

```
library(metan)

# fitting the model considering an RCBD
# Genotype as random effects

rcbd <- gamem(data_g,
              gen = GEN,
              rep = REP,
              resp = c(PH, ED, EL, CL, CW, KW, NR, TKW, NKE))

# Likelihood ratio test for random effects
get_model_data(rcbd, "lrt")

# Variance components
get_model_data(rcbd, "vcomp")

# Genetic parameters
```



```

get_model_data(rcbd, "genpar")

# random effects
get_model_data(rcbd, "ranef")

# Predicted values
predict(rcbd)

# fitting the model considering an alpha-lattice design
# Genotype and block-within-replicate as random effects
# Note that block effect was now informed.

alpha <- gamem(data_alpha,
               gen = GEN,
               rep = REP,
               block = BLOCK,
               resp = YIELD)
# Genetic parameters
get_model_data(alpha, "genpar")

# Random effects
get_model_data(alpha, "ranef")

```

gamem_met

*Genotype-environment analysis by mixed-effect models***Description**

Genotype analysis in multi-environment trials using mixed-effect or random-effect models.

Usage

```

gamem_met(
  .data,
  env,
  gen,
  rep,
  resp,
  block = NULL,
  random = "gen",
  prob = 0.05,
  verbose = TRUE
)

```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.

rep	The name of the column that contains the levels of the replications/blocks.
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> .
block	Defaults to NULL. In this case, a randomized complete block design is considered. If block is informed, then an alpha-lattice design is employed considering block as random to make use of inter-block information, whereas the complete replicate effect is always taken as fixed, as no inter-replicate information was to be recovered (Mohring et al., 2015).
random	The effects of the model assumed to be random. Defaults to <code>random = "gen"</code> . See Details to see the random effects assumed depending on the experimental design of the trials.
prob	The probability for estimating confidence interval for BLUP's prediction.
verbose	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Details

The nature of the effects in the model is chosen with the argument `random`. By default, the experimental design considered in each environment is a randomized complete block design. If `block` is informed, a resolvable alpha-lattice design (Patterson and Williams, 1976) is implemented. The following six models can be fitted depending on the values of `random` and `block` arguments.

- **Model 1:** `block = NULL` and `random = "gen"` (The default option). This model considers a Randomized Complete Block Design in each environment assuming genotype and genotype-environment interaction as random effects. Environments and blocks nested within environments are assumed to fixed factors.
- **Model 2:** `block = NULL` and `random = "env"`. This model considers a Randomized Complete Block Design in each environment treating environment, genotype-environment interaction, and blocks nested within environments as random factors. Genotypes are assumed to be fixed factors.
- **Model 3:** `block = NULL` and `random = "all"`. This model considers a Randomized Complete Block Design in each environment assuming a random-effect model, i.e., all effects (genotypes, environments, genotype-vs-environment interaction and blocks nested within environments) are assumed to be random factors.
- **Model 4:** `block` is not NULL and `random = "gen"`. This model considers an alpha-lattice design in each environment assuming genotype, genotype-environment interaction, and incomplete blocks nested within complete replicates as random to make use of inter-block information (Mohring et al., 2015). Complete replicates nested within environments and environments are assumed to be fixed factors.
- **Model 5:** `block` is not NULL and `random = "env"`. This model considers an alpha-lattice design in each environment assuming genotype as fixed. All other sources of variation (environment, genotype-environment interaction, complete replicates nested within environments, and incomplete blocks nested within replicates) are assumed to be random factors.
- **Model 6:** `block` is not NULL and `random = "all"`. This model considers an alpha-lattice design in each environment assuming all effects, except the intercept, as random factors.

Value

An object of class `waasb` with the following items for each variable:

- **fixed** Test for fixed effects.

- **random** Variance components for random effects.
- **LRT** The Likelihood Ratio Test for the random effects.
- **BLUPgen** The random effects and estimated BLUPS for genotypes (If random = "gen" or random = "all")
- **BLUPenv** The random effects and estimated BLUPS for environments, (If random = "env" or random = "all").
- **BLUPint** The random effects and estimated BLUPS of all genotypes in all environments.
- **MeansGxE** The phenotypic means of genotypes in the environments.
- **Details** A list summarizing the results. The following information are shown: Nenv, the number of environments in the analysis; Ngen the number of genotypes in the analysis; Mean the grand mean; SE the standard error of the mean; SD the standard deviation. CV the coefficient of variation of the phenotypic means, estimating WAASB, Min the minimum value observed (returning the genotype and environment), Max the maximum value observed (returning the genotype and environment); MinENV the environment with the lower mean, MaxENV the environment with the larger mean observed, MinGEN the genotype with the lower mean, MaxGEN the genotype with the larger.
- **ESTIMATES** A tibble with the genetic parameters (if random = "gen" or random = "all") with the following columns: Phenotypic variance the phenotypic variance; Heritability the broad-sense heritability; GEr2 the coefficient of determination of the interaction effects; h2mg the heritability on the mean basis; Accuracy the selective accuracy; rge the genotype-environment correlation; CVg the genotypic coefficient of variation; CVr the residual coefficient of variation; CV ratio the ratio between genotypic and residual coefficient of variation.
- **residuals** The residuals of the model.
- **formula** The formula used to fit the model.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. *Agron. J.* 111:2949-2960. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)
- Mohring, J., E. Williams, and H.-P. Piepho. 2015. Inter-block information: to recover or not to recover it? *TAG. Theor. Appl. Genet.* 128:1541-54. doi: [10.1007/s0012201525300](https://doi.org/10.1007/s0012201525300)
- Patterson, H.D., and E.R. Williams. 1976. A new class of resolvable incomplete block designs. *Biometrika* 63:83-92.

See Also

[mtsi waas get_model_data plot_scores](#)

Examples

```
library(metan)
#####
# Example 1: Analyzing all numeric variables assuming genotypes #
# as random effects                                           #
#####
```



```

model <- gamem_met(data_ge,
  env = ENV,
  gen = GEN,
  rep = REP,
  resp = everything())
# Distribution of random effects (first variable)
plot(model, type = "re")

# Genetic parameters
get_model_data(model, "genpar")

#####
# Example 2: Unbalanced trials                                     #
# assuming all factors as random effects                           #
#####
un_data <- data_ge %>%
  remove_rows(1:3) %>%
  droplevels()

model2 <- gamem_met(un_data,
  env = ENV,
  gen = GEN,
  rep = REP,
  random = "all",
  resp = GY)
get_model_data(model2)

```

get_model_data

Get data from a model easily

Description

- `get_model_data()` Easily get data from some objects generated in the **metan** package such as the WAASB and WAASBY indexes (Olivoto et al., 2019a, 2019b) BLUPs, variance components, details of AMMI models and AMMI-based stability statistics.
- `gmd()` Is a shortcut to `get_model_data`.

Usage

```
get_model_data(x, what = NULL, type = "GEN", verbose = TRUE)
```

```
gmd(x, what = NULL, type = "GEN", verbose = TRUE)
```

Arguments

x An object created with the functions `AMMI_indexes()`, `anova_ind()`, `anova_joint()`, `can_corr()`, `ecovalence()`, `Fox()`, `gai()`, `gamem()`, `gafem()`, `ge_means()`, `ge_reg()`, `gytb()`, `performs_ammii()`, `Resende_indexes()`, `Shukla()`, `superiority()`, `waas()` or `waasb()`.

what	What should be captured from the model. See more in section Details .
type	Chose if the statistics must be show by genotype (type = "GEN", default) or environment (type = "ENV"), when possible.
verbose	Logical argument. If verbose = FALSE the code will run silently.

Details

Bellow are listed the options allowed in the argument what depending on the class of the object

Objects of class AMMI_indexes:

- "ASV" AMMI stability value.
- "EV" Averages of the squared eigenvector values.
- "SIPC" Sums of the absolute value of the IPCA scores.
- "WAAS" Weighted average of absolute scores (default).
- "ZA" Absolute value of the relative contribution of IPCAs to the interaction.

Objects of class anova_ind:

- "MEAN" The mean value of the variable
- "MSG", "FCG", "PFG" The mean square, F-calculated and P-values for genotype effect, respectively.
- "MSB", "FCB", "PFB" The mean square, F-calculated and P-values for block effect in randomized complete block design.
- "MSCR", "FCR", "PFCR" The mean square, F-calculated and P-values for complete replicates in alpha lattice design.
- "MSIB_R", "FCIB_R", "PFIB_R" The mean square, F-calculated and P-values for incomplete blocks within complete replicates, respectively (for alpha lattice design only).
- "MSE" The mean square of error.
- "CV" The coefficient of variation.
- "h2" The broad-sence heritability
- "MSE" The accucary of selection (square root of h2).

Objects of class anova_joint or gafem:

- "Y" The observed values.
- "h2" The broad-sense heritability.
- "Sum Sq" Sum of squares.
- "Mean Sq" Mean Squares.
- "F value" F-values.
- "Pr(>F)" P-values.
- ".fitted" Fitted values (default).
- ".resid" Residuals.
- ".stdresid" Standardized residuals.
- ".se.fit" Standard errors of the fitted values.
- "details" Details.

Objects of class Annicchiarico and Schmildt:

- "Sem_rp" The standard error of the relative mean performance (Schmidt).
- "Mean_rp" The relative performance of the mean.
- "rank" The rank for genotypic confidence index.
- "Wi" The genotypic confidence index.

Objects of class can_corr:

- "coefs" The canonical coefficients (default).
- "loads" The canonical loadings.
- "crossloads" The canonical cross-loadings.
- "canonical" The canonical correlations and hypothesis testing.

Objects of class ecovalence:

- "Ecoval" Ecovalence value (default).
- "Ecov_perc" Ecovalence in percentage value.
- "rank" Rank for ecovalence.

Objects of class ge_reg:

- "deviations" The deviations from regression.
- "RMSE" The Root Mean Square Error.
- "R2" The r-square of the regression.
- "slope" The slope of the regression (default).

Objects of class ge_effects:

- For objects of class ge_effects no argument what is required.

Objects of class ge_means:

- "ge_means" Genotype-environment interaction means (default).
- "env_means" Environment means.
- "gen_means" Genotype means.

Objects of class gge:

- "scores" The scores for genotypes and environments for all the analyzed traits (default).
- "exp_var" The eigenvalues and explained variance.

Objects of class gytb:

- "gyt" Genotype by yield*trait table (Default).
- "stand_gyt" The standardized (zero mean and unit variance) Genotype by yield*trait table.
- "si" The superiority index (sum standardized value across all yield*trait combinations).

Objects of class Shukla:

- "rMean" Rank for the mean.
- "ShuklaVar" Shukla's stability variance (default).
- "rShukaVar" Rank for Shukla's stability variance.
- "ssiShukaVar" Simultaneous selection index.

Objects of class Fox:

- "TOP" The proportion of locations at which the genotype occurred in the top third (default).

Objects of class gai:

- "GAI" The geometric adaptability index (default).
- "GAI_R" The rank for the GAI values.

Objects of class superiority:

- "Pi_a" The superiority measure for all environments (default).
- "R_a" The rank for Pi_a.
- "Pi_f" The superiority measure for favorable environments.
- "R_f" The rank for Pi_f.
- "Pi_u" The superiority measure for unfavorable environments.
- "R_u" The rank for Pi_u.

Objects of class Huehn:

- "S1" Mean of the absolute rank differences of a genotype over the n environments (default).
- "S2" variance among the ranks over the k environments.
- "S3" Sum of the absolute deviations.
- "S6" Relative sum of squares of rank for each genotype.
- "S1_R", "S2_R", "S3_R", and "S6_R", the ranks for S1, S2, S3, and S6, respectively.

Objects of class Thennarasu:

- "N1" First statistic (default).
- "N2" Second statistic.
- "N3" Third statistic.
- "N4" Fourth statistic.
- "N1_R", "N2_R", "N3_R", and "N4_R", The ranks for the statistics.

Objects of class performs_amm:

- "PC1", "PC2", ..., "PCn" The values for the nth interaction principal component axis.
- "ipca_ss" Sum of square for each IPCA.
- "ipca_ms" Mean square for each IPCA.
- "ipca_fval" F value for each IPCA.
- "ipca_pval" P-value for for each IPCA.
- "ipca_expl" Explained sum of square for each IPCA (default).
- "ipca_accum" Accumulated explained sum of square.

Objects of class waas, waas_means, and waasb:

- "PC1", "PC2", ..., "PCn" The values for the nth interaction principal component axis.
- "WAASB" The weighted average of the absolute scores (default for objects of class waas).
- "PctResp" The rescaled values of the response variable.
- "PctWAASB" The rescaled values of the WAASB.

- "wResp" The weight for the response variable.
- "wWAASB" The weight for the stability.
- "OrResp" The ranking regarding the response variable.
- "OrWAASB" The ranking regarding the WAASB.
- "OrPC1" The ranking regarding the first principal component axis.
- "WAASBY" The superiority index WAASBY.
- "OrWAASBY" The ranking regarding the superiority index.

Objects of class gamem and waasb:

- "blupge" for genotype-vs-environment's predicted mean (class waasb).
- "blupg" For genotype's predicted mean.
- "data" The data used.
- "details" The details of the trial.
- "genpar" Genetic parameters (default).
- "gcov" The genotypic variance-covariance matrix.
- "h2" The broad-sense heritability.
- "lrt" The likelihood-ratio test for random effects.
- "pcov" The phenotypic variance-covariance matrix.
- "vcomp" The variance components for random effects.
- "ranef" Random effects.

Objects of class Res_ind

- "HMGV" For harmonic mean of genotypic values.
- "RPGV or RPGV_Y" For relative performance of genotypic values
- "HMRPGV" For harmonic mean of relative performance of genotypic values

Value

A tibble showing the values of the variable chosen in argument what.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Annicchiarico, P. 1992. Cultivar adaptation and recommendation from alfalfa trials in Northern Italy. *J. Genet. Breed.* 46:269-278.
- Dias, P.C., A. Xavier, M.D.V. de Resende, M.H.P. Barbosa, F.A. Biernaski, R.A. Estopa. 2018. Genetic evaluation of Pinus taeda clones from somatic embryogenesis and their genotype x environment interaction. *Crop Breed. Appl. Biotechnol.* 18:55-64. doi: [10.1590/198470332018v18n1a8](https://doi.org/10.1590/198470332018v18n1a8)
- Azevedo Peixoto, L. de, P.E. Teodoro, L.A. Silva, E.V. Rodrigues, B.G. Laviola, and L.L. Bhering. 2018. Jatropha half-sib family selection with high adaptability and genotypic stability. *PLoS One* 13:e0199880. doi: [10.1371/journal.pone.0199880](https://doi.org/10.1371/journal.pone.0199880)
- Eberhart, S.A., and W.A. Russell. 1966. Stability parameters for comparing Varieties. *Crop Sci.* 6:36-40. doi: [10.2135/cropsci1966.0011183X000600010011x](https://doi.org/10.2135/cropsci1966.0011183X000600010011x)

- Fox, P.N., B. Skovmand, B.K. Thompson, H.J. Braun, and R. Cormier. 1990. Yield and adaptation of hexaploid spring triticale. *Euphytica* 47:57-64. doi: [10.1007/BF00040364](https://doi.org/10.1007/BF00040364)
- Huehn, V.M. 1979. Beitrage zur erfassung der phanotypischen stabilitat. *EDV Med. Biol.* 10:112.
- Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019a. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. *Agron. J.* 111:2949-2960. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)
- Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, B.G. Sari, and M.I. Diel. 2019b. Mean performance and stability in multi-environment trials II: Selection based on multiple traits. *Agron. J.* 111:2961-2969. doi: [10.2134/agronj2019.03.0221](https://doi.org/10.2134/agronj2019.03.0221)
- Purchase, J.L., H. Hatting, and C.S. van Deventer. 2000. Genotype vs environment interaction of winter wheat (*Triticum aestivum* L.) in South Africa: II. Stability analysis of yield performance. *South African J. Plant Soil* 17:101-107. doi: [10.1080/02571862.2000.10634878](https://doi.org/10.1080/02571862.2000.10634878)
- Resende MDV (2007) *Matematica e estatistica na analise de experimentos e no melhoramento genetico*. Embrapa Florestas, Colombo
- Sneller, C.H., L. Kilgore-Norquest, and D. Dombek. 1997. Repeatability of Yield Stability Statistics in Soybean. *Crop Sci.* 37:383-390. doi: [10.2135/cropsci1997.0011183X003700020013x](https://doi.org/10.2135/cropsci1997.0011183X003700020013x)
- Mohammadi, R., & Amri, A. (2008). Comparison of parametric and non-parametric methods for selecting stable and adapted durum wheat genotypes in variable environments. *Euphytica*, 159(3), 419-432. doi: [10.1007/s1068100796006](https://doi.org/10.1007/s1068100796006)
- Wricke, G. 1965. Zur berechnung der okovalenz bei sommerweizen und hafer. *Z. Pflanzenzuchtg* 52:127-138.
- Zali, H., E. Farshadfar, S.H. Sabaghpour, and R. Karimizadeh. 2012. Evaluation of genotype vs environment interaction in chickpea using measures of stability from AMMI model. *Ann. Biol. Res.* 3:3126-3136.

See Also

[AMMI_indexes](#), [anova_ind](#), [anova_joint](#), [ecovalence](#), [Fox](#), [gai](#), [gamem](#), [gafem](#), [ge_means](#), [ge_reg](#), [performs_amm](#), [Resende_indexes](#), [Shukla](#), [superiority](#), [waas](#), [waasb](#)

Examples

```
library(metan)

##### joint-regression analysis #####
ge_r <- ge_reg(data_ge2, ENV, GEN, REP,
              resp = c(PH, EH, CD, CL, ED))
get_model_data(ge_r)
get_model_data(ge_r, "deviations")

##### AMMI model #####
# Fit an AMMI model for 7 variables.
AMMI <- data_ge2 %>%
  performs_amm(ENV, GEN, REP,
              resp = c(PH, ED, TKW, NKR, CD, CL, CW))

# Sum of squares
get_model_data(AMMI, "ipca_ss")

# Mean squares
get_model_data(AMMI, "ipca_ms")
```



```

# Examine the significance (p-value) of the IPCAs
get_model_data(AMMI, "ipca_pval")

# Explained sum of square for each IPCA
get_model_data(AMMI)

# Accumulated sum of square
get_model_data(AMMI, "ipca_accum")

### AMMI-based stability statistics ###
# Get the AMMI stability value
AMMI %>%
  AMMI_indexes() %>%
  get_model_data("ASV")

##### WAASB model #####
# Fitting the WAAS index
AMMI <- waas(data_ge2, ENV, GEN, REP,
             resp = c(PH, ED, TKW, NKR))

# Getting the weighted average of absolute scores
get_model_data(AMMI, what = "WAAS")

# And the rank for the WAASB index.
get_model_data(AMMI, what = "OrWAAS")

##### BLUP model #####
# Fitting a mixed-effect model
blup <- waasb(data_ge2, ENV, GEN, REP,
              resp = c(PH, ED, TKW, NKR))

# Getting p-values for likelihood-ratio test
get_model_data(blup, what = "lrt")

# Getting the variance components
get_model_data(blup, what = "vcomp")

# Getting the genetic parameters
get_model_data(blup)

### BLUP-based stability indexes ###
blup %>%
  Resende_indexes() %>%
  get_model_data()

##### Stability indexes #####
stats_ge <- ge_stats(data_ge, ENV, GEN, REP, everything())
get_model_data(stats_ge)

```

ge_cluster	<i>Cluster genotypes or environments</i>
------------	--

Description

Performs clustering for genotypes or tester environments based on a dissimilarity matrix.

Usage

```
ge_cluster(
  .data,
  env = NULL,
  gen = NULL,
  resp = NULL,
  table = FALSE,
  distmethod = "euclidean",
  clustmethod = "ward.D",
  scale = TRUE,
  cluster = "env",
  nclust = NULL
)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes and the response variable. It is also possible to use a two-way table with genotypes in lines and environments in columns as input. In this case you must use table = TRUE.
env	The name of the column that contains the levels of the environments. Defaults to NULL, in case of the input data is a two-way table.
gen	The name of the column that contains the levels of the genotypes. Defaults to NULL, in case of the input data is a two-way table.
resp	The response variable(s). Defaults to NULL, in case of the input data is a two-way table.
table	Logical values indicating if the input data is a two-way table with genotypes in the rows and environments in the columns. Defaults to FALSE.
distmethod	The distance measure to be used. This must be one of 'euclidean', 'maximum', 'manhattan', 'canberra', 'binary', or 'minkowski'.
clustmethod	The agglomeration method to be used. This should be one of 'ward.D' (Default), 'ward.D2', 'single', 'complete', 'average' (= UPGMA), 'mcquitty' (= WPGMA), 'median' (= WPGMC) or 'centroid' (= UPGMC).
scale	Should the data be scaled before computing the distances? Set to TRUE. Let Y_{ij} be the yield of Hybrid i in Location j , \bar{Y}_j be the mean yield, and S_j be the standard deviation of Location j . The standardized yield (Z_{ij}) is computed as (Ouyang et al. 1995): $Z_{ij} = (Y_{ij} - \bar{Y}_j)/S_j$.
cluster	What should be clustered? Defaults to cluster = "env" (cluster environments). To cluster the genotypes use cluster = "gen".
nclust	The number of clust to be formed. Set to NULL.

Value

- **data** The data that was used to compute the distances.
- **cutpoint** The cutpoint of the dendrogram according to Mojena (1977).
- **distance** The matrix with the distances.
- **de** The distances in an object of class `dist`.
- **hc** The hierarchical clustering.
- **cophenetic** The cophenetic correlation coefficient between distance matrix and cophenetic matrix
- **Sqt** The total sum of squares.
- **tab** A table with the clusters and similarity.
- **clusters** The sum of square and the mean of the clusters for each genotype (if `cluster = "env"` or environment (if `cluster = "gen"`)).
- **labclust** The labels of genotypes/environments within each cluster.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Mojena, R. 2015. Hierarchical grouping methods and stopping rules: an evaluation. *Comput. J.* 20:359-363. doi: [10.1093/comjnl/20.4.359](https://doi.org/10.1093/comjnl/20.4.359)
- Ouyang, Z., R.P. Mowers, A. Jensen, S. Wang, and S. Zheng. 1995. Cluster analysis for genotype x environment interaction with unbalanced data. *Crop Sci.* 35:1300-1305. doi: [10.2135/cropsci1995.0011183X003500050008x](https://doi.org/10.2135/cropsci1995.0011183X003500050008x)

Examples

```
library(metan)

d1 <- ge_cluster(data_ge, ENV, GEN, GY, nclust = 3)
plot(d1, nclust = 3)
```

ge_details

Details for genotype-environment trials

Description

Details for genotype-environment trials

Usage

```
ge_details(.data, env, gen, resp)
```


Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
<code>env</code>	The name of the column that contains the levels of the environments.
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>resp</code>	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> . Select helpers are also allowed.

Value

A tibble with the following results for each variable:

- Mean: The grand mean.
- SE: The standard error of the mean.
- SD: The standard deviation.
- CV: The coefficient of variation.
- Min,Max: The minimum and maximum value, indicating the genotype and environment of occurrence.
- MinENV,MinGEN: The environment and genotype with the lower mean.
- MaxENV,MaxGEN: The environment and genotype with the higher mean.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
details <- ge_details(data_ge2, ENV, GEN, everything())
print(details)
```

ge_effects

Genotype-environment effects

Description

This is a helper function that computes the genotype-environment effects, i.e., the residual effect of the additive model

Usage

```
ge_effects(.data, env, gen, resp, type = "ge", verbose = TRUE)
```


Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments. The analysis of variance is computed for each level of this factor.
gen	The name of the column that contains the levels of the genotypes.
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> .
type	The type of effect to compute. Defaults to "ge", i.e., genotype-environment. To compute genotype plus genotype-environment effects use <code>type = "gge"</code> .
verbose	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

A list where each element is the result for one variable that contains a two-way table with genotypes in rows and environments in columns.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
ge_eff <- ge_effects(data_ge, ENV, GEN, GY)
gge_eff <- ge_effects(data_ge, ENV, GEN, GY, type = "gge")
plot(ge_eff)
```

ge_factanal

Stability analysis and environment stratification

Description

This function computes the stability analysis and environmental stratification using factor analysis as proposed by Murakami and Cruz (2004).

Usage

```
ge_factanal(.data, env, gen, rep, resp, mineval = 1, verbose = TRUE)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s)
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks

resp	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
mineval	The minimum value so that an eigenvector is retained in the factor analysis.
verbose	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

An object of class `ge_factanal` with the following items:

data	The data used to compute the factor analysis.
cormat	The correlation matrix among the environments.
PCA	The eigenvalues and explained variance.
FA	The factor analysis.
env_strat	The environmental stratification.
KMO	The result for the Kaiser-Meyer-Olkin test.
MSA	The measure of sampling adequacy for individual variable.
communalities	The communalities.
communalities.mean	The communalities' mean.
initial.loadings	The initial loadings.
finish.loadings	The final loadings after varimax rotation.
canonical.loadings	The canonical loadings.
scores.gen	The scores for genotypes for the first and second factors.

Author(s)

Tiago Olivoto, <tiagoolivoto@gmail.com>

References

Murakami, D.M.D., and C.D.C. Cruz. 2004. Proposal of methodologies for environment stratification and analysis of genotype adaptability. *Crop Breed. Appl. Biotechnol.* 4:7-11.

See Also

[superiority](#), [ecovalence](#), [ge_stats](#), [ge_reg](#)

Examples

```
library(metan)
model <- ge_factanal(data_ge2,
                     env = ENV,
                     gen = GEN,
                     rep = REP,
                     resp = PH)
```

ge_means	<i>Genotype-environment means</i>
----------	-----------------------------------

Description

Computes genotype-environment interaction means

Usage

```
ge_means(.data, env, gen, resp)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, and the response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
resp	The response variable(s). To analyze multiple variables at once, a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> . Select helpers are also allowed.

Value

A list where each element is the result for one variable containing:

- **ge_means**: A two-way table with the means for genotypes (rows) and environments (columns).
- **gen_means**: A tibble with the means for genotypes.
- **env_means**: A tibble with the means for environments.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
means_ge <- ge_means(data_ge, ENV, GEN, resp = everything())

# Genotype-environment interaction means
get_model_data(means_ge)

# Environment means
get_model_data(means_ge, what = "env_means")

# Genotype means
get_model_data(means_ge, what = "gen_means")
```

`ge_plot`*Graphical analysis of genotype-vs-environment interaction*

Description

This function produces a line plot for a graphical interpretation of the genotype-vs-environment interaction. By default, environments are in the x axis whereas the genotypes are depicted by different lines. The y axis contains the value of the selected variable. A heatmap can also be created.

Usage

```
ge_plot(  
  .data,  
  env,  
  gen,  
  resp,  
  type = 1,  
  plot_theme = theme_metan(),  
  colour = TRUE  
)
```

Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
<code>env</code>	The name of the column that contains the levels of the environments
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>resp</code>	The response variable.
<code>type</code>	The type of plot <code>type = 1</code> for a heatmap or <code>type = 2</code> for a line plot.
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>colour</code>	Logical argument. If <code>FALSE</code> then the plot will not be colored.

Value

An object of class `gg, ggplot`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)  
ge_plot(data_ge2, ENV, GEN, PH)  
ge_plot(data_ge, ENV, GEN, GY, type = 2)
```

ge_reg	<i>Eberhart and Russell's regression model</i>
--------	--

Description

Regression-based stability analysis using the Eberhart and Russell (1966) model.

Usage

```
ge_reg(.data, env, gen, rep, resp, verbose = TRUE)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s)
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks
resp	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
verbose	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

An object of class `ge_reg` with the following items for each variable:

data	The data with means for genotype and environment combinations and the environment index
anova	The analysis of variance for the regression model.
regression	The estimated coefficients of the regression model.

Author(s)

Tiago Olivoto, <tiagoolivoto@gmail.com>

References

Eberhart, S.A., and W.A. Russell. 1966. Stability parameters for comparing Varieties. Crop Sci. 6:36-40. doi: [10.2135/cropsci1966.0011183X000600010011x](https://doi.org/10.2135/cropsci1966.0011183X000600010011x)

See Also

[superiority](#), [ecovalence](#), [ge_stats](#)

Examples

```
library(metan)
reg <- ge_reg(data_ge2,
              env = ENV,
              gen = GEN,
              rep = REP,
              resp = PH)
plot(reg)
```

ge_stats

Statistics for genotype-vs-environment interaction

Description

Computes **(i)** within-environment analysis of variance, GEI effect, GEI means, and genotype plus GEI effects; **(ii)** parametric statistics including AMMI-based indexes, Annicchiarico's genotypic confidence index (1992), Ecovalence (Wricke, 1965), regression-based stability (Eberhart and Russell, 1966), Shukla's stability variance parameter (1972); and **(iii)** nonparametric statistics including Fox's stability function (Fox et al. 1990), superiority index (Lin and Binns, 1988), Huehn's stability statistics (Huehn, 1979), and Thennarasu (1995) statistics.

Usage

```
ge_stats(.data, env, gen, rep, resp, verbose = TRUE, prob = 0.05)
```

Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
<code>env</code>	The name of the column that contains the levels of the environments.
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>rep</code>	The name of the column that contains the levels of the replications/blocks.
<code>resp</code>	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
<code>verbose</code>	Logical argument. If <code>verbose = FALSE</code> the code will run silently.
<code>prob</code>	The probability error assumed.

Details

The function computes the statistics and ranks for the following stability indexes. "Y" (Response variable), "CV" (coefficient of variation), "Var" (Genotype's variance), "Shukla" (Shukla's variance, calling [Shukla](#) internally), "Wi_g", "Wi_f", "Wi_u" (Annicchiarico's genotypic confidence index for all, favorable and unfavorable environments, respectively, calling [Annicchiarico](#) internally), "Ecoval" (Wricke's ecovalence, [ecovalence](#) internally), "Sij" (Deviations from the joint-regression analysis) and "R2" (R-squared from the joint-regression analysis, calling [ge_reg](#) internally), "ASV" (AMMI-stability value), "SIPC" (sum of the absolute values of the IPCA scores), "EV" (Average of the squared eigenvector values), "ZA" (Absolute values of the relative contributions of the IPCAs to the interaction), and "WAAS" (Weighted Average of Absolute Scores), by

calling [AMMI_indexes](#) internally; "HMGV" (Harmonic mean of the genotypic value), "RPGV" (Relative performance of the genotypic values), "HMRPGV" (Harmonic mean of the relative performance of the genotypic values), by calling [Resende_indexes](#) internally; "Pi_a", "Pi_f", "Pi_u" (Superiority indexes for all, favorable and unfavorable environments, respectively, calling [superiority](#) internally), "Gai" (Geometric adaptability index, calling [gai](#) internally), "S1" (mean of the absolute rank differences of a genotype over the n environments), "S2" (variance among the ranks over the k environments), "S3" (sum of the absolute deviations), "S6" (relative sum of squares of rank for each genotype), by calling [Huehn](#) internally; and "N1", "N2", "N3", "N4" (Thennarasu's statistics, calling [Thennarasu](#) internally).

Value

An object of class `ge_stats` which is a list with one data frame for each variable containing the computed indexes.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Annicchiarico, P. 1992. Cultivar adaptation and recommendation from alfalfa trials in Northern Italy. *Journal of Genetic & Breeding*, 46:269-278
- Eberhart, S.A., and W.A. Russell. 1966. Stability parameters for comparing Varieties. *Crop Sci.* 6:36-40. doi: [10.2135/cropsci1966.0011183X000600010011x](#)
- Fox, P.N., B. Skovmand, B.K. Thompson, H.J. Braun, and R. Cormier. 1990. Yield and adaptation of hexaploid spring triticale. *Euphytica* 47:57-64. doi: [10.1007/BF00040364](#).
- Huehn, V.M. 1979. Beitrage zur erfassung der phanotypischen stabilitat. *EDV Med. Biol.* 10:112.
- Kang, M.S., and H.N. Pham. 1991. Simultaneous Selection for High Yielding and Stable Crop Genotypes. *Agron. J.* 83:161. doi: [10.2134/agronj1991.00021962008300010037x](#)
- Lin, C.S., and M.R. Binns. 1988. A superiority measure of cultivar performance for cultivar x location data. *Can. J. Plant Sci.* 68:193-198. doi: [10.4141/cjps88018](#)
- Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019a. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. *Agron. J.* 111:2949-2960. doi: [10.2134/agronj2019.03.0220](#)
- Mohammadi, R., & Amri, A. (2008). Comparison of parametric and non-parametric methods for selecting stable and adapted durum wheat genotypes in variable environments. *Euphytica*, 159(3), 419-432. doi: [10.1007/s1068100796006](#)
- Shukla, G.K. 1972. Some statistical aspects of partitioning genotype-environmental components of variability. *Heredity*. 29:238-245. doi: [10.1038/hdy.1972.87](#)
- Thennarasu, K. 1995. On certain nonparametric procedures for studying genotype x environment interactions and yield stability. Ph.D. thesis. P.J. School, IARI, New Delhi, India.
- Wricke, G. 1965. Zur berechnung der okovalenz bei sommerweizen und hafer. *Z. Pflanzenzuchtg* 52:127-138.

Examples

```
library(metan)

model <- ge_stats(data_ge, ENV, GEN, REP, GY)
```



```
get_model_data(model, "stats")
```

ge_winners	<i>Genotype-environment winners</i>
------------	-------------------------------------

Description

Computes the ranking for genotypes within environments and return the winners.

Usage

```
ge_winners(.data, env, gen, resp, type = "winners", better = NULL)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, and the response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> . Select helpers are also allowed.
type	The type of results. Defaults to "winners" (default), i.e., a two-way table with the winner genotype in each environment. If <code>type = "ranks"</code> return the genotype ranking within each environment.
better	A vector of the same length of the number of variables to rank the genotypes according to the response variable. Each element of the vector must be one of the 'h' or 'l'. If 'h' is used (default), the genotypes are ranked from maximum to minimum. If 'l' is used then they are ranked from minimum to maximum. Use a comma-separated vector of names. For example, <code>better = c("h,h,h,h,l")</code> , for ranking the fifth variable from minimum to maximum.

Value

A tibble with two-way table with the winner genotype in each environment (default) or the genotype ranking for each environment (if `type = "ranks"`).

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
ge_winners(data_ge, ENV, GEN, resp = everything())

# Assuming that for 'GY' lower values are better.
ge_winners(data_ge, ENV, GEN,
            resp = everything(),
            better = c("l, h"))

# Show the genotype ranking for each environment
ge_winners(data_ge, ENV, GEN,
            resp = everything(),
            type = "ranks")
```

gge	<i>Genotype plus genotype-by-environment model</i>
-----	--

Description

Produces genotype plus genotype-by-environment model based on a multi-environment trial dataset containing at least the columns for genotypes, environments and one response variable or a two-way table.

Usage

```
gge(
  .data,
  env,
  gen,
  resp,
  centering = "environment",
  scaling = "none",
  svp = "environment",
  ...
)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes and the response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> . Select helpers are also supported.
centering	The centering method. Must be one of the 'none 0', for no centering; 'global 1', for global centered (E+G+GE); 'environment 2' (default), for environment-centered (G+GE); or 'double 3', for double centered (GE). A biplot cannot be produced with models produced without centering.

scaling	The scaling method. Must be one of the 'none 0' (default), for no scaling; or 'sd 1', where each value is divided by the standard deviation of its corresponding environment (column). This will put all environments roughly the same range of values.
svp	The method for singular value partitioning. Must be one of the 'genotype 1', (The singular value is entirely partitioned into the genotype eigenvectors, also called row metric preserving); 'environment 2', default, (The singular value is entirely partitioned into the environment eigenvectors, also called column metric preserving); or 'symmetrical 3' (The singular value is symmetrically partitioned into the genotype and the environment eigenvectors. This SVP is most often used in AMMI analysis and other biplot analysis, but it is not ideal for visualizing either the relationship among genotypes or that among the environments).
...	Arguments passed to the function <code>impute_missing_val()</code> for imputation of missing values in case of unbalanced data.

Value

The function returns a list of class `gge` containing the following objects

- **coordgen** The coordinates for genotypes for all components.
- **coordenv** The coordinates for environments for all components.
- **eigenvalues** The vector of eigenvalues.
- **totalvar** The overall variance.
- **labelgen** The name of the genotypes.
- **labelenv** The names of the environments.
- **labelaxes** The axes labels.
- **ge_mat** The data used to produce the model (scaled and centered).
- **centering** The centering method.
- **scaling** The scaling method.
- **svp** The singular value partitioning method.
- **d** The factor used to generate in which the ranges of genotypes and environments are comparable when singular value partitioning is set to 'genotype' or 'environment'.
- **grand_mean** The grand mean of the trial.
- **mean_gen** A vector with the means of the genotypes.
- **mean_env** A vector with the means of the environments.
- **scale_var** The scaling vector when the scaling method is 'sd'.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Yan, W., and M.S. Kang. 2003. GGE biplot analysis: a graphical tool for breeders, geneticists, and agronomists. CRC Press.

Examples

```
library(metan)
mod <- gge(data_ge, ENV, GEN, GY)
plot(mod)

# GGE model for all numeric variables
mod2 <- gge(data_ge2, ENV, GEN, resp = everything())
plot(mod2, var = "ED")

# If we have a two-way table with the mean values for
# genotypes and environments

table <- make_mat(data_ge, GEN, ENV, GY) %>% round(2)
table
make_long(table) %>%
gge(ENV, GEN, Y) %>%
plot()
```

gtb

Genotype by trait biplot

Description

Produces a genotype-by-trait biplot model. From a genotype by environment by trait three-way table, genotype-by-trait tables in any single environment, across all environments, or across a subset of the environments can be generated and visually studied using biplots. The model for biplot analysis of genotype by trait data is the singular value decomposition of trait-standardized two-way table.

Usage

```
gtb(.data, gen, resp, centering = "trait", scaling = "sd", svp = "trait")
```

Arguments

<code>.data</code>	The dataset containing the columns related to Genotypes and the response variable(s).
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>resp</code>	The response variables, i.e., <code>resp = c(var1, var2, var3)</code> . Select helpers can also be used.
<code>centering</code>	The centering method. Must be one of the 'none 0', for no centering; 'global 1', for global centered (T+G+GT); 'trait 2' (default), for trait-centered (G+GT); or 'double 3', for double centred (GT). A biplot cannot be produced with models produced without centering.
<code>scaling</code>	The scaling method. Must be one of the 'none 0', for no scaling; or 'sd 1' (default), where each value is divided by the standard deviation of its corresponding trait (column). This will put all traits roughly he same rang of values.

svp The method for singular value partitioning. Must be one of the 'genotype | 1', (The singular value is entirely partitioned into the genotype eigenvectors, also called row metric preserving); 'trait | 2', default, (The singular value is entirely partitioned into the trait eigenvectors, also called column metric preserving); or 'symmetrical | 3' (The singular value is symmetrically partitioned into the genotype and the trait eigenvectors. This SVP is most often used in AMMI analysis and other biplot analysis, but it is not ideal for visualizing either the relationship among genotypes or that among the traits).

Value

The function returns a list of class `gge` that is compatible with the function `plot()` used in `gge()`.

- **coordgen** The coordinates for genotypes for all components.
- **coordenv** The coordinates for traits for all components.
- **eigenvalues** The vector of eigenvalues.
- **totalvar** The overall variance.
- **labelgen** The name of the genotypes.
- **labelenv** The names of the traits.
- **labelaxes** The axes labels.
- **gt_mat** The data used to produce the model (scaled and centered).
- **centering** The centering method.
- **scaling** The scaling method.
- **svp** The singular value partitioning method.
- **d** The factor used to generate in which the ranges of genotypes and traits are comparable when singular value partitioning is set to 'genotype' or 'trait'.
- **grand_mean** The grand mean of the trial.
- **mean_gen** A vector with the means of the genotypes.
- **mean_env** A vector with the means of the traits.
- **scale_var** The scaling vector when the scaling method is 'sd'.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Yan, W., and M.S. Kang. 2003. GGE biplot analysis: a graphical tool for breeders, geneticists, and agronomists. CRC Press.

Examples

```
library(metan)
# GT biplot for all numeric variables
mod <- gtb(data_ge2, GEN, resp = contains("E"))
plot(mod)
```

gytb	<i>Genotype by yield*trait biplot</i>
------	---------------------------------------

Description

Produces a Genotype by Yield*Trait biplot (GTY) proposed by Yan and Fregeau-Reid (2018).

Usage

```
gytb(
  .data,
  gen,
  yield,
  traits = everything(),
  ideotype = NULL,
  weight = NULL,
  prefix = "Y",
  centering = "trait",
  scaling = "sd",
  svp = "trait"
)
```

Arguments

<code>.data</code>	The dataset containing the columns related to Genotypes, Yield, and Traits.
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>yield</code>	The column containing the yield values.
<code>traits</code>	The column(s) with the <i>traits</i> values. Defaults to <i>NULL</i> . In this case, all numeric traits in <code>.data</code> , except that in <code>yield</code> are selected. To select specific traits from <code>.data</code> , use a list of unquoted comma-separated variable names (e.g. <code>traits = c(var1, var2, var3)</code>), an specific range of variables, (e.g. <code>traits = c(var1:var3)</code>), or even a select helper like <code>starts_with("N")</code> .
<code>ideotype</code>	A vector of "h" or "l" with the same length of <code>traits</code> to define which trait is desired to increase or decrease. By default (<code>ideotype = NULL</code>) for all numeric traits in <code>traits</code> are assumed that high values is desirable. Following the order of the traits selected in <code>traits</code> , use "h" to indicate the traits in which higher values are desired or "l" to indicate the variables in which lower values are desired. Then, <code>yield</code> will be multiplied by traits with "h" and divided by traits with "l" to generate the Genotype by yield*trait table. For example, <code>ideotype = c("h,h,l")</code> will assume that the ideotype has higher values for the first two traits and lower values for the last trait.
<code>weight</code>	The weight assumed for each trait. Similar to <code>ideotype</code> argument, provide a numeric vector of the same length of <code>traits</code> . Suggested values are between 0 and 2.
<code>prefix</code>	The prefix used in the biplot for the yield*trait combinations. Defaults to "Y".
<code>centering</code>	The centering method. Must be one of the 'none 0', for no centering; 'global 1', for global centered (T+G+GYT); 'trait 2' (default), for trait-centered (G+GYT); or 'double 3', for double centered (GYT). A biplot cannot be produced with models produced without centering.

scaling	The scaling method. Must be one of the 'none 0', for no scaling; or 'sd 1' (default), so that the mean for each trait or yield-trait combination becomes 0 and the variance becomes unit.
svp	The method for singular value partitioning. Must be one of the 'genotype 1', (The singular value is entirely partitioned into the genotype eigenvectors, also called row metric preserving); 'trait 2', default, (The singular value is entirely partitioned into the trait eigenvectors, also called column metric preserving); or 'symmetrical 3' (The singular value is symmetrically partitioned into the genotype and the trait eigenvectors. This SVP is most often used in AMMI analysis and other biplot analysis, but it is not ideal for visualizing either the relationship among genotypes or that among the traits).

Value

The function returns a list of class `gge` that is compatible with the function `plot()` used in `gge()`.

- **data** The Genotype by yield*trait (GYT) data.
- **ge_mat** The Genotype by yield*trait (GYT) data (scaled and centered).
- **coordgen** The coordinates for genotypes for all components.
- **coordenv** The coordinates for traits for all components.
- **eigenvalues** The vector of eigenvalues.
- **totalvar** The overall variance.
- **labelgen** The name of the genotypes.
- **labelenv** The names of the traits.
- **labelaxes** The axes labels.
- **centering** The centering method.
- **scaling** The scaling method.
- **svp** The singular value partitioning method.
- **d** The factor used to generate in which the ranges of genotypes and traits are comparable when singular value partitioning is set to 'genotype' or 'trait'.
- **grand_mean** The grand mean of the trial.
- **mean_gen** A vector with the means of the genotypes.
- **mean_env** A vector with the means of the traits.
- **scale_var** The scaling vector when the scaling method is 'sd'.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Yan, W., & Fregeau-Reid, J. (2018). Genotype by Yield*Trait (GYT) Biplot: a Novel Approach for Genotype Selection based on Multiple Traits. *Scientific Reports*, 8(1), 1-10. doi: [10.1038/s41598018266888](https://doi.org/10.1038/s41598018266888)

Examples

```
library(metan)
# GYT biplot for all numeric traits of 'data_g'
# KW (kernel weight) considered as 'yield',
mod <- gytb(data_g, GEN, KW)
plot(mod)
```

Huehn

Huehn's stability statistics

Description

Performs a stability analysis based on Huehn (1979) statistics. The four nonparametric measures of phenotypic stability are: S1 (mean of the absolute rank differences of a genotype over the n environments), S2 (variance among the ranks over the k environments), S3 (sum of the absolute deviations), and S6 (relative sum of squares of rank for each genotype).

Usage

```
Huehn(.data, env, gen, resp, verbose = TRUE)
```

Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
<code>env</code>	The name of the column that contains the levels of the environments.
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>resp</code>	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
<code>verbose</code>	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

An object of class Huehn, which is a list containing the results for each variable used in the argument `resp`. For each variable, a tibble with the following columns is returned.

- **GEN** The genotype's code.
- **Y** The mean for the response variable.
- **S1** Mean of the absolute rank differences of a genotype over the n environments.
- **S2** variance among the ranks over the k environments.
- **S3** Sum of the absolute deviations.
- **S6** Relative sum of squares of rank for each genotype.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Huehn, V.M. 1979. Beitrage zur erfassung der phanotypischen stabilitat. EDV Med. Biol. 10:112.

Examples

```
library(metan)
out <- Huehn(data_ge2, ENV, GEN, PH)
print(out)
```

impute_missing_val	<i>Missing value imputation</i>
--------------------	---------------------------------

Description

Impute the missing entries of a matrix with missing values using different algorithms. See **Details** section for more details

Usage

```
impute_missing_val(
  .data,
  naxis = 1,
  algorithm = "EM-SVD",
  tol = 1e-10,
  max_iter = 1000,
  simplified = FALSE,
  verbose = TRUE
)
```

Arguments

.data	A matrix to impute the missing entries. Frequently a two-way table of genotype means in each environment.
naxis	The rank of the Singular Value Approximation. Defaults to 1.
algorithm	The algorithm to impute missing values. Defaults to "EM-SVD". Other possible values are "EM-AMMI" and "colmeans". See Details section.
tol	The convergence tolerance for the algorithm.
max_iter	The maximum number of steps to take. If max_iter is achieved without convergence, the algorithm will stop with a warning.
simplified	Valid argument when algorithm = "EM-AMMI". IF FALSE (default), the current effects of rows and columns change from iteration to iteration. If TRUE, the general mean and effects of rows and columns are computed in the first iteration only, and in next iterations uses these values.
verbose	Logical argument. If verbose = FALSE the code will run silently.

Details

EM-AMMI algorithm

The EM-AMMI algorithm completes a data set with missing values according to both main and interaction effects. The algorithm works as follows (Gauch and Zobel, 1990):

1. The initial values are calculated as the grand mean increased by main effects of rows and main effects of columns. That way, the matrix of observations is pre-filled in.
2. The parameters of the AMMI model are estimated.
3. The adjusted means are calculated based on the AMMI model with `naxis` principal components.
4. The missing cells are filled with the adjusted means.
5. The root mean square error of the predicted values (`RMSE_p`) is calculated with the two last iteration steps. If `RMSE_p > tol`, the steps 2 through 5 are repeated. Declare convergence if `RMSE_p < tol`. If `max_iter` is achieved without convergence, the algorithm will stop with a warning.

EM-SVD algorithm

The EM-SVD algorithm impute the missing entries using a low-rank Singular Value Decomposition approximation estimated by the Expectation-Maximization algorithm. The algorithm works as follows (Troyanskaya et al., 2001).

1. Initialize all NA values to the column means.
2. Compute the first `naxis` terms of the SVD of the completed matrix
3. Replace the previously missing values with their approximations from the SVD
4. The root mean square error of the predicted values (`RMSE_p`) is calculated with the two last iteration steps. If `RMSE_p > tol`, the steps 2 through 3 are repeated. Declare convergence if `RMSE_p < tol`. If `max_iter` is achieved without convergence, the algorithm will stop with a warning.

colmeans algorithm

The `colmeans` algorithm simply impute the missing entire using the column mean of the respective entire. Thus, there is no interactive process.

Value

An object of class `imv` with the following values:

- **.data** The imputed matrix
- **pc_ss** The sum of squares representing variation explained by the principal components
- **iter** The final number of iterations.
- **Final_RMSE** The maximum change of the estimated values for missing cells in the last step of iteration.
- **final_axis** The final number of principal component axis.
- **convergence** Logical value indicating whether the model converged.

References

- Gauch, H. G., & Zobel, R. W. (1990). Imputing missing yield trial data. *Theoretical and Applied Genetics*, 79(6), 753-761. doi: [10.1007/BF00224240](https://doi.org/10.1007/BF00224240)
- Troyanskaya, O., Cantor, M., Sherlock, G., Brown, P., Hastie, T., Tibshirani, R., . Altman, R. B. (2001). Missing value estimation methods for DNA microarrays. *Bioinformatics*, 17(6), 520-525.

Examples

```
library(metan)
mat <- (1:20) %*% t(1:10)
mat
# 10% of missing values at random
miss_mat <- random_na(mat, prop = 10)
miss_mat
mod <- impute_missing_val(miss_mat)
mod$.data
```

inspect

Check for common errors in multi-environment trial data

Description

`inspect()` scans a `data.frame` object for errors that may affect the use of functions in `metan`. By default, all variables are checked regarding the class (numeric or factor), missing values, and presence of possible outliers. The function will return a warning if the data looks like unbalanced, has missing values or possible outliers.

Usage

```
inspect(.data, ..., plot = FALSE, threshold = 15, verbose = TRUE)
```

Arguments

<code>.data</code>	The data to be analyzed
<code>...</code>	The variables in <code>.data</code> to check. If no variable is informed, all the variables in <code>.data</code> are used.
<code>plot</code>	Create a plot to show the check? Defaults to <code>FALSE</code> .
<code>threshold</code>	Maximum number of levels allowed in a character / factor column to produce a plot. Defaults to 15.
<code>verbose</code>	Logical argument. If <code>TRUE</code> (default) then the results for checks are shown in the console.

Value

A tibble with the following variables:

- **Variable** The name of variable
- **Class** The class of the variable
- **Missing** Contains missing values?
- **Levels** The number of levels of a factor variable
- **Valid_n** Number of valid n (omit NAs)
- **Outlier** Contains possible outliers?

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

is_balanced_trial	<i>Check if a data set is balanced</i>
-------------------	--

Description

Check if a data set coming from multi-environment trials is balanced, i.e., all genotypes are in all environments.

Usage

```
is_balanced_trial(.data, env, gen, resp)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
resp	The response variable.

Value

A logical value

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
unb <- data_ge %>%
  remove_rows(1:3) %>%
  droplevels()
is_balanced_trial(data_ge, ENV, GEN, GY)
is_balanced_trial(unb, ENV, GEN, GY)
```

lineplots	<i>Fast way to create line plots</i>
-----------	--------------------------------------

Description

- `plot_lines()` Creates a line plot based on one quantitative factor and one numeric variable. It can be used to show the results of a one-way trial with **quantitative treatments**.
- `plot_factlines()` Creates a line plot based on: one categorical and one quantitative factor and one numeric variable. It can be used to show the results of a two-way trial with **qualitative-quantitative treatment structure**.

Usage

```

plot_lines(
  .data,
  x,
  y,
  fit,
  level = 0.95,
  confidence = TRUE,
  xlab = NULL,
  ylab = NULL,
  n.dodge = 1,
  check.overlap = FALSE,
  col = "red",
  alpha = 0.2,
  size.shape = 1.5,
  size.line = 1,
  size.text = 12,
  fontfam = "sans",
  plot_theme = theme_metan()
)

plot_factlines(
  .data,
  x,
  y,
  group,
  fit,
  level = 0.95,
  confidence = TRUE,
  xlab = NULL,
  ylab = NULL,
  n.dodge = 1,
  check.overlap = FALSE,
  legend.position = "bottom",
  grid = FALSE,
  scales = "free",
  col = TRUE,
  alpha = 0.2,
  size.shape = 1.5,
  size.line = 1,
  size.text = 12,
  fontfam = "sans",
  plot_theme = theme_metan()
)

```

Arguments

<code>.data</code>	The data set
<code>x, y</code>	The variables to be mapped to the x and y axes, respectively.
<code>fit</code>	The polynomial degree to use. It must be between 1 (linear fit) to 4 (fourth-order polynomial regression.). In <code>plot_factlines()</code> , if <code>fit</code> is a length 1 vector, i.e., 1, the fitted curves of all levels in group will be fitted with polynomial degree

	fit. To use a different polynomial degree for each level in group, use a numeric vector with the same length of the variable in group.
level	The confidence level. Defaults to 0.05.
confidence	Display confidence interval around smooth? (TRUE by default)
xlab, ylab	The labels of the axes x and y, respectively. Defaults to NULL.
n.dodge	The number of rows that should be used to render the x labels. This is useful for displaying labels that would otherwise overlap.
check.overlap	Silently remove overlapping labels, (recursively) prioritizing the first, last, and middle labels.
col	The colour to be used in the line plot and points.
alpha	The alpha for the color in confidence band
size.shape	The size for the shape in plot
size.line	The size for the line in the plot
size.text	The size of the text
fontfam	The family of the font text.
plot_theme	The graphical theme of the plot. Default is plot_theme = theme_metan(). For more details, see theme .
group	The grouping variable. Valid for plot_facelines() only.
legend.position	Valid argument for plot_facelines. The position of the legend. Defaults to 'bottom'.
grid	Valid argument for plot_facelines. Logical argument. If TRUE then a grid will be created.
scales	Valid argument for plot_facelines. If grid = TRUE scales controls how the scales are in the plot. Possible values are 'free' (default), 'fixed', 'free_x' or 'free_y'.

Value

An object of class gg,ggplot.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

See Also

[plot_bars](#) and [plot_factbars](#)

Examples

```
library(metan)
# One-way line plot
df1 <- data.frame(group = "A",
                  x = c(0, 100, 200, 300, 400),
                  y = c(3.2, 3.3, 4.0, 3.8, 3.4))
plot_lines(df1, x, y, fit = 2)

# Two-way line plot
```



```
df2 <- data.frame(group = "B",
                  x = c(0, 100, 200, 300, 400),
                  y = c(3.2, 3.3, 3.7, 3.9, 4.1))
facts <- rbind(df1, df2)

p1 <- plot_factlines(facts, x, y, group = group, fit = 1)
p2 <- plot_factlines(facts,
                    x = x,
                    y = y,
                    group = group,
                    fit = c(2, 1),
                    confidence = FALSE)
arrange_ggplot(p1, p2)
```

lpcor

*Linear and Partial Correlation Coefficients***Description**

Estimates the linear and partial correlation coefficients using as input a data frame or a correlation matrix.

Usage

```
lpcor(.data, ..., by = NULL, n = NULL, method = "pearson")
```

Arguments

<code>.data</code>	The data to be analyzed. It must be a symmetric correlation matrix or a data frame, possible with grouped data passed from <code>group_by()</code> .
<code>...</code>	Variables to use in the correlation. If <code>...</code> is null (Default) then all the numeric variables from <code>.data</code> are used. It must be a single variable name or a comma-separated list of unquoted variables names.
<code>by</code>	One variable (factor) to compute the function by. It is a shortcut to <code>group_by()</code> . To compute the statistics by more than one grouping variable use that function.
<code>n</code>	If a correlation matrix is provided, then <code>n</code> is the number of objects used to compute the correlation coefficients.
<code>method</code>	a character string indicating which correlation coefficient is to be computed. One of 'pearson' (default), 'kendall', or 'spearman'.

Value

If `.data` is a grouped data passed from `group_by()` then the results will be returned into a list-column of data frames, containing:

- **linear.mat** The matrix of linear correlation.
- **partial.mat** The matrix of partial correlations.
- **results** Hypothesis testing for each pairwise comparison.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
partial1 <- lpcor(iris)

# Alternatively using the pipe operator %>%
partial2 <- iris %>% lpcor()

# Using a correlation matrix
partial3 <- cor(iris[1:4]) %>%
  lpcor(n = nrow(iris))

# Select all numeric variables and compute the partial correlation
# For each level of Species

partial4 <- lpcor(iris, by = Species)
```

mahala

Mahalanobis Distance

Description

Compute the Mahalanobis distance of all pairwise rows in `.means`. The result is a symmetric matrix containing the distances that may be used for hierarchical clustering.

Usage

```
mahala(.means, covar, inverted = FALSE)
```

Arguments

<code>.means</code>	A matrix of data with, say, <code>p</code> columns.
<code>covar</code>	The covariance matrix.
<code>inverted</code>	Logical argument. If TRUE, <code>covar</code> is supposed to contain the inverse of the covariance matrix.

Value

A symmetric matrix with the Mahalanobis' distance.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```

library(metan)
library(dplyr)
# Compute the mean for genotypes
means <- means_by(data_ge, GEN) %>%
  column_to_rownames("GEN")

# Compute the covariance matrix
covmat <- cov(means)

# Compute the distance
dist <- mahala(means, covmat)

# Dendrogram
dend <- dist %>%
  as.dist() %>%
  hclust() %>%
  as.dendrogram()
plot(dend)

```

mahala_design

*Mahalanobis distance from designed experiments***Description**

Compute the Mahalanobis distance using data from an experiment conducted in a randomized complete block design or completely randomized design.

Usage

```

mahala_design(
  .data,
  gen,
  rep,
  resp,
  design = "RCBD",
  by = NULL,
  return = "distance"
)

```

Arguments

.data	The dataset containing the columns related to Genotypes, replication/block and response variables, possible with grouped data passed from group_by() .
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks.
resp	The response variables. For example <code>resp = c(var1, var2, var3)</code> .
design	The experimental design. Must be RCBD or CRD.
by	One variable (factor) to compute the function by. It is a shortcut to group_by() . To compute the statistics by more than one grouping variable use that function.

return What the function return? Default is 'distance', i.e., the Mahalanobis distance. Alternatively, it is possible to return the matrix of means `return = 'means'`, or the variance-covariance matrix of residuals `return = 'covmat'`.

Value

A symmetric matrix with the Mahalanobis' distance. If `.data` is a grouped data passed from `group_by()` then the results will be returned into a list-column of data frames.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
maha <- mahala_design(data_g,
                      gen = GEN,
                      rep = REP,
                      resp = everything(),
                      return = "covmat")

# Compute one distance for each environment (all numeric variables)
maha_group <- mahala_design(data_ge,
                           gen = GEN,
                           rep = REP,
                           resp = everything(),
                           by = ENV)

# Return the variance-covariance matrix of residuals
cov_mat <- mahala_design(data_ge,
                         gen = GEN,
                         rep = REP,
                         resp = c(GY, HM),
                         return = 'covmat')
```

make_long

Two-way table to a 'long' format

Description

Helps users to easily convert a two-way table (genotype vs environment) to a 'long' format data. The data in `mat` will be gathered into three columns. The row names will compose the first column. The column names will compose the second column and the third column will contain the data that fills the two-way table.

Usage

```
make_long(mat, gen_in = "rows")
```


Arguments

mat	A two-way table. It must be a matrix or a data.frame with rownames.
gen_in	Where are the genotypes? Defaults to 'rows'. If genotypes are in columns and environments in rows, set to gen_in = 'cols'.

Value

A tibble with three columns: GEN (genotype), ENV (environment), and Y (response) variable.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)

set.seed(1)
mat <- matrix(rnorm(9, 2530, 350), ncol = 3)
colnames(mat) <- paste("E", 1:3, sep = "")
rownames(mat) <- paste("G", 1:3, sep = "")

make_long(mat)

gen_cols <- t(mat)
make_long(gen_cols, gen_in = "cols")
```

make_mat

Make a two-way table

Description

This function help users to easily make a two-way table from a "long format" data.

Usage

```
make_mat(.data, row, col, value, fun = mean)
```

Arguments

.data	The dataset. Must contains at least two categorical columns.
row	The column of data in which the mean of each level will correspond to one line in the output.
col	The column of data in which the mean of each level will correspond to one column in the output.
value	The column of data that contains the values to fill the two-way table.
fun	The function to apply. Defaults to mean, i.e., the two-way table will show the mean values for each genotype-environment combination. Other R base functions such as max, min, sd, var, or an own function that return a single numeric value can be used.

Value

A two-way table with the argument row in the rows, col in the columns, filled by the argument value.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
matrix <- data_ge %>% make_mat(row = GEN, col = ENV, val = GY)
matrix

# standart error of mean

data_ge %>% make_mat(GEN, ENV, GY, sem)
```

meansGxE

Data for examples

Description

This dataset contains the means for grain yield of 10 genotypes cultivated in 5 environments. The interaction effects for this data is found in [int.effects](#)

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

mgidi

Genotype-Ideotype Distance Index

Description

Computes the multi-trait genotype-ideotype distance index (MGIDI). MGIDI can be seen as the multi-trait stability index (Olivoto et al., 2019) computed with weight for mean performance equals to 100. The MGIDI index is computed as follows:

$$MGIDI_i = \sqrt{\sum_{j=1}^f (F_{ij} - F_j)^2}$$

where $MGIDI_i$ is the multi-trait genotype-ideotype distance index for the i th genotype; F_{ij} is the score of the i th genotype in the j th factor ($i = 1, 2, \dots, g; j = 1, 2, \dots, f$), being g and f the number of genotypes and factors, respectively, and F_j is the j th score of the ideotype. The genotype with the lowest MGIDI is then closer to the ideotype and therefore presents desired values for all the analyzed traits.

Usage

```
mgidi(
  .data,
  use_data = "blup",
  SI = 15,
  mineval = 1,
  ideotype = NULL,
  use = "complete.obs",
  verbose = TRUE
)
```

Arguments

<code>.data</code>	An object fitted with the function <code>gafem()</code> , <code>gamem()</code> or a two-way table with BLUPs for genotypes in each trait (genotypes in rows and traits in columns). In the last case, row names must contain the genotypes names.
<code>use_data</code>	Define which data to use if <code>.data</code> is an object of class <code>gamem</code> . Defaults to "blup" (the BLUPs for genotypes). Use "pheno" to use phenotypic means instead BLUPs for computing the index.
<code>SI</code>	An integer (0-100). The selection intensity in percentage of the total number of genotypes.
<code>mineval</code>	The minimum value so that an eigenvector is retained in the factor analysis.
<code>ideotype</code>	A vector of length <code>nvar</code> where <code>nvar</code> is the number of variables used to plan the ideotype. Use 'h' to indicate the traits in which higher values are desired or 'l' to indicate the variables in which lower values are desired. For example, <code>ideotype = c("h,h,h,h,l")</code> will consider that the ideotype has higher values for the first four traits and lower values for the last trait. If <code>.data</code> is a model fitted with the functions <code>gafem()</code> or <code>gamem()</code> , the order of the traits will be the declared in the argument <code>resp</code> in those functions.
<code>use</code>	The method for computing covariances in the presence of missing values. Defaults to <code>complete.obs</code> , i.e., missing values are handled by casewise deletion.
<code>verbose</code>	If <code>verbose = TRUE</code> (Default) then some results are shown in the console.

Value

An object of class `mgidi` with the following items:

- **data** The data used to compute the factor analysis.
- **cormat** The correlation matrix among the environments.
- **PCA** The eigenvalues and explained variance.
- **FA** The factor analysis.
- **KMO** The result for the Kaiser-Meyer-Olkin test.
- **MSA** The measure of sampling adequacy for individual variable.
- **communalities** The communalities.
- **communalities_mean** The communalities' mean.
- **initial_loadings** The initial loadings.
- **finish_loadings** The final loadings after varimax rotation.
- **canonical_loadings** The canonical loadings.

- **scores_gen** The scores for genotypes in all retained factors.
- **scores_ide** The scores for the ideotype in all retained factors.
- **gen_ide** The distance between the scores of each genotype with the ideotype.
- **MGIDI** The multi-trait genotype-ideotype distance index.
- **contri_fac** The relative contribution of each factor on the MGIDI value. The lower the contribution of a factor, the closer of the ideotype the variables in such factor are.
- **sel_dif** The selection differential for the variables.
- **total_gain** The selection differential for the variables.
- **sel_gen** The selected genotypes.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., A.D.C. L'ucio, J.A.G. da Silva, B.G. Sari, and M.I. Diel. 2019. Mean performance and stability in multi-environment trials II: Selection based on multiple traits. *Agron. J.* 111:2961-2969. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)

Examples

```
library(metan)

model <- gamem(data_g,
               gen = GEN,
               rep = REP,
               resp = c(NR, KW, CW, CL, NKE, TKW, PERK, PH))

# Selection for increase all variables
mgidi_model <- mgidi(model)

# plot the contribution of each factor on the MGIDI index
plot(mgidi_model, type = "contribution")
```

mtsi

Multi-trait stability index

Description

Computes the multi-trait stability index proposed by Olivoto et al. (2019)

Usage

```
mtsi(.data, index = "waasby", SI = 15, mineval = 1, verbose = TRUE)
```


Arguments

<code>.data</code>	An object of class <code>waasb</code> or <code>waas</code> .
<code>index</code>	If <code>index = 'waasby'</code> (default) both stability and mean performance are considered. If <code>index = 'waasb'</code> the multi-trait index will be computed considering the stability of genotypes only. More details can be seen in waasb and waas functions.
<code>SI</code>	An integer (0-100). The selection intensity in percentage of the total number of genotypes.
<code>mineval</code>	The minimum value so that an eigenvector is retained in the factor analysis.
<code>verbose</code>	If <code>verbose = TRUE</code> (Default) then some results are shown in the console.

Value

An object of class `mtsi` with the following items:

- **data** The data used to compute the factor analysis.
- **cormat** The correlation matrix among the environments.
- **PCA** The eigenvalues and explained variance.
- **FA** The factor analysis.
- **KMO** The result for the Kaiser-Meyer-Olkin test.
- **MSA** The measure of sampling adequacy for individual variable.
- **communalities** The communalities.
- **communalities.mean** The communalities' mean.
- **initial.loadings** The initial loadings.
- **finish.loadings** The final loadings after varimax rotation.
- **canonical.loadings** The canonical loadings.
- **scores.gen** The scores for genotypes in all retained factors.
- **scores.ide** The scores for the ideotype in all retained factors.
- **MTSI** The multi-trait stability index.
- **contri.fac** The relative contribution of each factor on the MTSI value. The lower the contribution of a factor, the close of the ideotype the variables in such factor are.
- **sel.dif** The selection differential for the WAASBY or WAASB index.
- **mean.sd** The mean for the differential selection.
- **sel.dif.var** The selection differential for the variables.
- **Selected** The selected genotypes.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, B.G. Sari, and M.I. Diel. 2019. Mean performance and stability in multi-environment trials II: Selection based on multiple traits. *Agron. J.* 111:2961-2969. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)

Examples

```
library(metan)
# Based on stability only, for both GY and HM, higher is better
mtsi_model <- waasb(data_ge,
                    env = ENV,
                    gen = GEN,
                    rep = REP,
                    resp = c(GY, HM))
mtsi_index <- mtsi(mtsi_model, index = 'waasb')

# Based on mean performance and stability (using pipe operator %>%)
# GY: higher is better
# HM: lower is better

mtsi_index2 <- data_ge %>%
  waasb(ENV, GEN, REP,
        resp = c(GY, HM),
        mresp = c(100, 0)) %>%
  mtsi()
```

non_collinear_vars	<i>Select a set of predictors with minimal multicollinearity</i>
--------------------	--

Description

Select a set of predictors with minimal multicollinearity using the variance inflation factor (VIF) as criteria to remove collinear variables. The algorithm will: **(i)** compute the VIF value of the correlation matrix containing the variables selected in `...`; **(ii)** arrange the VIF values and delete the variable with the highest VIF; and **(iii)** iterate step **ii** until VIF value is less than or equal to `max_vif`.

Usage

```
non_collinear_vars(
  .data,
  ...,
  max_vif = 10,
  missingval = "pairwise.complete.obs"
)
```

Arguments

<code>.data</code>	The data set containing the variables.
<code>...</code>	Variables to be submitted to selection. If <code>...</code> is null then all the numeric variables from <code>.data</code> are used. It must be a single variable name or a comma-separated list of unquoted variables names.
<code>max_vif</code>	The maximum value for the Variance Inflation Factor (threshold) that will be accepted in the set of selected predictors.
<code>missingval</code>	How to deal with missing values. For more information, please see cor() .

Value

A data frame showing the number of selected predictors, maximum VIF value, condition number, determinant value, selected predictors and removed predictors from the original set of variables.

Examples

```
library(metan)
# All numeric variables
non_collinear_vars(data_ge2)

# Select variables and choose a VIF threshold to 5
non_collinear_vars(data_ge2, EH, CL, CW, KW, NKE, max_vif = 5)
```

pairs_mantel	<i>Mantel test for a set of correlation matrices</i>
--------------	--

Description

This function generate a pairwise matrix of plots to compare the similarity of two or more correlation matrices. In the upper diagonal are presented the plots and in the lower diagonal the result of Mantel test based on permutations.

Usage

```
pairs_mantel(
  ...,
  type = 1,
  nrepet = 1000,
  names = NULL,
  prob = 0.05,
  diag = FALSE,
  export = FALSE,
  main = "auto",
  file.type = "pdf",
  file.name = NULL,
  width = 8,
  height = 7,
  resolution = 300,
  size.point = 0.5,
  shape.point = 19,
  alpha.point = 1,
  fill.point = NULL,
  col.point = "black",
  minsize = 2,
  maxsize = 3,
  signcol = "green",
  alpha = 0.15,
  diagcol = "gray",
  col.up.panel = "gray",
  col.lw.panel = "gray",
```



```

col.dia.panel = "gray",
pan.spacing = 0.15,
digits = 2
)

```

Arguments

...	The input matrices. May be an output generated by the function <code>lpcor</code> or a coerced list generated by the function <code>as.lpcor</code>
type	The type of correlation if an object generated by the function <code>lpcor</code> is used. 1 = Linear correlation matrices, or 2 = partial correlation matrices.
nrepet	The number of permutations. Default is 1000
names	An optional vector of names of the same length of ...
prob	The error probability for Mantel test.
diag	Logical argument. If TRUE, the Kernel density is shown in the diagonal of plot.
export	Logical argument. If TRUE, then the plot is exported to the current directory.
main	The title of the plot, set to 'auto'.
file.type	The format of the file if <code>export = TRUE</code> . Set to 'pdf'. Other possible values are *.tiff using <code>file.type = 'tiff'</code> .
file.name	The name of the plot when exported. Set to NULL, i.e., automatically.
width	The width of the plot, set to 8.
height	The height of the plot, set to 7.
resolution	The resolution of the plot if <code>file.type = 'tiff'</code> is used. Set to 300 (300 dpi).
size.point	The size of the points in the plot. Set to 0.5.
shape.point	The shape of the point, set to 19.
alpha.point	The value for transparency of the points: 1 = full color.
fill.point	The color to fill the points. Valid argument if points are between 21 and 25.
col.point	The color for the edge of the point, set to black.
minsize	The size of the letter that will represent the smallest correlation coefficient.
maxsize	The size of the letter that will represent the largest correlation coefficient.
signcol	The colour that indicate significant correlations (based on the prob value.), set to 'green'.
alpha	The value for transparency of the color informed in <code>signcol</code> , when 1 = full color. Set to 0.15.
diagcol	The color in the kernel distribution. Set to 'gray'.
col.up.panel, col.lw.panel, col.dia.panel	The color for the upper, lower and diagonal panels. Set to 'gray', 'gray', and 'gray', respectively.
pan.spacing	The space between the panels. Set to 0.15.
digits	The number of digits to show in the plot.

Value

An object of class `gg_ggmatrix`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
# iris dataset
lpc <- iris %>%
  group_by(Species) %>%
  lpcor() %>%
  pairs_mantel(names = c('setosa', 'versicolor', 'virginica'))

# mtcars dataset
mt_num <- select_numeric_cols(mtcars)
lpdata <- as.lpcor(cor(mt_num[1:5]),
                    cor(mt_num[1:5]),
                    cor(mt_num[2:6]),
                    cor(mt_num[4:8])) %>%
  pairs_mantel()
```

path_coeff

Path coefficients with minimal multicollinearity

Description

Computes direct and indirect effects in path analysis. An algorithm to select a set of predictors with minimal multicollinearity and high explanatory power is implemented.

Usage

```
path_coeff(
  .data,
  resp,
  by = NULL,
  pred = everything(),
  exclude = FALSE,
  correction = NULL,
  knumber = 50,
  brutstep = FALSE,
  maxvif = 10,
  missingval = "pairwise.complete.obs",
  plot_res = FALSE,
  verbose = TRUE,
  ...
)
```

Arguments

.data	The data. Must be a data frame or a grouped data passed from group_by()
resp	The dependent variable.

by	One variable (factor) to compute the function by. It is a shortcut to <code>group_by()</code> . To compute the statistics by more than one grouping variable use that function.
pred	The predictor variables, set to <code>everything()</code> , i.e., the predictor variables are all the numeric variables in the data except that in <code>resp</code> .
exclude	Logical argument, set to false. If <code>exclude = TRUE</code> , then the variables in <code>pred</code> are deleted from the data, and the analysis will use as predictor those that remained, except that in <code>resp</code> .
correction	Set to NULL. A correction value (k) that will be added into the diagonal elements of the $X'X$ matrix aiming at reducing the harmful problems of the multicollinearity in path analysis (Olivoto et al., 2017)
knumber	When <code>correction = NULL</code> , a plot showing the values of direct effects in a set of different k values (0-1) is produced. <code>knumber</code> is the number of k values used in the range of 0 to 1.
brutstep	Logical argument, set to FALSE. If true, then an algorithm will select a subset of variables with minimal multicollinearity and fit a set of possible models. See the Details section for more information.
maxvif	The maximum value for the Variance Inflation Factor (cut point) that will be accepted. See the Details section for more information.
missingval	How to deal with missing values. For more information, please see <code>cor()</code> .
plot_res	If TRUE, create a scatter plot of residual against predicted value and a normal Q-Q plot.
verbose	If <code>verbose = TRUE</code> then some results are shown in the console.
...	Additional arguments passed on to <code>plot.lm</code>

Details

When `brutstep = TRUE`, first, the algorithm will select a set of predictors with minimal multicollinearity. The selection is based on the variance inflation factor (VIF). An iterative process is performed until the maximum VIF observed is less than `maxvif`. The variables selected in this iterative process are then used in a series of stepwise-based regressions. The first model is fitted and $p-1$ predictor variables are retained (p is the number of variables selected in the iterative process). The second model adjusts a regression considering $p-2$ selected variables, and so on until the last model, which considers only two variables. Three objects are created. `Summary`, with the process summary, `Models`, containing the aforementioned values for all the adjusted models; and `Selectedpred`, a vector with the name of the selected variables in the iterative process.

Value

An object of class `path_coeff`, `group_path`, or `brute_path` with the following items:

- **Corr.x** A correlation matrix between the predictor variables.
- **Corr.y** A vector of correlations between each predictor variable with the dependent variable.
- **Coefficients** The path coefficients. Direct effects are the diagonal elements, and the indirect effects those in the off-diagonal elements (column)
- **Eigen** Eigenvectors and eigenvalues of the `Corr.x`.
- **VIF** The Variance Inflation Factors.
- **plot** A ggplot2-based graphic showing the direct effects in 21 different k values.
- **Predictors** The predictor variables used in the model.

- **CN** The Condition Number, i.e., the ratio between the highest and lowest eigenvalue.
- **Det** The matrix determinant of the `Corr.x..`
- **R2** The coefficient of determination of the model.
- **Residual** The residual effect of the model.
- **Response** The response variable.
- **weightvar** The order of the predictor variables with the highest weight (highest eigenvector) in the lowest eigenvalue.

If `.data` is a grouped data passed from `group_by()` then the results will be returned into a list-column of data frames, containing:

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., V.Q. Souza, M. Nardino, I.R. Carvalho, M. Ferrari, A.J. Pelegrin, V.J. Szareski, and D. Schmidt. 2017. Multicollinearity in path analysis: a simple method to reduce its effects. *Agron. J.* 109:131-142. doi: [10.2134/agronj2016.04.0196](https://doi.org/10.2134/agronj2016.04.0196)

Examples

```
library(metan)

# Using KW as the response variable and all other ones as predictors
pcoeff <- path_coeff(data_ge2, resp = KW)

# Declaring the predictors
# Create a residual plot with 'plot_res = TRUE'
pcoeff2 <- path_coeff(data_ge2,
                      resp = KW,
                      pred = c(PH, EH, NKE, TKW),
                      plot_res = TRUE)

# Selecting variables to be excluded from the analysis
pcoeff3 <- path_coeff(data_ge2,
                      resp = KW,
                      pred = c(NKR, PERK, KW, NKE),
                      exclude = TRUE)

# Selecting a set of predictors with minimal multicollinearity
# Maximum variance Inflation factor of 5
pcoeff4 <- path_coeff(data_ge2,
                      resp = KW,
                      brutstep = TRUE,
                      maxvif = 5)

# When one analysis should be carried out for each environment
# Using the forward-pipe operator %>%
pcoeff5 <- path_coeff(data_ge2, resp = KW, by = ENV)
```


performs_amm

*Additive Main effects and Multiplicative Interaction***Description**

Compute the Additive Main effects and Multiplicative interaction (AMMI) model. The estimate of the response variable for the i th genotype in the j th environment (y_{ij}) using the AMMI model, is given as follows:

$$y_{ij} = \mu + \alpha_i + \tau_j + \sum_{k=1}^p \lambda_k a_{ik} t_{jk} + \rho_{ij} + \varepsilon_{ij}$$

where λ_k is the singular value for the k -th interaction principal component axis (IPCA); a_{ik} is the i -th element of the k -th eigenvector; t_{jk} is the j th element of the k th eigenvector. A residual ρ_{ij} remains, if not all p IPCA are used, where $p \leq \min(g - 1; e - 1)$.

This function also serves as a helper function for other procedures performed in the **metan** package such as [waas](#) and [wsmp](#)

Usage

```
performs_amm(.data, env, gen, rep, resp, block = NULL, verbose = TRUE, ...)
```

Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
<code>env</code>	The name of the column that contains the levels of the environments
<code>gen</code>	The name of the column that contains the levels of the genotypes
<code>rep</code>	The name of the column that contains the levels of the replications/blocks
<code>resp</code>	The response variable(s). To analyze multiple variables in a single procedure, use comma-separated list of unquoted variable names, i.e., <code>resp = c(var1, var2, var3)</code> , or any select helper like <code>resp = contains("_PLA")</code> .
<code>block</code>	Defaults to NULL. In this case, a randomized complete block design is considered. If block is informed, then a resolvable alpha-lattice design (Patterson and Williams, 1976) is employed. All effects, except the error, are assumed to be fixed.
<code>verbose</code>	Logical argument. If <code>verbose = FALSE</code> the code will run silently.
<code>...</code>	Arguments passed to the function impute_missing_val() for imputation of missing values in case of unbalanced data.

Value

- **ANOVA**: The analysis of variance for the AMMI model.
- **PCA**: The principal component analysis
- **MeansGxE**: The means of genotypes in the environments
- **model**: scores for genotypes and environments in all the possible axes.
- **augment**: Information about each observation in the dataset. This includes predicted values in the fitted column, residuals in the resid column, standardized residuals in the stdres column, the diagonal of the 'hat' matrix in the hat, and standard errors for the fitted values in the se.fit column.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Patterson, H.D., and E.R. Williams. 1976. A new class of resolvable incomplete block designs. *Biometrika* 63:83-92.

See Also

[impute_missing_val](#), [waas](#), [waas_means](#), [waasb](#), [get_model_data](#)

Examples

```
library(metan)
model <- performs_amm(data_ge, ENV, GEN, REP, resp = c(GY, HM))

# PC1 x PC2 (variable GY)
p1 <- plot_scores(model)
p1

# PC1 x PC2 (variable HM)
plot_scores(model,
             var = 2, # or "HM"
             type = 2)

# Nominal yield plot (variable GY)
# Draw a convex hull polygon
plot_scores(model, type = 4)

# Unbalanced data (GEN 2 in E1 missing)
mod <-
  data_ge %>%
  remove_rows(4:6) %>%
  droplevels() %>%
  performs_amm(ENV, GEN, REP, GY)
p2 <- plot_scores(mod)
arrange_ggplot(p1, p2, labels = c("Balanced data", "Unbalanced data"))
```

plot.anova_joint	<i>Several types of residual plots</i>
------------------	--

Description

Residual plots for a output model of class `anova_joint`. Seven types of plots are produced: (1) Residuals vs fitted, (2) normal Q-Q plot for the residuals, (3) scale-location plot (standardized residuals vs Fitted Values), (4) standardized residuals vs Factor-levels, (5) Histogram of raw residuals and (6) standardized residuals vs observation order, and (7) 1:1 line plot.

Usage

```
## S3 method for class 'anova_joint'
plot(x, ...)
```

Arguments

<code>x</code>	An object of class <code>anova_joint</code> .
<code>...</code>	Additional arguments passed on to the function residual_plots

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- anova_joint(data_ge, ENV, GEN, REP, GY)
plot(model)
plot(model,
      which = c(3, 5),
      nrow = 2,
      labels = TRUE,
      size.lab.out = 4)
```

plot.can_cor	<i>Plots an object of class can_cor</i>
--------------	---

Description

Graphs of the Canonical Correlation Analysis

Usage

```
## S3 method for class 'can_cor'
plot(
  x,
  type = 1,
  plot_theme = theme_metan(),
  size.tex.lab = 12,
  size.tex.pa = 3.5,
  x.lab = NULL,
  x.lim = NULL,
  x.breaks = waiver(),
  y.lab = NULL,
  y.lim = NULL,
  y.breaks = waiver(),
  axis.expand = 1.1,
  shape = 21,
  col.shape = "orange",
  col.alpha = 0.9,
  size.shape = 3.5,
  size.bor.tick = 0.3,
  labels = FALSE,
  main = NULL,
  ...
)
```

Arguments

<code>x</code>	The waasb object
<code>type</code>	The type of the plot. Defaults to <code>type = 1</code> (Scree-plot of the correlations of the canonical loadings). Use <code>type = 2</code> , to produce a plot with the scores of the variables in the first group, <code>type = 3</code> to produce a plot with the scores of the variables in the second group, or <code>type = 4</code> to produce a circle of correlations.
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>size.tex.lab</code>	The size of the text in axis text and labels.
<code>size.tex.pa</code>	The size of the text of the plot area. Default is 3.5.
<code>x.lab</code>	The label of x-axis. Each plot has a default value. New arguments can be inserted as <code>x.lab = 'my label'</code> .
<code>x.lim</code>	The range of x-axis. Default is NULL (maximum and minimum values of the data set). New arguments can be inserted as <code>x.lim = c(x.min, x.max)</code> .
<code>x.breaks</code>	The breaks to be plotted in the x-axis. Default is automatic breaks. New arguments can be inserted as <code>x.breaks = c(breaks)</code>
<code>y.lab</code>	The label of y-axis. Each plot has a default value. New arguments can be inserted as <code>y.lab = 'my label'</code> .
<code>y.lim</code>	The range of y-axis. Default is NULL. The same arguments than <code>x.lim</code> can be used.
<code>y.breaks</code>	The breaks to be plotted in the x-axis. Default is automatic breaks. The same arguments than <code>x.breaks</code> can be used.

<code>axis.expand</code>	Multiplication factor to expand the axis limits by to enable fitting of labels. Default is 1.1.
<code>shape</code>	The shape of points in the plot. Default is 21 (circle). Values must be between 21-25: 21 (circle), 22 (square), 23 (diamond), 24 (up triangle), and 25 (low triangle).
<code>col.shape</code>	A vector of length 2 that contains the color of shapes for genotypes above and below of the mean, respectively. Defaults to "orange". <code>c("blue", "red")</code> .
<code>col.alpha</code>	The alpha value for the color. Default is 0.9. Values must be between 0 (full transparency) to 1 (full color).
<code>size.shape</code>	The size of the shape in the plot. Default is 3.5.
<code>size.bor.tick</code>	The size of tick of shape. Default is 0.3. The size of the shape will be <code>size.shape + size.bor.tick</code>
<code>labels</code>	Logical arguments. If TRUE then the points in the plot will have labels.
<code>main</code>	The title of the plot. Defaults to NULL, in which each plot will have a default title. Use a string text to create an own title or set to <code>main = FALSE</code> to omit the plot title.
<code>...</code>	Currently not used.

Value

An object of class `gg, ggplot`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
cc1 = can_corr(data_ge2,
               FG = c(PH, EH, EP),
               SG = c(EL, ED, CL, CD, CW, KW, NR))
plot(cc1, 2)

cc2 <-
data_ge2 %>%
means_by(GEN) %>%
column_to_rownames("GEN") %>%
can_corr(FG = c(PH, EH, EP),
         SG = c(EL, ED, CL, CD, CW, KW, NR))
plot(cc2, 2, labels = TRUE)
```

plot.clustering	<i>Plot an object of class clustering</i>
-----------------	---

Description

Plot an object of class clustering

Usage

```
## S3 method for class 'clustering'
plot(x, horiz = TRUE, type = "dendrogram", ...)
```

Arguments

x	An object of class clustering
horiz	Logical indicating if the dendrogram should be drawn horizontally or not.
type	The type of plot. Must be one of the 'dendrogram' or 'cophenetic'.
...	Other arguments passed from the function plot.dendrogram or abline.

Value

An object of class gg,ggplot if type == "cophenetic".

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
mean_gen <-
  data_ge2 %>%
  means_by(GEN) %>%
  column_to_rownames("GEN")

d <- clustering(mean_gen)
plot(d, xlab = "Euclidean Distance")
```

plot.correlated_vars	<i>Plot an object of class correlated_vars</i>
----------------------	--

Description

Plot an object of class correlated_vars

Usage

```
## S3 method for class 'correlated_vars'
plot(x, ...)
```


Arguments

`x` An object of class `correlated_vars`.
`...` Currently not used.

Value

An object of class `gg`.

Examples

```
library(metan)
y <- rnorm(n = 10)
cor_vars <- correlated_vars(y, nvar = 6)
plot(cor_vars)
```

<code>plot.corr_coef</code>	<i>Create a correlation heat map</i>
-----------------------------	--------------------------------------

Description

Create a correlation heat map for object of class `corr_coef`

Usage

```
## S3 method for class 'corr_coef'
plot(
  x,
  type = "lower",
  diag = FALSE,
  reorder = TRUE,
  digits = 2,
  col.low = "blue",
  col.mid = "white",
  col.high = "red",
  lab.x.position = NULL,
  lab.y.position = NULL,
  legend.position = NULL,
  legend.title = "Pearson's\nCorrelation",
  size.text.plot = 3,
  size.text.lab = 10,
  ...
)
```

Arguments

`x` The data set.
`type` The type of heat map to produce. Either `lower` (default) to produce a lower triangle heat map or `upper` to produce an upper triangular heat map.
`diag` Plot diagonal elements? Defaults to `FALSE`.

reorder	Reorder the correlation matrix to identify the hidden pattern? Defaults to FALSE.
digits	The digits to show in the heat map.
col.low, col.mid, col.high	The color for the low (-1), mid(0) and high (1) points in the color key. Defaults to blue, white, and red, respectively.
lab.x.position, lab.y.position	The position of the x and y axis label. Defaults to "bottom" and "right" if type = "lower" or "top" and "left" if type = "upper".
legend.position	The legend position in the plot.
legend.title	The title of the color key. Defaults to "Pearson's Correlation".
size.text.plot, size.text.lab	The size of the text in plot area (Defaults to 3) and labels (Defaults to 10), respectively. triangle heatmap.
...	Not used currently.

Value

An object of class gg,ggplot

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
# All numeric variables
all <- corr_coef(data_ge2)
plot(all)
plot(all, reorder = FALSE)

# Select variables
sel <- corr_coef(data_ge2, EP, EL, CD, CL)
plot(sel,
      type = "upper",
      reorder = FALSE,
      size.text.lab = 14,
      size.text.plot = 5)
```

plot.cvalidation	<i>Plot the RMSPD of a cross-validation procedure</i>
------------------	---

Description

Boxplot showing the Root Means Square Prediction Difference of of a cross validation procedure.

Usage

```
## S3 method for class 'cvalidation'
plot(
  x,
  violin = FALSE,
  export = FALSE,
  order_box = FALSE,
  x.lab = NULL,
  y.lab = NULL,
  size.tex.lab = 12,
  file.type = "pdf",
  file.name = NULL,
  plot_theme = theme_metan(),
  width = 6,
  height = 6,
  resolution = 300,
  col.violin = "gray90",
  col.boxplot = "gray70",
  col.boxplot.win = "cyan",
  width.boxplot = 0.6,
  x.lim = NULL,
  x.breaks = waiver(),
  ...
)
```

Arguments

<code>x</code>	An object of class <code>cvalidation</code> fitted with the functions <code>cv_amm</code> , <code>cv_ammif</code> , <code>cv_blup</code> , or a bound object fitted with <code>bind_cv</code> .
<code>violin</code>	Define if a violin plot is used with boxplot. Default is 'TRUE'
<code>export</code>	Export (or not) the plot. Default is T.
<code>order_box</code>	Logical argument. If TRUE then the boxplots will be ordered according to the values of the RMSPD.
<code>x.lab</code>	The label of x-axis. New arguments can be inserted as <code>x.lab = 'my x label'</code> .
<code>y.lab</code>	The label of y-axis. New arguments can be inserted as <code>y.lab = 'my y label'</code> .
<code>size.tex.lab</code>	The size of the text in axis text and labels.
<code>file.type</code>	The type of file to be exported. Default is pdf, Graphic can also be exported in *.tiff format by declaring <code>file.type = 'tiff'</code> .
<code>file.name</code>	The name of the file for exportation, default is NULL, i.e. the files are automatically named.
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>width</code>	The width 'inch' of the plot. Default is 6.
<code>height</code>	The height 'inch' of the plot. Default is 6.
<code>resolution</code>	The resolution of the plot. Parameter valid if <code>file.type = 'tiff'</code> is used. Default is 300 (300 dpi)
<code>col.violin</code>	Parameter valid if <code>violin = T</code> . Define the color of the violin plot. Default is 'gray90'.

col.boxplot	Define the color for boxplot. Default is 'gray70'.
col.boxplot.win	Define the color for boxplot of the best model. Default is 'cyan'.
width.boxplot	The width of boxplots. Default is 0.2.
x.lim	The range of x-axis. Default is NULL (maximum and minimum values of the data set). New arguments can be inserted as <code>x.lim = c(x.min, x.max)</code> .
x.breaks	The breaks to be plotted in the x-axis. Default is automatic breaks. New arguments can be inserted as <code>x.breaks = c(breaks)</code>
...	Currently not used.

Details

Five statistics are shown in this type of plot. The lower and upper hinges correspond to the first and third quartiles (the 25th and 75th percentiles). The upper whisker extends from the hinge to the largest value no further than $1.5 * \text{IQR}$ from the hinge (where IQR is the inter-quartile range). The lower whisker extends from the hinge to the smallest value at most $1.5 * \text{IQR}$ of the hinge. Data beyond the end of the whiskers are considered outlying points.

Value

An object of class `gg, ggplot`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
validation <- cv_ammif(data_ge,
                      resp = GY,
                      gen = GEN,
                      env = ENV,
                      rep = REP,
                      nboot = 5)

plot(validation)
```

plot.env_dissimilarity

Plot an object of class env_dissimilarity

Description

Create dendrograms to show the dissimilarity between environments.

Usage

```
## S3 method for class 'env_dissimilarity'
plot(x, var = 1, nclust = NULL, ...)
```


Arguments

x	An object of class env_dissimilarity
var	The variable to plot. Defaults to var = 1 the first variable of x.
nclust	The number of clusters to show.
...	Other arguments bo be passed to the function hclust .

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
mod <- env_dissimilarity(data_ge, ENV, GEN, REP, GY)
plot(mod)
```

plot.fai_blup	<i>Multi-trait selection index</i>
---------------	------------------------------------

Description

Plot the multitrait index based on factor analysis and ideotype-design proposed by Rocha et al. (2018).

Usage

```
## S3 method for class 'fai_blup'
plot(
  x,
  ideotype = 1,
  SI = 15,
  radar = TRUE,
  arrange.label = FALSE,
  size.point = 2.5,
  size.line = 0.7,
  size.text = 10,
  col.sel = "red",
  col.nonsel = "black",
  ...
)
```

Arguments

x	An object of class waasb
ideotype	The ideotype to be plotted. Default is 1.
SI	An integer [0-100]. The selection intensity in percentage of the total number of genotypes.
radar	Logical argument. If true (default) a radar plot is generated after using coord_polar().

arrange.label	Logical argument. If TRUE, the labels are arranged to avoid text overlapping. This becomes useful when the number of genotypes is large, say, more than 30.
size.point	The size of the point in graphic. Defaults to 2.5.
size.line	The size of the line in graphic. Defaults to 0.7.
size.text	The size for the text in the plot. Defaults to 10.
col.sel	The colour for selected genotypes. Defaults to "red".
col.nonsel	The colour for nonselected genotypes. Defaults to "black".
...	Other arguments to be passed from ggplot2::theme().

Value

An object of class gg, ggplot.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Rocha, J.R.A.S.C.R, J.C. Machado, and P.C.S. Carneiro. 2018. Multitrait index based on factor analysis and ideotype-design: proposal and application on elephant grass breeding for bioenergy. GCB Bioenergy 10:52-60. doi: [10.1111/gcbb.12443](https://doi.org/10.1111/gcbb.12443)

Examples

```
library(metan)

mod <- waasb(data_ge,
             env = ENV,
             gen = GEN,
             rep = REP,
             resp = c(GY, HM))

FAI <- fai_blup(mod,
               DI = c('max', 'max'),
               UI = c('min', 'min'))

plot(FAI)
```

plot.gafem

Several types of residual plots

Description

Residual plots for a output model of class gafem. Seven types of plots are produced: (1) Residuals vs fitted, (2) normal Q-Q plot for the residuals, (3) scale-location plot (standardized residuals vs Fitted Values), (4) standardized residuals vs Factor-levels, (5) Histogram of raw residuals and (6) standardized residuals vs observation order, and (7) 1:1 line plot.

Usage

```
## S3 method for class 'gafem'
plot(x, ...)
```

Arguments

x An object of class gafem.

... Additional arguments passed on to the function [residual_plots](#)

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- gafem(data_g, GEN, REP, PH)

plot(model)
plot(model,
      which = c(3, 5),
      nrow = 2,
      labels = TRUE,
      size.lab.out = 4)
```

plot.gamem

Several types of residual plots

Description

Residual plots for a output model of class gamem. Six types of plots are produced: (1) Residuals vs fitted, (2) normal Q-Q plot for the residuals, (3) scale-location plot (standardized residuals vs Fitted Values), (4) standardized residuals vs Factor-levels, (5) Histogram of raw residuals and (6) standardized residuals vs observation order. For a waasb object, normal Q-Q plot for random effects may also be obtained declaring type = 're'

Usage

```
## S3 method for class 'gamem'
plot(
  x,
  var = 1,
  type = "res",
  position = "fill",
  rotate = FALSE,
  conf = 0.95,
  out = "print",
  n.dodge = 1,
  check.overlap = FALSE,
  labels = FALSE,
```



```

plot_theme = theme_metan(),
alpha = 0.2,
fill.hist = "gray",
col.hist = "black",
col.point = "black",
col.line = "red",
col.lab.out = "red",
size.line = 0.7,
size.text = 10,
width.bar = 0.75,
size.lab.out = 2.5,
size.tex.lab = 10,
size.shape = 1.5,
bins = 30,
which = c(1:4),
ncol = NULL,
nrow = NULL,
align = "hv",
...
)

```

Arguments

<code>x</code>	An object of class <code>gamem</code> .
<code>var</code>	The variable to plot. Defaults to <code>var = 1</code> the first variable of <code>x</code> .
<code>type</code>	One of the "res" to plot the model residuals (default), <code>type = 're'</code> to plot normal Q-Q plots for the random effects, or "vcomp" to create a bar plot with the variance components.
<code>position</code>	The position adjustment when <code>type = "vcomp"</code> . Defaults to "fill", which shows relative proportions at each trait by stacking the bars and then standardizing each bar to have the same height. Use <code>position = "stack"</code> to plot the phenotypic variance for each trait.
<code>rotate</code>	Logical argument. If <code>rotate = TRUE</code> the plot is rotated, i.e., traits in y axis and value in the x axis.
<code>conf</code>	Level of confidence interval to use in the Q-Q plot (0.95 by default).
<code>out</code>	How the output is returned. Must be one of the 'print' (default) or 'return'.
<code>n.dodge</code>	The number of rows that should be used to render the x labels. This is useful for displaying labels that would otherwise overlap.
<code>check.overlap</code>	Silently remove overlapping labels, (recursively) prioritizing the first, last, and middle labels.
<code>labels</code>	Logical argument. If <code>TRUE</code> labels the points outside confidence interval limits.
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>alpha</code>	The transparency of confidence band in the Q-Q plot. Must be a number between 0 (opaque) and 1 (full transparency).
<code>fill.hist</code>	The color to fill the histogram. Default is 'gray'.
<code>col.hist</code>	The color of the border of the the histogram. Default is 'black'.
<code>col.point</code>	The color of the points in the graphic. Default is 'black'.

col.line	The color of the lines in the graphic. Default is 'red'.
col.lab.out	The color of the labels for the 'outlying' points.
size.line	The size of the line in graphic. Defaults to 0.7.
size.text	The size for the text in the plot. Defaults to 10.
width.bar	The width of the bars if type = "contribution".
size.lab.out	The size of the labels for the 'outlying' points.
size.tex.lab	The size of the text in axis text and labels.
size.shape	The size of the shape in the plots.
bins	The number of bins to use in the histogram. Default is 30.
which	Which graphics should be plotted. Default is which = c(1:4) that means that the first four graphics will be plotted.
ncol, nrow	The number of columns and rows of the plot pannel. Defaults to NULL
align	Specifies whether graphs in the grid should be horizontally ("h") or vertically ("v") aligned. "hv" (default) align in both directions, "none" do not align the plot.
...	Additional arguments passed on to the function <code>plot_grid</code>

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- gamem(data_g,
               gen = GEN,
               rep = REP,
               resp = PH)
plot(model)
```

plot.ge_cluster	<i>Plot an object of class ge_cluster</i>
-----------------	---

Description

Plot an object of class ge_cluster

Usage

```
## S3 method for class 'ge_cluster'
plot(x, nclust = NULL, xlab = "", ...)
```

Arguments

x	An object of class ge_cluster
nclust	The number of clusters to show.
xlab	The label of the x axis.
...	Other arguments passed from the function <code>plot.hclust</code> .

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

plot.ge_effects	<i>Plot an object of class ge_effects</i>
-----------------	---

Description

Plot the regression model generated by the function ge_effects.

Usage

```
## S3 method for class 'ge_effects'
plot(
  x,
  var = 1,
  plot_theme = theme_metan(),
  x.lab = NULL,
  y.lab = NULL,
  leg.position = "right",
  size.text = 12,
  ...
)
```

Arguments

x	An object of class ge_effects
var	The variable to plot. Defaults to var = 1 the first variable of x.
plot_theme	The graphical theme of the plot. Default is plot_theme = theme_metan(). For more details, see theme .
x.lab	The label of x-axis. Each plot has a default value. New arguments can be inserted as x.lab = "my label".
y.lab	The label of y-axis. Each plot has a default value. New arguments can be inserted as y.lab = "my label".
leg.position	The position of the legend.
size.text	The size of the text in the axes text and labels. Default is 12.
...	Current not used.

Value

An object of class gg, ggplot.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

See Also

[ge_plot](#)

Examples

```
library(metan)
ge_eff <- ge_effects(data_ge2, ENV, GEN, PH)
plot(ge_eff)
```

plot.ge_factanal	<i>Plot the ge_factanal model</i>
------------------	-----------------------------------

Description

This function plot the scores for genotypes obtained in the factor analysis to interpret the stability

Usage

```
## S3 method for class 'ge_factanal'
plot(
  x,
  var = 1,
  plot_theme = theme_metan(),
  x.lim = NULL,
  x.breaks = waiver(),
  x.lab = NULL,
  y.lim = NULL,
  y.breaks = waiver(),
  y.lab = NULL,
  shape = 21,
  col.shape = "gray30",
  col.alpha = 1,
  size.shape = 2.2,
  size.bor.tick = 0.3,
  size.tex.lab = 12,
  size.tex.pa = 3.5,
  force.repel = 1,
  line.type = "dashed",
  line.alpha = 1,
  col.line = "black",
  size.line = 0.5,
  ...
)
```

Arguments

x	An object of class ge_factanal
var	The variable to plot. Defaults to var = 1 the first variable of x.
plot_theme	The graphical theme of the plot. Default is plot_theme = theme_metan(). For more details, see theme .
x.lim	The range of x-axis. Default is NULL (maximum and minimum values of the data set). New arguments can be inserted as x.lim = c(x.min, x.max).

x.breaks	The breaks to be plotted in the x-axis. Default is automatic breaks. New arguments can be inserted as <code>x.breaks = c(breaks)</code>
x.lab	The label of x-axis. Each plot has a default value. New arguments can be inserted as <code>x.lab = "my label"</code> .
y.lim	The range of x-axis. Default is NULL. The same arguments than <code>x.lim</code> can be used.
y.breaks	The breaks to be plotted in the x-axis. Default is automatic breaks. The same arguments than <code>x.breaks</code> can be used.
y.lab	The label of y-axis. Each plot has a default value. New arguments can be inserted as <code>y.lab = "my label"</code> .
shape	The shape for genotype indication in the plot. Default is 1 (circle). Values between 21-25: 21 (circle), 22 (square), 23 (diamond), 24 (up triangle), and 25 (low triangle) allows a color for fill the shape.
col.shape	The shape color for genotypes. Must be one value or a vector of colors with the same length of the number of genotypes. Default is "gray30". Other values can be attributed. For example, <code>transparent_color()</code> , will make a plot with only an outline around the shape area.
col.alpha	The alpha value for the color. Default is 1. Values must be between 0 (full transparency) to 1 (full color).
size.shape	The size of the shape (both for genotypes and environments). Default is 2.2.
size.bor.tick	The size of tick of shape. Default is 0.3. The size of the shape will be <code>size.shape + size.bor.tick</code>
size.tex.lab	The size of the text in the axes text and labels. Default is 12.
size.tex.pa	The size of the text of the plot area. Default is 3.5.
force.repel	Force of repulsion between overlapping text labels. Defaults to 1.
line.type	The type of the line that indicate the means in the biplot. Default is "solid". Other values that can be attributed are: "blank", no lines in the biplot, "dashed", "dotted", "dotdash", "twodash".
line.alpha	The alpha value that combine the line with the background to create the appearance of partial or full transparency. Default is 0.4. Values must be between "0" (full transparency) to "1" (full color).
col.line	The color of the line that indicate the means in the biplot. Default is "gray"
size.line	The size of the line that indicate the means in the biplot. Default is 0.5.
...	Currently not used..

Value

An object of class `gg, ggplot`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

See Also

[ge_factanal](#)

Examples

```
library(metan)
library(ggplot2)
model = ge_factanal(data_ge2,
                    env = ENV,
                    gen = GEN,
                    rep = REP,
                    resp = PH)

plot(model)

plot(model,
      size.shape = 3,
      force.repel = 10,
      col.shape = "orange",
      col.line = "red")
```

plot.ge_reg

*Plot an object of class ge_reg***Description**

Plot the regression model generated by the function ge_reg.

Usage

```
## S3 method for class 'ge_reg'
plot(
  x,
  var = 1,
  type = 1,
  plot_theme = theme_metan(),
  x.lim = NULL,
  x.breaks = waiver(),
  x.lab = NULL,
  y.lim = NULL,
  y.breaks = waiver(),
  y.lab = NULL,
  leg.position = "right",
  size.tex.lab = 12,
  ...
)
```

Arguments

x	An object of class ge_factanal
var	The variable to plot. Defaults to var = 1 the first variable of x.
type	The type of plot to show. type = 1 produces a plot with the environmental index in the x axis and the genotype mean yield in the y axis. type = 2 produces a plot with the response variable in the x axis and the slope of the regression in the y axis.

plot_theme	The graphical theme of the plot. Default is plot_theme = theme_metan(). For more details, see theme .
x.lim	The range of x-axis. Default is NULL (maximum and minimum values of the data set). New arguments can be inserted as x.lim = c(x.min, x.max).
x.breaks	The breaks to be plotted in the x-axis. Default is automatic breaks. New arguments can be inserted as x.breaks = c(breaks)
x.lab	The label of x-axis. Each plot has a default value. New arguments can be inserted as x.lab = "my label".
y.lim	The range of x-axis. Default is NULL. The same arguments than x.lim can be used.
y.breaks	The breaks to be plotted in the x-axis. Default is automatic breaks. The same arguments than x.breaks can be used.
y.lab	The label of y-axis. Each plot has a default value. New arguments can be inserted as y.lab = "my label".
leg.position	The position of the legend.
size.tex.lab	The size of the text in the axes text and labels. Default is 12.
...	Currently not used..

Value

An object of class gg, ggplot.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

See Also

[ge_factanal](#)

Examples

```
library(metan)
model <- ge_reg(data_ge2, ENV, GEN, REP, PH)
plot(model)
```

plot.gge

Create GGE, GT or GYT biplots

Description

Produces a ggplot2-based GGE-GT-GYT biplot based on a model fitted with the functions [gge\(\)](#), [gtb\(\)](#), and [gytb\(\)](#).

Usage

```
## S3 method for class 'gge'
plot(
  x,
  var = 1,
  type = 1,
  sel_env = NA,
  sel_gen = NA,
  sel_gen1 = NA,
  sel_gen2 = NA,
  shape.gen = 21,
  shape.env = 23,
  size.shape = 2.2,
  size.shape.win = 3.2,
  size.bor.tick = 0.3,
  col.gen = "blue",
  col.env = "forestgreen",
  col.alpha = 1,
  col.circle = "gray",
  col.alpha.circle = 0.5,
  leg.lab = NULL,
  size.text.gen = 4,
  size.text.env = 4,
  size.text.lab = 12,
  size.line = 0.5,
  large_label = 4.5,
  axis_expand = 1.2,
  title = TRUE,
  plot_theme = theme_metan(),
  ...
)
```

Arguments

x	An object with classes gge gtb, or gytb.
var	The variable to plot (useful for gge objects. Defaults to var = 1 the first variable of x.
type	The type of biplot to produce. <ol style="list-style-type: none"> 1. Basic biplot. 2. Mean performance vs. stability (gge biplots) or the The Average Tester Coordination view for genotype-trait and genotype-yield*trait biplots. 3. Which-won-where. 4. Discriminateness vs. representativeness. 5. Examine an environment (or trait/yield*trait combination). 6. Ranking environments (or trait/yield*trait combination). 7. Examine a genotype. 8. Ranking genotypes. 9. Compare two genotypes. 10. Relationship among environments (or trait/yield*trait combination).

<code>sel_env, sel_gen</code>	The name of the environment (or trait/yield*trait combination) and genotype to examine when <code>type = 5</code> and <code>type = 7</code> , respectively. Must be a string which matches a environment or genotype label.
<code>sel_gen1, sel_gen2</code>	The name of genotypes to compare between when <code>type = 9</code> . Must be a string present in the genotype's name.
<code>shape.gen, shape.env</code>	The shape for genotype and environment indication in the biplot. Defaults to <code>shape.gen = 21</code> (circle) for genotypes and <code>shape.env = 23</code> (rhombus) for environments. Values must be between 21-25: 21 (circle), 22 (square), 23 (rhombus), 24 (up triangle), and 25 (low triangle).
<code>size.shape</code>	The size of the shape (both for genotypes and environments). Defaults to 2.2.
<code>size.shape.win</code>	The size of the shape for winners genotypes when <code>type = 3</code> . Defaults to 3.2.
<code>size.bor.tick</code>	The size of tick of shape. Default is 0.3. The size of the shape will be <code>size.shape + size.bor.tick</code>
<code>col.gen, col.env</code>	Color for genotype and environment attributes in the biplot. Defaults to <code>col.gen = 'blue'</code> and <code>col.env = 'forestgreen'</code>
<code>col.alpha</code>	The alpha value for the color. Defaults to 1. Values must be between 0 (full transparency) to 1 (full color).
<code>col.circle, col.alpha.circle</code>	The color and alpha values for the circle lines. Defaults to 'gray' and 0.4, respectively.
<code>leg.lab</code>	The labs of legend. Defaults to NULL is <code>c('Env', 'Gen')</code> .
<code>size.text.gen, size.text.env, size.text.lab</code>	The size of the text for genotypes, environments and labels, respectively.
<code>size.line</code>	The size of the line in biplots (Both for segments and circles).
<code>large_label</code>	The text size to use for larger labels where <code>type = 3</code> , used for the outermost genotypes and where <code>type = 9</code> , used for the two selected genotypes. Defaults to 4.5
<code>axis_expand</code>	multiplication factor to expand the axis limits by to enable fitting of labels. Defaults to 1.2
<code>title</code>	Logical values (Defaults to TRUE) to include automatically generated information in the plot such as singular value partitioning, scaling and centering.
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>...</code>	Currently not used.

Value

A ggplot2-based biplot.

An object of class `gg, ggplot`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Yan, W., and M.S. Kang. 2003. GGE biplot analysis: a graphical tool for breeders, geneticists, and agronomists. CRC Press.

Examples

```
library(metan)
mod <- gge(data_ge, ENV, GEN, GY)
plot(mod)
plot(mod,
      type = 2,
      col.gen = 'blue',
      col.env = 'red',
      size.text.gen = 2)
```

plot.mgidi

Plot the multi-trait genotype-ideotype distance index

Description

Makes a radar plot showing the multi-trait genotype-ideotype distance index

Usage

```
## S3 method for class 'mgidi'
plot(
  x,
  SI = 15,
  radar = TRUE,
  type = "index",
  position = "fill",
  rotate = FALSE,
  genotypes = "selected",
  n.dodge = 1,
  check.overlap = FALSE,
  invert = NULL,
  x.lab = NULL,
  y.lab = NULL,
  title = NULL,
  arrange.label = FALSE,
  size.point = 2.5,
  size.line = 0.7,
  size.text = 10,
  width.bar = 0.75,
  col.sel = "red",
  col.nonsel = "black",
  ...
)
```


Arguments

x	An object of class mgidi
SI	An integer [0-100]. The selection intensity in percentage of the total number of genotypes.
radar	Logical argument. If true (default) a radar plot is generated after using coord_polar().
type	The type of the plot. Defaults to "index". Use type = "contribution" to show the contribution of each factor to the MGIDI index of the selected genotypes/treatments.
position	The position adjustment when type = "contribution". Defaults to "fill", which shows relative proportions at each trait by stacking the bars and then standardizing each bar to have the same height. Use position = "stack" to plot the MGIDI index for each genotype/treatment.
rotate	Logical argument. If rotate = TRUE the plot is rotated, i.e., traits in y axis and value in the x axis.
genotypes	When type = "contribution" defines the genotypes to be shown in the plot. By default (genotypes = "selected" only selected genotypes are shown. Use genotypes = "all" to plot the contribution for all genotypes.)
n.dodge	The number of rows that should be used to render the x labels. This is useful for displaying labels that would otherwise overlap.
check.overlap	Silently remove overlapping labels, (recursively) prioritizing the first, last, and middle labels.
invert	Deprecated argument as of 1.8.0. Use rotate instead.
x.lab, y.lab	The labels for the axes x and y, respectively. x label is set to null when a radar plot is produced.
title	The plot title when type = "contribution".
arrange.label	Logical argument. If TRUE, the labels are arranged to avoid text overlapping. This becomes useful when the number of genotypes is large, say, more than 30.
size.point	The size of the point in graphic. Defaults to 2.5.
size.line	The size of the line in graphic. Defaults to 0.7.
size.text	The size for the text in the plot. Defaults to 10.
width.bar	The width of the bars if type = "contribution". Defaults to 0.75.
col.sel	The colour for selected genotypes. Defaults to "red".
col.nonsel	The colour for nonselected genotypes. Defaults to "black".
...	Other arguments to be passed from ggplot2::theme().

Value

An object of class gg, ggplot.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- gamem(data_g,
               gen = GEN,
               rep = REP,
               resp = c(KW, NR, NKE, NKR))
mgidi_index <- mgidi(model)
plot(mgidi_index)
```

plot.mtsi

*Plot the multi-trait stability index***Description**

Makes a radar plot showing the multitrait stability index proposed by Olivoto et al. (2019)

Usage

```
## S3 method for class 'mtsi'
plot(
  x,
  SI = 15,
  type = "index",
  position = "fill",
  genotypes = "selected",
  radar = TRUE,
  arrange.label = FALSE,
  x.lab = NULL,
  y.lab = NULL,
  size.point = 2.5,
  size.line = 0.7,
  size.text = 10,
  width.bar = 0.75,
  n.dodge = 1,
  check.overlap = FALSE,
  invert = FALSE,
  col.sel = "red",
  col.nonsel = "black",
  ...
)
```

Arguments

x	An object of class mtsi
SI	An integer [0-100]. The selection intensity in percentage of the total number of genotypes.
type	The type of the plot. Defaults to "index". Use type = "contribution" to show the contribution of each factor to the MGIDI index of the selected genotypes.

position	The position adjustment when type = "contribution". Defaults to "fill", which shows relative proportions at each trait by stacking the bars and then standardizing each bar to have the same height. Use position = "stack" to plot the MGIDI index for each genotype.
genotypes	When type = "contribution" defines the genotypes to be shown in the plot. By default (genotypes = "selected" only selected genotypes are shown. Use genotypes = "all" to plot the contribution for all genotypes.)
radar	Logical argument. If true (default) a radar plot is generated after using coord_polar().
arrange.label	Logical argument. If TRUE, the labels are arranged to avoid text overlapping. This becomes useful when the number of genotypes is large, say, more than 30.
x.lab, y.lab	The labels for the axes x and y, respectively. x label is set to null when a radar plot is produced.
size.point	The size of the point in graphic. Defaults to 2.5.
size.line	The size of the line in graphic. Defaults to 0.7.
size.text	The size for the text in the plot. Defaults to 10.
width.bar	The width of the bars if type = "contribution". Defaults to 0.75.
n.dodge	The number of rows that should be used to render the x labels. This is useful for displaying labels that would otherwise overlap.
check.overlap	Silently remove overlapping labels, (recursively) prioritizing the first, last, and middle labels.
invert	Logical argument. If TRUE, rotate the plot.
col.sel	The colour for selected genotypes. Defaults to "red".
col.nonsel	The colour for nonselected genotypes. Defaults to "black".
...	Other arguments to be passed from ggplot2::theme().

Value

An object of class gg, ggplot.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, B.G. Sari, and M.I. Diel. 2019. Mean performance and stability in multi-environment trials II: Selection based on multiple traits. Agron. J. (in press).

Examples

```
library(metan)
mtsi_model <- waasb(data_ge, ENV, GEN, REP, resp = c(GY, HM))
mtsi_index <- mtsi(mtsi_model)
plot(mtsi_index)
```

plot.performs_amm	<i>Several types of residual plots</i>
-------------------	--

Description

Residual plots for a output model of class performs_amm. Seven types of plots are produced: (1) Residuals vs fitted, (2) normal Q-Q plot for the residuals, (3) scale-location plot (standardized residuals vs Fitted Values), (4) standardized residuals vs Factor-levels, (5) Histogram of raw residuals and (6) standardized residuals vs observation order, and (7) 1:1 line plot.

Usage

```
## S3 method for class 'performs_amm'
plot(x, ...)
```

Arguments

x	An object of class performs_amm.
...	Additional arguments passed on to the function residual_plots

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- performs_amm(data_ge, ENV, GEN, REP, GY)
plot(model)
plot(model,
      which = c(3, 5),
      nrow = 2,
      labels = TRUE,
      size.lab.out = 4)
```

plot.resp_surf	<i>Plot the response surface model</i>
----------------	--

Description

Plot the response surface model using a contour plot

Usage

```
## S3 method for class 'resp_surf'
plot(
  x,
  xlab = NULL,
  ylab = NULL,
  resolution = 100,
  bins = 10,
  plot_theme = theme_metan(),
  ...
)
```

Arguments

<code>x</code>	An object of class <code>resp_surf</code>
<code>xlab</code> , <code>ylab</code>	The label for the x and y axis, respectively. Defaults to original variable names.
<code>resolution</code>	The resolution of the contour plot. Defaults to 100. higher values produce high-resolution plots but may increase the computation time.
<code>bins</code>	The number of bins shown in the plot. Defaults to 10.
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>...</code>	Currently not used

Value

An object of class `gg`, `ggplot`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
# A small toy example

df <- data.frame(
  expand.grid(x = seq(0, 4, by = 1),
             y = seq(0, 4, by = 1)),
  z = c(10, 11, 12, 11, 10,
        14, 15, 16, 15, 14,
        16, 17, 18, 17, 16,
        14, 15, 16, 15, 14,
        10, 11, 12, 11, 10)
)
mod <- resp_surf(df, x, y, resp = z)
plot(mod)
```


plot.sh

*Plot the Smith-Hazel index***Description**

Makes a radar plot showing the individual genetic worth for the Smith-Hazel index

Usage

```
## S3 method for class 'sh'
plot(
  x,
  SI = 15,
  radar = TRUE,
  arrange.label = FALSE,
  size.point = 2.5,
  size.line = 0.7,
  size.text = 10,
  col.sel = "red",
  col.nonsel = "black",
  ...
)
```

Arguments

x	An object of class sh
SI	An integer [0-100]. The selection intensity in percentage of the total number of genotypes.
radar	Logical argument. If true (default) a radar plot is generated after using coord_polar().
arrange.label	Logical argument. If TRUE, the labels are arranged to avoid text overlapping. This becomes useful when the number of genotypes is large, say, more than 30.
size.point	The size of the point in graphic. Defaults to 2.5.
size.line	The size of the line in graphic. Defaults to 0.7.
size.text	The size for the text in the plot. Defaults to 10.
col.sel	The colour for selected genotypes. Defaults to "red".
col.nonsel	The colour for nonselected genotypes. Defaults to "black".
...	Other arguments to be passed from ggplot2::theme().

Value

An object of class gg, ggplot.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
vcov <- covcor_design(data_g, GEN, REP, everything())
means <- as.matrix(vcov$means)
pcov <- vcov$phen_cov
gcov <- vcov$geno_cov

index <- Smith_Hazel(means, pcov = pcov, gcov = gcov, weights = rep(1, 15))
plot(index)
```

plot.waas

*Several types of residual plots***Description**

Residual plots for a output model of class waas. Seven types of plots are produced: (1) Residuals vs fitted, (2) normal Q-Q plot for the residuals, (3) scale-location plot (standardized residuals vs Fitted Values), (4) standardized residuals vs Factor-levels, (5) Histogram of raw residuals and (6) standardized residuals vs observation order, and (7) 1:1 line plot.

Usage

```
## S3 method for class 'waas'
plot(x, ...)
```

Arguments

x An object of class waas.

... Additional arguments passed on to the function [residual_plots](#)

Author(s)

Tiago Olivoto <tiagooolivoto@gmail.com>

Examples

```
library(metan)
model <- waas(data_ge, ENV, GEN, REP, GY)
plot(model)
plot(model,
      which = c(3, 5),
      nrow = 2,
      labels = TRUE,
      size.lab.out = 4)
```


plot.waasb

*Several types of residual plots***Description**

Residual plots for a output model of class waas and waasb. Six types of plots are produced: (1) Residuals vs fitted, (2) normal Q-Q plot for the residuals, (3) scale-location plot (standardized residuals vs Fitted Values), (4) standardized residuals vs Factor-levels, (5) Histogram of raw residuals and (6) standardized residuals vs observation order. For a waasb object, normal Q-Q plot for random effects may also be obtained declaring type = 're'

Usage

```
## S3 method for class 'waasb'
plot(
  x,
  var = 1,
  type = "res",
  position = "fill",
  rotate = FALSE,
  conf = 0.95,
  out = "print",
  n.dodge = 1,
  check.overlap = FALSE,
  labels = FALSE,
  plot_theme = theme_metan(),
  alpha = 0.2,
  fill.hist = "gray",
  col.hist = "black",
  col.point = "black",
  col.line = "red",
  col.lab.out = "red",
  size.line = 0.7,
  size.text = 10,
  width.bar = 0.75,
  size.lab.out = 2.5,
  size.tex.lab = 10,
  size.shape = 1.5,
  bins = 30,
  which = c(1:4),
  ncol = NULL,
  nrow = NULL,
  align = "hv",
  ...
)
```

Arguments

x	An object of class waasb.
var	The variable to plot. Defaults to var = 1 the first variable of x.

type	One of the "res" to plot the model residuals (default), type = 're' to plot normal Q-Q plots for the random effects, or "vcomp" to create a bar plot with the variance components.
position	The position adjustment when type = "vcomp". Defaults to "fill", which shows relative proportions at each trait by stacking the bars and then standardizing each bar to have the same height. Use position = "stack" to plot the phenotypic variance for each trait.
rotate	Logical argument. If rotate = TRUE the plot is rotated, i.e., traits in y axis and value in the x axis.
conf	Level of confidence interval to use in the Q-Q plot (0.95 by default).
out	How the output is returned. Must be one of the 'print' (default) or 'return'.
n.dodge	The number of rows that should be used to render the x labels. This is useful for displaying labels that would otherwise overlap.
check.overlap	Silently remove overlapping labels, (recursively) prioritizing the first, last, and middle labels.
labels	Logical argument. If TRUE labels the points outside confidence interval limits.
plot_theme	The graphical theme of the plot. Default is plot_theme = theme_metan(). For more details, see theme .
alpha	The transparency of confidence band in the Q-Q plot. Must be a number between 0 (opaque) and 1 (full transparency).
fill.hist	The color to fill the histogram. Default is 'gray'.
col.hist	The color of the border of the the histogram. Default is 'black'.
col.point	The color of the points in the graphic. Default is 'black'.
col.line	The color of the lines in the graphic. Default is 'red'.
col.lab.out	The color of the labels for the 'outlying' points.
size.line	The size of the line in graphic. Defaults to 0.7.
size.text	The size for the text in the plot. Defaults to 10.
width.bar	The width of the bars if type = "contribution".
size.lab.out	The size of the labels for the 'outlying' points.
size.tex.lab	The size of the text in axis text and labels.
size.shape	The size of the shape in the plots.
bins	The number of bins to use in the histogram. Default is 30.
which	Which graphics should be plotted. Default is which = c(1:4) that means that the first four graphics will be plotted.
ncol, nrow	The number of columns and rows of the plot pannel. Defaults to NULL
align	Specifies whether graphs in the grid should be horizontally ("h") or vertically ("v") aligned. "hv" (default) align in both directions, "none" do not align the plot.
...	Additional arguments passed on to the function plot_grid

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model2 <- waasb(data_ge,
  resp = GY,
  gen = GEN,
  env = ENV,
  rep = REP)

plot(model2)
```

plot.wsmmp

Plot heat maps with genotype ranking

Description

Plot heat maps with genotype ranking in two ways.

Usage

```
## S3 method for class 'wsmmp'
plot(x, var = 1, type = 1, y.lab = NULL, x.lab = NULL, size.lab = 12, ...)
```

Arguments

x	The object returned by the function wsmmp.
var	The variable to plot. Defaults to var = 1 the first variable of x.
type	1 = Heat map Ranks: this graphic shows the genotype ranking considering the WAASB index estimated with different numbers of Principal Components; 2 = Heat map WAASY-GY ratio: this graphic shows the genotype ranking considering the different combinations in the WAASB/GY ratio.
y.lab	The label of y axis. Default is 'Genotypes'.
x.lab	The label of x axis. Default is 'Number of axes'.
size.lab	The size of the
...	Currently not used.

Details

The first type of heatmap shows the genotype ranking depending on the number of principal component axis used for estimating the WAASB index. The second type of heatmap shows the genotype ranking depending on the WAASB/GY ratio. The ranks obtained with a ratio of 100/0 considers exclusively the stability for the genotype ranking. On the other hand, a ratio of 0/100 considers exclusively the productivity for the genotype ranking. Four clusters of genotypes are shown by label colors (red) unproductive and unstable genotypes; (blue) productive, but unstable genotypes; (black) stable, but unproductive genotypes; and (green), productive and stable genotypes.

Value

An object of class gg.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- waasb(data_ge2,
               env = ENV,
               gen = GEN,
               rep = REP,
               resp = PH) %>%
  wsmc()

p1 <- plot(model)
p2 <- plot(model, type = 2)
arrange_ggplot(p1, p2, ncol = 1)
```

plot_blup

Plot the BLUPs for genotypes

Description

Plot the predicted BLUP of the genotypes.

Usage

```
plot_blup(
  x,
  var = 1,
  which = "gen",
  prob = 0.05,
  export = FALSE,
  file.type = "pdf",
  file.name = NULL,
  plot_theme = theme_metan(),
  width = 6,
  height = 6,
  err.bar = TRUE,
  size.err.bar = 0.5,
  size.shape = 3.5,
  size.tex.lab = 12,
  height.err.bar = 0.3,
  x.lim = NULL,
  x.breaks = waiver(),
  col.shape = c("blue", "red"),
  y.lab = "Genotypes",
  x.lab = NULL,
  n.dodge = 1,
  check.overlap = FALSE,
  panel.spacing = 0.15,
```



```

    resolution = 300,
    ...
)

```

Arguments

<code>x</code>	The <code>waasb</code> object
<code>var</code>	The variable to plot. Defaults to <code>var = 1</code> the first variable of <code>x</code> .
<code>which</code>	Which plot to shown. If <code>which = "gen"</code> (default) plots the BLUPs for genotypes. To create a plot showing the BLUPs for genotype-environment combinations, used <code>which = "ge"</code> .
<code>prob</code>	The probability error for constructing confidence interval.
<code>export</code>	Export (or not) the plot. Default is <code>TRUE</code> .
<code>file.type</code>	If <code>export = TRUE</code> , define the type of file to be exported. Default is <code>pdf</code> , Graphic can also be exported in <code>*.tiff</code> format by declaring <code>file.type = "tiff"</code> .
<code>file.name</code>	The name of the file for exportation, default is <code>NULL</code> , i.e. the files are automatically named.
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>width</code>	The width "inch" of the plot. Default is 6.
<code>height</code>	The height "inch" of the plot. Default is 6.
<code>err.bar</code>	Logical value to indicate if an error bar is shown. Defaults to <code>TRUE</code> .
<code>size.err.bar</code>	The size of the error bar for the plot. Default is 0.5.
<code>size.shape</code>	The size of the shape (both for genotypes and environments). Default is 3.5.
<code>size.tex.lab</code>	The size of the text in axis text and labels.
<code>height.err.bar</code>	The height for error bar. Default is 0.3.
<code>x.lim</code>	The range of x-axis. Default is <code>NULL</code> (maximum and minimum values of the data set). New arguments can be inserted as <code>x.lim = c(x.min, x.max)</code> .
<code>x.breaks</code>	The breaks to be plotted in the x-axis. Default is automatic breaks. New arguments can be inserted as <code>x.breaks = c(breaks)</code>
<code>col.shape</code>	A vector of length 2 that contains the color of shapes for genotypes above and below of the mean, respectively. Default is <code>c("blue", "red")</code> .
<code>y.lab</code>	The label of the y-axis in the plot. Default is "Genotypes".
<code>x.lab</code>	The label of the x-axis in the plot. Default is <code>NULL</code> , i.e., the name of the selected variable.
<code>n.dodge</code>	The number of rows that should be used to render the Y labels. This is useful for displaying labels that would otherwise overlap.
<code>check.overlap</code>	Silently remove overlapping labels, (recursively) prioritizing the first, last, and middle labels.
<code>panel.spacing</code>	Defines the spacing between panels when <code>which = "ge"</code> .
<code>resolution</code>	The resolution of the plot. Parameter valid if <code>file.type = "tiff"</code> is used. Default is 300 (300 dpi)
<code>...</code>	Currently not used.

Value

An object of class `gg`, `ggplot`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

See Also

[plot_scores](#), [plot_waasby](#)

Examples

```
library(metan)
BLUP <- waasb(data_ge2,
              resp = PH,
              gen = GEN,
              env = ENV,
              rep = REP)
plot_blup(BLUP)
plot_blup(BLUP, which = "ge")
```

plot_ci

Plot the confidence interval for correlation

Description

This function plots the 95 correlation coefficient generated by the function `corr_ci`.

Usage

```
plot_ci(
  object,
  x.lab = NULL,
  y.lab = NULL,
  y.lim = NULL,
  y.breaks = waiver(),
  shape = 21,
  col.shape = "black",
  fill.shape = "orange",
  size.shape = 2.5,
  width.errbar = 0.5,
  main = TRUE,
  invert.axis = TRUE,
  reorder = TRUE,
  plot_theme = theme_metan()
)
```


Arguments

object	An object generate by the function <code>corr_ci()</code>
x.lab	The label of x-axis, set to 'Pairwise combinations'. New arguments can be inserted as <code>x.lab = 'my label'</code> .
y.lab	The label of y-axis, set to 'Pearson's correlation coefficient' New arguments can be inserted as <code>y.lab = 'my label'</code> .
y.lim	The range of x-axis. Default is NULL. The same arguments than <code>x.lim</code> can be used.
y.breaks	The breaks to be plotted in the x-axis. Default is automatic breaks. The same arguments than <code>x.breaks</code> can be used.
shape	The shape point to represent the correlation coefficient. Default is 21 (circle). Values must be between 21-25: 21 (circle), 22 (square), 23 (diamond), 24 (up triangle), and 25 (low triangle).
col.shape	The color for the shape edge. Set to black.
fill.shape	The color to fill the shape. Set to orange.
size.shape	The size for the shape point. Set to 2.5.
width.errbar	The width for the errorbar showing the CI.
main	The title of the plot. Set to <code>main = FALSE</code> to ommite the plot title.
invert.axis	Should the names of the pairwise correlation appear in the y-axis?
reorder	Logical argument. If TRUE (default) the pairwise combinations are reordered according to the correlation coefficient.
plot_theme	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .

Value

An object of class `gg, ggplot`.

Examples

```
library(metan)
library(dplyr)

data_ge2 %>%
  select(contains('E')) %>%
  corr_ci() %>%
  plot_ci()
```

plot_eigen

Plot the eigenvalues

Description

Plot the eigenvalues for from singular value decomposition of BLUP interaction effects matrix.

Usage

```
plot_eigen(
  x,
  var = 1,
  export = FALSE,
  plot_theme = theme_metan(),
  file.type = "pdf",
  file.name = NULL,
  width = 6,
  height = 6,
  size.shape = 3.5,
  size.line = 1,
  size.tex.lab = 12,
  y.lab = "Eigenvalue",
  y2.lab = "Accumulated variance",
  x.lab = "Number of multiplicative terms",
  resolution = 300,
  ...
)
```

Arguments

<code>x</code>	The <code>waasb</code> object
<code>var</code>	The variable to plot. Defaults to <code>var = 1</code> the first variable of <code>x</code> .
<code>export</code>	Export (or not) the plot. Default is <code>TRUE</code> .
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>file.type</code>	If <code>export = TRUE</code> , define the type of file to be exported. Default is <code>pdf</code> , Graphic can also be exported in <code>*.tiff</code> format by declaring <code>file.type = "tiff"</code> .
<code>file.name</code>	The name of the file for exportation, default is <code>NULL</code> , i.e. the files are automatically named.
<code>width</code>	The width "inch" of the plot. Default is 6.
<code>height</code>	The height "inch" of the plot. Default is 6.
<code>size.shape</code>	The size of the shape. Default is 3.5.
<code>size.line</code>	The size of the line. Default is 1.
<code>size.tex.lab</code>	The size of the text in axis text and labels.
<code>y.lab</code>	The label of the y-axis in the plot. Default is "Eigenvalue".
<code>y2.lab</code>	The label of the second y-axis in the plot. Default is "Accumulated variance".
<code>x.lab</code>	The label of the x-axis in the plot. Default is "Number of multiplicative terms".
<code>resolution</code>	The resolution of the plot. Parameter valid if <code>file.type = "tiff"</code> is used. Default is 300 (300 dpi)
<code>...</code>	Currently not used.

Value

An object of class `gg, ggplot`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

See Also

[plot_scores](#), [plot_waasby](#)

Examples

```
library(metan)
BLUP <- waasb(data_ge,
              resp = c(GY, HM),
              gen = GEN,
              env = ENV,
              rep = REP)
plot_eigen(BLUP)
```

plot_scores

Plot scores in different graphical interpretations

Description

Plot scores of genotypes and environments in different graphical interpretations.

Usage

```
plot_scores(
  x,
  var = 1,
  type = 1,
  first = "PC1",
  second = "PC2",
  repel = TRUE,
  polygon = FALSE,
  title = TRUE,
  plot_theme = theme_metan(),
  axis.expand = 1.1,
  x.lim = NULL,
  y.lim = NULL,
  x.breaks = waiver(),
  y.breaks = waiver(),
  x.lab = NULL,
  y.lab = NULL,
  shape.gen = 21,
  shape.env = 23,
  size.shape = 2.2,
  size.bor.tick = 0.3,
  size.tex.lab = 12,
  size.tex.pa = 3.5,
```



```

size.line = 0.5,
size.segm.line = 0.5,
col.bor.gen = "black",
col.bor.env = "black",
col.line = "black",
col.gen = "blue",
col.env = "forestgreen",
col.alpha.gen = 0.9,
col.alpha.env = 0.9,
col.segm.gen = transparent_color(),
col.segm.env = "forestgreen",
repulsion = 1,
leg.lab = c("Env", "Gen"),
line.type = "solid",
line.alpha = 0.9,
resolution = 300,
file.type = "pdf",
export = FALSE,
file.name = NULL,
width = 8,
height = 7,
color = TRUE,
...
)

```

Arguments

x	An object fitted with the functions performs_amm i, waas , waas_means , or waasb .
var	The variable to plot. Defaults to var = 1 the first variable of x.
type	type of biplot to produce <ul style="list-style-type: none"> • type = 1 Produces an AMMI1 biplot (Y x PC1) to make inferences related to stability and productivity. • type = 2 The default, produces an AMMI2 biplot (PC1 x PC2) to make inferences related to the interaction effects. Use the arguments <code>first</code> or <code>second</code> to change the default IPCA shown in the plot. • type = 3 Valid for objects of class <code>waas</code> or <code>waasb</code>, produces a biplot showing the GY x WAASB. • type = 4 Produces a plot with the Nominal yield x Environment PC.
first, second	The IPCA to be shown in the first (x) and second (y) axis. By default, IPCA1 is shown in the x axis and IPCA2 in the y axis. For example, use <code>second = "PC3"</code> to shown the IPCA3 in the y axis.
repel	If TRUE (default), the text labels <code>repel</code> away from each other and away from the data points.
polygon	Logical argument. If TRUE, a polygon is drawn when type = 2.
title	Logical values (Defaults to TRUE) to include automatically generated titles
plot_theme	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
axis.expand	Multiplication factor to expand the axis limits by to enable fitting of labels. Default is 1.1.

<code>x.lim, y.lim</code>	The range of x and y axes, respectively. Default is NULL (maximum and minimum values of the data set). New values can be inserted as <code>x.lim = c(x.min, x.max)</code> or <code>y.lim = c(y.min, y.max)</code> .
<code>x.breaks, y.breaks</code>	The breaks to be plotted in the x and y axes, respectively. Defaults to <code>waiver()</code> (automatic breaks). New values can be inserted, for example, as <code>x.breaks = c(0.1, 0.2, 0.3)</code> or <code>x.breaks = seq(0, 1, by = 0.2)</code>
<code>x.lab, y.lab</code>	The label of x and y axes, respectively. Defaults to NULL, i.e., each plot has a default axis label. New values can be inserted as <code>x.lab = 'my label'</code> .
<code>shape.gen, shape.env</code>	The shape for genotypes and environments indication in the biplot. Default is 21 (circle) for genotypes and 23 (diamond) for environments. Values must be between 21–25: 21 (circle), 22 (square), 23 (diamond), 24 (up triangle), and 25 (low triangle).
<code>size.shape</code>	The size of the shape (both for genotypes and environments). Default is 2.2.
<code>size.bor.tick</code>	The size of tick of shape. Default is 0.3. The size of the shape will be <code>size.shape + size.bor.tick</code>
<code>size.tex.lab, size.tex.pa</code>	The size of the text for labels (Defaults to 12) and plot area (Defaults to 3.5), respectively.
<code>size.line</code>	The size of the line that indicate the means in the biplot. Default is 0.5.
<code>size.segm.line</code>	The size of the segment that start in the origin of the biplot and end in the scores values. Default is 0.5.
<code>col.bor.gen, col.bor.env</code>	The color of the shape's border for genotypes and environments, respectively.
<code>col.line</code>	The color of the line that indicate the means in the biplot. Default is 'gray'
<code>col.gen, col.env</code>	The shape color for genotypes (Defaults to 'blue') and environments ('forestgreen'). Must be length one or a vector of colors with the same length of the number of genotypes/environments.
<code>col.alpha.gen, col.alpha.env</code>	The alpha value for the color for genotypes and environments, respectively. Default is 0.9. Values must be between 0 (full transparency) to 1 (full color).
<code>col.segm.gen, col.segm.env</code>	The color of segment for genotypes (Defaults to <code>transparent_color()</code>) and environments (Defaults to 'forestgreen'), respectively. Valid arguments for plots with <code>type = 1</code> or <code>type = 2</code> graphics.
<code>repulsion</code>	Force of repulsion between overlapping text labels. Defaults to 1.
<code>leg.lab</code>	The labs of legend. Default is Gen and Env.
<code>line.type</code>	The type of the line that indicate the means in the biplot. Default is 'solid'. Other values that can be attributed are: 'blank', no lines in the biplot, 'dashed', 'dotted', 'dotdash', 'twodash'.
<code>line.alpha</code>	The alpha value that combine the line with the background to create the appearance of partial or full transparency. Default is 0.4. Values must be between '0' (full transparency) to '1' (full color).
<code>resolution</code>	The resolution of the plot. Parameter valid if <code>file.type = 'tiff'</code> is used. Default is 300 (300 dpi)

file.type	The type of file to be exported. Valid parameter if export = T TRUE. Default is 'pdf'. The graphic can also be exported in *.tiff format by declaring file.type = 'tiff'.
export	Export (or not) the plot. Default is FALSE.
file.name	The name of the file for exportation, default is NULL, i.e. the files are automatically named.
width	The width 'inch' of the plot. Default is 8.
height	The height 'inch' of the plot. Default is 7.
color	Should type 4 plot have colors? Default to TRUE.
...	Currently not used.

Details

Biplots type 1 and 2 are well known in AMMI analysis. In the plot type 3, the scores of both genotypes and environments are plotted considering the response variable and the WAASB, an stability index that considers all significant principal component axis of traditional AMMI models or all principal component axis estimated with BLUP-interaction effects (Olivoto et al. 2019). Plot type 4 may be used to better understand the well known 'which-won-where' pattern, facilitating the recommendation of appropriate genotypes targeted for specific environments, thus allowing the exploitation of narrow adaptations.

Value

An object of class gg,ggplot.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. Agron. J. 111:2949-2960. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)

See Also

[plot_eigen](#)

Examples

```
library(metan)
# AMMI model
model <- waas(data_ge,
              env = ENV,
              gen = GEN,
              rep = REP,
              resp = everything())

# GY x PC1 for variable GY (default plot)
plot_scores(model)

# PC1 x PC2 (variable HM)
```



```

plot_scores(model,
             polygon = TRUE, # Draw a convex hull polygon
             var = "HM",    # or var = 2 to select variable
             type = 2)      # type of biplot

# PC3 x PC4 (variable HM)
#
# Change size of plot fonts and colors
# Minimal theme
plot_scores(model,
             var = "HM",
             type = 2,
             first = "PC3",
             second = "PC4",
             col.gen = "black",
             col.env = "gray",
             col.segm.env = "gray",
             size.tex.pa = 2,
             size.tex.lab = 16,
             plot_theme = theme_metan_minimal())

# WAASB index
waasb_model <- waasb(data_ge, ENV, GEN, REP, GY)

# GY x WAASB
plot_scores(waasb_model,
             type = 3,
             size.tex.pa = 2,
             size.tex.lab = 16)

```

plot_waasby

Plot WAASBY values for genotype ranking

Description

Plot heat maps with genotype ranking in two ways.

Usage

```

plot_waasby(
  x,
  var = 1,
  export = F,
  file.type = "pdf",
  file.name = NULL,
  plot_theme = theme_metan(),
  width = 6,
  height = 6,
  size.shape = 3.5,
  size.tex.lab = 12,
  col.shape = c("blue", "red"),
  x.lab = "WAASBY",

```



```

    y.lab = "Genotypes",
    x.breaks = waiver(),
    resolution = 300,
    ...
)

```

Arguments

<code>x</code>	The WAASBY object
<code>var</code>	The variable to plot. Defaults to <code>var = 1</code> the first variable of <code>x</code> .
<code>export</code>	Export (or not) the plot. Default is <code>T</code> .
<code>file.type</code>	The type of file to be exported. Default is <code>pdf</code> , Graphic can also be exported in <code>*.tiff</code> format by declaring <code>file.type = "tiff"</code> .
<code>file.name</code>	The name of the file for exportation, default is <code>NULL</code> , i.e. the files are automatically named.
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>width</code>	The width "inch" of the plot. Default is 8.
<code>height</code>	The height "inch" of the plot. Default is 7.
<code>size.shape</code>	The size of the shape in the plot. Default is 3.5.
<code>size.tex.lab</code>	The size of the text in axis text and labels.
<code>col.shape</code>	A vector of length 2 that contains the color of shapes for genotypes above and below of the mean, respectively. Default is <code>c("blue", "red")</code> .
<code>x.lab</code>	The label of the x axis in the plot. Default is "WAASBY".
<code>y.lab</code>	The label of the y axis in the plot. Default is "Genotypes".
<code>x.breaks</code>	The breaks to be plotted in the x-axis. Default is automatic breaks. New arguments can be inserted as <code>x.breaks = c(breaks)</code>
<code>resolution</code>	The resolution of the plot. Parameter valid if <code>file.type = "tiff"</code> is used. Default is 300 (300 dpi)
<code>...</code>	Currently not used.

Value

An object of class `gg, ggplot`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

See Also

[plot_scores](#)

Examples

```
library(metan)
library(ggplot2)
waasby <- waasb(data_ge,
                resp = GY,
                gen = GEN,
                env = ENV,
                rep = REP)
waasby2 <- waas(data_ge,
                resp = GY,
                gen = GEN,
                env = ENV,
                rep = REP)
plot_waasby(waasby)
plot_waasby(waasby2) +
  theme_gray() +
  theme(legend.position = "bottom",
        legend.background = element_blank(),
        legend.title = element_blank(),
        legend.direction = "horizontal")
```

predict.gamem	<i>Predict method for gamem fits</i>
---------------	--------------------------------------

Description

Obtains predictions from an object fitted with [gamem](#).

Usage

```
## S3 method for class 'gamem'
predict(object, ...)
```

Arguments

object	An object of class gamem
...	Currently not used

Value

A tibble with the predicted values for each variable in the model

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- gamem(data_g,
               gen = GEN,
               rep = REP,
               resp = everything())
predict(model)
```

predict.gge

*Predict a two-way table based on GGE model***Description**

Predict the means for a genotype-vs-environment trial based on a Genotype plus Genotype-vs-Environment interaction (GGE) model.

Usage

```
## S3 method for class 'gge'
predict(object, naxis = 2, output = "wide", ...)
```

Arguments

object	An object of class gge.
naxis	The the number of principal components to be used in the prediction. Generally, two axis may be used. In this case, the estimated values will be those shown in the biplot.
output	The type of output. It must be one of the 'long' (default) returning a long-format table with the columns for environment (ENV), genotypes (GEN) and response variable (Y); or 'wide' to return a two-way table with genotypes in the row, environments in the columns, filled by the estimated values.
...	Currently not used.

Details

This function is used to predict the response variable of a two-way table (for examples the yielding of g genotypes in e environments) based on GGE model. This prediction is based on the number of principal components used. For more details see Yan and Kang (2007).

Value

A two-way table with genotypes in rows and environments in columns if output = "wide" or a long format (columns ENV, GEN and Y) if output = "long" with the predicted values by the GGE model.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Yan, W., and M.S. Kang. 2003. GGE biplot analysis: a graphical tool for breeders, geneticists, and agronomists. CRC Press.

Examples

```
library(metan)
mod <- gge(data_ge, GEN, ENV, c(GY, HM))
predict(mod)
```

predict.performs_amm *Predict the means of a performs_amm object*

Description

Predict the means of a performs_amm object considering a specific number of axis.

Usage

```
## S3 method for class 'performs_amm'
predict(object, naxis = 2, ...)
```

Arguments

object	An object of class performs_amm
naxis	The the number of axis to be use in the prediction. If object has more than one variable, then naxis must be a vector.
...	Additional parameter for the function

Details

This function is used to predict the response variable of a two-way table (for examples the yielding of the *i*-th genotype in the *j*-th environment) based on AMMI model. This prediction is based on the number of multiplicative terms used. If `naxis = 0`, only the main effects (AMMI0) are used. In this case, the predicted mean will be the predicted value from OLS estimation. If `naxis = 1` the AMMI1 (with one multiplicative term) is used for predicting the response variable. If `naxis = min(gen-1; env-1)`, the AMMIF is fitted and the predicted value will be the cell mean, i.e. the mean of R-replicates of the *i*-th genotype in the *j*-th environment. The number of axis to be used must be carefully chosen. Procedures based on Postdictive success (such as Gollob's d.f.) or Predictive success (such as cross-validation) should be used to do this. This package provide both. `performs_amm` function compute traditional AMMI analysis showing the number of significant axis. On the other hand, `cv_ammif` function provide a cross-validation, estimating the RMSPD of all AMMI-family models, based on resampling procedures.

Value

A list where each element is the predicted values by the AMMI model for each variable.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- performs_ammf(data_ge, ENV, GEN, REP,
  resp = c(GY, HM))
# Predict GY with 3 IPCA and HM with 1 IPCA
predict <- predict(model, naxis = c(3, 1))
```

predict.waas	<i>Predict the means of a waas object</i>
--------------	---

Description

Predict the means of a waas object considering a specific number of axis.

Usage

```
## S3 method for class 'waas'
predict(object, naxis = 2, ...)
```

Arguments

object	An object of class waas
naxis	The the number of axis to be use in the prediction. If object has more than one variable, then naxis must be a vector.
...	Additional parameter for the function

Details

This function is used to predict the response variable of a two-way table (for examples the yielding of the i -th genotype in the j -th environment) based on AMMI model. This prediction is based on the number of multiplicative terms used. If $naxis = 0$, only the main effects (AMMI0) are used. In this case, the predicted mean will be the predicted value from OLS estimation. If $naxis = 1$ the AMMI1 (with one multiplicative term) is used for predicting the response variable. If $naxis = \min(\text{gen}-1; \text{env}-1)$, the AMMIF is fitted and the predicted value will be the cell mean, i.e. the mean of R-replicates of the i -th genotype in the j -th environment. The number of axis to be used must be carefully chosen. Procedures based on Postdictive success (such as Gollob's d.f.) or Predictive sucess (such as cross-validation) should be used to do this. This package provide both. [waas](#) function compute traditional AMMI analysis showing the number of significant axis. On the other hand, [cv_ammif](#) function provide a cross-validation, estimating the RMSPD of all AMMI-family models, based on resampling procedures.

Value

A list where each element is the predicted values by the AMMI model for each variable.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- waas(data_ge,
              env = ENV,
              gen = GEN,
              rep = REP,
              resp = c(GY, HM))
# Predict GY with 3 IPCA and HM with 1 IPCA
predict <- predict(model, naxis = c(3, 1))
predict
```

predict.waasb

Predict method for waasb fits

Description

Obtains predictions from an object fitted with [waasb](#).

Usage

```
## S3 method for class 'waasb'
predict(object, ...)
```

Arguments

object	An object of class waasb
...	Currently not used

Value

A tibble with the predicted values for each variable in the model

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- waasb(data_ge,
              env = ENV,
              gen = GEN,
              rep = REP,
              resp = c(GY, HM))
predict(model)
```

```
print.AMMI_indexes
```

Print an object of class AMMI_indexes

Description

Print the AMMI_indexes object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'AMMI_indexes'
print(x, which = "stats", export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	An object of class AMMI_indexes.
which	Which should be printed. Defaults to "stats". Other possible values are "ranks" for genotype ranking and "ssi" for the simultaneous selection index.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- performs_amm_i(data_ge, ENV, GEN, REP, GY) %>%
  AMMI_indexes()
print(model)
```

```
print.Annicchiarico
```

Print an object of class Annicchiarico

Description

Print the Annicchiarico object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'Annicchiarico'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```


Arguments

x	The Annicchiarico x
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
Ann <- Annicchiarico(data_ge2,
  env = ENV,
  gen = GEN,
  rep = REP,
  resp = PH
)
print(Ann)
```

```
print.anova_ind
```

```
Print an object of class anova_ind
```

Description

Print the anova_ind object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'anova_ind'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	An object of class anova_ind.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- data_ge %>% anova_ind(ENV, GEN, REP, c(GY, HM))
print(model)
```

print.anova_joint	<i>Print an object of class anova_joint</i>
-------------------	---

Description

Print the anova_joint object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'anova_joint'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	An object of class anova_joint.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- data_ge %>% anova_joint(ENV, GEN, REP, c(GY, HM))
print(model)
```

print.can_cor	<i>Print an object of class can_cor</i>
---------------	---

Description

Print an object of class can_cor object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'can_cor'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	An object of class can_cor.
export	A logical argument. If TRUE T, a *.txt file is exported to the working directory
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
cc <- can_corr(data_ge2,
               FG = c(PH, EH, EP),
               SG = c(EL, CL, CD, CW, KW, NR, TKW),
               verbose = FALSE)
print(cc)
```

print.coincidence	<i>Print an object of class coincidence</i>
-------------------	---

Description

Print a coincidence object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'coincidence'
print(x, export = FALSE, file.name = NULL, digits = 4, ...)
```


Arguments

x	An object of class coincidence.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
sel1 <- paste("G", 1:30, sep = "")
sel2 <- paste("G", 16:45, sep = "")
coinc <- coincidence_index(sel1 = sel1, sel2 = sel2, total = 150)
print(coinc)
```

print.colindiag

Print an object of class colindiag

Description

Print the colindiag object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'colindiag'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	The object of class colindiag
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
col <- colinddiag(data_ge2)
print(col)
```

print.corr_coef	<i>Print an object of class corr_coef</i>
-----------------	---

Description

Print the `corr_coef` object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'corr_coef'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	An object of class <code>corr_coef</code>
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if <code>export = TRUE</code>
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See formatting for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
sel <- corr_coef(data_ge2, EP, EL, CD, CL)
print(sel)
```

```
print.ecovalence
```

Print an object of class ecovalence

Description

Print the ecovalence object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'ecovalence'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	The ecovalence x
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
eco <- ecovalence(data_ge2,
                  env = ENV,
                  gen = GEN,
                  rep = REP,
                  resp = PH)

print(eco)
```

```
print.env_dissimilarity
```

Print an object of class env_dissimilarity

Description

Print the env_dissimilarity object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'env_dissimilarity'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```


Arguments

x	An object of class env_dissimilarity.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Currently not used.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
mod <- env_dissimilarity(data_ge, ENV, GEN, REP, GY)
print(mod)
```

print.Fox	<i>Print an object of class Fox</i>
-----------	-------------------------------------

Description

Print the Fox object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'Fox'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	The Fox x
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
library(metan)
out <- Fox(data_ge2, ENV, GEN, PH)
print(out)
```

print.gamem	<i>Print an object of class gamem</i>
-------------	---------------------------------------

Description

Print the gamem object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'gamem'
print(x, export = FALSE, file.name = NULL, digits = 4, ...)
```

Arguments

x	An object fitted with the function gamem .
export	A logical argument. If TRUE, a *.txt file is exported to the working directory
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
alpha <- gamem(data_alpha,
  gen = GEN,
  rep = REP,
  block = BLOCK,
  resp = YIELD
)

print(alpha)
```

print.ge_factanal	<i>Print an object of class ge_factanal</i>
-------------------	---

Description

Print the ge_factanal object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'ge_factanal'
print(x, export = FALSE, file.name = NULL, digits = 4, ...)
```

Arguments

x	An object of class ge_factanal.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
model <- ge_factanal(data_ge2,
  env = ENV,
  gen = GEN,
  rep = REP,
  resp = PH
)
print(model)
```

print.ge_reg	<i>Print an object of class ge_reg</i>
--------------	--

Description

Print the ge_reg object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'ge_reg'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	An object of class ge_reg.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- ge_reg(data_ge2, ENV, GEN, REP, PH)
print(model)
```

print.ge_stats	<i>Print an object of class ge_stats</i>
----------------	--

Description

Print the ge_stats object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'ge_stats'
print(x, what = "all", export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	An object of class ge_stats.
what	What should be printed. what = "all" for both statistics and ranks, what = "stats" for statistics, and what = "ranks" for ranks.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- ge_stats(data_ge, ENV, GEN, REP, GY)
print(model)
```

print.Huehn	<i>Print an object of class Huehn</i>
-------------	---------------------------------------

Description

Print the Huehn object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'Huehn'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	An object of class Huehn.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- Huehn(data_ge2, ENV, GEN, PH)
print(model)
```

print.lpcor	<i>Print the partial correlation coefficients</i>
-------------	---

Description

Print an object of class lpcor or lpcor_group in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'lpcor'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```


Arguments

<code>x</code>	An object of class <code>lpcor</code> or <code>lpcor_group</code> .
<code>export</code>	A logical argument. If <code>TRUE</code> , a <code>*.txt</code> file is exported to the working directory
<code>file.name</code>	The name of the file if <code>export = TRUE</code>
<code>digits</code>	The significant digits to be shown.
<code>...</code>	Options used by the <code>tibble</code> package to format the output. See <code>tibble::print()</code> for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
pcor <- lpcor(data_ge2, NR, NKR, NKE)
print(pcor)

# Compute the correlations for each level of the factor ENV
lpc2 <- lpcor(data_ge2,
              NR, NKR, NKE,
              by = ENV)
print(lpc2)
```

<code>print.mgidi</code>	<i>Print an object of class <code>mgidi</code> Print a <code>mgidi</code> object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.</i>
--------------------------	--

Description

Print an object of class `mgidi` Print a `mgidi` object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'mgidi'
print(x, export = FALSE, file.name = NULL, digits = 4, ...)
```

Arguments

<code>x</code>	An object of class <code>mgidi</code> .
<code>export</code>	A logical argument. If <code>TRUE</code> <code>T</code> , a <code>*.txt</code> file is exported to the working directory
<code>file.name</code>	The name of the file if <code>export = TRUE</code>
<code>digits</code>	The significant digits to be shown.
<code>...</code>	Options used by the <code>tibble</code> package to format the output. See <code>tibble::print()</code> for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- gamem(data_g,
               gen = GEN,
               rep = REP,
               resp = c(KW, NR, NKE, NKR))
mgidi_index <- mgidi(model)
print(mgidi_index)
```

print.mtsi

Print an object of class mtsi

Description

Print a mtsi object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'mtsi'
print(x, export = FALSE, file.name = NULL, digits = 4, ...)
```

Arguments

x	An object of class mtsi.
export	A logical argument. If TRUE T, a *.txt file is exported to the working directory
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
# Based on stability only
MTSI_MODEL <- waasb(data_ge,
                    resp = c(GY, HM),
                    gen = GEN,
                    env = ENV,
                    rep = REP
                    )
```



```
MTSI_index <- mtsi(MTSI_MODEL)
print(MTSI_index)
```

print.path_coeff	<i>Print an object of class path_coeff</i>
------------------	--

Description

Print an object generated by the function 'path_coeff()'. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'path_coeff'
print(x, export = FALSE, file.name = NULL, digits = 4, ...)
```

Arguments

x	An object of class path_coeff or group_path.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)

# KW as dependent trait and all others as predictors
pcoeff <- path_coeff(data_ge2, resp = KW)
print(pcoeff)

# Call the algorithm for selecting a set of predictors
# With minimal multicollinearity (no VIF larger than 5)
pcoeff2 <- path_coeff(data_ge2,
                      resp = KW,
                      brutstep = TRUE,
                      maxvif = 5)

print(pcoeff2)
```

```
print.performs_amm
```

Description

Print the performs_amm object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'performs_amm'
print(x, export = FALSE, file.name = NULL, digits = 4, ...)
```

Arguments

x	An object of class performs_amm.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- performs_amm(data_ge, ENV, GEN, REP,
                      resp = c(GY, HM))
print(model)
```

```
print.Schmildt
```

Description

Print the Schmildt object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'Schmildt'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```


Arguments

x	The Schmildt x
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See formatting for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
Sch <- Schmildt(data_ge2,
                env = ENV,
                gen = GEN,
                rep = REP,
                resp = PH)
print(Sch)
```

print.sh

Print an object of class sh

Description

Print a sh object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'sh'
print(x, export = FALSE, file.name = NULL, digits = 4, ...)
```

Arguments

x	An object of class sh.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
vcov <- covcor_design(data_g, GEN, REP, everything())
means <- as.matrix(vcov$means)
pcov <- vcov$phen_cov
gcov <- vcov$geno_cov

index <- Smith_Hazel(means, pcov = pcov, gcov = gcov, weights = rep(1, 15))
print(index)
```

print.Shukla	<i>Print an object of class Shukla</i>
--------------	--

Description

Print the Shukla object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'Shukla'
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	The Shukla x
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
eco <- Shukla(data_ge2,
  env = ENV,
  gen = GEN,
  rep = REP,
  resp = PH
)
print(eco)
```

print.superiority	<i>Print an object of class superiority</i>
-------------------	---

Description

Print the superiority object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'superiority'  
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```

Arguments

x	An object of class superiority.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)  
model <- superiority(data_ge2, ENV, GEN, PH)  
print(model)
```

print.Thennarasu	<i>Print an object of class Thennarasu</i>
------------------	--

Description

Print the Thennarasu object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory into a *.txt file.

Usage

```
## S3 method for class 'Thennarasu'  
print(x, export = FALSE, file.name = NULL, digits = 3, ...)
```


Arguments

x	An object of class Thennarasu.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- Thennarasu(data_ge2, ENV, GEN, PH)
print(model)
```

print.waas	<i>Print an object of class waas</i>
------------	--------------------------------------

Description

Print the waas object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'waas'
print(x, export = FALSE, file.name = NULL, digits = 4, ...)
```

Arguments

x	An object of class waas.
export	A logical argument. If TRUE, a *.txt file is exported to the working directory
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- waas(data_ge,
  resp = c(GY, HM),
  gen = GEN,
  env = ENV,
  rep = REP
)
print(model)
```

print.waasb	<i>Print an object of class waasb</i>
-------------	---------------------------------------

Description

Print a waasb object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'waasb'
print(x, export = FALSE, blup = FALSE, file.name = NULL, digits = 4, ...)
```

Arguments

x	An object of class waasb.
export	A logical argument. If TRUE T, a *.txt file is exported to the working directory
blup	A logical argument. If TRUE T, the blups are shown.
file.name	The name of the file if export = TRUE
digits	The significant digits to be shown.
...	Options used by the tibble package to format the output. See tibble::print() for more details.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- waasb(data_ge,
  resp = c(GY, HM),
  gen = GEN,
  env = ENV,
  rep = REP
)
print(model)
```

<code>print.waas_means</code>	<i>Print an object of class <code>waas_means</code></i>
-------------------------------	---

Description

Print the `waas_means` object in two ways. By default, the results are shown in the R console. The results can also be exported to the directory.

Usage

```
## S3 method for class 'waas_means'
print(x, export = FALSE, file.name = NULL, digits = 4, ...)
```

Arguments

<code>x</code>	An object of class <code>waas_means</code> .
<code>export</code>	A logical argument. If TRUE, a *.txt file is exported to the working directory
<code>file.name</code>	The name of the file if <code>export = TRUE</code>
<code>digits</code>	The significant digits to be shown. See tibble::print() for more details.
<code>...</code>	Currently not used.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
data_means <- means_by(data_ge, ENV, GEN)
model <- waas_means(data_ge,
                    env = ENV,
                    gen = GEN,
                    resp = everything())

print(model)
```

<code>rbind_fill</code>	<i>Combines data.frames by row filling missing values</i>
-------------------------	---

Description

Helper function that combines data.frames by row and fills with . missing values.

Usage

```
rbind_fill(..., fill = ".")
```


Arguments

... Input dataframes.
 fill What use to fill? Default is "."

Value

A data frame.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
df1 <- data.frame(v1 = c(1, 2), v2 = c(2, 3))
df2 <- data.frame(v3 = c(4, 5))
rbind_fill(df1, df2)
rbind_fill(df1, df2, fill = "NA")
```

reorder_cormat	<i>Reorder a correlation matrix</i>
----------------	-------------------------------------

Description

Reorder the correlation matrix according to the correlation coefficient by using hclust for hierarchical clustering order. This is useful to identify the hidden pattern in the matrix.

Usage

```
reorder_cormat(x)
```

Arguments

x The correlation matrix

Value

The ordered correlation matrix

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
cor_mat <- corr_coef(data_ge2, PH, EH, CD, CL, ED, NKR)
cor_mat$cor
reorder_cormat(cor_mat$cor)
```

resca	<i>Rescale a variable to have specified minimum and maximum values</i>
-------	--

Description

Helper function that rescales a continuous variable to have specified minimum and maximum values.

Usage

```
resca(
  .data = NULL,
  ...,
  values = NULL,
  new_min = 0,
  new_max = 100,
  na.rm = TRUE,
  keep = TRUE
)
```

Arguments

<code>.data</code>	The dataset. Grouped data is allowed.
<code>...</code>	Comma-separated list of unquoted variable names that will be rescaled.
<code>values</code>	Optional vector of values to rescale
<code>new_min</code>	The minimum value of the new scale. Default is 0.
<code>new_max</code>	The maximum value of the new scale. Default is 100
<code>na.rm</code>	Remove NA values? Default to TRUE.
<code>keep</code>	Should all variables be kept after rescaling? If false, only rescaled variables will be kept.

Details

The function rescale a continuous variable as follows:

$$Rv_i = (Nmax - Nmin) / (Omax - Omin) * (O_i - Omin) + Nmin$$

Where Rv_i is the rescaled value of the i th position of the variable/ vector; $Nmax$ and $Nmin$ are the new maximum and minimum values; $Omax$ and $Omin$ are the maximum and minimum values of the original data, and O_i is the i th value of the original data.

There are basically two options to use `resca` to rescale a variable. The first is passing a data frame to `.data` argument and selecting one or more variables to be scaled using `...`. The function will return the original variables in `.data` plus the rescaled variable(s) with the prefix `_res`. By using the function `group_by` from **dplyr** package it is possible to rescale the variable(s) within each level of the grouping factor. The second option is pass a numeric vector in the argument `values`. The output, of course, will be a numeric vector of rescaled values.

Value

A numeric vector if `values` is used as input data or a tibble if a data frame is used as input in `.data`.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
library(dplyr)
# Rescale a numeric vector
resca(values = c(1:5))

# Using a data frame
head(
  resca(data_ge, GY, HM, new_min = 0, new_max = 1)
)

# Rescale within factors;
# Select variables that starts with 'N' and ends with 'L';
# Compute the mean of these variables by ENV and GEN;
# Rescale the variables that ends with 'L' within ENV;
data_ge2 %>%
  select(ENV, GEN, starts_with("N"), ends_with("L")) %>%
  means_by(ENV, GEN) %>%
  group_by(ENV) %>%
  resca(ends_with("L")) %>%
  head(n = 13)
```

Resende_indexes

Stability indexes based on a mixed-effect model

Description

This function computes the following indexes proposed by Resende (2007): the harmonic mean of genotypic values (HMGV), the relative performance of the genotypic values (RPGV) and the harmonic mean of the relative performance of genotypic values (HMRPGV).

Usage

```
Resende_indexes(.data)
```

Arguments

.data An object of class waasb

Details

The indexes computed with this function have been used to select genotypes with stability performance in a mixed-effect model framework. Some examples are in Alves et al (2018), Azevedo Peixoto et al. (2018), Dias et al. (2018) and Colombari Filho et al. (2013).

The HMGV index is computed as

$$HMGV_i = \frac{E}{\sum_{j=1}^E \frac{1}{Gv_{ij}}}$$

where E is the number of environments included in the analysis, Gv_{ij} is the genotypic value (BLUP) for the i th genotype in the j th environment.

The RPGV index is computed as

$$RPGV_i = \frac{1}{E} \sum_{j=1}^E Gv_{ij} / \mu_j$$

The HMRPGV index is computed as

$$HMRPGV_i = \frac{E}{\sum_{j=1}^E \frac{1}{Gv_{ij} / \mu_j}}$$

Value

A dataframe containing the indexes.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Alves, R.S., L. de Azevedo Peixoto, P.E. Teodoro, L.A. Silva, E.V. Rodrigues, M.D.V. de Resende, B.G. Laviola, and L.L. Bhering. 2018. Selection of *Jatropha curcas* families based on temporal stability and adaptability of genetic values. *Ind. Crops Prod.* 119:290-293. doi: [10.1016/J.INDCROP.2018.04.029](https://doi.org/10.1016/J.INDCROP.2018.04.029)
- Colombari Filho, J.M., M.D.V. de Resende, O.P. de Moraes, A.P. de Castro, E.P. Guimaraes, J.A. Pereira, M.M. Utumi, and F. Breseghello. 2013. Upland rice breeding in Brazil: a simultaneous genotypic evaluation of stability, adaptability and grain yield. *Euphytica* 192:117-129. doi: [10.1007/s1068101309222](https://doi.org/10.1007/s1068101309222)
- Dias, P.C., A. Xavier, M.D.V. de Resende, M.H.P. Barbosa, F.A. Biernaski, R.A. Estopa. 2018. Genetic evaluation of *Pinus taeda* clones from somatic embryogenesis and their genotype x environment interaction. *Crop Breed. Appl. Biotechnol.* 18:55-64. doi: [10.1590/198470332018v18n1a8](https://doi.org/10.1590/198470332018v18n1a8)
- Azevedo Peixoto, L. de, P.E. Teodoro, L.A. Silva, E.V. Rodrigues, B.G. Laviola, and L.L. Bhering. 2018. *Jatropha* half-sib family selection with high adaptability and genotypic stability. *PLoS One* 13:e0199880. doi: [10.1371/journal.pone.0199880](https://doi.org/10.1371/journal.pone.0199880)
- Resende MDV (2007) *Matematica e estatistica na analise de experimentos e no melhoramento genetico*. Embrapa Florestas, Colombo

Examples

```
library(metan)
res_ind <- waasb(data_ge,
                 env = ENV,
                 gen = GEN,
```



```

      rep = REP,
      resp = c(GY, HM))
model_indexes <- Resende_indexes(res_ind)

# Alternatively using the pipe operator %>%
res_ind <- data_ge %>%
  waasb(ENV, GEN, REP, c(GY, HM)) %>%
  Resende_indexes()

```

residual_plots	<i>Several types of residual plots</i>
----------------	--

Description

Residual plots for a output model of class `performs_ammi`, `waas`, `anova_ind`, and `anova_joint`. Seven types of plots are produced: (1) Residuals vs fitted, (2) normal Q-Q plot for the residuals, (3) scale-location plot (standardized residuals vs Fitted Values), (4) standardized residuals vs Factor-levels, (5) Histogram of raw residuals and (6) standardized residuals vs observation order, and (7) 1:1 line plot

Usage

```

residual_plots(
  x,
  var = 1,
  conf = 0.95,
  labels = FALSE,
  plot_theme = theme_metan(),
  band.alpha = 0.2,
  point.alpha = 0.8,
  fill.hist = "gray",
  col.hist = "black",
  col.point = "black",
  col.line = "red",
  col.lab.out = "red",
  size.lab.out = 2.5,
  size.tex.lab = 10,
  size.shape = 1.5,
  bins = 30,
  which = c(1:4),
  ncol = NULL,
  nrow = NULL,
  align = "hv",
  ...
)

```

Arguments

<code>x</code>	An object of class <code>performs_ammi</code> , <code>waas</code> , <code>anova_joint</code> , or <code>gafem</code>
<code>var</code>	The variable to plot. Defaults to <code>var = 1</code> the first variable of <code>x</code> .

<code>conf</code>	Level of confidence interval to use in the Q-Q plot (0.95 by default).
<code>labels</code>	Logical argument. If TRUE labels the points outside confidence interval limits.
<code>plot_theme</code>	The graphical theme of the plot. Default is <code>plot_theme = theme_metan()</code> . For more details, see theme .
<code>band.alpha, point.alpha</code>	The transparency of confidence band in the Q-Q plot and the points, respectively. Must be a number between 0 (opaque) and 1 (full transparency).
<code>fill.hist</code>	The color to fill the histogram. Default is 'gray'.
<code>col.hist</code>	The color of the border of the the histogram. Default is 'black'.
<code>col.point</code>	The color of the points in the graphic. Default is 'black'.
<code>col.line</code>	The color of the lines in the graphic. Default is 'red'.
<code>col.lab.out</code>	The color of the labels for the 'outlying' points.
<code>size.lab.out</code>	The size of the labels for the 'outlying' points.
<code>size.tex.lab</code>	The size of the text in axis text and labels.
<code>size.shape</code>	The size of the shape in the plots.
<code>bins</code>	The number of bins to use in the histogram. Default is 30.
<code>which</code>	Which graphics should be plotted. Default is <code>which = c(1:4)</code> that means that the first four graphics will be plotted.
<code>ncol, nrow</code>	The number of columns and rows of the plot pannel. Defaults to NULL
<code>align</code>	Specifies whether graphs in the grid should be horizontally ("h") or vertically ("v") aligned. "hv" (default) align in both directions, "none" do not align the plot.
<code>...</code>	Additional arguments passed on to the function plot_grid

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
model <- performs_ammis(data_ge, ENV, GEN, REP, GY)

# Default plot
plot(model)

# Normal Q-Q plot
# Label possible outliers
plot(model,
      which = 2,
      labels = TRUE)

# Residual vs fitted,
# Normal Q-Q plot
# Histogram of raw residuals
# All in one row
plot(model,
      which = c(1, 2, 5),
      nrow = 1)
```

resp_surf	<i>Response surface model</i>
-----------	-------------------------------

Description

Compute a surface model and find the best combination of factor1 and factor2 to obtain the stationary point.

Usage

```
resp_surf(
  .data,
  factor1,
  factor2,
  rep = NULL,
  resp,
  prob = 0.05,
  verbose = TRUE
)
```

Arguments

.data	The dataset containing the columns related to Environments, factor1, factor2, replication/block and response variable(s).
factor1	The first factor, for example, dose of Nitrogen.
factor2	The second factor, for example, dose of potassium.
rep	The name of the column that contains the levels of the replications/blocks, if a designed experiment was conducted. Defaults to NULL.
resp	The response variable(s).
prob	The probability error.
verbose	If verbose = TRUE then some results are shown in the console.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
# A small toy example

df <- data.frame(
  expand.grid(x = seq(0, 4, by = 1),
             y = seq(0, 4, by = 1)),
  z = c(10, 11, 12, 11, 10,
        14, 15, 16, 15, 14,
        16, 17, 18, 17, 16,
        14, 15, 16, 15, 14,
        10, 11, 12, 11, 10)
)
```



```
mod <- resp_surf(df, x, y, resp = z)
plot(mod)
```

Schmildt

Schmildt's genotypic confidence index

Description

Stability analysis using the known genotypic confidence index (Annicchiarico, 1992) modified by Schmildt et al. 2011.

Usage

```
Schmildt(.data, env, gen, rep, resp, prob = 0.05, verbose = TRUE)
```

Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s)
<code>env</code>	The name of the column that contains the levels of the environments.
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>rep</code>	The name of the column that contains the levels of the replications/blocks
<code>resp</code>	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
<code>prob</code>	The probability of error assumed.
<code>verbose</code>	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

A list where each element is the result for one variable and contains the following data frames:

- **environments** Contains the mean, environmental index and classification as favorables and unfavourables environments.
- **general** Contains the genotypic confidence index considering all environments.
- **favorable** Contains the genotypic confidence index considering favorable environments.
- **unfavorable** Contains the genotypic confidence index considering unfavorable environments.

Author(s)

Tiago Olivoto, <tiagoolivoto@gmail.com>

References

- Annicchiarico, P. 1992. Cultivar adaptation and recommendation from alfalfa trials in Northern Italy. *J. Genet. Breed.* 46:269-278.
- Schmildt, E.R., A.L. Nascimento, C.D. Cruz, and J.A.R. Oliveira. 2011. Avaliacao de metodologias de adaptabilidade e estabilidade de cultivares milho. *Acta Sci. - Agron.* 33:51-58. doi: [10.4025/actasciagron.v33i1.5817](https://doi.org/10.4025/actasciagron.v33i1.5817)

See Also

[superiority](#), [ecovalence](#), [ge_stats](#), [Annicchiarico](#)

Examples

```
library(metan)
Sch <- Schmildt(data_ge2,
               env = ENV,
               gen = GEN,
               rep = REP,
               resp = PH)

print(Sch)
```

Select_helper

Select helper

Description

These functions allow you to select variables based operations with prefixes and suffixes and length of names.

- `difference_var()`: Select variables that start with a prefix **AND NOT** end wiht a suffix.
- `intersect_var()`: Select variables that start with a prefix **AND** end wiht a suffix.
- `union_var()`: Select variables that start with a prefix **OR** end wiht a suffix.
- `width_of()`: Select variables with width of n.
- `width_greater_than()`: Select variables with width greater than n.
- `width_less_than()`: Select variables with width less than n.
- `lower_case_only()`: Select variables that contains lower case only (e.g., "env").
- `upper_case_only()`: Select variables that contains upper case only (e.g., "ENV").
- `title_case_only()`: Select variables that contains upper case in the first character only (e.g., "Env").

Usage

```
difference_var(prefix, suffix)
```

```
intersect_var(prefix, suffix)
```

```
union_var(prefix, suffix)
```

```
width_of(n, vars = peek_vars(fn = "width_of"))
```

```
width_greater_than(n, vars = peek_vars(fn = "width_greater_than"))
```

```
width_less_than(n, vars = peek_vars(fn = "width_less_than"))
```

```
lower_case_only(vars = peek_vars(fn = "lower_case_only"))
```



```
upper_case_only(vars = peek_vars(fn = "upper_case_only"))

title_case_only(vars = peek_vars(fn = "title_case_only"))
```

Arguments

prefix	A prefix that start the variable name.
suffix	A suffix that end the variable name.
n	The length of variable names to select. For <code>width_of()</code> the selected variables contains n characters. For <code>width_greater_than()</code> and <code>width_less_than()</code> the selected variables contains greater and less characteres than n, respectively.
vars	A character vector of variable names. When called from inside selecting functions like <code>select_cols</code> these are automatically set to the names of the table.

Examples

```
library(metan)

# Select variables that start with "C" and not end with "D".
data_ge2 %>%
  select_cols(difference_var("C", "D"))

# Select variables that start with "C" and end with "D".
data_ge2 %>%
  select_cols(intersect_var("C", "D"))

# Select variables that start with "C" or end with "D".
data_ge2 %>%
  select_cols(union_var("C", "D"))

# Select variables with width name of 4
data_ge2 %>%
  select_cols(width_of(4))

# Select variables with width name greater than 2
data_ge2 %>%
  select_cols(width_greater_than(2))

# Select variables with width name less than 3
data_ge2 %>%
  select_cols(width_less_than(3))

# Creating data with messy column names
df <- head(data_ge, 3)
colnames(df) <- c("Env", "gen", "Rep", "GY", "hm")
select_cols(df, lower_case_only())
select_cols(df, upper_case_only())
select_cols(df, title_case_only())
```


Shukla

*Shukla's stability variance parameter***Description**

The function computes the Shukla's stability variance parameter (1972) and uses the Kang's non-parametric stability (rank sum) to incorporate the mean performance and stability into a single selection criteria.

Usage

```
Shukla(.data, env, gen, rep, resp, verbose = TRUE)
```

Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
<code>env</code>	The name of the column that contains the levels of the environments.
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>rep</code>	The name of the column that contains the levels of the replications/blocks.
<code>resp</code>	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
<code>verbose</code>	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

An object of class `Shukla`, which is a list containing the results for each variable used in the argument `resp`. For each variable, a tibble with the following columns is returned.

- **GEN** the genotype's code.
- **Y** the mean for the response variable.
- **ShuklaVar** The Shukla's stability variance parameter.
- **rMean** The rank for **Y** (decreasing).
- **rShukaVar** The rank for **ShukaVar**.
- **ssiShukaVar** The simultaneous selection index ($ssiShukaVar = rMean + rShukaVar$).

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Shukla, G.K. 1972. Some statistical aspects of partitioning genotype-environmental components of variability. *Heredity*. 29:238-245. doi: [10.1038/hdy.1972.87](https://doi.org/10.1038/hdy.1972.87)
- Kang, M.S., and H.N. Pham. 1991. Simultaneous Selection for High Yielding and Stable Crop Genotypes. *Agron. J.* 83:161. doi: [10.2134/agronj1991.00021962008300010037x](https://doi.org/10.2134/agronj1991.00021962008300010037x)

Examples

```
library(metan)
out <- Shukla(data_ge2,
  env = ENV,
  gen = GEN,
  rep = REP,
  resp = PH)
```

Smith_Hazel	<i>Smith-Hazel index</i>
-------------	--------------------------

Description

Computes the Smith (1936) and Hazel (1943) index given economic weights and phenotypic and genotypic variance-covariance matrices. The Smith-Hazel index is computed as follows:

$$\mathbf{b} = \mathbf{P}^{-1} \mathbf{A} \mathbf{w}$$

where \mathbf{P} and \mathbf{G} are phenotypic and genetic covariance matrices, respectively, and \mathbf{b} and \mathbf{w} are vectors of index coefficients and economic weightings, respectively.

The genetic worth I of an individual genotype based on traits x, y, \dots, n , is calculated as:

$$I = b_x G_x + b_y G_y + \dots + b_n G_n$$

where b the index coefficient for the traits x, y, \dots, n , respectively, and G is the individual genotype BLUPs for the traits x, y, \dots, n , respectively.

Usage

```
Smith_Hazel(
  .data,
  use_data = "blup",
  pcov = NULL,
  gcov = NULL,
  SI = 15,
  weights = NULL
)
```

Arguments

<code>.data</code>	The input data. It can be either a two-way table with genotypes in rows and traits in columns, or an object fitted with the function <code>gamem()</code> . Please, see Details for more details.
<code>use_data</code>	Define which data to use If <code>.data</code> is an object of class <code>gamem</code> . Defaults to "blup" (the BLUPs for genotypes). Use "pheno" to use phenotypic means instead BLUPs for computing the index.
<code>pcov, gcov</code>	The phenotypic and genotypic variance-covariance matrix, respectively. Defaults to NULL. If a two-way table is informed in <code>.data</code> these matrices are mandatory.
<code>SI</code>	The selection intensity (percentage). Defaults to 20
<code>weights</code>	The vector of economic weights. Defaults to a vector of 1s with the same length of the number of traits.

Details

When using the phenotypic means in `.data`, be sure the genotype's code are in rownames. If `.data` is an object of class `gamem` then the BLUPs for each genotype are used to compute the index. In this case, the genetic covariance components are estimated by mean cross products.

Value

An object of class `hz` containing:

- **b**: the vector of index coefficient.
- **index**: The genetic worth.
- **sel_dif**: The selection differencial.
- **sel_gen**: The selected genotypes.
- **gcov**: The genotypic variance-covariance matrix
- **pcov**: The phenotypic variance-covariance matrix

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Smith, H.F. 1936. A discriminant function for plant selection. *Ann. Eugen.* 7:240-250. doi: [10.1111/j.14691809.1936.tb02143.x](https://doi.org/10.1111/j.14691809.1936.tb02143.x)
- Hazel, L.N. 1943. The genetic basis for constructing selection indexes. *Genetics* 28:476-90. PMID:[17247099](https://pubmed.ncbi.nlm.nih.gov/17247099/)

See Also

[mtsi](#), [mgidi](#), [fai_blup](#)

Examples

```
vcov <- covcor_design(data_g, GEN, REP, everything())
means <- as.matrix(vcov$means)
pcov <- vcov$phen_cov
gcov <- vcov$geno_cov

index <- Smith_Hazel(means, pcov = pcov, gcov = gcov, weights = rep(1, 15))
```

solve_svd

Pseudoinverse of a square matrix

Description

This function computes the Moore-Penrose pseudoinverse of a square matrix using singular value decomposition.

Usage

```
solve_svd(x, tolerance = 2.220446e-16)
```

Arguments

x A square matrix

tolerance The tolerance to consider an eigenvalue equals to zero.

Value

A matrix with the same dimension of x.

Author(s)

Tiago Olivoto, <tiagoolivoto@gmail.com>

Examples

```
library(metan)
mat <- matrix(c(1, 4, 2, 8), ncol = 2)
det(mat)
solve_svd(mat)
```

split_factors	<i>Split a data frame by factors</i>
---------------	--------------------------------------

Description

Split a data frame into subsets grouping by one or more factors.

Usage

```
split_factors(.data, ..., keep_factors = FALSE)

as.split_factors(.data, keep_factors = FALSE)

is.split_factors(x)
```

Arguments

.data The data that will be split. Must contain at least one grouping variable.

... Comma-separated list of unquoted variable names that will be used to split the data.

keep_factors Should the grouping columns be kept?

x An object to check for class split_factors.

Details

This function is used to split a data frame into a named list where each element is a level of the grouping variable (or combination of grouping variables).

- `split_factors()` Split a data frame by factors.
- `as.splct_factors()` coerce to an object of class `split_factors`
- `is.splct_factors()` check if an object is of class `split_factors`

Value

A list where each element is a named level of the grouping factors. If more than one grouping variable is used, then each element is the combination of the grouping variables.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)

g1 <- split_factors(iris, Species)
g2 <- split_factors(data_ge, ENV, keep_factors = TRUE)

spdata <- as.split_factors(iris)

is.split_factors(spdata)
```

stars_pval

*Generate significance stars from p-values***Description**

Generate significance stars from p-values using R's standard definitions.

Usage

```
stars_pval(p_value)
```

Arguments

`p_value` A numeric vector of p-values

Details

Mapping from `p_value` ranges to symbols:

- **0 - 0.0001**: '****'
- **0.0001 - 0.001**: '***'
- **0.001 - 0.01**: '**'
- **0.01 - 0.05**: '*'
- **0.05 - 1.0**: 'ns'

Value

A character vector containing the same number of elements as p-value, with an attribute "legend" providing the conversion pattern.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
p_vals <- c(0.01, 0.043, 0.1, 0.0023, 0.000012)
stars_pval(p_vals)
```

superiority

Lin e Binns' superiority index

Description

Nonparametric stability analysis using the superiority index proposed by Lin & Binns (1988).

Usage

```
superiority(.data, env, gen, resp, verbose = TRUE)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s)
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
resp	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
verbose	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

An object of class `superiority` where each element is the result of one variable and contains the following items:

- **environments** The mean for each environment, the environment index and classification as favorable and unfavorable environments.
- **index** The superiority index computed for all (Pi_a), favorable (Pi_f) and unfavorable (Pi_u) environments.

Author(s)

Tiago Olivoto, <tiagoolivoto@gmail.com>

References

Lin, C.S., and M.R. Binns. 1988. A superiority measure of cultivar performance for cultivar x location data. Can. J. Plant Sci. 68:193-198. doi: [10.4141/cjps88018](https://doi.org/10.4141/cjps88018)

See Also

[Annicchiarico](#), [ecovalence](#), [ge_stats](#)

Examples

```
library(metan)
out <- superiority(data_ge2, ENV, GEN, PH)
print(out)
```

themes	<i>Personalized theme for ggplot2-based graphics</i>
--------	--

Description

- `theme_metan()`: Theme with a gray background and major grids.
- `theme_metan_minimal()`: A minimalistic theme with half-open frame, white background, and no grid. For more details see [theme](#).
- `transparent_color()`: A helper function to return a transparent color with Hex value of "#000000FF"
- `alpha_color()`: Return a semi-transparent color based on a color name and an alpha value. For more details see [colors](#).

Usage

```
theme_metan(grid = "none", col.grid = "white", color.background = "gray95")

theme_metan_minimal()

transparent_color()

alpha_color(color, alpha = 50)
```

Arguments

grid	Control the grid lines in plot. Defaults to "both" (x and y major grids). Allows also grid = "x" for grids in x axis only, grid = "y" for grid in y axis only, or grid = "none" for no grids.
col.grid	The color for the grid lines
color.background	The color for the panel background.
color	A color name.
alpha	An alpha value for transparency (0 < alpha < 1).

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Thennarasu

Thennarasu's stability statistics

Description

Performs a stability analysis based on Thennarasu (1995) statistics.

Usage

```
Thennarasu(.data, env, gen, resp, verbose = TRUE)
```

Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
<code>env</code>	The name of the column that contains the levels of the environments.
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>resp</code>	The response variable(s). To analyze multiple variables in a single procedure use, for example, <code>resp = c(var1, var2, var3)</code> .
<code>verbose</code>	Logical argument. If <code>verbose = FALSE</code> the code will run silently.

Value

An object of class `Thennarasu`, which is a list containing the results for each variable used in the argument `resp`. For each variable, a tibble with the columns `GEN`, `N1`, `N2`, `N3` and `N4` is returned.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Thennarasu, K. 1995. On certain nonparametric procedures for studying genotype x environment interactions and yield stability. Ph.D. thesis. P.J. School, IARI, New Delhi, India.

Examples

```
library(metan)
out <- Thennarasu(data_ge, ENV, GEN, GY)
print(out)
```

to_factor	<i>Encode variables to a factor</i>
-----------	-------------------------------------

Description

Function to quick mutate columns to factor.

Usage

```
to_factor(.data, ...)
```

Arguments

.data	A data frame
...	The variable(s) to encode to a factor.

Value

An object of the same class of .data with the variables in ... encoded to a factor.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
PH_EH_to_factor <- to_factor(data_ge2, PH, EH)
PH_EH_to_factor <- to_factor(data_ge2, 4:5)
```

tukey_hsd	<i>Tukey Honest Significant Differences</i>
-----------	---

Description

Helper function to perform Tukey post-hoc tests. It is used in [gafem](#).

Usage

```
tukey_hsd(model, ..., out = "long")
```


Arguments

model	an object of class aov or lm.
...	other arguments passed to the function TukeyHSD() . These include: <ul style="list-style-type: none">• which: A character vector listing terms in the fitted model for which the intervals should be calculated. Defaults to all the terms.• ordered: A logical value indicating if the levels of the factor should be ordered according to increasing average in the sample before taking differences. If ordered is true then the calculated differences in the means will all be positive. The significant differences will be those for which the lwr end point is positive.
out	The format of outputs. If out = "long" a 'long' format (tibble) is returned. If out = "wide", a matrix with the adjusted p-values for each term is returned.

Value

A tibble data frame containing the results of the pairwise comparisons (if out = "long") or a "list-columns" with p-values for each term (if out = "wide").

Examples

```
library(metan)
mod <- lm(PH ~ GEN + REP, data = data_g)
tukey_hsd(mod)
tukey_hsd(mod, out = "wide")
```

utils_class	<i>Utilities for handling with classes</i>
-------------	--

Description

Utilities for handling with classes

Usage

```
add_class(x, class)

has_class(x, class)

remove_class(x, class)

set_class(x, class)
```

Arguments

x	An object
class	The class to add or remove

Details

- `add_class()`: add a class to the object `x` keeping all the other class(es).
- `has_class()`: Check if a class exists in object `x` and returns a logical value.
- `set_class()`: set a class to the object `x`.
- `remove_class()`: remove a class from the object `x`.

Value

The object `x` with the class added or removed.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
df <-
data_ge2 %>%
add_class("my_class")
class(df)
has_class(df, "my_class")
remove_class(df, "my_class") %>% class()
set_class(df, "data_frame") %>% class()
```

utils_data

Utilities for data Copy-Pasta

Description

These functions allows interacting with the system clipboard. It is possible read from the clipboard or write a data frame or matrix to the clipboard.

- `clip_read()` read data from the clipboard.
- `clip_write()` write data to the clipboard.

Usage

```
clip_read(header = TRUE, sep = "\t", ...)
```

```
clip_write(.data, sep = "\t", row_names = FALSE, col_names = TRUE, ...)
```

Arguments

<code>header</code>	If the copied data has a header row for <code>dataFrame</code> , defaults to <code>TRUE</code> .
<code>sep</code>	The separator which should be used in the copied output.
<code>...</code>	Further arguments to be passed to <code>read.table()</code> .
<code>.data</code>	The data that should be copied to the clipboard. Only data frames and matrices are allowed
<code>row_names</code>	Decides if the output should keep row names or not, defaults to <code>FALSE</code> .
<code>col_names</code>	Decides if the output should keep column names or not, defaults to <code>TRUE</code> .

Value

Nothing

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

utils_mat

Utilities for handling with matrices

Description

These functions help users to make upper, lower, or symmetric matrices easily.

Usage

```
make_upper_tri(x, diag = NA)
```

```
make_lower_tri(x, diag = NA)
```

```
make_sym(x, make = "upper", diag = NA)
```

```
tidy_sym(x, keep_diag = TRUE)
```

Arguments

x	A matrix to apply the function. It must be a symmetric (square) matrix in <code>make_upper_tri()</code> and <code>make_lower_tri()</code> or a triangular matrix in <code>make_sym()</code> . <code>tidy_sym()</code> accepts both symmetrical or triangular matrices.
diag	What show in the diagonal of the matrix. Default to NA.
make	The triangular to built. Default is "upper". In this case, a symmetric matrix will be built based on the values of a lower triangular matrix.
keep_diag	Keep diagonal values in the tidy data frame? Defaults to TRUE.

Details

- `make_upper_tri()` makes an upper triangular matrix using a symmetric matrix.
- `make_lower_tri()` makes a lower triangular matrix using a symmetric matrix.
- `make_sym()` makes a lower triangular matrix using a symmetric matrix.
- `tidy_sym()` transform a symmetric matrix into tidy data frame.

Value

An upper, lower, or symmetric matrix, or a tidy data frame.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
m <- cor(select_cols(data_ge2, 5:10))
make_upper_tri(m)
make_lower_tri(m)
make_lower_tri(m) %>%
make_sym(diag = 0)
tidy_sym(m)
tidy_sym(make_lower_tri(m))
```

utils_na_zero

*Utilities for handling with NA and zero values***Description**

NAs and zeros can increase the noise in multi-environment trial analysis. This collection of functions will make it easier to deal with them.

- `has_na()`, `has_zero()` : Check for NAs and 0s in the data and return a logical value.
- `random_na()`: Generate random NA values in a two-way table based on a desired proportion.
- `remove_cols_na()`, `remove_cols_zero()`: Remove columns with NAs and 0s, respectively.
- `remove_rows_na()`, `remove_rows_zero()`: Remove rows with NAs and 0s, respectively.
- `select_cols_na()`, `select_cols_zero()`: Select columns with NAs and 0s, respectively.
- `select_rows_na()`, `select_rows_zero()`: Select rows with NAs and 0s, respectively.
- `replace_na()`, `replace_zero()` Replace NAs and 0s, respectively, with a replacement value.

Usage

```
has_na(.data)

remove_rows_na(.data, verbose = TRUE)

remove_cols_na(.data, verbose = TRUE)

select_cols_na(.data, verbose = TRUE)

select_rows_na(.data, verbose = TRUE)

replace_na(.data, ..., replace = 0, replacement = 0)

random_na(.data, prop)

has_zero(.data)

remove_rows_zero(.data, verbose = TRUE)

remove_cols_zero(.data, verbose = TRUE)
```



```

select_cols_zero(.data, verbose = TRUE)

select_rows_zero(.data, verbose = TRUE)

replace_zero(.data, ..., replacement = NA)

```

Arguments

<code>.data</code>	A data frame or tibble
<code>verbose</code>	Logical argument. If TRUE (default) shows in console the rows or columns deleted.
<code>...</code>	Variables to replace NAs in <code>replace_na()</code> or zeros in <code>replace_zero()</code> . If <code>...</code> is null then all variables with NA or 0 will be replaced by the value in <code>replacement</code> argument of such functions. It must be a single variable name or a comma-separated list of unquoted variables names. Select helpers are also allowed.
<code>replace</code>	Deprecated argument as of 1.8.0. Use <code>replacement</code> instead.
<code>replacement</code>	The value used for replacement. Defaults to 0. Use <code>replacement. = "colmean"</code> to replace missing values with column mean.
<code>prop</code>	The proportion (percentage) of NA values to generate in <code>.data</code> .

Value

A data frame with rows or columns with NA values deleted.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```

library(metan)
data_naz <- data_g
data_naz[c(1, 5, 10), c(3:5, 10:15)] <- NA
data_naz[c(2, 6, 9), c(6:7, 12:13)] <- 0
has_na(data_naz)
has_zero(data_naz)

# Remove columns
remove_cols_na(data_naz)
remove_cols_zero(data_naz)
remove_rows_na(data_naz)
remove_rows_zero(data_naz)

# Select columns
select_cols_na(data_naz)
select_cols_zero(data_naz)
select_rows_na(data_naz)
select_rows_zero(data_naz)

# Replace values
replace_na(data_naz)
replace_zero(data_naz)

```


utils_num_str

*Utilities for handling with numbers and strings***Description**

- `all_lower_case()`: Translate all non-numeric strings of a data frame to lower case ("Env" to "env").
- `all_upper_case()`: Translate all non-numeric strings of a data frame to upper case (e.g., "Env" to "ENV").
- `all_title_case()`: Translate all non-numeric strings of a data frame to title case (e.g., "ENV" to "Env").
- `extract_number()`: Extract the number(s) of a string.
- `extract_string()`: Extract all strings, ignoring case.
- `find_text_in_num()`: Find text characters in a numeric sequence and return the row index.
- `has_text_in_num()`: Inspect columns looking for text in numeric sequence and return a warning if text is found.
- `remove_space()`: Remove all blank spaces of a string.
- `remove_strings()`: Remove all strings of a variable.
- `replace_number()`: Replace numbers with a replacement.
- `replace_string()`: Replace all strings with a replacement, ignoring case.
- `round_cols()`: Round a selected column or a whole data frame to significant figures.
- `tidy_strings()`: Tidy up characters strings, non-numeric columns, or any selected columns in a data frame by putting all word in upper case, replacing any space, tabulation, punctuation characters by '_', and putting '_' between lower and upper case. Suppose that `str = c("Env1", "env 1", "env.1")` (which by definition should represent a unique level in plant breeding trials, e.g., environment 1) is subjected to `tidy_strings(str)`: the result will be then `c("ENV_1", "ENV_1", "ENV_1")`. See Examples section for more examples.

Usage

```
all_upper_case(.data, ...)
```

```
all_lower_case(.data, ...)
```

```
all_title_case(.data, ...)
```

```
extract_number(
  .data,
  var,
  new_var = new_var,
  drop = FALSE,
  pull = FALSE,
  .before = NULL,
  .after = NULL
```



```
)

extract_string(
  .data,
  var,
  new_var = new_var,
  drop = FALSE,
  pull = FALSE,
  .before = NULL,
  .after = NULL
)

find_text_in_num(.data, ...)

has_text_in_num(.data)

remove_space(.data, ...)

remove_strings(.data, ...)

replace_number(
  .data,
  var,
  new_var = new_var,
  pattern = NULL,
  replacement = "",
  drop = FALSE,
  pull = FALSE,
  .before = NULL,
  .after = NULL
)

replace_string(
  .data,
  var,
  new_var = new_var,
  pattern = NULL,
  replacement = "",
  ignore_case = FALSE,
  drop = FALSE,
  pull = FALSE,
  .before = NULL,
  .after = NULL
)

round_cols(.data, ..., digits = 2)

tidy_strings(.data, ..., sep = "_")
```

Arguments

<code>.data</code>	A data frame
--------------------	--------------

...	<p>The argument depends on the function used.</p> <ul style="list-style-type: none"> • For <code>round_cols()</code> ... are the variables to round. If no variable is informed, all the numeric variables from data are used. • For <code>all_lower_case()</code>, <code>all_upper_case()</code>, <code>all_title_case()</code>, <code>remove_strings()</code>, and <code>tidy_strings()</code> ... are the variables to apply the function. If no variable is informed, the function will be applied to all non-numeric variables in <code>.data</code>.
<code>var</code>	The variable to extract or replace numbers or strings.
<code>new_var</code>	The name of the new variable containing the numbers or strings extracted or replaced. Defaults to <code>new_var</code> .
<code>drop</code>	Logical argument. If TRUE keeps the new variable <code>new_var</code> and drops the existing ones. Defaults to FALSE.
<code>pull</code>	Logical argument. If TRUE, returns the last column (on the assumption that's the column you've created most recently), as a vector.
<code>.before</code> , <code>.after</code>	For <code>replace_sting()</code> , <code>replace_number()</code> , <code>extract_string()</code> , and <code>extract_number()</code> one-based column index or column name where to add the new columns.
<code>pattern</code>	A string to be matched. Regular Expression Syntax is also allowed.
<code>replacement</code>	A string for replacement.
<code>ignore_case</code>	If FALSE (default), the pattern matching is case sensitive and if TRUE, case is ignored during matching.
<code>digits</code>	The number of significant figures.
<code>sep</code>	A character string to separate the terms. Defaults to <code>"_"</code> .

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)

##### Rounding numbers #####
# All numeric columns
round_cols(data_ge2, digits = 1)

# Round specific columns
round_cols(data_ge2, EP, digits = 1)

##### Extract or replace numbers #####
# Extract numbers
extract_number(data_ge, GEN)
extract_number(data_ge,
               var = GEN,
               drop = TRUE,
               new_var = g_number)

# Replace numbers

replace_number(data_ge, GEN)
replace_number(data_ge,
```



```

        var = GEN,
        pattern = "1",
        replacement = "_one",
        pull = TRUE)

##### Extract, replace or remove strings #####
# Extract strings
extract_string(data_ge, GEN)
extract_string(data_ge,
               var = GEN,
               drop = TRUE,
               new_var = g_name)

# Replace strings
replace_string(data_ge, GEN)
replace_string(data_ge,
               var = GEN,
               new_var = GENOTYPE,
               pattern = "G",
               replacement = "GENOTYPE_")

# Remove strings
remove_strings(data_ge)
remove_strings(data_ge, ENV)

##### Find text in numeric sequences #####
mixed_text <- data.frame(data_ge)
mixed_text[2, 4] <- "2.503"
mixed_text[3, 4] <- "3.2075"
find_text_in_num(mixed_text, GY)

##### upper, lower and title cases #####
gen_text <- c("GEN 1", "Gen 1", "gen 1")
all_lower_case(gen_text)
all_upper_case(gen_text)
all_title_case(gen_text)

# A whole data frame
all_lower_case(data_ge)

##### Tidy up messy text string #####
messy_env <- c("ENV 1", "Env 1", "Env1", "env1", "Env.1", "Env_1")
tidy_strings(messy_env)

messy_gen <- c("GEN1", "gen 2", "Gen.3", "gen-4", "Gen_5", "GEN_6")
tidy_strings(messy_gen)

messy_int <- c("EnvGen", "Env_Gen", "env gen", "Env Gen", "ENV.GEN", "ENV_GEN")
tidy_strings(messy_int)

library(tibble)
# Or a whole data frame
df <- tibble(Env = messy_env,
              gen = messy_gen,
              Env_GEN = interaction(Env, gen),

```



```

      y = rnorm(6, 300, 10))
df
tidy_strings(df)

```

utils_rows_cols

Utilities for handling with rows and columns

Description

- `add_cols()`: Add one or more columns to an existing data frame. If specified `.before` or `.after` columns does not exist, columns are appended at the end of the data. Return a data frame with all the original columns in `.data` plus the columns declared in `...`. In `add_cols()` columns in `.data` are available for the expressions. So, it is possible to add a column based on existing data.
- `add_rows()`: Add one or more rows to an existing data frame. If specified `.before` or `.after` rows does not exist, rows are appended at the end of the data. Return a data frame with all the original rows in `.data` plus the rows declared in `...`.
- `all_pairs()`: Get all the possible pairs between the levels of a factor.
- `colnames_to_lower()`: Translate all column names to lower case.
- `colnames_to_upper()`: Translate all column names to upper case.
- `colnames_to_title()`: Translate all column names to title case.
- `column_exists()`: Checks if a column exists in a data frame. Return a logical value.
- `columns_to_first()`: Move columns to first positions in `.data`.
- `columns_to_last()`: Move columns to last positions in `.data`.
- `concatenate()`: Concatenate columns of a data frame. If `drop = TRUE` then the existing variables are dropped. If `pull = TRUE` then the concatenated variable is pull out to a vector. This is specially useful when using `concatenate` to add columns to a data frame with `add_cols()`.
- `get_levels()`: Get the levels of a factor variable.
- `get_level_size()`: Get the size of each level of a factor variable.
- `remove_cols()`: Remove one or more columns from a data frame.
- `remove_rows()`: Remove one or more rows from a data frame.
- `reorder_cols()`: Reorder columns in a data frame.
- `select_cols()`: Select one or more columns from a data frame.
- `select_first_col()`: Select first variable, possibly with an offset.
- `select_last_col()`: Select last variable, possibly with an offset.
- `select_numeric_cols()`: Select all the numeric columns of a data frame.
- `select_non_numeric_cols()`: Select all the non-numeric columns of a data frame.
- `select_rows()`: Select one or more rows from a data frame.

Usage

```
add_cols(.data, ..., .before = NULL, .after = NULL)

add_rows(.data, ..., .before = NULL, .after = NULL)

all_pairs(.data, levels)

colnames_to_lower(.data)

colnames_to_upper(.data)

colnames_to_title(.data)

column_to_first(.data, ...)

column_to_last(.data, ...)

column_exists(.data, cols)

concatenate(
  .data,
  ...,
  new_var = new_var,
  sep = "_",
  drop = FALSE,
  pull = FALSE,
  .before = NULL,
  .after = NULL
)

get_levels(.data, group)

get_level_size(.data, group)

reorder_cols(.data, ..., .before = NULL, .after = NULL)

remove_cols(.data, ...)

remove_rows(.data, ...)

select_first_col(.data, offset = NULL)

select_last_col(.data, offset = NULL)

select_numeric_cols(.data)

select_non_numeric_cols(.data)

select_cols(.data, ...)

select_rows(.data, ...)
```


Arguments

<code>.data</code>	A data frame
<code>...</code>	The argument depends on the function used. <ul style="list-style-type: none"> • For <code>add_cols()</code> and <code>add_rows()</code> is name-value pairs. All values must have one element for each row in <code>.data</code> when using <code>add_cols()</code> or one element for each column in <code>.data</code> when using <code>add_rows()</code>. Values of length 1 will be recycled when using <code>add_cols()</code>. • For <code>remove_cols()</code> and <code>select_cols()</code>, <code>...</code> is the column name or column index of the variable(s) to be dropped. • For <code>columns_to_first()</code> and <code>columns_to_last()</code>, <code>...</code> is the column name or column index of the variable(s) to be moved to first or last in <code>.data</code>. • For <code>remove_rows()</code> and <code>select_rows()</code>, <code>...</code> is an integer row value. • For <code>concatenate()</code>, <code>...</code> is the unquoted variable names to be concatenated.
<code>.before, .after</code>	For <code>add_cols()</code> , <code>concatenate()</code> , and <code>reorder_cols()</code> , one-based column index or column name where to add the new columns, default: <code>.after</code> last column. For <code>add_rows()</code> , one-based row index where to add the new rows, default: <code>.after</code> last row.
<code>levels</code>	The levels of a factor or a numeric vector.
<code>cols</code>	A quoted variable name to check if it exists in <code>.data</code> .
<code>new_var</code>	The name of the new variable containing the concatenated values. Defaults to <code>new_var</code> .
<code>sep</code>	The separator to appear between concatenated variables. Defaults to <code>"_"</code> .
<code>drop</code>	Logical argument. If <code>TRUE</code> keeps the new variable <code>new_var</code> and drops the existing ones. Defaults to <code>FALSE</code> .
<code>pull</code>	Logical argument. If <code>TRUE</code> , returns the last column (on the assumption that's the column you've created most recently), as a vector.
<code>group</code>	A factor variable to get the levels.
<code>offset</code>	Set it to <code>n</code> to select the <code>n</code> th variable from the end (for <code>select_last_col()</code>) of from the begin (for <code>select_first_col()</code>)

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)

##### Adding columns #####
# Variables x and y .after last column
data_ge %>%
  add_cols(x = 10,
           y = 30)
# Variables x and y .before the variable GEN
data_ge %>%
  add_cols(x = 10,
           y = 30,
           .before = GEN)
```



```

# Creating a new variable based on the existing ones.
data_ge %>%
  add_cols(GY2 = GY^2,
           GY2_HM = GY2 + HM,
           .after = GY)

##### Reordering columns #####
reorder_cols(data_ge2, NKR, .before = ENV)
reorder_cols(data_ge2, where(is.factor), .after = last_col())

##### Selecting and removing columns #####
select_cols(data_ge2, GEN, REP)
remove_cols(data_ge2, GEN, REP)

##### Selecting and removing rows #####
select_rows(data_ge2, 2:3)
remove_rows(data_ge2, 2:3)

##### Concatenating columns #####
concatenate(data_ge, ENV, GEN, REP)
concatenate(data_ge, ENV, GEN, REP, drop = TRUE)

# Combine with add_cols() and replace_string()
data_ge2 %>%
  add_cols(ENV_GEN = concatenate(., ENV, GEN, pull = TRUE),
           .after = GEN) %>%
  replace_string(ENV_GEN,
                pattern = "H",
                replacement = "HYB_",
                .after = ENV_GEN)

##### forming column names #####
# Creating data with messy column names
df <- head(data_ge, 3)
colnames(df) <- c("Env", "gen", "Rep", "GY", "hm")
df
colnames_to_lower(df)
colnames_to_upper(df)
colnames_to_title(df)

##### Adding rows #####
data_ge %>%
  add_rows(GY = 10.3,
           HM = 100.11,
           .after = 1)

##### checking if a column exists #####
column_exists(data_g, "GEN")

##### get the levels and size of levels #####
get_levels(data_g, GEN)
get_level_size(data_g, GEN)

##### all possible pairs #####
all_pairs(data_g, GEN)

```



```
##### select numeric variables only #####
select_numeric_cols(data_g)
select_non_numeric_cols(data_g)
```

utils_stats

Useful functions for computing descriptive statistics

Description

- **The following functions compute descriptive statistics by levels of a factor or combination of factors quickly.**
 - `cv_by()` For computing coefficient of variation.
 - `max_by()` For computing maximum values.
 - `means_by()` For computing arithmetic means.
 - `min_by()` For computing minimum values.
 - `n_by()` For getting the length.
 - `sd_by()` For computing sample standard deviation.
 - `sem_by()` For computing standard error of the mean.
- **Useful functions for descriptive statistics. All of them work naturally with %>%, handle grouped data and multiple variables (all numeric variables from .data by default).**
 - `av_dev()` computes the average absolute deviation.
 - `ci_mean()` computes the confidence interval for the mean.
 - `cv()` computes the coefficient of variation.
 - `freq_table()` Computes frequency table. Handles grouped data.
- `hmean()`, `gmean()` computes the harmonic and geometric means, respectively. The harmonic mean is the reciprocal of the arithmetic mean of the reciprocals. The geometric mean is the n th root of n products.
 - `kurt()` computes the kurtosis like used in SAS and SPSS.
 - `range_data()` Computes the range of the values.
 - `row_col_mean()`, `row_col_sum()` Adds a row with the mean/sum of each variable and a column with the mean/sum for each row of the data.
 - `sd_amo()`, `sd_pop()` Computes sample and populational standard deviation, respectively.
 - `sem()` computes the standard error of the mean.
 - `skew()` computes the skewness like used in SAS and SPSS.
 - `sum_dev()` computes the sum of the absolute deviations.
 - `sum_sq_dev()` computes the sum of the squared deviations.
 - `var_amo()`, `var_pop()` computes sample and populational variance.
 - `valid_n()` Return the valid (not NA) length of a data.

`desc_stat` is wrapper function around the above ones and can be used to compute quickly all these statistics at once.

Usage

```
av_dev(.data, ..., na.rm = FALSE)

ci_mean(.data, ..., na.rm = FALSE, level = 0.95)

cv(.data, ..., na.rm = FALSE)

freq_table(.data, ...)

hmean(.data, ..., na.rm = FALSE)

gmean(.data, ..., na.rm = FALSE)

kurt(.data, ..., na.rm = FALSE)

pseudo_sigma(.data, ..., na.rm = FALSE)

range_data(.data, ..., na.rm = FALSE)

row_col_mean(.data, na.rm = FALSE)

row_col_sum(.data, na.rm = FALSE)

sd_amo(.data, ..., na.rm = FALSE)

sd_pop(.data, ..., na.rm = FALSE)

sem(.data, ..., na.rm = FALSE)

skew(.data, ..., na.rm = FALSE)

sum_dev(.data, ..., na.rm = FALSE)

sum_sq_dev(.data, ..., na.rm = FALSE)

var_pop(.data, ..., na.rm = FALSE)

var_amo(.data, ..., na.rm = FALSE)

valid_n(.data, ..., na.rm = FALSE)

cv_by(.data, ..., na.rm = FALSE)

max_by(.data, ..., na.rm = FALSE)

means_by(.data, ..., na.rm = FALSE)

min_by(.data, ..., na.rm = FALSE)

n_by(.data, ..., na.rm = FALSE)

sd_by(.data, ..., na.rm = FALSE)
```



```
sem_by(.data, ..., na.rm = FALSE)
```

```
sum_by(.data, ..., na.rm = FALSE)
```

Arguments

<code>.data</code>	A data frame or a numeric vector.
<code>...</code>	The argument depends on the function used. <ul style="list-style-type: none"> For <code>*_by</code> functions, <code>...</code> is one or more categorical variables for grouping the data. Then the statistic required will be computed for all numeric variables in the data. If no variables are informed in <code>...</code>, the statistic will be computed ignoring all non-numeric variables in <code>.data</code>. For the other statistics, <code>...</code> is a comma-separated of unquoted variable names to compute the statistics. If no variables are informed in <code>n ...</code>, the statistic will be computed for all numeric variables in <code>.data</code>.
<code>na.rm</code>	A logical value indicating whether NA values should be stripped before the computation proceeds. Defaults to FALSE.
<code>level</code>	The confidence level for the confidence interval of the mean. Defaults to 0.95.

Value

- Functions `*_by()` returns a `tbl_df` with the computed statistics by each level of the factor(s) declared in `...`
- All other functions return a named integer if the input is a data frame or a numeric value if the input is a numeric vector.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

Examples

```
library(metan)
# means of all numeric variables by ENV
means_by(data_ge2, GEN, ENV)

# Coefficient of variation for all numeric variables
# by GEN and ENV
cv_by(data_ge2, GEN, ENV)

# Skewness of a numeric vector
set.seed(1)
nvec <- rnorm(200, 10, 1)
skew(nvec)

# Confidence interval 0.95 for the mean
# All numeric variables
# Grouped by levels of ENV
data_ge2 %>%
  group_by(ENV) %>%
  ci_mean()
```



```
# standard error of the mean
# Variable PH and EH
sem(data_ge2, PH, EH)

# Frequency table for variable NR
data_ge2 %>%
  freq_table(NR)
```

waas

Weighted Average of Absolute Scores

Description

Compute the Weighted Average of Absolute Scores for AMMI analysis (Olivoto et al., 2019).

Usage

```
waas(
  .data,
  env,
  gen,
  rep,
  resp,
  block = NULL,
  mresp = NULL,
  wresp = NULL,
  prob = 0.05,
  naxis = NULL,
  ind_anova = FALSE,
  verbose = TRUE
)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
rep	The name of the column that contains the levels of the replications/blocks.
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> .
block	Defaults to NULL. In this case, a randomized complete block design is considered. If block is informed, then a resolvable alpha-lattice design (Patterson and Williams, 1976) is employed. All effects, except the error, are assumed to be fixed.

mresp	The new maximum value after rescaling the response variable. By default, all variables in resp are rescaled so that the maximum value is 100 and the minimum value is 0 (i.e., mresp = 100). It must be a numeric vector of the same length of resp if rescaling is assumed to be different across variables, e.g., if for the first variable smaller values are better and for the second one, higher values are better, then mresp = c(0, 100) must be used. Numeric value of length 1 will be recycled with a warning message.
wresp	The weight for the response variable(s) for computing the WAASBY index. By default, all variables in resp have equal weights for mean performance and stability (i.e., wresp = 50). It must be a numeric vector of the same length of resp to assign different weights across variables, e.g., if for the first variable equal weights for mean performance and stability are assumed and for the second one, a higher weight for mean performance (e.g. 65) is assumed, then wresp = c(50, 65) must be used. Numeric value of length 1 will be recycled with a warning message.
prob	The p-value for considering an interaction principal component axis significant.
naxis	The number of IPCAs to be used for computing the WAAS index. Default is NULL (Significant IPCAs are used). If values are informed, the number of IPCAs will be used independently on its significance. Note that if two or more variables are included in resp, then naxis must be a vector.
ind_anova	Logical argument set to FALSE. If TRUE an within-environment ANOVA is performed.
verbose	Logical argument. If verbose = FALSE the code is run silently.

Details

This function compute the weighted average of absolute scores, estimated as follows:

$$WAAS_i = \sum_{k=1}^p |IPCA_{ik} \times EP_k| / \sum_{k=1}^p EP_k$$

where $WAAS_i$ is the weighted average of absolute scores of the i th genotype; $IPCA_{ik}$ is the score of the i th genotype in the k th IPCA; and EP_k is the explained variance of the k th IPCA for $k = 1, 2, \dots, p$, considering p the number of significant PCAs, or a declared number of PCAs. For example if prob = 0.05, all axis that are significant considering this probability level are used. The number of axis can be also informed by declaring naxis = x. This will override the number of significant axes according to the argument codeprob.

Value

An object of class waas with the following items for each variable:

- **individual** A within-environments ANOVA considering a fixed-effect model.
- **model** A data frame with the response variable, the scores of all Principal Components, the estimates of Weighted Average of Absolute Scores, and WAASY (the index that consider the weights for stability and productivity in the genotype ranking).
- **MeansGxE** The means of genotypes in the environments
- **PCA** Principal Component Analysis.
- **anova** Joint analysis of variance for the main effects and Principal Component analysis of the interaction effect.

- **Details** A list summarizing the results. The following information are showed. WgtResponse, the weight for the response variable in estimating WAASB, WgtWAAS the weight for stability, Ngen the number of genotypes, Nenv the number of environments, OVmean the overall mean, Min the minimum observed (returning the genotype and environment), Max the maximum observed, Max the maximum observed, MinENV the environment with the lower mean, MaxENV the environment with the larger mean observed, MinGEN the genotype with the lower mean, MaxGEN the genotype with the larger.
- **augment** Information about each observation in the dataset. This includes predicted values in the fitted column, residuals in the resid column, standardized residuals in the stdres column, the diagonal of the 'hat' matrix in the hat, and standard errors for the fitted values in the se.fit column.
- **probint** The p-value for the genotype-vs-environment interaction.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019a. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. *Agron. J.* 111:2949-2960. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)

See Also

[waas_means](#) [waasb](#) [get_model_data](#)

Examples

```
library(metan)
#####
# Example 1: Analyzing all numeric variables considering p-value#
# <= 0.05 to compute the WAAS.                                #
#####
model <- waas(data_ge,
              env = ENV,
              gen = GEN,
              rep = REP,
              resp = everything())
# Residual plot (first variable)
plot(model)

# Get the WAAS index
get_model_data(model, "WAAS")

# Plot WAAS and response variable
plot_scores(model, type = 3)

#####
# Example 2: Declaring the number of axis to be used for      #
# computing WAAS and assigning a larger weight for the response #
# variable when computing the WAASBY index.                    #
#####
```



```

model2 <- waas(data_ge,
               env = ENV,
               gen = GEN,
               rep = REP,
               resp = everything(),
               naxis = 1, # Only to compare with PC1
               wresp = 60)
# Get the WAAS index (it will be |PC1|)
get_model_data(model2)

# Get values for IPCA1
get_model_data(model2, "PC1")

#####
# Example 3: Analyzing GY and HM assuming a random-effect model. #
# Smaller values for HM and higher values for GY are better.     #
# To estimate WAASBY, higher weight for the GY (60%) and lower  #
# weight for HM (40%) are considered for mean performance.      #
#####

model3 <- waas(data_ge,
               env = ENV,
               gen = GEN,
               rep = REP,
               resp = c(GY, HM),
               mresp = c(100, 0),
               wresp = c(60, 40))

# Get the ranks for the WAASY index
get_model_data(model3, what = "OrWAASY")

```

waasb

Weighted Average of Absolute Scores

Description

Compute the Weighted Average of Absolute Scores (Olivoto et al., 2019) for quantifying the stability of g genotypes conducted in e environments using linear mixed-effect models.

Usage

```

waasb(
  .data,
  env,
  gen,
  rep,
  resp,
  block = NULL,
  mresp = NULL,
  wresp = NULL,

```



```

    random = "gen",
    prob = 0.05,
    ind_anova = FALSE,
    verbose = TRUE,
    ...
)

```

Arguments

<code>.data</code>	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
<code>env</code>	The name of the column that contains the levels of the environments.
<code>gen</code>	The name of the column that contains the levels of the genotypes.
<code>rep</code>	The name of the column that contains the levels of the replications/blocks.
<code>resp</code>	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> .
<code>block</code>	Defaults to <code>NULL</code> . In this case, a randomized complete block design is considered. If <code>block</code> is informed, then an alpha-lattice design is employed considering block as random to make use of inter-block information, whereas the complete replicate effect is always taken as fixed, as no inter-replicate information was to be recovered (Mohring et al., 2015).
<code>mresp</code>	The new maximum value after rescaling the response variable. By default, all variables in <code>resp</code> are rescaled so that the maximum value is 100 and the minimum value is 0 (i.e., <code>mresp = 100</code>). It must be a numeric vector of the same length of <code>resp</code> if rescaling is assumed to be different across variables, e.g., if for the first variable smaller values are better and for the second one, higher values are better, then <code>mresp = c(0, 100)</code> must be used. Numeric value of length 1 will be recycled with a warning message.
<code>wresp</code>	The weight for the response variable(s) for computing the WAASBY index. By default, all variables in <code>resp</code> have equal weights for mean performance and stability (i.e., <code>wresp = 50</code>). It must be a numeric vector of the same length of <code>resp</code> to assign different weights across variables, e.g., if for the first variable equal weights for mean performance and stability are assumed and for the second one, a higher weight for mean performance (e.g. 65) is assumed, then <code>wresp = c(50, 65)</code> must be used. Numeric value of length 1 will be recycled with a warning message.
<code>random</code>	The effects of the model assumed to be random. Defaults to <code>random = "gen"</code> . See Details to see the random effects assumed depending on the experimental design of the trials.
<code>prob</code>	The probability for estimating confidence interval for BLUP's prediction.
<code>ind_anova</code>	Logical argument set to <code>FALSE</code> . If <code>TRUE</code> an within-environment ANOVA is performed.
<code>verbose</code>	Logical argument. If <code>verbose = FALSE</code> the code will run silently.
<code>...</code>	Arguments passed to the function <code>impute_missing_val()</code> for imputation of missing values in the matrix of BLUPs for genotype-environment interaction, thus allowing the computation of the WAASB index.

Details

The weighted average of absolute scores is computed considering all Interaction Principal Component Axis (IPCA) from the Singular Value Decomposition (SVD) of the matrix of genotype-environment interaction (GEI) effects generated by a linear mixed-effect model, as follows:

$$WAASB_i = \sum_{k=1}^p |IPCA_{ik} \times EP_k| / \sum_{k=1}^p EP_k$$

where $WAASB_i$ is the weighted average of absolute scores of the i th genotype; $IPCA_{ik}$ is the score of the i th genotype in the k th Interaction Principal Component Axis (IPCA); and EP_k is the explained variance of the k th IPCA for $k = 1, 2, \dots, p$, considering $p = \min(g - 1; e - 1)$.

The nature of the effects in the model is chosen with the argument `random`. By default, the experimental design considered in each environment is a randomized complete block design. If `block` is informed, a resolvable alpha-lattice design (Patterson and Williams, 1976) is implemented. The following six models can be fitted depending on the values of `random` and `block` arguments.

- **Model 1:** `block = NULL` and `random = "gen"` (The default option). This model considers a Randomized Complete Block Design in each environment assuming genotype and genotype-environment interaction as random effects. Environments and blocks nested within environments are assumed to be fixed factors.
- **Model 2:** `block = NULL` and `random = "env"`. This model considers a Randomized Complete Block Design in each environment treating environment, genotype-environment interaction, and blocks nested within environments as random factors. Genotypes are assumed to be fixed factors.
- **Model 3:** `block = NULL` and `random = "all"`. This model considers a Randomized Complete Block Design in each environment assuming a random-effect model, i.e., all effects (genotypes, environments, genotype-vs-environment interaction and blocks nested within environments) are assumed to be random factors.
- **Model 4:** `block` is not `NULL` and `random = "gen"`. This model considers an alpha-lattice design in each environment assuming genotype, genotype-environment interaction, and incomplete blocks nested within complete replicates as random to make use of inter-block information (Mohring et al., 2015). Complete replicates nested within environments and environments are assumed to be fixed factors.
- **Model 5:** `block` is not `NULL` and `random = "env"`. This model considers an alpha-lattice design in each environment assuming genotype as fixed. All other sources of variation (environment, genotype-environment interaction, complete replicates nested within environments, and incomplete blocks nested within replicates) are assumed to be random factors.
- **Model 6:** `block` is not `NULL` and `random = "all"`. This model considers an alpha-lattice design in each environment assuming all effects, except the intercept, as random factors.

Value

An object of class `waasb` with the following items for each variable:

- **individual** A within-environments ANOVA considering a fixed-effect model.
- **fixed** Test for fixed effects.
- **random** Variance components for random effects.
- **LRT** The Likelihood Ratio Test for the random effects.

- **model** A tibble with the response variable, the scores of all IPCAs, the estimates of Weighted Average of Absolute Scores, and WAASBY (the index that considers the weights for stability and mean performance in the genotype ranking), and their respective ranks.
- **BLUPgen** The random effects and estimated BLUPS for genotypes (If random = "gen" or random = "all").
- **BLUPenv** The random effects and estimated BLUPS for environments, (If random = "env" or random = "all").
- **BLUPint** The random effects and estimated BLUPS of all genotypes in all environments.
- **PCA** The results of Principal Component Analysis with the eigenvalues and explained variance of the matrix of genotype-environment effects estimated by the linear fixed-effect model.
- **MeansGxE** The phenotypic means of genotypes in the environments.
- **Details** A list summarizing the results. The following information are shown: Nenv, the number of environments in the analysis; Ngen the number of genotypes in the analysis; mresp The value attributed to the highest value of the response variable after rescaling it; wresp The weight of the response variable for estimating the WAASBY index. Mean the grand mean; SE the standard error of the mean; SD the standard deviation. CV the coefficient of variation of the phenotypic means, estimating WAASB, Min the minimum value observed (returning the genotype and environment), Max the maximum value observed (returning the genotype and environment); MinENV the environment with the lower mean, MaxENV the environment with the larger mean observed, MinGEN the genotype with the lower mean, MaxGEN the genotype with the larger.
- **ESTIMATES** A tibble with the genetic parameters (if random = "gen" or random = "all") with the following columns: Phenotypic variance the phenotypic variance; Heritability the broad-sense heritability; GER2 the coefficient of determination of the interaction effects; h2mg the heritability on the mean basis; Accuracy the selective accuracy; rge the genotype-environment correlation; CVg the genotypic coefficient of variation; CVr the residual coefficient of variation; CV ratio the ratio between genotypic and residual coefficient of variation.
- **residuals** The residuals of the model.
- **formula** The formula used to fit the model.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

- Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. *Agron. J.* 111:2949-2960. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)
- Mohring, J., E. Williams, and H.-P. Piepho. 2015. Inter-block information: to recover or not to recover it? *TAG. Theor. Appl. Genet.* 128:1541-54. doi: [10.1007/s0012201525300](https://doi.org/10.1007/s0012201525300)
- Patterson, H.D., and E.R. Williams. 1976. A new class of resolvable incomplete block designs. *Biometrika* 63:83-92.

See Also

[mtsi waas get_model_data plot_scores](#)

Examples

```

library(metan)
#####
# Example 1: Analyzing all numeric variables assuming genotypes #
# as random effects with equal weights for mean performance and #
# stability                                                    #
#####
model <- waasb(data_ge,
               env = ENV,
               gen = GEN,
               rep = REP,
               resp = everything())
# Distribution of random effects (first variable)
plot(model, type = "re")

# Genetic parameters
get_model_data(model, "genpar")

#####
# Example 2: Analyzing variables that starts with "N"          #
# assuming environment as random effects with higher weight for #
# response variable (65) for the three traits.                  #
#####

model2 <- waasb(data_ge2,
                env = ENV,
                gen = GEN,
                rep = REP,
                random = "env",
                resp = starts_with("N"),
                wresp = 65)

# Get the index WAASBY
get_model_data(model2, what = "WAASBY")

# Plot the scores (response x WAASB)
plot_scores(model2, type = 3)

#####
# Example 3: Analyzing GY and HM assuming a random-effect model.#
# Smaller values for HM and higher values for GY are better.    #
# To estimate WAASBY, higher weight for the GY (60%) and lower  #
# weight for HM (40%) are considered for mean performance.      #
#####

model3 <- waasb(data_ge,
                env = ENV,
                gen = GEN,
                rep = REP,
                resp = c(GY, HM),
                random = "all",
                mresp = c(100, 0),
                wresp = c(60, 40))

```



```
# Get Likelihood-ratio test
get_model_data(model3, "lrt")

# Get the random effects
get_model_data(model3, what = "ranef")

# Get the ranks for the WAASB index
get_model_data(model3, what = "OrWAASB")
```

waas_means	<i>Weighted Average of Absolute Scores</i>
------------	--

Description

Compute the Weighted Average of Absolute Scores (Olivoto et al., 2019) based on means for genotype-environment data as follows:

$$WAAS_i = \sum_{k=1}^p |IPCA_{ik} \times EP_k| / \sum_{k=1}^p EP_k$$

Usage

```
waas_means(
  .data,
  env,
  gen,
  resp,
  mresp = NULL,
  wresp = NULL,
  min_expl_var = 85,
  verbose = TRUE,
  ...
)
```

Arguments

.data	The dataset containing the columns related to Environments, Genotypes, replication/block and response variable(s).
env	The name of the column that contains the levels of the environments.
gen	The name of the column that contains the levels of the genotypes.
resp	The response variable(s). To analyze multiple variables in a single procedure a vector of variables may be used. For example <code>resp = c(var1, var2, var3)</code> . Select helpers are also allowed.
mresp	A numeric vector of the same length of <code>resp</code> . The <code>mresp</code> will be the new maximum value after rescaling. By default, all variables in <code>resp</code> are rescaled so that de maximum value is 100 and the minimum value is 0.

wresp	The weight for the response variable(s) for computing the WAASBY index. Must be a numeric vector of the same length of resp. Defaults to 50, i.e., equal weights for stability and mean performance.
min_expl_var	The minimum explained variance. Defaults to 85. Interaction Principal Component Axis are interactively retained up to the explained variance (eigenvalues in the singular value decomposition of the matrix with the interaction effects) be greather than or equal to min_expl_var. For example, if the explained variance (in percentage) in seven possible IPCAs are 56, 21, 9, 6, 4, 3, 1, resulting in a cumulative proportion of 56, 77, 86, 92, 96, 99, 100, then $p = 3$, i.e., three IPCAs will be used to compute the index WAAS.
verbose	Logical argument. If verbose = FALSE the code is run silently.
...	Arguments passed to the function <code>impute_missing_val()</code> for imputation of missing values in case of unbalanced data.

Details

where $WAAS_i$ is the weighted average of absolute scores of the i th genotype; PCA_{ik} is the score of the i th genotype in the k th IPCA; and EP_k is the explained variance of the k th IPCA for $k = 1, 2, \dots, p$, where p is the number of IPCAs that explain at least an amount of the genotype-interaction variance declared in the argument min_expl_var.

Value

An object of class waas_means with the following items for each variable:

- **model** A data frame with the response variable, the scores of all Principal Components, the estimates of Weighted Average of Absolute Scores, and WAASY (the index that consider the weights for stability and productivity in the genotype ranking).
- **ge_means** A tbl_df containing the genotype-environment means.
- **ge_eff** A $g \times e$ matrix containing the genotype-environment effects.
- **eigenvalues** The eigenvalues from the singular value decomposition of the matrix withe the genotype-environment interaction effects.
- **proportion** The proportion of the variance explained by each IPCA.
- **cum_proportion** The cumulative proportion of the variance explained.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019a. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. Agron. J. 111:2949-2960. doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)

See Also

[waas waasb](#)

Examples

```
library(metan)
# Data with replicates
model <- waas(data_ge,
              env = ENV,
              gen = GEN,
              rep = REP,
              resp = everything())

# Based on means of genotype-environment data
data_means <- means_by(data_ge, ENV, GEN)
model2 <- waas_means(data_ge,
                    env = ENV,
                    gen = GEN,
                    resp = everything())

# The index WAAS
get_model_data(model, what = "OrWAAS")
get_model_data(model2, what = "OrWAAS")
```

wsmp

Weighting between stability and mean performance

Description

This function computes the WAASY or WAASBY indexes (Olivoto et al., 2019) considering different scenarios of weights for stability and mean performance.

Usage

```
wsmp(
  model,
  mresp = 100,
  increment = 5,
  saveWAASY = 50,
  prob = 0.05,
  progbar = TRUE
)
```

Arguments

<code>model</code>	Should be an object of class <code>waas</code> or <code>waasb</code> .
<code>mresp</code>	A numeric value that will be the new maximum value after rescaling. By default, the variable in <code>resp</code> is rescaled so that the original maximum and minimum values are 100 and 0, respectively. Let us consider that for a specific trait, say, lodging incidence, lower values are better. In this case, you should use <code>mresp = 0</code> to rescale the response variable so that the lowest values will become 100 and the highest values 0.
<code>increment</code>	The increment in the weight ratio for stability and mean performance. See the Details section for more information.

saveWAASY	Automatically save the WAASY values when the weight for stability is saveWAASY. Default is 50. Please, note that saveWAASY
prob	The p-value for considering an interaction principal component axis significant. must be multiple of increment. If this assumption is not valid, an error will be occur.
progbar	A logical argument to define if a progress bar is shown. Default is TRUE.

Details

After fitting a model with the functions `waas` or `waasb` it is possible to compute the superiority indexes WAASY or WAASBY in different scenarios of weights for stability and mean performance. The number of scenarios is defined by the arguments `increment`. By default, twenty-one different scenarios are computed. In this case, the the superiority index is computed considering the following weights: stability (`waasb` or `waas`) = 100; mean performance = 0. In other words, only stability is considered for genotype ranking. In the next iteration, the weights becomes 95/5 (since `increment` = 5). In the third scenario, the weights become 90/10, and so on up to these weights become 0/100. In the last iteration, the genotype ranking for WAASY or WAASBY matches perfectly with the ranks of the response variable.

Value

An object of class `wsmp` with the following items for each variable:

- **scenarios** A list with the model for all computed scenarios.
- **WAASY** The values of the WAASY estimated when the weight for the stability in the loop match with argument `saveWAASY`.
- **hetdata, hetcomb** The data used to produce the heatmaps.
- **Ranks** All the values of WAASY estimated in the different scenarios of WAAS/GY weighting ratio.

Author(s)

Tiago Olivoto <tiagoolivoto@gmail.com>

References

Olivoto, T., A.D.C. L'ucio, J.A.G. da silva, V.S. Marchioro, V.Q. de Souza, and E. Jost. 2019. Mean performance and stability in multi-environment trials I: Combining features of AMMI and BLUP techniques. *Agron. J.* doi: [10.2134/agronj2019.03.0220](https://doi.org/10.2134/agronj2019.03.0220)

See Also

[resca](#)

Examples

```
library(metan)
model <- waasb(data_ge2,
               env = ENV,
               gen = GEN,
               rep = REP,
               resp = PH)
scenarios <- wsmp(model)
```


Index

* data

- data_alpha, 42
- data_g, 43
- data_ge, 44
- data_ge2, 44
- int.effects, 91
- meansGxE, 100

- add_class (utils_class), 200
- add_cols (utils_rows_cols), 209
- add_rows (utils_rows_cols), 209
- all_lower_case (utils_num_str), 205
- all_pairs (utils_rows_cols), 209
- all_title_case (utils_num_str), 205
- all_upper_case (utils_num_str), 205
- alpha_color (themes), 197
- AMMI_indexes, 6, 63, 68, 79
- Annicchiarico, 8, 78, 189, 197
- anova_ind, 9, 12, 63, 68
- anova_joint, 11, 63, 68
- arrange_ggplot, 12
- as.lpcor, 13
- as.split_factors (split_factors), 194
- av_dev (utils_stats), 213

- barplots, 14
- bind_cv, 18, 118

- can_corr, 19, 63
- ci_mean (utils_stats), 213
- clip_read (utils_data), 201
- clip_write (utils_data), 201
- clustering, 21
- coincidence_index, 23
- colindia, 24
- colnames_to_lower (utils_rows_cols), 209
- colnames_to_title (utils_rows_cols), 209
- colnames_to_upper (utils_rows_cols), 209
- colors, 197
- column_exists (utils_rows_cols), 209
- column_to_first (utils_rows_cols), 209
- column_to_last (utils_rows_cols), 209
- comb_vars, 25
- concatenate (utils_rows_cols), 209

- cor, 104, 108
- corr_ci, 27
- corr_coef, 28
- corr_plot, 29
- corr_ss, 32
- corr_stab_ind, 33
- correlated_vars, 26
- covcor_design, 34
- cv (utils_stats), 213
- cv_amm, 36, 39, 42, 118
- cv_ammif, 37, 38, 42, 118, 156, 157
- cv_blup, 37, 39, 40, 118
- cv_by (utils_stats), 213

- data_alpha, 42
- data_g, 43
- data_ge, 44
- data_ge2, 44
- desc_stat, 45, 213
- desc_wider (desc_stat), 45
- difference_var (Select_helper), 189
- doo, 48

- ecovalence, 9, 49, 63, 68, 74, 77, 78, 189, 197
- env_dissimilarity, 50
- extract_number (utils_num_str), 205
- extract_string (utils_num_str), 205

- fai_blup, 51, 193
- find_outliers, 53
- find_text_in_num (utils_num_str), 205
- formatting, 164, 175
- Fox, 54, 63, 68
- freq_table (utils_stats), 213

- gafem, 55, 63, 68, 101, 199
- gai, 57, 63, 68, 79
- gamem, 43, 55, 56, 58, 63, 68, 101, 154, 167, 192
- gamem_met, 60
- ge_cluster, 70
- ge_details, 71
- ge_effects, 72
- ge_factanal, 73, 127, 129

- ge_means, [63](#), [68](#), [75](#)
- ge_plot, [76](#), [125](#)
- ge_reg, [63](#), [68](#), [74](#), [77](#), [78](#)
- ge_stats, [9](#), [33](#), [74](#), [77](#), [78](#), [189](#), [197](#)
- ge_winners, [80](#)
- get_level_size (utils_rows_cols), [209](#)
- get_levels (utils_rows_cols), [209](#)
- get_model_data, [12](#), [56](#), [59](#), [62](#), [63](#), [111](#), [218](#), [222](#)
- gge, [81](#), [84](#), [86](#), [129](#)
- gmd (get_model_data), [63](#)
- gmean (utils_stats), [213](#)
- group_by, [19–21](#), [24](#), [27](#), [35](#), [46](#), [53](#), [95](#), [97](#), [98](#), [107–109](#)
- gtb, [83](#), [129](#)
- gytb, [63](#), [85](#), [129](#)

- has_class (utils_class), [200](#)
- has_na (utils_na_zero), [203](#)
- has_text_in_num (utils_num_str), [205](#)
- has_zero (utils_na_zero), [203](#)
- hclust, [120](#)
- hmean (utils_stats), [213](#)
- Huehn, [79](#), [87](#)

- impute_missing_val, [82](#), [88](#), [110](#), [111](#), [220](#), [225](#)
- inspect, [90](#)
- int.effects, [91](#), [100](#)
- intersect_var (Select_helper), [189](#)
- is.lpcor, [91](#)
- is.split_factors (split_factors), [194](#)
- is_balanced_trial, [92](#)

- kurt (utils_stats), [213](#)

- lineplots, [92](#)
- lower_case_only (Select_helper), [189](#)
- lpcor, [95](#)

- mahala, [96](#)
- mahala_design, [97](#)
- make_long, [98](#)
- make_lower_tri (utils_mat), [202](#)
- make_mat, [99](#)
- make_sym (utils_mat), [202](#)
- make_upper_tri (utils_mat), [202](#)
- max_by (utils_stats), [213](#)
- means_by (utils_stats), [213](#)
- meansGxE, [100](#)
- metan-package, [5](#)
- mgidi, [100](#), [193](#)
- min_by (utils_stats), [213](#)

- mtsi, [62](#), [102](#), [193](#), [222](#)

- n_by (utils_stats), [213](#)
- non_collinear_vars, [104](#)

- pairs_mantel, [105](#)
- path_coeff, [107](#)
- performs_amm, [63](#), [68](#), [110](#), [149](#), [156](#)
- plot.anova_joint, [112](#)
- plot.can_cor, [112](#)
- plot.clustering, [115](#)
- plot.corr_coef, [34](#), [116](#)
- plot.correlated_vars, [115](#)
- plot.cvalidation, [117](#)
- plot.env_dissimilarity, [119](#)
- plot.fai_blup, [120](#)
- plot.gafem, [121](#)
- plot.gamem, [122](#)
- plot.ge_cluster, [124](#)
- plot.ge_effects, [125](#)
- plot.ge_factanal, [126](#)
- plot.ge_reg, [128](#)
- plot.gge, [129](#)
- plot.lm, [108](#)
- plot.mgidi, [132](#)
- plot.mtsi, [134](#)
- plot.performs_amm, [136](#)
- plot.resp_surf, [136](#)
- plot.sh, [138](#)
- plot.waas, [139](#)
- plot.waasb, [140](#)
- plot.wsm, [142](#)
- plot_bars, [94](#)
- plot_bars (barplots), [14](#)
- plot_blup, [143](#)
- plot_ci, [145](#)
- plot_eigen, [146](#), [151](#)
- plot_factbars, [94](#)
- plot_factbars (barplots), [14](#)
- plot_factlines, [17](#)
- plot_factlines (lineplots), [92](#)
- plot_grid, [12](#), [124](#), [141](#), [186](#)
- plot_lines, [17](#)
- plot_lines (lineplots), [92](#)
- plot_scores, [62](#), [145](#), [148](#), [148](#), [153](#), [222](#)
- plot_waasby, [145](#), [148](#), [152](#)
- predict.gamem, [154](#)
- predict.gge, [155](#)
- predict.performs_amm, [156](#)
- predict.waas, [157](#)
- predict.waasb, [158](#)
- print.AMMI_indexes, [159](#)
- print.Annicchiarico, [159](#)

- `print.anova_ind`, 160
- `print.anova_joint`, 161
- `print.can_cor`, 162
- `print.coincidence`, 162
- `print.colinddiag`, 163
- `print.corr_coef`, 164
- `print.ecovalence`, 165
- `print.env_dissimilarity`, 165
- `print.Fox`, 166
- `print.gamem`, 167
- `print.ge_factanal`, 167
- `print.ge_reg`, 168
- `print.ge_stats`, 169
- `print.Huehn`, 170
- `print.lpcor`, 170
- `print.mgidi`, 171
- `print.mtsi`, 172
- `print.path_coeff`, 173
- `print.performs_amm`, 174
- `print.Schmildt`, 174
- `print.sh`, 175
- `print.Shukla`, 176
- `print.superiority`, 177
- `print.Thennarasu`, 177
- `print.waas`, 178
- `print.waas_means`, 180
- `print.waasb`, 179
- `pseudo_sigma` (`utils_stats`), 213
- `random_na` (`utils_na_zero`), 203
- `range_data` (`utils_stats`), 213
- `rbind_fill`, 180
- `read.table`, 201
- `remove_class` (`utils_class`), 200
- `remove_cols` (`utils_rows_cols`), 209
- `remove_cols_na` (`utils_na_zero`), 203
- `remove_cols_zero` (`utils_na_zero`), 203
- `remove_rows` (`utils_rows_cols`), 209
- `remove_rows_na` (`utils_na_zero`), 203
- `remove_rows_zero` (`utils_na_zero`), 203
- `remove_space` (`utils_num_str`), 205
- `remove_strings` (`utils_num_str`), 205
- `reorder_cols` (`utils_rows_cols`), 209
- `reorder_cormat`, 181
- `replace_na` (`utils_na_zero`), 203
- `replace_number` (`utils_num_str`), 205
- `replace_string` (`utils_num_str`), 205
- `replace_zero` (`utils_na_zero`), 203
- `resca`, 182, 227
- `Resende_indexes`, 63, 68, 79, 183
- `residual_plots`, 112, 122, 136, 139, 185
- `resp_surf`, 187
- `round_cols` (`utils_num_str`), 205
- `row_col_mean` (`utils_stats`), 213
- `row_col_sum` (`utils_stats`), 213
- Schmildt, 188
- `sd_amo` (`utils_stats`), 213
- `sd_by` (`utils_stats`), 213
- `sd_pop` (`utils_stats`), 213
- `select_cols`, 190
- `select_cols` (`utils_rows_cols`), 209
- `select_cols_na` (`utils_na_zero`), 203
- `select_cols_zero` (`utils_na_zero`), 203
- `select_first_col` (`utils_rows_cols`), 209
- Select_helper, 189
- `select_last_col` (`utils_rows_cols`), 209
- `select_non_numeric_cols`
 (`utils_rows_cols`), 209
- `select_numeric_cols` (`utils_rows_cols`),
 209
- `select_rows` (`utils_rows_cols`), 209
- `select_rows_na` (`utils_na_zero`), 203
- `select_rows_zero` (`utils_na_zero`), 203
- `sem` (`utils_stats`), 213
- `sem_by` (`utils_stats`), 213
- `set_class` (`utils_class`), 200
- Shukla, 63, 68, 78, 191
- `skew` (`utils_stats`), 213
- Smith_Hazel, 192
- `solve_svd`, 193
- `split_factors`, 194
- `stars_pval`, 195
- `sum_by` (`utils_stats`), 213
- `sum_dev` (`utils_stats`), 213
- `sum_sq_dev` (`utils_stats`), 213
- superiority, 9, 63, 68, 74, 77, 79, 189, 196
- theme, 17, 47, 53, 76, 94, 113, 118, 123, 125,
 126, 129, 131, 137, 141, 144, 146,
 147, 149, 153, 186, 197
- `theme_metan` (`themes`), 197
- `theme_metan_minimal` (`themes`), 197
- themes, 197
- Thennarasu, 79, 198
- `tibble::print()`, 159–163, 165–180
- `tidy_strings` (`utils_num_str`), 205
- `tidy_sym` (`utils_mat`), 202
- `title_case_only` (Select_helper), 189
- `to_factor`, 199
- `transparent_color` (`themes`), 197
- `tukey_hsd`, 199
- TukeyHSD, 200
- `union_var` (Select_helper), 189
- `upper_case_only` (Select_helper), 189

utils_class, [200](#)
utils_data, [201](#)
utils_mat, [202](#)
utils_na_zero, [203](#)
utils_num_str, [205](#)
utils_rows_cols, [209](#)
utils_stats, [213](#)

valid_n(utils_stats), [213](#)
var_amo(utils_stats), [213](#)
var_pop(utils_stats), [213](#)

waas, [62](#), [63](#), [68](#), [103](#), [110](#), [111](#), [149](#), [157](#), [216](#),
 [222](#), [225](#), [227](#)
waas_means, [111](#), [149](#), [218](#), [224](#)
waasb, [59](#), [63](#), [68](#), [103](#), [111](#), [149](#), [158](#), [218](#),
 [219](#), [225](#), [227](#)
width_greater_than(Select_helper), [189](#)
width_less_than(Select_helper), [189](#)
width_of(Select_helper), [189](#)
wsmp, [110](#), [226](#)