

# Babel

Code

Version 25.18  
2025/12/30

Javier Bezos  
Current maintainer

Johannes L. Braams  
Original author

Localization and  
internationalization

Unicode

T<sub>E</sub>X

LuaT<sub>E</sub>X

pdfT<sub>E</sub>X

XeT<sub>E</sub>X

# Contents

<b>1</b>	<b>Identification and loading of required files</b>	<b>3</b>
<b>2</b>	<b>locale directory</b>	<b>3</b>
<b>3</b>	<b>Tools</b>	<b>3</b>
3.1	A few core definitions . . . . .	8
3.2	LaTeX: babel.sty (start) . . . . .	8
3.3	base . . . . .	10
3.4	key=value options and other general option . . . . .	10
3.5	Post-process some options . . . . .	12
3.6	Plain: babel.def (start) . . . . .	13
<b>4</b>	<b>babel.sty and babel.def (common)</b>	<b>13</b>
4.1	Selecting the language . . . . .	15
4.2	Errors . . . . .	23
4.3	More on selection . . . . .	24
4.4	Short tags . . . . .	25
4.5	Compatibility with language.def . . . . .	25
4.6	Hooks . . . . .	26
4.7	Setting up language files . . . . .	27
4.8	Shorthands . . . . .	29
4.9	Language attributes . . . . .	38
4.10	Support for saving and redefining macros . . . . .	40
4.11	French spacing . . . . .	41
4.12	Hyphens . . . . .	41
4.13	Multiencoding strings . . . . .	43
4.14	Tailor captions . . . . .	48
4.15	Making glyphs available . . . . .	49
4.15.1	Quotation marks . . . . .	49
4.15.2	Letters . . . . .	51
4.15.3	Shorthands for quotation marks . . . . .	51
4.15.4	Umlauts and tremas . . . . .	52
4.16	Layout . . . . .	54
4.17	Load engine specific macros . . . . .	54
4.18	Creating and modifying languages . . . . .	54
4.19	Main loop in ‘provide’ . . . . .	62
4.20	Processing keys in ini . . . . .	66
4.21	French spacing (again) . . . . .	72
4.22	Handle language system . . . . .	73
4.23	Numerals . . . . .	74
4.24	Casing . . . . .	75
4.25	Getting info . . . . .	76
4.26	BCP 47 related commands . . . . .	77
<b>5</b>	<b>Adjusting the Babel behavior</b>	<b>78</b>
5.1	Cross referencing macros . . . . .	80
5.2	Layout . . . . .	83
5.3	Marks . . . . .	84
5.4	Other packages . . . . .	85
5.4.1	ifthen . . . . .	85
5.4.2	varioref . . . . .	86
5.4.3	hhline . . . . .	86
5.5	Encoding and fonts . . . . .	87
5.6	Basic bidi support . . . . .	89
5.7	Local Language Configuration . . . . .	92
5.8	Language options . . . . .	92

<b>6</b>	<b>The kernel of Babel</b>	<b>96</b>
<b>7</b>	<b>Error messages</b>	<b>96</b>
<b>8</b>	<b>Loading hyphenation patterns</b>	<b>100</b>
<b>9</b>	<b>luatex + xetex: common stuff</b>	<b>104</b>
<b>10</b>	<b>Hooks for XeTeX and LuaTeX</b>	<b>108</b>
10.1	XeTeX . . . . .	108
10.2	Support for interchar . . . . .	109
10.3	Layout . . . . .	111
10.4	8-bit TeX . . . . .	113
10.5	LuaTeX . . . . .	113
10.6	Southeast Asian scripts . . . . .	120
10.7	CJK line breaking . . . . .	121
10.8	Arabic justification . . . . .	123
10.9	Common stuff . . . . .	128
10.10	Automatic fonts and ids switching . . . . .	128
10.11	Bidi . . . . .	135
10.12	Layout . . . . .	137
10.13	Lua: transforms . . . . .	147
10.14	Lua: Auto bidi with basic and basic-r . . . . .	157
<b>11</b>	<b>Data for CJK</b>	<b>168</b>
<b>12</b>	<b>The ‘nil’ language</b>	<b>169</b>
<b>13</b>	<b>Calendars</b>	<b>170</b>
13.1	Islamic . . . . .	170
13.2	Hebrew . . . . .	171
13.3	Persian . . . . .	176
13.4	Coptic and Ethiopic . . . . .	176
13.5	Julian . . . . .	177
13.6	Buddhist . . . . .	177
<b>14</b>	<b>Support for Plain T<sub>E</sub>X (plain.def)</b>	<b>178</b>
14.1	Not renaming hyphen.tex . . . . .	178
14.2	Emulating some L <sup>A</sup> T <sub>E</sub> X features . . . . .	179
14.3	General tools . . . . .	179
14.4	Encoding related macros . . . . .	183
<b>15</b>	<b>Acknowledgements</b>	<b>186</b>

The babel package is being developed incrementally, which means parts of the code are under development and therefore incomplete. Only documented features are considered complete. In other words, use babel in real documents only as documented (except, of course, if you want to explore and test them).

## 1. Identification and loading of required files

The babel package after unpacking consists of the following files:

**babel.sty** is the  $\LaTeX$  package, which set options and load language styles.

**babel.def** is loaded by Plain.

**switch.def** defines macros to set and switch languages (it loads part babel.def).

**plain.def** is not used, and just loads babel.def, for compatibility.

**hyphen.cfg** is the file to be used when generating the formats to load hyphenation patterns.

There some additional tex, def and lua files.

The babel installer extends docstrip with a few “pseudo-guards” to set “variables” used at installation time. They are used with `<@name@>` at the appropriate places in the source code and defined with either `<<name=value>>`, or with a series of lines between `<<*name>>` and `<</name>>`. The latter is cumulative (e.g., with *More package options*). That brings a little bit of literate programming. The guards `<-name>` and `<+name>` have been redefined, too. See babel.ins for further details.

## 2. locale directory

A required component of babel is a set of ini files with basic definitions for about 300 languages. They are distributed as a separate zip file, not packed as dtx. Many of them are essentially finished (except bugs and mistakes, of course). Some of them are still incomplete (but they will be usable), and there are some omissions (e.g., there are no geographic areas in Spanish). Not all include LICR variants.

babel-\*.ini files contain the actual data; babel-\*.tex files are basically proxies to the corresponding ini files.

See [Keys in ini files](#) in the the babel site.

## 3. Tools

```
1 <<version=25.18>>
2 <<date=2025/12/30>>
```

**Do not use the following macros in ldf files. They may change in the future.** This applies mainly to those recently added for replacing, trimming and looping. The older ones, like `\bbl@afterfi`, will not change. We define some basic macros which just make the code cleaner. `\bbl@add` is now used internally instead of `\addto` because of the unpredictable behavior of the latter. Used in babel.def and in babel.sty, which means in  $\LaTeX$  is executed twice, but we need them when defining options and babel.def cannot be load until options have been defined. This does not hurt, but should be fixed somehow.

```
3 <<*Basic macros>> ≡
4 \bbl@trace{Basic macros}
5 \def\bbl@stripslash{\expandafter\@gobble\string}
6 \def\bbl@add#1#2{%
7   \bbl@ifunset{\bbl@stripslash#1}%
8     {\def#1{#2}}%
9     {\expandafter\def\expandafter#1\expandafter{#1#2}}
10 \def\bbl@xin@{\@expandtwoargs\in@}
11 \def\bbl@carg#1#2{\expandafter#1\csname#2\endcsname}%
12 \def\bbl@ncarg#1#2#3{\expandafter#1\expandafter#2\csname#3\endcsname}%
13 \def\bbl@ccarg#1#2#3{%
14   \expandafter#1\csname#2\expandafter\endcsname\csname#3\endcsname}%
15 \def\bbl@carg#1#2{\expandafter#1\csname bbl@#2\endcsname}%
16 \def\bbl@cs#1{\csname bbl@#1\endcsname}
17 \def\bbl@cl#1{\csname bbl@#1\language\endcsname}
18 \def\bbl@loop#1#2#3{\bbl@loop#1{#3}#2,\@nnil,}
19 \def\bbl@loopx#1#2{\expandafter\bbl@loop\expandafter#1\expandafter{#2}}
```

```

20 \def\bbl@loop#1#2#3,{%
21   \ifx\@nnil#3\relax\else
22     \def#1{#3}#2\bbl@afterfi\bbl@loop#1{#2}%
23   \fi}
24 \def\bbl@for#1#2#3{\bbl@loopx#1{#2}{\ifx#1\@empty\else#3\fi}}

```

**\bbl@add@list** This internal macro adds its second argument to a comma separated list in its first argument. When the list is not defined yet (or empty), it will be initiated. It presumes expandable character strings.

```

25 \def\bbl@add@list#1#2{%
26   \edef#1{%
27     \bbl@ifunset{\bbl@stripslash#1}%
28     }%
29     {\ifx#1\@empty\else#1,\fi}%
30   #2}}

```

### **\bbl@afterelse**

**\bbl@afterfi** Because the code that is used in the handling of active characters may need to look ahead, we take extra care to ‘throw’ it over the \else and \fi parts of an \if-statement<sup>1</sup>. These macros will break if another \if... \fi statement appears in one of the arguments and it is not enclosed in braces.

```

31 \long\def\bbl@afterelse#1\else#2\fi{\fi#1}
32 \long\def\bbl@afterfi#1\fi{\fi#1}

```

**\bbl@exp** Now, just syntactical sugar, but it makes partial expansion of some code a lot more simple and readable. Here \ stands for \noexpand, \< for \noexpand applied to a built macro name (which does not define the macro if undefined to \relax, because it is created locally), and \[ . . ] for one-level expansion (where . . is the macro name without the backslash). The result may be followed by extra arguments, if necessary.

```

33 \def\bbl@exp#1{%
34   \begingroup
35   \let\<\noexpand
36   \let\<\bbl@exp@en
37   \let\[\bbl@exp@ue
38   \edef\bbl@exp@aux{\endgroup#1}%
39   \bbl@exp@aux}
40 \def\bbl@exp@en#1>{\expandafter\noexpand\csname#1\endcsname}%
41 \def\bbl@exp@ue#1]{%
42   \unexpanded\expandafter\expandafter\expandafter{\csname#1\endcsname}}%

```

**\bbl@trim** The following piece of code is stolen (with some changes) from keyval, by David Carlisle. It defines two macros: \bbl@trim and \bbl@trim@def. The first one strips the leading and trailing spaces from the second argument and then applies the first argument (a macro, \toks@ and the like). The second one, as its name suggests, defines the first argument as the stripped second argument.

```

43 \def\bbl@tempa#1{%
44   \long\def\bbl@trim##1##2{%
45     \futurelet\bbl@trim@a\bbl@trim@c##2\@nil\@nil#1\@nil\relax{##1}}%
46   \def\bbl@trim@c{%
47     \ifx\bbl@trim@a\sptoken
48       \expandafter\bbl@trim@b
49     \else
50       \expandafter\bbl@trim@b\expandafter#1%
51     \fi}%
52   \long\def\bbl@trim@b#1##1 \@nil{\bbl@trim@i##1}}
53 \bbl@tempa{ }
54 \long\def\bbl@trim@i#1\@nil#2\relax#3{#3{#1}}
55 \long\def\bbl@trim@def#1{\bbl@trim{\def#1}}

```

<sup>1</sup>This code is based on code presented in TUGboat vol. 12, no2, June 1991 in “An expansion Power Lemma” by Sonja Maus.

**\bbl@ifunset** To check if a macro is defined, we create a new macro, which does the same as \ifundefined. However, in an  $\epsilon$ -tex engine, it is based on \ifcename, which is more efficient, and does not waste memory. Defined inside a group, to avoid \ifcename being implicitly set to \relax by the \cename test.

```

56 \begingroup
57 \gdef\bbl@ifunset#1{%
58   \expandafter\ifx\cename#1\endcename\relax
59   \expandafter\@firstoftwo
60   \else
61   \expandafter\@secondoftwo
62   \fi}
63 \bbl@ifunset{ifcename}%
64 {}%
65 {\gdef\bbl@ifunset#1{%
66   \ifcename#1\endcename
67   \expandafter\ifx\cename#1\endcename\relax
68   \bbl@afterelse\expandafter\@firstoftwo
69   \else
70   \bbl@afterfi\expandafter\@secondoftwo
71   \fi
72   \else
73   \expandafter\@firstoftwo
74   \fi}}
75 \endgroup

```

**\bbl@ifblank** A tool from url, by Donald Arseneau, which tests if a string is empty or space. The companion macros tests if a macro is defined with some ‘real’ value, i.e., not \relax and not empty,

```

76 \def\bbl@ifblank#1{%
77   \bbl@ifblank@i#1\@nil\@nil\@secondoftwo\@firstoftwo\@nil}
78 \long\def\bbl@ifblank@i#1#2\@nil#3#4#5\@nil#4}
79 \def\bbl@ifset#1#2#3{%
80   \bbl@ifunset{#1}{#3}{\bbl@exp{\bbl@ifblank{\@nameuse{#1}}}{#3}{#2}}}

```

For each element in the comma separated <key>=<value> list, execute <code> with #1 and #2 as the key and the value of current item (trimmed). In addition, the item is passed verbatim as #3. With the <key> alone, it passes \empty as value (i.e., the macro thus named, not an empty argument, which is what you get with <key>= and no value).

```

81 \def\bbl@forkv#1#2{%
82   \def\bbl@kvcmd##1##2##3{#2}%
83   \bbl@kvnext#1,\@nil,}
84 \def\bbl@kvnext#1,{%
85   \ifx\@nil#1\relax\else
86   \bbl@ifblank{#1}{\bbl@forkv@eq#1=\@empty=\@nil{#1}}%
87   \expandafter\bbl@kvnext
88   \fi}
89 \def\bbl@forkv@eq#1=#2=#3\@nil#4{%
90   \bbl@trim\def\bbl@forkv@a{#1}%
91   \bbl@trim{\expandafter\bbl@kvcmd\expandafter{\bbl@forkv@a}}{#2}{#4}}

```

A for loop. Each item (trimmed) is #1. It cannot be nested (it’s doable, but we don’t need it).

```

92 \def\bbl@vforeach#1#2{%
93   \def\bbl@forcmd##1{#2}%
94   \bbl@fornext#1,\@nil,}
95 \def\bbl@fornext#1,{%
96   \ifx\@nil#1\relax\else
97   \bbl@ifblank{#1}{\bbl@trim\bbl@forcmd{#1}}%
98   \expandafter\bbl@fornext
99   \fi}
100 \def\bbl@foreach#1{\expandafter\bbl@vforeach\expandafter{#1}}

```

Some code should be executed once. The first argument is a flag.

```

101 \global\let\bbl@done\@empty

```

```

102 \def\bbl@once#1#2{%
103   \bbl@xin@{,#1,}{,\bbl@done,}%
104   \ifin@ \else
105     #2%
106   \xdef\bbl@done{\bbl@done,#1,}%
107   \fi}
108 %   \end{macrode}
109 %
110 % \macro{\bbl@replace}
111 %
112 % Returns implicitly |\toks@| with the modified string.
113 %
114 %   \begin{macrocode}
115 \def\bbl@replace#1#2#3{% in #1 -> repl #2 by #3
116   \toks@{ }%
117   \def\bbl@replace@aux##1#2##2#2{%
118     \ifx\bbl@nil##2%
119       \toks@ \expandafter{\the\toks@##1}%
120     \else
121       \toks@ \expandafter{\the\toks@##1#3}%
122       \bbl@afterfi
123       \bbl@replace@aux##2#2%
124     \fi}%
125   \expandafter\bbl@replace@aux#1#2\bbl@nil#2%
126   \edef#1{\the\toks@}}

```

An extension to the previous macro. It takes into account the parameters, and it is string based (i.e., if you replace elax by ho, then \relax becomes \rho). No checking is done at all, because it is not a general purpose macro, and it is used by babel only when it works (an example where it does *not* work is in \bbl@TG@@date, and also fails if there are macros with spaces, because they are retokenized). It may change! (or even merged with \bbl@replace; I'm not sure checking the replacement is really necessary or just paranoia).

```

127 \ifx\detokenize\undefined \else % Unused macros if old Plain TeX
128   \bbl@exp{\def\\bbl@parsedef##1\detokenize{macro:}}#2->#3\relax{%
129     \def\bbl@tempa{#1}%
130     \def\bbl@tempb{#2}%
131     \def\bbl@tempe{#3}}
132 \def\bbl@sreplace#1#2#3{%
133   \begingroup
134     \expandafter\bbl@parsedef\meaning#1\relax
135     \def\bbl@tempc{#2}%
136     \edef\bbl@tempc{\expandafter\strip@prefix\meaning\bbl@tempc}%
137     \def\bbl@tempd{#3}%
138     \edef\bbl@tempd{\expandafter\strip@prefix\meaning\bbl@tempd}%
139     \bbl@xin@{\bbl@tempc}{\bbl@tempe}% If not in macro, do nothing
140     \ifin@
141       \bbl@exp{\\bbl@replace\\bbl@tempe{\bbl@tempc}{\bbl@tempd}}%
142       \def\bbl@tempc{% Expanded an executed below as 'uplevel'
143         \\makeatletter % "internal" macros with @ are assumed
144         \\scantokens{%
145           \bbl@tempa\\@namedef{\bbl@stripslash#1}\bbl@tempb{\bbl@tempe}%
146           \noexpand\noexpand}%
147         \catcode64=\the\catcode64\relax}% Restore @
148     \else
149       \let\bbl@tempc\empty % Not \relax
150     \fi
151     \bbl@exp{% For the 'uplevel' assignments
152   \endgroup
153   \bbl@tempc}} % empty or expand to set #1 with changes
154 \fi

```

Two further tools. \bbl@ifsamestring first expand its arguments and then compare their expansion (sanitized, so that the catcodes do not matter). \bbl@engine takes the following values: 0 is pdf<sub>La</sub>TeX, 1 is luatex, and 2 is xetex. You may use the latter it in your language style if you want.

```

155 \def\bbl@ifsamestring#1#2{%
156   \begingroup
157   \protected@edef\bbl@tempb{#1}%
158   \edef\bbl@tempb{\expandafter\strip@prefix\meaning\bbl@tempb}%
159   \protected@edef\bbl@tempc{#2}%
160   \edef\bbl@tempc{\expandafter\strip@prefix\meaning\bbl@tempc}%
161   \ifx\bbl@tempb\bbl@tempc
162     \aftergroup\@firstoftwo
163   \else
164     \aftergroup\@secondoftwo
165   \fi
166 \endgroup}
167 \chardef\bbl@engine=%
168 \ifx\directlua\@undefined
169   \ifx\XeTeXinputencoding\@undefined
170     \z@
171   \else
172     \tw@
173   \fi
174 \else
175   \@ne
176 \fi

```

A somewhat hackish tool (hence its name) to avoid spurious spaces in some contexts.

```

177 \def\bbl@bsphack{%
178   \ifhmode
179     \hskip\z@skip
180     \def\bbl@esphack{\loop\ifdim\lastskip>\z@\unskip\repeat\unskip}%
181   \else
182     \let\bbl@esphack\@empty
183   \fi}

```

Another hackish tool, to apply case changes inside a protected macros. It's based on the internal `\let's` made by `\MakeUppercase` and `\MakeLowercase` between things like `\oe` and `\OE`.

```

184 \def\bbl@cased{%
185   \ifx\oe\OE
186     \expandafter\in@\expandafter
187     {\expandafter\OE\expandafter}\expandafter{\oe}%
188   \ifin@
189     \bbl@afterelse\expandafter\MakeUppercase
190   \else
191     \bbl@afterfi\expandafter\MakeLowercase
192   \fi
193 \else
194   \expandafter\@firstofone
195 \fi}

```

The following adds some code to `\extras...` both before and after, while avoiding doing it twice. It's somewhat convoluted, to deal with `#`'s. Used to deal with `alph`, `Alph` and frenchspacing when there are already changes (with `\babel@save`).

```

196 \def\bbl@extras@wrap#1#2#3{% 1:in-test, 2:before, 3:after
197   \toks@\expandafter\expandafter\expandafter{%
198     \csname extras\language\endcsname}%
199   \bbl@exp{\in{#1}{\the\toks@}}%
200   \ifin@\else
201     \@temptokena{#2}%
202     \edef\bbl@tempc{\the\@temptokena\the\toks@}%
203     \toks@\expandafter{\bbl@tempc#3}%
204     \expandafter\edef\csname extras\language\endcsname{\the\toks@}%
205   \fi}
206 <</Basic macros>>

```

Some files identify themselves with a  $\TeX$  macro. The following code is placed before them to define (and then undefine) if not in  $\TeX$ .



```

207 <<*Make sure ProvidesFile is defined>> ≡
208 \ifx\ProvidesFile\@undefined
209   \def\ProvidesFile#1[#2 #3 #4]{%
210     \wlog{File: #1 #4 #3 <#2>}%
211     \let\ProvidesFile\@undefined}
212 \fi
213 <</Make sure ProvidesFile is defined>>

```

### 3.1. A few core definitions

**\language** Just for compatibility, for not to touch `hyphen.cfg`.

```

214 <<*Define core switching macros>> ≡
215 \ifx\language\@undefined
216   \csname newcount\endcsname\language
217 \fi
218 <</Define core switching macros>>

```

**\last@language** Another counter is used to keep track of the allocated languages.  $\TeX$  and  $\LaTeX$  reserves for this purpose the count 19.

**\addlanguage** This macro was introduced for  $\TeX < 2$ . Preserved for compatibility.

```

219 <<*Define core switching macros>> ≡
220 \countdef\last@language=19
221 \def\addlanguage{\csname newlanguage\endcsname}
222 <</Define core switching macros>>

```

Now we make sure all required files are loaded. When the command `\AtBeginDocument` doesn't exist we assume that we are dealing with a plain-based format. In that case the file `plain.def` is needed (which also defines `\AtBeginDocument`, and therefore it is not loaded twice). We need the first part when the format is created, and `\orig@dump` is used as a flag. Otherwise, we need to use the second part, so `\orig@dump` is not defined (`plain.def` undefines it).

Check if the current version of `switch.def` has been previously loaded (mainly, `hyphen.cfg`). If not, load it now. We cannot load `babel.def` here because we first need to declare and process the package options.

### 3.2. $\LaTeX$ : `babel.sty` (start)

Here starts the style file for  $\LaTeX$ . It also takes care of a number of compatibility issues with other packages.

```

223 <*package>
224 \NeedsTeXFormat{LaTeX2e}
225 \ProvidesPackage{babel}%
226 [<@date@> v<@version@>
227   The multilingual framework for LuaLaTeX, pdfLaTeX and XeLaTeX]

```

Start with some “private” debugging tools, and then define macros for errors. The global lua ‘space’ Babel is declared here, too (inside the test for debug).

```

228 \ifpackagewith{babel}{debug}
229   {\providecommand\bbl@trace[1]{\message{^^J[ #1 ]}}%
230    \let\bbl@debug\@firstofone
231    \ifx\directlua\@undefined\else
232      \directlua{
233        Babel = Babel or {}
234        Babel.debug = true }%
235      \input{babel-debug.tex}%
236    \fi}
237 {\providecommand\bbl@trace[1]{}%
238  \let\bbl@debug\@gobble
239  \ifx\directlua\@undefined\else
240    \directlua{
241      Babel = Babel or {}
242      Babel.debug = false }%

```

```

243 \fi}
244 % Temporary:
245 \newif\ifBabelDebugGerman
246 \@ifpackagewith{babel}{debug-german}
247 {\BabelDebugGermantrue}
248 {\BabelDebugGermanfalse}

```

Macros to deal with errors, warnings, etc. Errors are stored in a separate file.

```

249 \def\bbl@error#1{% Implicit #2#3#4
250 \begingroup
251 \catcode`\=0 \catcode`\==12 \catcode`\`=12
252 \input errbabel.def
253 \endgroup
254 \bbl@error{#1}}
255 \def\bbl@warning#1{%
256 \begingroup
257 \def\{\MessageBreak}%
258 \PackageWarning{babel}{#1}%
259 \endgroup}
260 \def\bbl@infowarn#1{%
261 \begingroup
262 \def\{\MessageBreak}%
263 \PackageNote{babel}{#1}%
264 \endgroup}
265 \def\bbl@info#1{%
266 \begingroup
267 \def\{\MessageBreak}%
268 \PackageInfo{babel}{#1}%
269 \endgroup}

```

Many of the following options don't do anything themselves, they are just defined in order to make it possible for babel and language definition files to check if one of them was specified by the user.

But first, include here the *Basic macros* defined above.

```

270 <@Basic macros>
271 \@ifpackagewith{babel}{silent}
272 {\let\bbl@info\@gobble
273 \let\bbl@infowarn\@gobble
274 \let\bbl@warning\@gobble}
275 {}
276 %
277 \def\AfterBabelLanguage#1{%
278 \global\expandafter\bbl@add\csname#1.ldf-h@k\endcsname}%

```

If the format created a list of loaded languages (in \bbl@languages), get the name of the 0-th to show the actual language used. Also available with base, because it just shows info.

```

279 \ifx\bbl@languages\undefined\else
280 \begingroup
281 \catcode`\^^I=12
282 \@ifpackagewith{babel}{showlanguages}{%
283 \begingroup
284 \def\bbl@elt#1#2#3#4{\wlog{#2^^I#1^^I#3^^I#4}}%
285 \wlog{<*languages>}%
286 \bbl@languages
287 \wlog{</languages>}%
288 \endgroup{}}
289 \endgroup
290 \def\bbl@elt#1#2#3#4{%
291 \ifnum#2=z@
292 \gdef\bbl@nulllanguage{#1}%
293 \def\bbl@elt##1##2##3##4{%
294 \fi}%
295 \bbl@languages
296 \fi%

```

### 3.3. base

The first ‘real’ option to be processed is base, which set the hyphenation patterns then resets `ver@babel.sty` so that  $\TeX$  forgets about the first loading. After a subset of `babel.def` has been loaded (the old `switch.def`) and `\AfterBabelLanguage` defined, it exits.

Now the base option. With it we can define (and load, with `luatex`) hyphenation patterns, even if we are not interested in the rest of `babel`.

```
297 \bbl@trace{Defining option 'base'}
298 \@ifpackagewith{babel}{base}{%
299   \let\bbl@onlyswitch\@empty
300   \let\bbl@provide@locale\relax
301   \input babel.def
302   \let\bbl@onlyswitch\@undefined
303   \ifx\directlua\@undefined
304     \DeclareOption*{\bbl@patterns{\CurrentOption}}%
305   \else
306     \input luababel.def
307     \DeclareOption*{\bbl@patterns@lua{\CurrentOption}}%
308   \fi
309   \DeclareOption{base}{}%
310   \DeclareOption{showlanguages}{}%
311   \ProcessOptions
312   \global\expandafter\let\csname opt@babel.sty\endcsname\relax
313   \global\expandafter\let\csname ver@babel.sty\endcsname\relax
314   \global\let\@ifl@ter@@\@ifl@ter
315   \def\@ifl@ter#1#2#3#4#5{\global\let\@ifl@ter\@ifl@ter@@}%
316   \endinput}{}%
```

### 3.4. key=value options and other general option

The following macros extract language modifiers, and only real package options are kept in the option list. Modifiers are saved and assigned to `\BabelModifiers` at `\bbl@load@language`; when no modifiers have been given, the former is `\relax`.

```
317 \bbl@trace{key=value and another general options}
318 \bbl@csarg\let{tempa\expandafter}\csname opt@babel.sty\endcsname
319 \def\bbl@tempb#1.#2{% Removes trailing dot
320   #1\ifx\@empty#2\else,\bbl@afterfi\bbl@tempb#2\fi}%
321 \def\bbl@tempe#1=#2\@@{%
322   \bbl@csarg\edef{mod@#1}{\bbl@tempb#2}}
323 \def\bbl@tempd#1.#2\@nnil{%
324   \ifx\@empty#2%
325     \edef\bbl@tempc{\ifx\bbl@tempc\@empty\else\bbl@tempc,\fi#1}%
326   \else
327     \in@{,provide=}{, #1}%
328     \ifin@
329       \edef\bbl@tempc{%
330         \ifx\bbl@tempc\@empty\else\bbl@tempc,\fi#1.\bbl@tempb#2}%
331     \else
332       \in@{$modifiers$}{$#1$}%
333       \ifin@
334         \bbl@tempe#2\@@
335       \else
336         \in@{=}{#1}%
337         \ifin@
338           \edef\bbl@tempc{\ifx\bbl@tempc\@empty\else\bbl@tempc,\fi#1.#2}%
339         \else
340           \edef\bbl@tempc{\ifx\bbl@tempc\@empty\else\bbl@tempc,\fi#1}%
341           \bbl@csarg\edef{mod@#1}{\bbl@tempb#2}%
342         \fi
343       \fi
344     \fi
345   \fi}
346 \let\bbl@tempc\@empty
```

```

347 \bbl@foreach\bbl@tempa{\bbl@tempd#1.\@empty\@nnil}
348 \expandafter\let\csname opt@babel.sty\endcsname\bbl@tempc

```

The next option tells babel to leave shorthand characters active at the end of processing the package. This is *not* the default as it can cause problems with other packages, but for those who want to use the shorthand characters in the preamble of their documents this can help.

```

349 \DeclareOption{KeepShorthandsActive}{}
350 \DeclareOption{activeacute}{}
351 \DeclareOption{activegrave}{}
352 \DeclareOption{debug}{}
353 \DeclareOption{debug-german}{} % Temporary
354 \DeclareOption{noconfigs}{}
355 \DeclareOption{showlanguages}{}
356 \DeclareOption{silent}{}
357 \DeclareOption{shorthands=off}{\bbl@tempa shorthands=\bbl@tempa}
358 \chardef\bbl@iniflag\z@
359 \DeclareOption{provide=*}{\chardef\bbl@iniflag\@ne} % main = 1
360 \DeclareOption{provide+=*}{\chardef\bbl@iniflag\tw@} % second = 2
361 \DeclareOption{provide*=*}{\chardef\bbl@iniflag\thr@@} % second + main
362 \chardef\bbl@ldfflag\z@
363 \DeclareOption{provide=!}{\chardef\bbl@ldfflag\@ne} % main = 1
364 \DeclareOption{provide+=!}{\chardef\bbl@ldfflag\tw@} % second = 2
365 \DeclareOption{provide*=!}{\chardef\bbl@ldfflag\thr@@} % second + main
366 % Don't use. Experimental.
367 \newif\ifbbl@single
368 \DeclareOption{selectors=off}{\bbl@singletrue}
369 <@More package options@>

```

Handling of package options is done in three passes. (I [JBL] am not very happy with the idea, anyway.) The first one processes options which has been declared above or follow the syntax  $\langle key \rangle = \langle value \rangle$ , the second one loads the requested languages, except the main one if set with the key main, and the third one loads the latter. First, we “flag” valid keys with a nil value.

```

370 \let\bbl@opt@shorthands\@nnil
371 \let\bbl@opt@config\@nnil
372 \let\bbl@opt@main\@nnil
373 \let\bbl@opt@headfoot\@nnil
374 \let\bbl@opt@layout\@nnil
375 \let\bbl@opt@provide\@nnil

```

The following tool is defined temporarily to store the values of options.

```

376 \def\bbl@tempa#1=#2\bbl@tempa{%
377   \bbl@csarg\ifx{opt@#1}\@nnil
378   \bbl@csarg\edef{opt@#1}{#2}%
379   \else
380   \bbl@error{bad-package-option}{#1}{#2}{}%
381   \fi}

```

Now the option list is processed, taking into account only currently declared options (including those declared with a =), and  $\langle key \rangle = \langle value \rangle$  options (the former take precedence). Unrecognized options are saved in \bbl@language@opts, because they are language options.

```

382 \let\bbl@language@opts\@empty
383 \DeclareOption*{%
384   \bbl@xin@{\string=}{\CurrentOption}%
385   \ifin@
386   \expandafter\bbl@tempa\CurrentOption\bbl@tempa
387   \else
388   \bbl@add@list\bbl@language@opts{\CurrentOption}%
389   \fi}

```

Now we finish the first pass (and start over).

```

390 \ProcessOptions*

```

### 3.5. Post-process some options

```
391 \ifx\bbl@opt@provide\@nnil
392 \let\bbl@opt@provide\@empty %%% MOVE above
393 \else
394 \chardef\bbl@iniflag\@ne
395 \bbl@exp{\bbl@forkv{\@nameuse{@raw@opt@babel.sty}}}{%
396 \in{,provide,}{, #1,}%
397 \ifin@
398 \def\bbl@opt@provide{#2}%
399 \fi}
400 \fi
```

If there is no `shorthands=<chars>`, the original babel macros are left untouched, but if there is, these macros are wrapped (in `babel.def`) to define only those given.

A bit of optimization: if there is no `shorthands=`, then `\bbl@ifshorthand` is always true, and it is always false if `shorthands` is empty. Also, some code makes sense only with `shorthands=...`

```
401 \bbl@trace{Conditional loading of shorthands}
402 \def\bbl@sh@string#1{%
403 \ifx#1\@empty\else
404 \ifx#1t\string~%
405 \else\ifx#1c\string,%
406 \else\string#1%
407 \fi\fi
408 \expandafter\bbl@sh@string
409 \fi}
410 \ifx\bbl@opt@shorthands\@nnil
411 \def\bbl@ifshorthand#1#2#3{#2}%
412 \else\ifx\bbl@opt@shorthands\@empty
413 \def\bbl@ifshorthand#1#2#3{#3}%
414 \else
```

The following macro tests if a shorthand is one of the allowed ones.

```
415 \def\bbl@ifshorthand#1{%
416 \bbl@xin@{\string#1}{\bbl@opt@shorthands}%
417 \ifin@
418 \expandafter\@firstoftwo
419 \else
420 \expandafter\@secondoftwo
421 \fi}
```

We make sure all chars in the string are ‘other’, with the help of an auxiliary macro defined above (which also zaps spaces).

```
422 \edef\bbl@opt@shorthands{%
423 \expandafter\bbl@sh@string\bbl@opt@shorthands\@empty}%
```

The following is ignored with `shorthands=off`, since it is intended to take some additional actions for certain chars.

```
424 \bbl@ifshorthand{'}%
425 {\PassOptionsToPackage{activeacute}{babel}}{}
426 \bbl@ifshorthand{`}%
427 {\PassOptionsToPackage{activegrave}{babel}}{}
428 \fi\fi
```

With `headfoot=lang` we can set the language used in heads/feet. For example, in `babel/3796` just add `headfoot=english`. It misuses `\@resetactivechars`, but seems to work.

```
429 \ifx\bbl@opt@headfoot\@nnil\else
430 \g@addto@macro\@resetactivechars{%
431 \set@typeset@protect
432 \expandafter\select@language@x\expandafter{\bbl@opt@headfoot}%
433 \let\protect\noexpand}
434 \fi
```

For the option `safe` we use a different approach – `\bbl@opt@safe` says which macros are redefined (B for bibs and R for refs). By default, both are currently set, but in a future release it will be set to `none`.

```
435 \ifx\bbl@opt@safe\@undefined
```

```

436 \def\bbl@opt@safe{BR}
437 % \let\bbl@opt@safe\@empty % Pending of \cite
438 \fi

For layout an auxiliary macro is provided, available for packages and language styles.
Optimization: if there is no layout, just do nothing.
439 \bbl@trace{Defining IfBabelLayout}
440 \ifx\bbl@opt@layout\@nnil
441 \newcommand\IfBabelLayout[3]{#3}%
442 \else
443 \bbl@exp{\bbl@forkv{\@nameuse{@raw@opt@babel.sty}}}{%
444 \in{,layout,}{, #1,}%
445 \ifin@
446 \def\bbl@opt@layout{#2}%
447 \bbl@replace\bbl@opt@layout{ }{.}%
448 \fi}
449 \newcommand\IfBabelLayout[1]{%
450 \@expandtwoargs\in{.#1.}{.\bbl@opt@layout.}%
451 \ifin@
452 \expandafter\@firstoftwo
453 \else
454 \expandafter\@secondoftwo
455 \fi}
456 \fi
457 </package>

```

### 3.6. Plain: babel.def (start)

Because of the way docstrip works, we need to insert some code for Plain here. However, the tools provided by the babel installer for literate programming makes this section a short interlude, because the actual code is below, tagged as *Emulate LaTeX*.

First, exit immediately if previously loaded.

```

458 <*core>
459 \ifx\ldf@quit\@undefined\else
460 \endinput\fi % Same line!
461 <@Make sure ProvidesFile is defined>
462 \ProvidesFile{babel.def}[<@date> v<@version> Babel common definitions]
463 \ifx\AtBeginDocument\@undefined
464 <@Emulate LaTeX>
465 \fi
466 <@Basic macros>
467 </core>

```

That is all for the moment. Now follows some common stuff, for both Plain and  $\LaTeX$ . After it, we will resume the  $\LaTeX$ -only stuff.

## 4. babel.sty and babel.def (common)

```

468 <*package | core>
469 \def\bbl@version{<@version>}
470 \def\bbl@date{<@date>}
471 <@Define core switching macros>

```

**\adddialect** The macro `\adddialect` can be used to add the name of a dialect or variant language, for which an already defined hyphenation table can be used.

```

472 \def\adddialect#1#2{%
473 \global\chardef#1#2\relax
474 \bbl@usehooks{adddialect}{#1}{#2}%
475 \begingroup
476 \count@#1\relax
477 \def\bbl@elt##1##2##3##4{%
478 \ifnum\count@=##2\relax
479 \edef\bbl@tempa{\expandafter\@gobbletwo\string#1}%
480 \bbl@info{Hyphen rules for '\expandafter\@gobble\bbl@tempa'

```

```

481             set to \expandafter\string\csname l@##1\endcsname\\%
482             (\string\language\the\count@). Reported}%
483     \def\bbl@elt###1###2###3###4{}%
484     \fi}%
485     \bbl@cs{languages}%
486 \endgroup}

```

\bbl@iflanguage executes code only if the language l@ exists. Otherwise raises an error.

The argument of \bbl@fixname has to be a macro name, as it may get “fixed” if casing (lc/uc) is wrong. It’s an attempt to fix a long-standing bug when \foreignlanguage and the like appear in a \MakeXXXcase. However, a lowercase form is not imposed to improve backward compatibility (perhaps you defined a language named MYLANG, but unfortunately mixed case names cannot be trapped). Note l@ is encapsulated, so that its case does not change.

```

487 \def\bbl@fixname#1{%
488   \begingroup
489   \def\bbl@tempe{l@}%
490   \edef\bbl@tempd{\noexpand\@ifundefined{\noexpand\bbl@tempe#1}}%
491   \bbl@tempd
492     {\lowercase\expandafter{\bbl@tempd}%
493     {\uppercase\expandafter{\bbl@tempd}%
494     \@empty
495     {\edef\bbl@tempd{\def\noexpand#1{#1}}%
496     \uppercase\expandafter{\bbl@tempd}}}%
497     {\edef\bbl@tempd{\def\noexpand#1{#1}}%
498     \lowercase\expandafter{\bbl@tempd}}}%
499   \@empty
500   \edef\bbl@tempd{\endgroup\def\noexpand#1{#1}}%
501   \bbl@tempd
502   \bbl@exp{\bbl@usehooks{language}{\language}{#1}}}
503 \def\bbl@iflanguage#1{%
504   \@ifundefined{l@#1}{\@nolanerr{#1}\@gobble}\@firstofone}

```

After a name has been ‘fixed’, the selectors will try to load the language. If even the fixed name is not defined, will load it on the fly, either based on its name, or if activated, its BCP 47 code.

We first need a couple of macros for a simple BCP 47 look up. It also makes sure, with \bbl@bcpcase, casing is the correct one, so that sr-latn-ba becomes fr-Latn-BA. Note #4 may contain some \@empty’s, but they are eventually removed.

\bbl@bcpllookup either returns the found ini tag or it is \relax.

```

505 \def\bbl@bcpcase#1#2#3#4\@#5{%
506   \ifx\@empty#3%
507     \uppercase{\def#5{#1#2}}%
508   \else
509     \uppercase{\def#5{#1}}%
510     \lowercase{\edef#5{#5#2#3#4}}%
511   \fi}
512 \def\bbl@bcpllookup#1-#2-#3-#4\@{%
513   \let\bbl@bcp\relax
514   \lowercase{\def\bbl@tempa{#1}}%
515   \ifx\@empty#2%
516     \IfFileExists{babel-\bbl@tempa.ini}{\let\bbl@bcp\bbl@tempa}{}%
517   \else\ifx\@empty#3%
518     \bbl@bcpcase#2\@empty\@empty\@{\bbl@tempb}
519     \IfFileExists{babel-\bbl@tempa-\bbl@tempb.ini}%
520     {\edef\bbl@bcp{\bbl@tempa-\bbl@tempb}}%
521     {}%
522   \ifx\bbl@bcp\relax
523     \IfFileExists{babel-\bbl@tempa.ini}{\let\bbl@bcp\bbl@tempa}{}%
524   \fi
525   \else
526     \bbl@bcpcase#2\@empty\@empty\@{\bbl@tempb}
527     \bbl@bcpcase#3\@empty\@empty\@{\bbl@tempc}
528     \IfFileExists{babel-\bbl@tempa-\bbl@tempb-\bbl@tempc.ini}%
529     {\edef\bbl@bcp{\bbl@tempa-\bbl@tempb-\bbl@tempc}}%
530     {}%

```

```

531 \ifx\bb@bcp\relax
532 \IfFileExists{babel-\bb@tempa-\bb@tempc.ini}%
533 {\edef\bb@bcp{\bb@tempa-\bb@tempc}}}%
534 {}%
535 \fi
536 \ifx\bb@bcp\relax
537 \IfFileExists{babel-\bb@tempa-\bb@tempc.ini}%
538 {\edef\bb@bcp{\bb@tempa-\bb@tempc}}}%
539 {}%
540 \fi
541 \ifx\bb@bcp\relax
542 \IfFileExists{babel-\bb@tempa.ini}{\let\bb@bcp\bb@tempa}}}%
543 \fi
544 \fi\fi}
545 \let\bb@initoload\relax

```

**\iflanguage** Users might want to test (in a private package for instance) which language is currently active. For this we provide a test macro, `\iflanguage`, that has three arguments. It checks whether the first argument is a known language. If so, it compares the first argument with the value of `\language`. Then, depending on the result of the comparison, it executes either the second or the third argument.

```

546 \def\iflanguage#1{%
547 \bb@iflanguage{#1}{%
548 \ifnum\csname l@#1\endcsname=\language
549 \expandafter\@firstoftwo
550 \else
551 \expandafter\@secondoftwo
552 \fi}}

```

## 4.1. Selecting the language

**\selectlanguage** It checks whether the language is already defined before it performs its actual task, which is to update `\language` and activate language-specific definitions.

```

553 \let\bb@select@type\z@
554 \edef\selectlanguage{%
555 \noexpand\protect
556 \expandafter\noexpand\csname selectlanguage \endcsname}

```

Because the command `\selectlanguage` could be used in a moving argument it expands to `\protect\selectlanguage`. Therefore, we have to make sure that a macro `\protect` exists. If it doesn't it is `\let` to `\relax`.

```

557 \ifx\@undefined\protect\let\protect\relax\fi

```

The following definition is preserved for backwards compatibility (e.g., arabi, koma). It is related to a trick for 2.09, now discarded.

```

558 \let\xstring\string

```

Since version 3.5 babel writes entries to the auxiliary files in order to typeset table of contents etc. in the correct language environment.

**\bb@pop@language** But when the language change happens *inside* a group the end of the group doesn't write anything to the auxiliary files. Therefore we need TeX's `aftergroup` mechanism to help us. The command `\aftergroup` stores the token immediately following it to be executed when the current group is closed. So we define a temporary control sequence `\bb@pop@language` to be executed at the end of the group. It calls `\bb@set@language` with the name of the current language as its argument.

**\bb@language@stack** The previous solution works for one level of nesting groups, but as soon as more levels are used it is no longer adequate. For that case we need to keep track of the nested languages using a stack mechanism. This stack is called `\bb@language@stack` and initially empty.

```

559 \def\bb@language@stack{}

```

When using a stack we need a mechanism to push an element on the stack and to retrieve the information afterwards.



### **\bbl@push@language**

**\bbl@pop@language** The stack is simply a list of languagenames, separated with a '+' sign; the push function can be simple:

```
560 \def\bbl@push@language{%
561   \ifx\language\@undefined\else
562     \ifx\currentgrouplevel\@undefined
563       \xdef\bbl@language@stack{\language+\bbl@language@stack}%
564     \else
565       \ifnum\currentgrouplevel=\z@
566         \xdef\bbl@language@stack{\language+}%
567       \else
568         \xdef\bbl@language@stack{\language+\bbl@language@stack}%
569       \fi
570     \fi
571 }
```

Retrieving information from the stack is a little bit less simple, as we need to remove the element from the stack while storing it in the macro \language. For this we first define a helper function.

**\bbl@pop@lang** This macro stores its first element (which is delimited by the '+'-sign) in \language and stores the rest of the string in \bbl@language@stack.

```
572 \def\bbl@pop@lang#1+#2\@{%
573   \edef\language{#1}%
574   \xdef\bbl@language@stack{#2}}
```

The reason for the somewhat weird arrangement of arguments to the helper function is the fact it is called in the following way. This means that before \bbl@pop@lang is executed TeX first *expands* the stack, stored in \bbl@language@stack. The result of that is that the argument string of \bbl@pop@lang contains one or more language names, each followed by a '+'-sign (zero language names won't occur as this macro will only be called after something has been pushed on the stack).

```
575 \let\bbl@ifrestoring\@secondoftwo
576 \def\bbl@pop@language{%
577   \expandafter\bbl@pop@lang\bbl@language@stack\@
578   \let\bbl@ifrestoring\@firstoftwo
579   \expandafter\bbl@set@language\expandafter{\language}%
580   \let\bbl@ifrestoring\@secondoftwo}
```

Once the name of the previous language is retrieved from the stack, it is fed to \bbl@set@language to do the actual work of switching everything that needs switching.

An alternative way to identify languages (in the babel sense) with a numerical value is introduced in 3.30. This is one of the first steps for a new interface based on the concept of locale, which explains the name of \localeid. This means \l@... will be reserved for hyphenation patterns (so that two locales can share the same rules).

```
581 \chardef\localeid\z@
582 \gdef\bbl@id@last{0} % No real need for a new counter
583 \def\bbl@id@assign{%
584   \bbl@ifunset\bbl@id@\language}%
585   {\count@\bbl@id@last\relax
586    \advance\count@\@ne
587    \global\bbl@csarg\chardef{id@\language}\count@
588    \xdef\bbl@id@last{\the\count@}%
589    \ifcase\bbl@engine\or
590      \directlua{
591        Babel.locale_props[\bbl@id@last] = {}
592        Babel.locale_props[\bbl@id@last].name = '\language'
593        Babel.locale_props[\bbl@id@last].vars = {}
594      }%
595    \fi}%
596  }%
597  \chardef\localeid\bbl@c{l{id@}}
```

The unprotected part of \selectlanguage. In case it is used as environment, declare \endselectlanguage, just for safety.

```

598 \let\bbl@select@opts\@empty
599 \expandafter\def\csname selectlanguage \endcsname{%
600   \ifnextchar[\bbl@select@s{\bbl@select@s[]}}
601 \def\bbl@select@s[#1]#2{%
602   \def\bbl@select@opts{#1}%
603   \ifnum\bbl@hymapsel=\@ccclv\let\bbl@hymapsel\tw@ \fi
604   \bbl@push@language
605   \aftergroup\bbl@pop@language
606   \bbl@set@language{#2}}
607 \let\endselectlanguage\relax

```

**\bbl@set@language** The macro \bbl@set@language takes care of switching the language environment *and* of writing entries on the auxiliary files. For historical reasons, language names can be either language of \language. To catch either form a trick is used, but unfortunately as a side effect the catcodes of letters in \language are messed up. This is a bug, but preserved for backwards compatibility. The list of auxiliary files can be extended by redefining \BabelContentsFiles, but make sure they are loaded inside a group (as aux, toc, lof, and lot do) or the last language of the document will remain active afterwards.

We also write a command to change the current language in the auxiliary files.

\bbl@savelastskip is used to deal with skips before the write whatsit (as suggested by U Fischer). Adapted from hyperref, but it might fail, so I'll consider it a temporary hack, while I study other options (the ideal, but very likely unfeasible except perhaps in luatex, is to avoid the \write altogether when not needed).

```

608 \def\BabelContentsFiles{toc,lof,lot}
609 \def\bbl@set@language#1{% from selectlanguage, pop@
610   % The old buggy way. Preserved for compatibility, but simplified
611   \edef\language{\expandafter\string#1\@empty}%
612   \select@language{\language}%
613   \bbl@xin@{,main,}{,\bbl@select@opts,}%
614   \ifin@
615     \let\bbl@main@language\localename
616     \let\mainlocalename\localename
617   \fi
618   \let\bbl@select@opts\@empty
619   % write to auxs
620   \expandafter\ifx\csname date\language\endcsname\relax\else
621     \if@filesw
622       \bbl@xin@{,noaux,}{,\bbl@select@opts,}%
623       \ifin@\else
624         \ifx\babel@aux\@gobbletwo\else % Set if single in the first, redundant
625           \bbl@savelastskip
626           \protected@write\auxout{}\string\babel@aux{\bbl@auxname}{}}%
627           \bbl@restorelastskip
628         \fi
629       \fi
630       \bbl@usehooks{write}{}%
631     \fi
632   \fi}
633 %
634 \let\bbl@restorelastskip\relax
635 \let\bbl@savelastskip\relax
636 %
637 \def\select@language#1{% from set@, babel@aux, babel@toc
638   \ifx\bbl@select@name\@empty
639     \def\bbl@select@name{select}%
640   \fi
641   % set hymap
642   \ifnum\bbl@hymapsel=\@ccclv\chardef\bbl@hymapsel4\relax\fi
643   % set name (when coming from babel@aux)
644   \edef\language{#1}%
645   \bbl@fixname\language
646   % define \localename when coming from set@, with a trick
647   \ifx\scantokens\@undefined

```

```

648 \def\localename{??}%
649 \else
650 \bbl@exp{\scantokens{\def\localename{\language}\noexpand}\relax}%
651 \fi
652 \bbl@provide@locale
653 \bbl@iflanguage\language{\%
654 \let\bbl@select@type\z@
655 \expandafter\bbl@switch\expandafter{\language}}
656 \def\babel@aux#1#2{%
657 \select@language{#1}%
658 \bbl@foreach\BabelContentsFiles{% \relax -> don't assume vertical mode
659 \@writefile{##1}{\babel@toc{#1}{#2}\relax}}}%
660 \def\babel@toc#1#2{%
661 \select@language{#1}}

```

First, check if the user asks for a known language. If so, update the value of `\language` and call `\originalTeX` to bring `TeX` in a certain pre-defined state.

The name of the language is stored in the control sequence `\language`.

Then we have to *redefine* `\originalTeX` to compensate for the things that have been activated. To save memory space for the macro definition of `\originalTeX`, we construct the control sequence name for the `\noextras{language}` command at definition time by expanding the `\csname` primitive.

Now activate the language-specific definitions. This is done by constructing the names of three macros by concatenating three words with the argument of `\selectlanguage`, and calling these macros.

The switching of the values of `\lefthyphenmin` and `\righthyphenmin` is somewhat different. First we save their current values, then we check if `\languagehyphenmins` is defined. If it is not, we set default values (2 and 3), otherwise the values in `\languagehyphenmins` will be used.

No text is supposed to be added with switching captions and date, so we remove any spurious spaces with `\bbl@bsphack` and `\bbl@esphack`.

```

662 \newif\ifbbl@usedategroup
663 \let\bbl@savextras\empty
664 \def\bbl@switch#1{% from select@, foreign@
665 % restore
666 \originalTeX
667 \expandafter\def\expandafter\originalTeX\expandafter{%
668 \csname noextras#1\endcsname
669 \let\originalTeX\empty
670 \babel@beginsave}%
671 \bbl@usehooks{afterreset}}}%
672 \languageshorthands{none}%
673 % set the locale id
674 \bbl@id@assign
675 % switch captions, date
676 \bbl@bsphack
677 \ifcase\bbl@select@type
678 \csname captions#1\endcsname\relax
679 \csname date#1\endcsname\relax
680 \else
681 \bbl@xin@{,captions,},{, \bbl@select@opts,}%
682 \ifin@
683 \csname captions#1\endcsname\relax
684 \fi
685 \bbl@xin@{,date,},{, \bbl@select@opts,}%
686 \ifin@ % if \foreign... within \<language>date
687 \csname date#1\endcsname\relax
688 \fi
689 \fi
690 \bbl@esphack
691 % switch extras
692 \csname bbl@preextras@#1\endcsname
693 \bbl@usehooks{beforeextras}}}%
694 \csname extras#1\endcsname\relax
695 \bbl@usehooks{afterextras}}}%

```

```

696 % > babel-ensure
697 % > babel-sh-<short>
698 % > babel-bidi
699 % > babel-fontspec
700 \let\bbbl@savedextras\@empty
701 % hyphenation - case mapping
702 \ifcase\bbbl@opt@hyphenmap\or
703   \def\BabelLower##1##2{\lccode##1=##2\relax}%
704   \ifnum\bbbl@hymapsel>4\else
705     \csname\language @bbbl@hyphenmap\endcsname
706   \fi
707   \chardef\bbbl@opt@hyphenmap\z@
708 \else
709   \ifnum\bbbl@hymapsel>\bbbl@opt@hyphenmap\else
710     \csname\language @bbbl@hyphenmap\endcsname
711   \fi
712 \fi
713 \let\bbbl@hymapsel\@cclv
714 % hyphenation - select rules
715 \ifnum\csname l@\language\endcsname=\l@unhyphenated
716   \edef\bbbl@tempa{u}%
717 \else
718   \edef\bbbl@tempa{\bbbl@cl{\lnbrk}}%
719 \fi
720 % linebreaking - handle u, e, k (v in the future)
721 \bbbl@xin@{/u}{/\bbbl@tempa}%
722 \ifin@ \else \bbbl@xin@{/e}{/\bbbl@tempa} \fi % elongated forms
723 \ifin@ \else \bbbl@xin@{/k}{/\bbbl@tempa} \fi % only kashida
724 \ifin@ \else \bbbl@xin@{/p}{/\bbbl@tempa} \fi % padding (e.g., Tibetan)
725 \ifin@ \else \bbbl@xin@{/v}{/\bbbl@tempa} \fi % variable font
726 % hyphenation - save mins
727 \babel@savevariable\lefthyphenmin
728 \babel@savevariable\righthyphenmin
729 \ifnum\bbbl@engine=\@ne
730   \babel@savevariable\hyphenationmin
731 \fi
732 \ifin@
733   % unhyphenated/kashida/elongated/padding = allow stretching
734   \language\l@unhyphenated
735   \babel@savevariable\emergencystretch
736   \emergencystretch\maxdimen
737   \babel@savevariable\hbadness
738   \hbadness\@M
739 \else
740   % other = select patterns
741   \bbbl@patterns{#1}%
742 \fi
743 % hyphenation - set mins
744 \expandafter\ifx\csname #1hyphenmins\endcsname\relax
745   \set@hyphenmins\tw@\thr@@\relax
746   \@nameuse{bbbl@hyphenmins@}%
747 \else
748   \expandafter\expandafter\expandafter\set@hyphenmins
749     \csname #1hyphenmins\endcsname\relax
750 \fi
751 \@nameuse{bbbl@hyphenmins@}%
752 \@nameuse{bbbl@hyphenmins@\language}%
753 \@nameuse{bbbl@hyphenatmin@}%
754 \@nameuse{bbbl@hyphenatmin@\language}%
755 \let\bbbl@selectortname\@empty}

```

**otherlanguage** It can be used as an alternative to using the `\selectlanguage` declarative command. The `\ignorespaces` command is necessary to hide the environment when it is entered in horizontal

mode.

```
756 \long\def\otherlanguage#1{%
757   \def\bbl@selectorname{other}%
758   \ifnum\bbl@hymapsel=\ccclv\let\bbl@hymapsel\thr@@\fi
759   \csname selectlanguage \endcsname{#1}%
760   \ignorespaces}
```

The `\endotherlanguage` part of the environment tries to hide itself when it is called in horizontal mode.

```
761 \long\def\endotherlanguage{\@ignoretrue\ignorespaces}
```

**otherlanguage\*** It is meant to be used when a large part of text from a different language needs to be typeset, but without changing the translation of words such as ‘figure’. It makes use of `\foreign@language`.

```
762 \expandafter\def\csname otherlanguage*\endcsname{%
763   \@ifnextchar[\bbl@otherlanguage@s{\bbl@otherlanguage@s[]}}
764 \def\bbl@otherlanguage@s[#1]#2{%
765   \def\bbl@selectorname{other*}%
766   \ifnum\bbl@hymapsel=\ccclv\chardef\bbl@hymapsel4\relax\fi
767   \def\bbl@select@opts{#1}%
768   \foreign@language{#2}}
```

At the end of the environment we need to switch off the extra definitions. The grouping mechanism of the environment will take care of resetting the correct hyphenation rules and “extras”.

```
769 \expandafter\let\csname endotherlanguage*\endcsname\relax
```

**\foreignlanguage** This command takes two arguments, the first argument is the name of the language to use for typesetting the text specified in the second argument.

Unlike `\selectlanguage` this command doesn’t switch *everything*, it only switches the hyphenation rules and the extra definitions for the language specified. It does this within a group and assumes the `\extras<language>` command doesn’t make any \global changes. The coding is very similar to part of `\selectlanguage`.

`\bbl@beforeforeign` is a trick to fix a bug in bidi texts. `\foreignlanguage` is supposed to be a ‘text’ command, and therefore it must emit a `\leavevmode`, but it does not, and therefore the indent is placed on the opposite margin. For backward compatibility, however, it is done only if a right-to-left script is requested; otherwise, it is no-op.

(3.11) `\foreignlanguage*` is a temporary, experimental macro for a few lines with a different script direction, while preserving the paragraph format (thank the braces around `\par`, things like `\hangindent` are not reset). Do not use it in production, because its semantics and its syntax may change (and very likely will, or even it could be removed altogether). Currently it enters in vmode and then selects the language (which in turn sets the paragraph direction).

(3.11) Also experimental are the hook `foreign` and `foreign*`. With them you can redefine `\BabelText` which by default does nothing. Its behavior is not well defined yet. So, use it in horizontal mode only if you do not want surprises.

In other words, at the beginning of a paragraph `\foreignlanguage` enters into hmode with the surrounding lang, and with `\foreignlanguage*` with the new lang.

```
770 \providecommand\bbl@beforeforeign{}
771 \edef\foreignlanguage{%
772   \noexpand\protect
773   \expandafter\noexpand\csname foreignlanguage \endcsname}
774 \expandafter\def\csname foreignlanguage \endcsname{%
775   \@ifstar\bbl@foreign@s\bbl@foreign@x}
776 \providecommand\bbl@foreign@x[3][]{%
777   \begingroup
778     \def\bbl@selectorname{foreign}%
779     \def\bbl@select@opts{#1}%
780     \let\BabelText\@firstofone
781     \bbl@beforeforeign
782     \foreign@language{#2}%
783     \bbl@usehooks{foreign}{}%
784     \BabelText{#3}% Now in horizontal mode!
785   \endgroup}
```

```

786 \def\bbl@foreign@s#1#2{%
787   \begingroup
788     {\par}%
789     \def\bbl@select@name{foreign*}%
790     \let\bbl@select@opts\@empty
791     \let\BabelText\@firstofone
792     \foreign@language{#1}%
793     \bbl@usehooks{foreign*}{}%
794     \bbl@dirparastext
795     \BabelText{#2}% Still in vertical mode!
796     {\par}%
797   \endgroup}
798 \providecommand\BabelWrapText[1]{%
799   \def\bbl@tempa{\def\BabelText###1}%
800   \expandafter\bbl@tempa\expandafter{\BabelText{#1}}

```

**\foreign@language** This macro does the work for `\foreignlanguage` and the `otherlanguage*` environment. First we need to store the name of the language and check that it is a known language. Then it just calls `bbl@switch`.

```

801 \def\foreign@language#1{%
802   % set name
803   \edef\language#1%
804   \ifbbl@usedategroup
805     \bbl@add\bbl@select@opts{,date,}%
806     \bbl@usedategroupfalse
807   \fi
808   \bbl@fixname\language
809   \let\localname\language
810   \bbl@provide@locale
811   \bbl@iflanguage\language{%
812     \let\bbl@select@type\@ne
813     \expandafter\bbl@switch\expandafter{\language}}

```

The following macro executes conditionally some code based on the selector being used.

```

814 \def\IfBabelSelectorTF#1{%
815   \bbl@xin@{\bbl@select@name,}{,\zap@space#1 \@empty,}%
816   \ifin@
817     \expandafter\@firstoftwo
818   \else
819     \expandafter\@secondoftwo
820   \fi}

```

**\bbl@patterns** This macro selects the hyphenation patterns by changing the `\language` register. If special hyphenation patterns are available specifically for the current font encoding, use them instead of the default.

It also sets hyphenation exceptions, but only once, because they are global (here `\language` `\lccode's` has been set, too). `\bbl@hyphenation@` is set to relax until the very first `\babelhyphenation`, so do nothing with this value. If the exceptions for a language (by its number, not its name, so that `:ENC` is taken into account) has been set, then use `\hyphenation` with both global and language exceptions and empty the latter to mark they must not be set again.

```

821 \let\bbl@hyphlist\@empty
822 \let\bbl@hyphenation@\relax
823 \let\bbl@pttnlist\@empty
824 \let\bbl@patterns@\relax
825 \let\bbl@hymapsel=\ccclv
826 \def\bbl@patterns#1{%
827   \language=\expandafter\ifx\csname l@#1:\f@encoding\endcsname\relax
828     \csname l@#1\endcsname
829     \edef\bbl@tempa{#1}%
830   \else
831     \csname l@#1:\f@encoding\endcsname
832     \edef\bbl@tempa{#1:\f@encoding}%

```

```

833 \fi
834 \@expandtwoargs\bbbl@usehooks{patterns}{\#1}{\bbbl@tempa}}%
835 % > luatex
836 \@ifundefined{bbbl@hyphenation@}{\% Can be \relax!
837 \begingroup
838 \bbbl@xin@{, \number\language,}{, \bbbl@hyphlist}%
839 \ifin@else
840 \@expandtwoargs\bbbl@usehooks{hyphenation}{\#1}{\bbbl@tempa}}%
841 \hyphenation{%
842 \bbbl@hyphenation@
843 \@ifundefined{bbbl@hyphenation@#1}%
844 \@empty
845 {\space\csname bbbl@hyphenation@#1\endcsname}}%
846 \xdef\bbbl@hyphlist{\bbbl@hyphlist\number\language,}%
847 \fi
848 \endgroup}}

```

**hyphenrules** It can be used to select *just* the hyphenation rules. It does *not* change `\language` and when the hyphenation rules specified were not loaded it has no effect. Note however, `\lccode`'s and font encodings are not set at all, so in most cases you should use other `\language*`.

```

849 \def\hyphenrules#1{%
850 \edef\bbbl@tempf{\#1}%
851 \bbbl@fixname\bbbl@tempf
852 \bbbl@iflanguage\bbbl@tempf{%
853 \expandafter\bbbl@patterns\expandafter{\bbbl@tempf}%
854 \ifx\languageshorthands\@undefined\else
855 \languageshorthands{none}%
856 \fi
857 \expandafter\ifx\csname\bbbl@tempf hyphenmins\endcsname\relax
858 \set@hyphenmins\tw@\thr@@\relax
859 \else
860 \expandafter\expandafter\expandafter\set@hyphenmins
861 \csname\bbbl@tempf hyphenmins\endcsname\relax
862 \fi}}
863 \let\endhyphenrules\@empty

```

**\providehyphenmins** The macro `\providehyphenmins` should be used in the language definition files to provide a *default* setting for the hyphenation parameters `\lefthyphenmin` and `\righthyphenmin`. If the macro `\(language)hyphenmins` is already defined this command has no effect.

```

864 \def\providehyphenmins#1#2{%
865 \expandafter\ifx\csname #1hyphenmins\endcsname\relax
866 \@namedef{\#1hyphenmins}{\#2}%
867 \fi}

```

**\set@hyphenmins** This macro sets the values of `\lefthyphenmin` and `\righthyphenmin`. It expects two values as its argument.

```

868 \def\set@hyphenmins#1#2{%
869 \lefthyphenmin#1\relax
870 \righthyphenmin#2\relax}

```

**\ProvidesLanguage** The identification code for each file is something that was introduced in  $\text{\LaTeX 2}_{\epsilon}$ . When the command `\ProvidesFile` does not exist, a dummy definition is provided temporarily. For use in the language definition file the command `\ProvidesLanguage` is defined by `babel`.

Depending on the format, i.e., or if the former is defined, we use a similar definition or not.

```

871 \ifx\ProvidesFile\@undefined
872 \def\ProvidesLanguage#1[#2 #3 #4]{%
873 \wlog{Language: #1 #4 #3 <#2>}%
874 }
875 \else
876 \def\ProvidesLanguage#1{%

```

```

877 \begingroup
878 \catcode\ 10 %
879 \@makeother\/%
880 \@ifnextchar[%]
881 {\@provideslanguage{#1}}{\@provideslanguage{#1}[]}
882 \def\@provideslanguage#1[#2]{%
883 \wlog{Language: #1 #2}%
884 \expandafter\xdef\csname ver@#1.ldf\endcsname{#2}%
885 \endgroup}
886 \fi

```

**\originalTeX** The macro `\originalTeX` should be known to  $\TeX$  at this moment. As it has to be expandable we `\let` it to `\@empty` instead of `\relax`.

```
887 \ifx\originalTeX\@undefined\let\originalTeX\@empty\fi
```

Because this part of the code can be included in a format, we make sure that the macro which initializes the save mechanism, `\babel@beginsave`, is not considered to be undefined.

```
888 \ifx\babel@beginsave\@undefined\let\babel@beginsave\relax\fi
```

A few macro names are reserved for future releases of `babel`, which will use the concept of ‘locale’:

```

889 \providecommand\setlocale{\bbl@error{not-yet-available}}{}{}
890 \let\uselocale\setlocale
891 \let\locale\setlocale
892 \let\selectlocale\setlocale
893 \let\textlocale\setlocale
894 \let\textlanguage\setlocale
895 \let\languagegettext\setlocale

```

## 4.2. Errors

### **\@nolanerr**

**\@nopatterns** The `babel` package will signal an error when a documents tries to select a language that hasn’t been defined earlier. When a user selects a language for which no hyphenation patterns were loaded into the format he will be given a warning about that fact. We revert to the patterns for `\language=0` in that case. In most formats that will be (US)english, but it might also be empty.

**\@noopterr** When the package was loaded without options not everything will work as expected. An error message is issued in that case.

When the format knows about  $\LaTeX 2\epsilon$ , so we can safely use its error handling interface. Otherwise we’ll have to ‘keep it simple’.

Infos are not written to the console, but on the other hand many people think warnings are errors, so a further message type is defined: an important info which is sent to the console.

```

896 \edef\bbl@nulllanguage{\string\language=0}
897 \def\bbl@nocaption{\protect\bbl@nocaption@i}
898 \def\bbl@nocaption@i#1#2{% 1: text to be printed 2: caption macro \langXname
899 \global\@namedef{#2}{\textbf{?#1?}}%
900 \@nameuse{#2}%
901 \edef\bbl@tempa{#1}%
902 \bbl@sreplace\bbl@tempa{name}}}%
903 \bbl@sreplace\bbl@tempa{NAME}}}%
904 \bbl@warning{%
905 \@backslashchar#1 not set for '\language'. Please,\\%
906 define it after the language has been loaded\\%
907 (typically in the preamble) with:\\%
908 \string\setlocalecaption{\language}{\bbl@tempa}{..}\\%
909 Feel free to contribute on github.com/latex3/babel.\\%
910 Reported}}
911 \def\bbl@tentative{\protect\bbl@tentative@i}
912 \def\bbl@tentative@i#1{%
913 \bbl@warning{%
914 Some functions for '#1' are tentative.\\%
915 They might not work as expected and their behavior\\%

```



```

916     could change in the future.\\%
917     Reported}}
918 \def\@nolanerr#1{\bbl@error{undefined-language}{#1}{}}
919 \def\@nopatterns#1{%
920   \bbl@warning
921   {No hyphenation patterns were preloaded for\\%
922     the language '#1' into the format.\\%
923     Please, configure your TeX system to add them and\\%
924     rebuild the format. Now I will use the patterns\\%
925     preloaded for \bbl@nulllanguage\space instead}}
926 \let\bbl@usehooks\@gobbletwo

Here ended the now discarded switch.def.
Here also (currently) ends the base option.

927 \ifx\bbl@onlyswitch\@empty\endinput\fi

```

### 4.3. More on selection

**\babelensure** The user command just parses the optional argument and creates a new macro named `\bbl@e@<language>`. We register a hook at the `afterextras` event which just executes this macro in a “complete” selection (which, if undefined, is `\relax` and does nothing). This part is somewhat involved because we have to make sure things are expanded the correct number of times.

The macro `\bbl@e@<language>` contains `\bbl@ensure{<include>}{<exclude>}{<fontenc>}`, which in turn loops over the macros names in `\bbl@captionslist`, excluding (with the help of `\in@`) those in the `exclude` list. If the `fontenc` is given (and not `\relax`), the `\fontencoding` is also added. Then we loop over the `include` list, but if the macro already contains `\foreignlanguage`, nothing is done. Note this macro (1) is not restricted to the preamble, and (2) changes are local.

```

928 \bbl@trace{Defining babelensure}
929 \newcommand\babelensure[2][]{%
930   \AddBabelHook{babel-ensure}{afterextras}{%
931     \ifcase\bbl@select@type
932       \bbl@ccl{e}%
933       \fi}%
934   \begingroup
935     \let\bbl@ens@include\@empty
936     \let\bbl@ens@exclude\@empty
937     \def\bbl@ens@fontenc{\relax}%
938     \def\bbl@tempb##1{%
939       \ifx\@empty##1\else\noexpand##1\expandafter\bbl@tempb\fi}%
940     \edef\bbl@tempa{\bbl@tempb#1\@empty}%
941     \def\bbl@tempb##1=##2\@{\@namedef{\bbl@ens@##1}{##2}}%
942     \bbl@foreach\bbl@tempa{\bbl@tempb##1\@}%
943     \def\bbl@tempc{\bbl@ensure}%
944     \expandafter\bbl@add\expandafter\bbl@tempc\expandafter{%
945       \expandafter{\bbl@ens@include}}%
946     \expandafter\bbl@add\expandafter\bbl@tempc\expandafter{%
947       \expandafter{\bbl@ens@exclude}}%
948     \toks@\expandafter{\bbl@tempc}%
949     \bbl@exp{%
950   \endgroup
951   \def<\bbl@e@#2>{\the\toks@{\bbl@ens@fontenc}}}}
952 \def\bbl@ensure#1#2#3{% 1: include 2: exclude 3: fontenc
953   \def\bbl@tempb##1{% elt for (excluding) \bbl@captionslist list
954     \ifx##1\undefined % 3.32 - Don't assume the macro exists
955       \edef##1{\noexpand\bbl@nocaption
956         {\bbl@stripslash##1}{\language\name\bbl@stripslash##1}}%
957       \fi
958       \ifx##1\@empty\else
959         \in@{##1}{#2}%
960         \ifin@ \else
961           \bbl@ifunset{\bbl@ensure@\language\name}%
962           {\bbl@exp{%
963             \\DeclareRobustCommand<\bbl@ensure@\language\name>[1]{%

```

```

964         \\foreignlanguage{\language}%
965         {\ifx\relax#3\else
966         \\fontencoding{#3}\\selectfont
967         \fi
968         #####1}}}%
969     }%
970     \toks@\expandafter{##1}%
971     \edef##1{%
972         \bbl@csarg\noexpand{ensure@\language}%
973         {\the\toks@}}%
974     \fi
975     \expandafter\bbl@tempb
976     \fi}%
977     \expandafter\bbl@tempb\bbl@captionslist\today\@empty
978     \def\bbl@tempa##1{% elt for include list
979         \ifx##1\@empty\else
980             \bbl@csarg\in@{ensure@\language\expandafter}\expandafter{##1}%
981             \ifin\else
982                 \bbl@tempb##1\@empty
983             \fi
984             \expandafter\bbl@tempa
985         \fi}%
986     \bbl@tempa#1\@empty}
987     \def\bbl@captionslist{%
988         \prefacename\refname\abstractname\bibname\chaptername\appendixname
989         \contentsname\listfigurename\listtablename\indexname\figurename
990         \tablename\partname\enclname\ccname\headtoname\pagename\seename
991         \alsoname\proofname\glossaryname}

```

#### 4.4. Short tags

**\babeltags** This macro is straightforward. After zapping spaces, we loop over the list and define the macros `\text{<tag>}` and `\<tag>`. Definitions are first expanded so that they don't contain `\csname` but the actual macro.

```

992 \bbl@trace{Short tags}
993 \newcommand\babeltags[1]{%
994     \edef\bbl@tempa{\zap@space#1 \@empty}%
995     \def\bbl@tempb##1=##2\@{
996         \edef\bbl@tempc{%
997             \noexpand\newcommand
998             \expandafter\noexpand\csname ##1\endcsname{%
999                 \noexpand\protect
1000                 \expandafter\noexpand\csname otherlanguage*\endcsname{##2}}
1001             \noexpand\newcommand
1002             \expandafter\noexpand\csname text##1\endcsname{%
1003                 \noexpand\foreignlanguage{##2}}}
1004         \bbl@tempc}%
1005     \bbl@for\bbl@tempa\bbl@tempa{
1006         \expandafter\bbl@tempb\bbl@tempa\@{

```

#### 4.5. Compatibility with language.def

Plain e-TeX doesn't rely on language.dat, but babel can be made compatible with this format easily.

```

1007 \bbl@trace{Compatibility with language.def}
1008 \ifx\directlua\@undefined\else
1009     \ifx\bbl@luapatterns\@undefined
1010         \input luabel.def
1011     \fi
1012 \fi
1013 \ifx\bbl@languages\@undefined
1014     \ifx\directlua\@undefined
1015         \openin1 = language.def

```

```

1016 \ifeof1
1017 \closein1
1018 \message{I couldn't find the file language.def}
1019 \else
1020 \closein1
1021 \begingroup
1022 \def\addlanguage#1#2#3#4#5{%
1023 \expandafter\ifx\csname lang@#1\endcsname\relax\else
1024 \global\expandafter\let\csname l@#1\expandafter\endcsname
1025 \csname lang@#1\endcsname
1026 \fi}%
1027 \def\uselanguage#1{%
1028 \input language.def
1029 \endgroup
1030 \fi
1031 \fi
1032 \chardef\l@english\z@
1033 \fi

```

**\addto** It takes two arguments, a *<control sequence>* and TeX-code to be added to the *<control sequence>*.

If the *<control sequence>* has not been defined before it is defined now. The control sequence could also expand to `\relax`, in which case a circular definition results. The net result is a stack overflow. Note there is an inconsistency, because the assignment in the last branch is global.

```

1034 \def\addto#1#2{%
1035 \ifx#1\@undefined
1036 \def#1{#2}%
1037 \else
1038 \ifx#1\relax
1039 \def#1{#2}%
1040 \else
1041 {\toks@\expandafter{#1#2}%
1042 \xdef#1{\the\toks@}}%
1043 \fi
1044 \fi}

```

## 4.6. Hooks

Admittedly, the current implementation is a somewhat simplistic and does very little to catch errors, but it is meant for developers, after all. `\bbl@usehooks` is the commands used by babel to execute hooks defined for an event.

```

1045 \bbl@trace{Hooks}
1046 \newcommand\AddBabelHook[3][{}]{%
1047 \bbl@ifunset\bbl@hk@#2{\EnableBabelHook{#2}}{}%
1048 \def\bbl@tempa#1,#3=##2,##3\@empty{\def\bbl@tempb{##2}}%
1049 \expandafter\bbl@tempa\bbl@evargs,#3=,\@empty
1050 \bbl@ifunset\bbl@ev@#2@#3@#1{%
1051 {\bbl@csarg\bbl@add{ev@#3@#1}{\bbl@elth{#2}}}%
1052 {\bbl@csarg\let{ev@#2@#3@#1}\relax}%
1053 \bbl@csarg\newcommand{ev@#2@#3@#1}{\bbl@tempb}}
1054 \newcommand\EnableBabelHook[1]{\bbl@csarg\let{hk@#1}\@firstofone}
1055 \newcommand\DisableBabelHook[1]{\bbl@csarg\let{hk@#1}\@gobble}
1056 \def\bbl@usehooks{\bbl@usehooks@lang\language}
1057 \def\bbl@usehooks@lang#1#2#3{% Test for Plain
1058 \ifx\UseHook\@undefined\else\UseHook{babel/*/#2}\fi
1059 \def\bbl@elth##1{%
1060 \bbl@cs{hk@##1}{\bbl@cs{ev@##1@#2@#3}}%
1061 \bbl@cs{ev@#2@#3}%
1062 \ifx\language\@undefined\else % Test required for Plain (?)
1063 \ifx\UseHook\@undefined\else\UseHook{babel/#1/#2}\fi
1064 \def\bbl@elth##1{%
1065 \bbl@cs{hk@##1}{\bbl@cs{ev@##1@#2@#1@#3}}%

```

```

1066 \bbl@cs{ev@#2@#1}%
1067 \fi}

```

To ensure forward compatibility, arguments in hooks are set implicitly. So, if a further argument is added in the future, there is no need to change the existing code. Note events intended for `hyphen.cfg` are also loaded (just in case you need them for some reason).

```

1068 \def\bbl@evargs{,% <- don't delete this comma
1069 everylanguage=1,loadkernel=1,loadpatterns=1,loadexceptions=1,%
1070 adddialect=2,patterns=2,defaultcommands=0,encodedcommands=2,write=0,%
1071 beforeextras=0,afterextras=0,stopcommands=0,stringprocess=0,%
1072 hyphenation=2,initiateactive=3,afterreset=0,foreign=0,foreign*=0,%
1073 beforestart=0,language=2,begindocument=1}
1074 \ifx\NewHook\@undefined\else % Test for Plain (?)
1075 \def\bbl@tempa#1=#2\@{\NewHook{babel/#1}}
1076 \bbl@foreach\bbl@evargs{\bbl@tempa#1\@}
1077 \fi

```

Since the following command is meant for a hook (although a  $\text{\LaTeX}$  one), it's placed here.

```

1078 \providecommand\PassOptionsToLocale[2]{%
1079 \bbl@csarg\bbl@add@list{passto@#2}{#1}}

```

## 4.7. Setting up language files

**\LdfInit** `\LdfInit` macro takes two arguments. The first argument is the name of the language that will be defined in the language definition file; the second argument is either a control sequence or a string from which a control sequence should be constructed. The existence of the control sequence indicates that the file has been processed before.

At the start of processing a language definition file we always check the category code of the `@`-sign. We make sure that it is a 'letter' during the processing of the file. We also save its name as the last called option, even if not loaded.

Another character that needs to have the correct category code during processing of language definition files is the equals sign, `=`, because it is sometimes used in constructions with the `\let` primitive. Therefore we store its current catcode and restore it later on.

Now we check whether we should perhaps stop the processing of this file. To do this we first need to check whether the second argument that is passed to `\LdfInit` is a control sequence. We do that by looking at the first token after passing `#2` through `string`. When it is equal to `\@backslashchar` we are dealing with a control sequence which we can compare with `\@undefined`.

If so, we call `\ldf@quit` to set the main language, restore the category code of the `@`-sign and call `\endinput`

When `#2` was *not* a control sequence we construct one and compare it with `\relax`.

Finally we check `\originalTeX`.

```

1080 \bbl@trace{Macros for setting language files up}
1081 \def\bbl@ldfinit{%
1082 \let\bbl@screset\@empty
1083 \let\BabelStrings\bbl@opt@string
1084 \let\BabelOptions\@empty
1085 \let\BabelLanguages\relax
1086 \ifx\originalTeX\@undefined
1087 \let\originalTeX\@empty
1088 \else
1089 \originalTeX
1090 \fi}
1091 \def\LdfInit#1#2{%
1092 \chardef\atcatcode=\catcode`\@
1093 \catcode`\@=11\relax
1094 \chardef\eqcatcode=\catcode`\=
1095 \catcode`\==12\relax
1096 \ifpackagewith{babel}{ensureinfo=off}}}%
1097 {\ifx\InputIfFileExists\@undefined\else
1098 \bbl@ifunset{\bbl@lname@#1}%
1099 {\let\bbl@ensuring\@empty % Flag used in babel-serbianc.tex
1100 \def\language#1}%
1101 \bbl@id@assign

```

```

1102         \bbl@load@info{#1}}}%
1103     }%
1104     \fi}%
1105     \expandafter\if\expandafter\@backslashchar
1106         \expandafter\@car\string#2\@nil
1107         \ifx#2\@undefined\else
1108             \ldf@quit{#1}%
1109         \fi
1110     \else
1111         \expandafter\ifx\csname#2\endcsname\relax\else
1112             \ldf@quit{#1}%
1113         \fi
1114     \fi
1115     \bbl@ldfinit}

```

**\ldf@quit** This macro interrupts the processing of a language definition file. Remember `\endinput` is not executed immediately, but delayed to the end of the current line in the input file.

```

1116 \def\ldf@quit#1{%
1117     \expandafter\main@language\expandafter{#1}%
1118     \catcode`\@=\atcatcode \let\atcatcode\relax
1119     \catcode`\==\eqcatcode \let\eqcatcode\relax
1120     \endinput}

```

**\ldf@finish** This macro takes one argument. It is the name of the language that was defined in the language definition file.

We load the local configuration file if one is present, we set the main language (taking into account that the argument might be a control sequence that needs to be expanded) and reset the category code of the `@`-sign.

```

1121 \def\bbl@afterldf{%
1122     \bbl@afterlang
1123     \let\bbl@afterlang\relax
1124     \let\BabelModifiers\relax
1125     \let\bbl@screset\relax}%
1126 \def\ldf@finish#1{%
1127     \loadlocalcfg{#1}%
1128     \bbl@afterldf
1129     \expandafter\main@language\expandafter{#1}%
1130     \catcode`\@=\atcatcode \let\atcatcode\relax
1131     \catcode`\==\eqcatcode \let\eqcatcode\relax}

```

After the preamble of the document the commands `\LdfInit`, `\ldf@quit` and `\ldf@finish` are no longer needed. Therefore they are turned into warning messages in  $\LaTeX$ .

```

1132 \@onlypreamble\LdfInit
1133 \@onlypreamble\ldf@quit
1134 \@onlypreamble\ldf@finish

```

## **\main@language**

**\bbl@main@language** This command should be used in the various language definition files. It stores its argument in `\bbl@main@language`; to be used to switch to the correct language at the beginning of the document.

```

1135 \def\main@language#1{%
1136     \def\bbl@main@language{#1}%
1137     \let\language\name\bbl@main@language
1138     \let\localename\bbl@main@language
1139     \let\mainlocalename\bbl@main@language
1140     \bbl@id@assign
1141     \bbl@patterns{\language\name}}

```

We also have to make sure that some code gets executed at the beginning of the document, either when the aux file is read or, if it does not exist, when the `\AtBeginDocument` is executed. Languages do not set `\pagedir`, so we set here for the whole document to the main `\bodydir`.

The code written to the aux file attempts to avoid errors if babel is removed from the document.

```

1142 \def\bbl@beforestart{%
1143   \def\nolanerr##1{%
1144     \bbl@carg\chardef{l@##1}\z@
1145     \bbl@warning{Undefined language '##1' in aux.\\Reported}}%
1146   \bbl@usehooks{beforestart}{}%
1147   \global\let\bbl@beforestart\relax}
1148 \AtBeginDocument{%
1149   {\@nameuse{bbl@beforestart}}% Group!
1150   \if@filesw
1151     \providecommand\babel@aux[2]{}%
1152     \immediate\write\@mainaux{\unexpanded{%
1153       \providecommand\babel@aux[2]{\global\let\babel@toc\@gobbletwo}}}%
1154     \immediate\write\@mainaux{\string\@nameuse{bbl@beforestart}}%
1155   \fi
1156   \expandafter\selectlanguage\expandafter{\bbl@main@language}%
1157   \ifbbl@single % must go after the line above.
1158     \renewcommand\selectlanguage[1]{}%
1159     \renewcommand\foreignlanguage[2]{#2}%
1160     \global\let\babel@aux\@gobbletwo % Also as flag
1161   \fi}
1162 %
1163 \ifcase\bbl@engine\or
1164   \AtBeginDocument{\pagedir\bodydir}
1165 \fi

```

A bit of optimization. Select in heads/feet the language only if necessary.

```

1166 \def\select@language@x#1{%
1167   \ifcase\bbl@select@type
1168     \bbl@ifsamestring\language#1{\select@language{#1}}%
1169   \else
1170     \select@language{#1}%
1171   \fi}

```

## 4.8. Shorthands

The macro `\initiate@active@char` below takes all the necessary actions to make its argument a shorthand character. The real work is performed once for each character. But first we define a little tool.

```

1172 \bbl@trace{Shorhands}
1173 \def\bbl@withactive#1#2{%
1174   \begingroup
1175     \lccode`~=#2\relax
1176     \lowercase{\endgroup#1~}}

```

**\bbl@add@special** The macro `\bbl@add@special` is used to add a new character (or single character control sequence) to the macro `\dospecials` (and `\@sanitize` if  $\LaTeX$  is used). It is used only at one place, namely when `\initiate@active@char` is called (which is ignored if the char has been made active before). Because `\@sanitize` can be undefined, we put the definition inside a conditional.

Items are added to the lists without checking its existence or the original catcode. It does not hurt, but should be fixed. It's already done with `\nfss@catcodes`, added in 3.10.

```

1177 \def\bbl@add@special#1{% 1:a macro like \", \?, etc.
1178   \bbl@add\dospecials{\do#1}% test @sanitize = \relax, for back. compat.
1179   \bbl@ifunset{@sanitize}{\bbl@add@sanitize{\@makeother#1}}%
1180   \ifx\nfss@catcodes\undefined\else
1181     \begingroup
1182       \catcode`#1\active
1183       \nfss@catcodes
1184       \ifnum\catcode`#1=\active
1185         \endgroup
1186       \bbl@add\nfss@catcodes{\@makeother#1}%
1187     \else

```

```

1188         \endgroup
1189     \fi
1190 \fi}

```

**\initiate@active@char** A language definition file can call this macro to make a character active. This macro takes one argument, the character that is to be made active. When the character was already active this macro does nothing. Otherwise, this macro defines the control sequence `\normal@char⟨char⟩` to expand to the character in its ‘normal state’ and it defines the active character to expand to `\normal@char⟨char⟩` by default (`⟨char⟩` being the character to be made active). Later its definition can be changed to expand to `\active@char⟨char⟩` by calling `\bbl@activate{⟨char⟩}`.

For example, to make the double quote character active one could have `\initiate@active@char{"}` in a language definition file. This defines `"` as `\active@prefix " \active@char` (where the first `"` is the character with its original catcode, when the shorthand is created, and `\active@char` is a single token). In protected contexts, it expands to `\protect " or \noexpand "` (i.e., with the original `"`); otherwise `\active@char` is executed. This macro in turn expands to `\normal@char` in “safe” contexts (e.g., `\label`), but `\user@active` in normal “unsafe” ones. The latter search a definition in the user, language and system levels, in this order, but if none is found, `\normal@char` is used. However, a deactivated shorthand (with `\bbl@deactivate` is defined as `\active@prefix "\normal@char`).

The following macro is used to define shorthands in the three levels. It takes 4 arguments: the (string’ed) character, `\⟨level⟩@group`, `⟨level⟩@active` and `⟨next-level⟩@active` (except in system).

```

1191 \def\bbl@active@def#1#2#3#4{%
1192   \@namedef{#3#1}{%
1193     \expandafter\ifx\csname#2@sh@#1@\endcsname\relax
1194       \bbl@afterelse\bbl@sh@select#2#1{#3@arg#1}{#4#1}%
1195     \else
1196       \bbl@afterfi\csname#2@sh@#1@\endcsname
1197     \fi}%

```

When there is also no current-level shorthand with an argument we will check whether there is a next-level defined shorthand for this active character.

```

1198   \long\@namedef{#3@arg#1}##1{%
1199     \expandafter\ifx\csname#2@sh@#1@\string##1@\endcsname\relax
1200       \bbl@afterelse\csname#4#1\endcsname##1%
1201     \else
1202       \bbl@afterfi\csname#2@sh@#1@\string##1@\endcsname
1203     \fi}}%

```

`\initiate@active@char` calls `\@initiate@active@char` with 3 arguments. All of them are the same character with different catcodes: active, other (`\string’ed`) and the original one. This trick simplifies the code a lot.

```

1204 \def\initiate@active@char#1{%
1205   \bbl@ifunset{active@char\string#1}%
1206   {\bbl@withactive
1207     {\expandafter\@initiate@active@char\expandafter}#1\string#1#1}%
1208   {}}

```

The very first thing to do is saving the original catcode and the original definition, even if not active, which is possible (undefined characters require a special treatment to avoid making them `\relax` and preserving some degree of protection).

```

1209 \def\@initiate@active@char#1#2#3{%
1210   \bbl@csarg\edef{oricat@#2}{\catcode`#2=\the\catcode`#2\relax}%
1211   \ifx#1@\undefined
1212     \bbl@csarg\def{oridef@#2}{\def#1{\active@prefix#1@\undefined}}%
1213   \else
1214     \bbl@csarg\let{oridef@#2}#1%
1215     \bbl@csarg\edef{oridef@#2}{%
1216       \let\noexpand#1%
1217       \expandafter\noexpand\csname bbl@oridef@#2\endcsname}%
1218   \fi

```

If the character is already active we provide the default expansion under this shorthand mechanism. Otherwise we write a message in the transcript file, and define `\normal@char⟨char⟩` to

expand to the character in its default state. If the character is mathematically active when babel is loaded (for example ' ) the normal expansion is somewhat different to avoid an infinite loop (but it does not prevent the loop if the mathcode is set to "8000 *a posteriori*").

```

1219 \ifx#1#3\relax
1220   \expandafter\let\csname normal@char#2\endcsname#3%
1221 \else
1222   \bbl@info{Making #2 an active character}%
1223   \ifnum\mathcode`#2=\ifodd\bbl@engine"1000000 \else"8000 \fi
1224   \@namedef{normal@char#2}{%
1225     \textormath{#3}{\csname bbl@oridef@#2\endcsname}}%
1226   \else
1227     \@namedef{normal@char#2}{#3}%
1228   \fi

```

To prevent problems with the loading of other packages after babel we reset the catcode of the character to the original one at the end of the package and of each language file (except with KeepShorthandsActive). It is re-activate again at \begin{document}. We also need to make sure that the shorthands are active during the processing of the aux file. Otherwise some citations may give unexpected results in the printout when a shorthand was used in the optional argument of \bibitem for example. Then we make it active (not strictly necessary, but done for backward compatibility).

```

1229   \bbl@restoreactive{#2}%
1230   \AtBeginDocument{%
1231     \catcode`#2\active
1232     \if@files
1233       \immediate\write\@mainaux{\catcode`\string#2\active}%
1234     \fi}%
1235   \expandafter\bbl@add@special\csname#2\endcsname
1236   \catcode`#2\active
1237 \fi

```

Now we have set \normal@char{char}, we must define \active@char{char}, to be executed when the character is activated. We define the first level expansion of \active@char{char} to check the status of the @safe@actives flag. If it is set to true we expand to the 'normal' version of this character, otherwise we call \user@active{char} to start the search of a definition in the user, language and system levels (or eventually normal@char{char}).

```

1238 \let\bbl@tempa\@firstoftwo
1239 \if\string^#2%
1240   \def\bbl@tempa{\noexpand\textormath}%
1241 \else
1242   \ifx\bbl@mathnormal\@undefined\else
1243     \let\bbl@tempa\bbl@mathnormal
1244   \fi
1245 \fi
1246 \expandafter\edef\csname active@char#2\endcsname{%
1247   \bbl@tempa
1248     {\noexpand\if@safe@actives
1249       \noexpand\expandafter
1250         \expandafter\noexpand\csname normal@char#2\endcsname
1251       \noexpand\else
1252         \noexpand\expandafter
1253         \expandafter\noexpand\csname bbl@doactive#2\endcsname
1254       \noexpand\fi}%
1255   {\expandafter\noexpand\csname normal@char#2\endcsname}}%
1256 \bbl@csarg\edef{doactive#2}{%
1257   \expandafter\noexpand\csname user@active#2\endcsname}%

```

We now define the default values which the shorthand is set to when activated or deactivated. It is set to the deactivated form (globally), so that the character expands to

\active@prefix{char} \normal@char{char}

(where \active@char{char} is *one* control sequence!).

```

1258 \bbl@csarg\edef{active@#2}{%
1259   \noexpand\active@prefix\noexpand#1%

```



```

1260 \expandafter\noexpand\csname active@char#2\endcsname}%
1261 \bbl@csarg\edef{normal@#2}{%
1262 \noexpand\active@prefix\noexpand#1%
1263 \expandafter\noexpand\csname normal@char#2\endcsname}%
1264 \bbl@ncarg\let#1\bbl@normal@#2}%

```

The next level of the code checks whether a user has defined a shorthand for himself with this character. First we check for a single character shorthand. If that doesn't exist we check for a shorthand with an argument.

```

1265 \bbl@active@def#2\user@group{user@active}{language@active}%
1266 \bbl@active@def#2\language@group{language@active}{system@active}%
1267 \bbl@active@def#2\system@group{system@active}{normal@char}%

```

In order to do the right thing when a shorthand with an argument is used by itself at the end of the line we provide a definition for the case of an empty argument. For that case we let the shorthand character expand to its non-active self. Also, When a shorthand combination such as ' ' ends up in a heading  $\TeX$  would see `\protect'\protect'`. To prevent this from happening a couple of shorthand needs to be defined at user level.

```

1268 \expandafter\edef\csname\user@group @sh#2@@\endcsname
1269 {\expandafter\noexpand\csname normal@char#2\endcsname}%
1270 \expandafter\edef\csname\user@group @sh#2@string\protect\endcsname
1271 {\expandafter\noexpand\csname user@active#2\endcsname}%

```

Finally, a couple of special cases are taken care of. (1) If we are making the right quote (') active we need to change `\pr@m@s` as well. Also, make sure that a single ' in math mode 'does the right thing'. (2) If we are using the caret (^) as a shorthand character special care should be taken to make sure math still works. Therefore an extra level of expansion is introduced with a check for math mode on the upper level.

```

1272 \if\string'#2%
1273 \let\prim@s\bbl@prim@s
1274 \let\active@math@prime#1%
1275 \fi
1276 \bbl@usehooks{initiateactive}{{#1}{#2}{#3}}

```

The following package options control the behavior of shorthands in math mode.

```

1277 << *More package options >> ≡
1278 \DeclareOption{math=active}{}
1279 \DeclareOption{math=normal}{{\def\bbl@mathnormal{\noexpand\textormath}}}
1280 << /More package options >>

```

Initiating a shorthand makes active the char. That is not strictly necessary but it is still done for backward compatibility. So we need to restore the original catcode at the end of package *and* the end of the *ldf*.

```

1281 \ifpackagewith{babel}{KeepShorthandsActive}%
1282 {\let\bbl@restoreactive@gobble}%
1283 {\def\bbl@restoreactive#1{%
1284 \bbl@exp{%
1285 \\\AfterBabelLanguage\\CurrentOption
1286 {\catcode`#1=\the\catcode`#1\relax}%
1287 \\\AtEndOfPackage
1288 {\catcode`#1=\the\catcode`#1\relax}}}%
1289 \AtEndOfPackage{\let\bbl@restoreactive@gobble}}

```

**\bbl@sh@select** This command helps the shorthand supporting macros to select how to proceed.

Note that this macro needs to be expandable as do all the shorthand macros in order for them to work in expansion-only environments such as the argument of `\hyphenation`.

This macro expects the name of a group of shorthands in its first argument and a shorthand character in its second argument. It will expand to either `\bbl@firstcs` or `\bbl@scndcs`. Hence two more arguments need to follow it.

```

1290 \def\bbl@sh@select#1#2{%
1291 \expandafter\ifx\csname#1@sh#2@sel\endcsname\relax
1292 \bbl@afterelse\bbl@scndcs
1293 \else
1294 \bbl@afterfi\csname#1@sh#2@sel\endcsname
1295 \fi}

```

**\active@prefix** Used in the expansion of active characters has a function similar to \OT1-cmd in that it \protects the active character whenever \protect is *not* \@typeset@protect. The \@gobble is needed to remove a token such as \activechar: (when the double colon was the active character to be dealt with). There are two definitions, depending on \ifincsname is available. If there is, the expansion will be more robust.

```

1296 \begingroup
1297 \bbl@ifunset{ifincsname}
1298 {\gdef\active@prefix#1{%
1299   \ifx\protect\@typeset@protect
1300   \else
1301     \ifx\protect\@unexpandable@protect
1302       \noexpand#1%
1303     \else
1304       \protect#1%
1305     \fi
1306     \expandafter\@gobble
1307   \fi}}
1308 {\gdef\active@prefix#1{%
1309   \ifincsname
1310     \string#1%
1311     \expandafter\@gobble
1312   \else
1313     \ifx\protect\@typeset@protect
1314     \else
1315       \ifx\protect\@unexpandable@protect
1316         \noexpand#1%
1317       \else
1318         \protect#1%
1319       \fi
1320       \expandafter\expandafter\expandafter\@gobble
1321     \fi
1322   \fi}}
1323 \endgroup

```

**if@safe@actives** In some circumstances it is necessary to be able to reset the shorthand to its ‘normal’ value (usually the character with catcode ‘other’) on the fly. For this purpose the switch @safe@actives is available. The setting of this switch should be checked in the first level expansion of \active@char⟨char⟩. When this expansion mode is active (with \@safe@activetrue), something like "13"13 becomes "12"12 in an \edef (in other words, shorthands are \string'ed). This contrasts with \protected@edef, where catcodes are always left unchanged. Once converted, they can be used safely even after this expansion mode is deactivated (with \@safe@activefalse).

```

1324 \newif\if@safe@actives
1325 \@safe@activesfalse

```

**\bbl@restore@actives** When the output routine kicks in while the active characters were made “safe” this must be undone in the headers to prevent unexpected typeset results. For this situation we define a command to make them “unsafe” again.

```

1326 \def\bbl@restore@actives{\if@safe@actives\@safe@activesfalse\fi}

```

**\bbl@activate**

**\bbl@deactivate** Both macros take one argument, like \initiate@active@char. The macro is used to change the definition of an active character to expand to \active@char⟨char⟩ in the case of \bbl@activate, or \normal@char⟨char⟩ in the case of \bbl@deactivate.

```

1327 \chardef\bbl@activated\z@
1328 \def\bbl@activate#1{%
1329   \chardef\bbl@activated\@ne
1330   \bbl@withactive{\expandafter\let\expandafter}#1%
1331   \csname bbl@active@\string#1\endcsname}
1332 \def\bbl@deactivate#1{%
1333   \chardef\bbl@activated\tw@
1334   \bbl@withactive{\expandafter\let\expandafter}#1%

```

```
1335 \csname bbl@normal@\string#1\endcsname}
```

### **\bbl@firstcs**

**\bbl@scndcs** These macros are used only as a trick when declaring shorthands.

```
1336 \def\bbl@firstcs#1#2{\csname#1\endcsname}
1337 \def\bbl@scndcs#1#2{\csname#2\endcsname}
```

**\declare@shorthand** Used to declare a shorthand on a certain level. It takes three arguments:

1. a name for the collection of shorthands, i.e., ‘system’, or ‘dutch’;
2. the character (sequence) that makes up the shorthand, i.e., ~ or "a;
3. the code to be executed when the shorthand is encountered.

The auxiliary macro `\babel@texpdf` improves the interoperativity with `hyperref` and takes 4 arguments: (1) The  $\TeX$  code in text mode, (2) the string for `hyperref`, (3) the  $\TeX$  code in math mode, and (4), which is currently ignored, but it’s meant for a string in math mode, like a minus sign instead of an hyphen (currently `hyperref` doesn’t discriminate the mode). This macro may be used in `ldf` files.

```
1338 \def\babel@texpdf#1#2#3#4{%
1339 \ifx\texorpdfstring\undefined
1340 \textormath{#1}{#3}%
1341 \else
1342 \texorpdfstring{\textormath{#1}{#3}}{#2}%
1343 % \texorpdfstring{\textormath{#1}{#3}}{\textormath{#2}{#4}}%
1344 \fi}
1345 %
1346 \def\declare@shorthand#1#2{\@decl@short{#1}#2@nil}
1347 \def\@decl@short#1#2#3@nil#4{%
1348 \def\bbl@tempa{#3}%
1349 \ifx\bbl@tempa\empty
1350 \expandafter\let\csname #1@sh@\string#2@sel\endcsname\bbl@scndcs
1351 \bbl@ifunset{#1@sh@\string#2@}{}%
1352 {\def\bbl@tempa{#4}%
1353 \expandafter\ifx\csname#1@sh@\string#2@endcsname\bbl@tempa
1354 \else
1355 \bbl@info
1356 {Redefining #1 shorthand \string#2\}%
1357 in language \CurrentOption}%
1358 \fi}%
1359 \@namedef{#1@sh@\string#2@}{#4}%
1360 \else
1361 \expandafter\let\csname #1@sh@\string#2@sel\endcsname\bbl@firstcs
1362 \bbl@ifunset{#1@sh@\string#2@\string#3@}{}%
1363 {\def\bbl@tempa{#4}%
1364 \expandafter\ifx\csname#1@sh@\string#2@\string#3@endcsname\bbl@tempa
1365 \else
1366 \bbl@info
1367 {Redefining #1 shorthand \string#2\string#3\}%
1368 in language \CurrentOption}%
1369 \fi}%
1370 \@namedef{#1@sh@\string#2@\string#3@}{#4}%
1371 \fi}
```

**\textormath** Some of the shorthands that will be declared by the language definition files have to be usable in both text and mathmode. To achieve this the helper macro `\textormath` is provided.

```
1372 \def\textormath{%
1373 \ifmmode
1374 \expandafter\@secondoftwo
1375 \else
1376 \expandafter\@firstoftwo
1377 \fi}
```

### **\user@group**

### **\language@group**

**\system@group** The current concept of ‘shorthands’ supports three levels or groups of shorthands. For each level the name of the level or group is stored in a macro. The default is to have a user group; use language group ‘english’ and have a system group called ‘system’.

```
1378 \def\user@group{user}
1379 \def\language@group{english}
1380 \def\system@group{system}
```

**\usesshorthands** This is the user level macro. It initializes and activates the character for use as a shorthand character (i.e., it’s active in the preamble). Languages can deactivate shorthands, so a starred version is also provided which activates them always after the language has been switched.

```
1381 \def\usesshorthands{%
1382   \ifstar\bbl@usesesh@s{\bbl@usesesh@x{}}
1383   \def\bbl@usesesh@s#1{%
1384     \bbl@usesesh@x
1385     {\AddBabelHook{babel-sh-\string#1}{afterextras}{\bbl@activate{#1}}}%
1386     {#1}}
1387   \def\bbl@usesesh@x#1#2{%
1388     \bbl@ifshorthand{#2}%
1389     {\def\user@group{user}%
1390      \initiate@active@char{#2}%
1391      #1%
1392      \bbl@activate{#2}}%
1393     {\bbl@error{shorthand-is-off}{#2}}}
```

**\defineshorthand** Currently we only support two groups of user level shorthands, named internally user and user@(\language) (language-dependent user shorthands). By default, only the first one is taken into account, but if the former is also used (in the optional argument of \defineshorthand) a new level is inserted for it (user@generic, done by \bbl@set@user@generic); we make also sure {} and \protect are taken into account in this new top level.

```
1394 \def\user@language@group{user@\language@group}
1395 \def\bbl@set@user@generic#1#2{%
1396   \bbl@ifunset{user@generic@active#1}%
1397   {\bbl@active@def#1\user@language@group{user@active}{user@generic@active}%
1398    \bbl@active@def#1\user@group{user@generic@active}{language@active}%
1399    \expandafter\edef\csname#2@sh@#1@\endcsname{%
1400      \expandafter\noexpand\csname normal@char#1\endcsname}%
1401    \expandafter\edef\csname#2@sh@#1@\string\protect\endcsname{%
1402      \expandafter\noexpand\csname user@active#1\endcsname}}%
1403   \@empty}
1404 \newcommand\defineshorthand[3][user]{%
1405   \edef\bbl@tempa{\zap@space#1 \@empty}%
1406   \bbl@for\bbl@tempb\bbl@tempa{%
1407     \if*\expandafter\@car\bbl@tempb\@nil
1408       \edef\bbl@tempb{user@\expandafter\@gobble\bbl@tempb}%
1409       \@expandtwoargs
1410       \bbl@set@user@generic{\expandafter\string\@car#2\@nil}\bbl@tempb
1411     \fi
1412     \declare@shorthand{\bbl@tempb}{#2}{#3}}
```

**\languageshorthands** A user level command to change the language from which shorthands are used. Unfortunately, babel currently does not keep track of defined groups, and therefore there is no way to catch a possible change in casing to fix it in the same way languages names are fixed.

```
1413 \def\languageshorthands#1{%
1414   \bbl@ifsamestring{none}{#1}{}%
1415   \bbl@once{short-\localename-#1}{%
1416     \bbl@info{'\localename' activates '#1' shorthands.\@Reported}}%
1417   \def\language@group{#1}}
```

**\aliasshorthand** *Deprecated.* First the new shorthand needs to be initialized. Then, we define the new shorthand in terms of the original one, but note with `\aliasshandands{"}{/}` is `\active@prefix / \active@char/`, so we still need to let the latter to `\active@char`".

```

1418 \def\aliasshorthand#1#2{%
1419   \bbl@ifshorthand{#2}%
1420   {\expandafter\ifx\csname active@char\string#2\endcsname\relax
1421     \ifx\document\@notprerr
1422       \notshorthand{#2}%
1423     \else
1424       \initiate@active@char{#2}%
1425       \bbl@ccarg\let{active@char\string#2}{active@char\string#1}%
1426       \bbl@ccarg\let{normal@char\string#2}{normal@char\string#1}%
1427       \bbl@activate{#2}%
1428     \fi
1429   \fi}%
1430   {\bbl@error{shorthand-is-off}{#2}{}}}
```

### **\@notshorthand**

```

1431 \def\@notshorthand#1{\bbl@error{not-a-shorthand}{#1}{}}
```

### **\shorthandon**

**\shorthandoff** The first level definition of these macros just passes the argument on to `\bbl@switch@sh`, adding `\@nil` at the end to denote the end of the list of characters.

```

1432 \newcommand*\shorthandon[1]{\bbl@switch@sh\@ne#1\@nnil}
1433 \DeclareRobustCommand*\shorthandoff{%
1434   \@ifstar{\bbl@shorthandoff\tw@}{\bbl@shorthandoff\z@}}
1435 \def\bbl@shorthandoff#1#2{\bbl@switch@sh#1#2\@nnil}
```

**\bbl@switch@sh** The macro `\bbl@switch@sh` takes the list of characters apart one by one and subsequently switches the category code of the shorthand character according to the first argument of `\bbl@switch@sh`.

But before any of this switching takes place we make sure that the character we are dealing with is known as a shorthand character. If it is, a macro such as `\active@char`" should exist.

Switching off and on is easy – we just set the category code to ‘other’ (12) and `\active`. With the starred version, the original catcode and the original definition, saved in `@initiate@active@char`, are restored.

```

1436 \def\bbl@switch@sh#1#2{%
1437   \ifx#2\@nnil\else
1438     \bbl@ifunset{bbl@active@\string#2}%
1439     {\bbl@error{not-a-shorthand-b}{#2}{}}%
1440     {\ifcase#1 off, on, off*
1441       \catcode`#2\relax
1442     \or
1443       \catcode`#2\active
1444       \bbl@ifunset{bbl@shdef@\string#2}%
1445       {}%
1446       {\bbl@withactive{\expandafter\let\expandafter}#2%
1447         \csname bbl@shdef@\string#2\endcsname
1448         \bbl@csarg\let{shdef@\string#2}\relax}%
1449       \ifcase\bbl@activated\or
1450         \bbl@activate{#2}%
1451       \else
1452         \bbl@deactivate{#2}%
1453       \fi
1454     \or
1455       \bbl@ifunset{bbl@shdef@\string#2}%
1456       {\bbl@withactive{\bbl@csarg\let{shdef@\string#2}}#2}%
1457       {}%
1458       \csname bbl@oricat@\string#2\endcsname
1459       \csname bbl@oridef@\string#2\endcsname
1460     \fi}%

```

```

1461 \bbl@afterfi\bbl@switch@sh#1%
1462 \fi}

```

Note the value is that at the expansion time; e.g., in the preamble shorthands are usually deactivated.

```

1463 \def\babelshorthand{\active@prefix\babelshorthand\bbl@putsh}
1464 \def\bbl@putsh#1{%
1465 \bbl@ifunset\bbl@active@string#1{%
1466 {\bbl@putsh@i#1\@empty\@nnil}%
1467 {\csname bbl@active@string#1\endcsname}}
1468 \def\bbl@putsh@i#1#2\@nnil{%
1469 \csname\language@group @sh@string#1@%
1470 \ifx\@empty#2\elsestring#2@\fi\endcsname}
1471 %
1472 \ifx\bbl@opt@shorthands\@nnil\else
1473 \let\bbl@s@initiate@active@char@initiate@active@char
1474 \def\initiate@active@char#1{%
1475 \bbl@ifshorthand{#1}{\bbl@s@initiate@active@char{#1}}{}}
1476 \let\bbl@s@switch@sh\bbl@switch@sh
1477 \def\bbl@switch@sh#1#2{%
1478 \ifx#2\@nnil\else
1479 \bbl@afterfi
1480 \bbl@ifshorthand{#2}{\bbl@s@switch@sh#1{#2}}{\bbl@switch@sh#1}%
1481 \fi}
1482 \let\bbl@s@activate\bbl@activate
1483 \def\bbl@activate#1{%
1484 \bbl@ifshorthand{#1}{\bbl@s@activate{#1}}{}}
1485 \let\bbl@s@deactivate\bbl@deactivate
1486 \def\bbl@deactivate#1{%
1487 \bbl@ifshorthand{#1}{\bbl@s@deactivate{#1}}{}}
1488 \fi

```

You may want to test if a character is a shorthand. Note it does not test whether the shorthand is on or off.

```

1489 \newcommand\ifbabelshorthand[3]{\bbl@ifunset\bbl@active@string#1}{#3}{#2}}

```

### **\bbl@prim@s**

**\bbl@pr@m@s** One of the internal macros that are involved in substituting \prime for each right quote in mathmode is \prim@s. This checks if the next character is a right quote. When the right quote is active, the definition of this macro needs to be adapted to look also for an active right quote; the hat could be active, too.

```

1490 \def\bbl@prim@s{%
1491 \prime\futurelet\@let@token\bbl@pr@m@s}
1492 \def\bbl@if@primes#1#2{%
1493 \ifx#1\@let@token
1494 \expandafter\@firstoftwo
1495 \else\ifx#2\@let@token
1496 \bbl@afterelse\expandafter\@firstoftwo
1497 \else
1498 \bbl@afterfi\expandafter\@secondoftwo
1499 \fi\fi}
1500 \begingroup
1501 \catcode`\^=7 \catcode`\*=\active \lccode`\*=\^
1502 \catcode`\'=12 \catcode`\\"=\active \lccode`\\"=\^
1503 \lowercase{%
1504 \gdef\bbl@pr@m@s{%
1505 \bbl@if@primes" '%
1506 \pr@@@s
1507 {\bbl@if@primes*\^{\pr@@@t\egroup}}}
1508 \endgroup

```

Usually the ~ is active and expands to \penalty\@M\\_. When it is written to the aux file it is written expanded. To prevent that and to be able to use the character ~ as a start character for a shorthand, it

is redefined here as a one character shorthand on system level. The system declaration is in most cases redundant (when ~ is still a non-break space), and in some cases is inconvenient (if ~ has been redefined); however, for backward compatibility it is maintained (some existing documents may rely on the babel value).

```
1509 \initiate@active@char{~}
1510 \declare@shorthand{system}{~}{\leavevmode\nobreak\ }
1511 \bbl@activate{~}
```

### **\OT1dqpos**

**\T1dqpos** The position of the double quote character is different for the OT1 and T1 encodings. It will later be selected using the \f@encoding macro. Therefore we define two macros here to store the position of the character in these encodings.

```
1512 \expandafter\def\csname OT1dqpos\endcsname{127}
1513 \expandafter\def\csname T1dqpos\endcsname{4}
```

When the macro \f@encoding is undefined (as it is in plain T<sub>E</sub>X) we define it here to expand to OT1

```
1514 \ifx\f@encoding\undefined
1515   \def\f@encoding{OT1}
1516 \fi
```

## 4.9. Language attributes

Language attributes provide a means to give the user control over which features of the language definition files he wants to enable.

**\languageattribute** The macro \languageattribute checks whether its arguments are valid and then activates the selected language attribute. First check whether the language is known, and then process each attribute in the list.

```
1517 \bbl@trace{Language attributes}
1518 \newcommand\languageattribute[2]{%
1519   \def\bbl@tempc{#1}%
1520   \bbl@fixname\bbl@tempc
1521   \bbl@iflanguage\bbl@tempc{%
1522     \bbl@vforeach{#2}{%
```

To make sure each attribute is selected only once, we store the already selected attributes in \bbl@known@attrs. When that control sequence is not yet defined this attribute is certainly not selected before.

```
1523     \ifx\bbl@known@attrs\undefined
1524       \in@false
1525     \else
1526       \bbl@xin@{,\bbl@tempc-##1,}{,\bbl@known@attrs,}%
1527     \fi
1528     \ifin@
1529       \bbl@warning{%
1530         You have more than once selected the attribute '##1'\%
1531         for language #1. Reported}%
1532     \else
```

When we end up here the attribute is not selected before. So, we add it to the list of selected attributes and execute the associated T<sub>E</sub>X-code.

```
1533       \bbl@info{Activated '##1' attribute for\\%
1534         '\bbl@tempc'. Reported}%
1535       \bbl@exp{%
1536         \\ \bbl@add@list\\ \bbl@known@attrs{\bbl@tempc-##1}}%
1537       \edef\bbl@tempa{\bbl@tempc-##1}%
1538       \expandafter\bbl@ifknown@ttrib\expandafter{\bbl@tempa}\bbl@attributes%
1539       {\csname\bbl@tempc_attr@##1\endcsname}%
1540       {\@attrerr{\bbl@tempc}{##1}}%
1541     \fi}}
1542 \onlypreamble\languageattribute
```

The error text to be issued when an unknown attribute is selected.

```
1543 \newcommand*{\@attrerr}[2]{%
1544   \bbl@error{unknown-attribute}{#1}{#2}{}}
```

**\bbl@declare@ttribute** This command adds the new language/attribute combination to the list of known attributes.

Then it defines a control sequence to be executed when the attribute is used in a document. The result of this should be that the macro `\extras...` for the current language is extended, otherwise the attribute will not work as its code is removed from memory at `\begin{document}`.

```
1545 \def\bbl@declare@ttribute#1#2#3{%
1546   \bbl@xin@{,#2,}{,\BabelModifiers,}%
1547   \ifin@
1548     \AfterBabelLanguage{#1}{\languageattribute{#1}{#2}}%
1549   \fi
1550   \bbl@add@list\bbl@attributes{#1-#2}%
1551   \expandafter\def\csname#1@attr@#2\endcsname{#3}}
```

**\bbl@ifattributeset** This internal macro has 4 arguments. It can be used to interpret  $\TeX$  code based on whether a certain attribute was set. This command should appear inside the argument to `\AtBeginDocument` because the attributes are set in the document preamble, *after* babel is loaded.

The first argument is the language, the second argument the attribute being checked, and the third and fourth arguments are the true and false clauses.

```
1552 \def\bbl@ifattributeset#1#2#3#4{%
1553   \ifx\bbl@known@attrs\@undefined
1554     \in@false
1555   \else
1556     \bbl@xin@{,#1-#2,}{,\bbl@known@attrs,}%
1557   \fi
1558   \ifin@
1559     \bbl@afterelse#3%
1560   \else
1561     \bbl@afterfi#4%
1562   \fi}
```

**\bbl@ifknown@ttrib** An internal macro to check whether a given language/attribute is known. The macro takes 4 arguments, the language/attribute, the attribute list, the  $\TeX$ -code to be executed when the attribute is known and the  $\TeX$ -code to be executed otherwise.

We first assume the attribute is unknown. Then we loop over the list of known attributes, trying to find a match.

```
1563 \def\bbl@ifknown@ttrib#1#2{%
1564   \let\bbl@tempa\@secondoftwo
1565   \bbl@loopx\bbl@tempb{#2}{%
1566     \expandafter\in\expandafter{\expandafter,\bbl@tempb,}{,#1,}%
1567     \ifin@
1568       \let\bbl@tempa\@firstoftwo
1569     \else
1570       \fi}%
1571   \bbl@tempa}
```

**\bbl@clear@ttribs** This macro removes all the attribute code from  $\TeX$ 's memory at `\begin{document}` time (if any is present).

```
1572 \def\bbl@clear@ttribs{%
1573   \ifx\bbl@attributes\@undefined\else
1574     \bbl@loopx\bbl@tempa{\bbl@attributes}{%
1575       \expandafter\bbl@clear@ttrib\bbl@tempa.}%
1576     \let\bbl@attributes\@undefined
1577   \fi}
1578 \def\bbl@clear@ttrib#1-#2.{%
1579   \expandafter\let\csname#1@attr@#2\endcsname\@undefined}
1580 \AtBeginDocument{\bbl@clear@ttribs}
```



## 4.10. Support for saving and redefining macros

To save the meaning of control sequences using `\babel@save`, we use temporary control sequences. To save hash table entries for these control sequences, we don't use the name of the control sequence to be saved to construct the temporary name. Instead we simply use the value of a counter, which is reset to zero each time we begin to save new values. This works well because we release the saved meanings before we begin to save a new set of control sequence meanings (see `\selectlanguage` and `\originalTeX`). Note undefined macros are not undefined any more when saved – they are `\relax`'ed.

### `\babel@savecnt`

**`\babel@beginsave`** The initialization of a new save cycle: reset the counter to zero.

```
1581 \bbl@trace{Macros for saving definitions}
1582 \def\babel@beginsave{\babel@savecnt\z@}
```

Before it's forgotten, allocate the counter and initialize all.

```
1583 \newcount\babel@savecnt
1584 \babel@beginsave
```

### `\babel@save`

**`\babel@savevariable`** The macro `\babel@save<csname>` saves the current meaning of the control sequence `<csname>` to `\originalTeX` (which has to be expandable, i.e., you shouldn't let it to `\relax`). To do this, we let the current meaning to a temporary control sequence, the restore commands are appended to `\originalTeX` and the counter is incremented. The macro `\babel@savevariable<variable>` saves the value of the variable. `<variable>` can be anything allowed after the `\the` primitive. To avoid messing saved definitions up, they are saved only the very first time.

```
1585 \def\babel@save#1{%
1586   \def\bbl@tempa{,{#1,}}% Clumsy, for Plain
1587   \expandafter\bbl@add\expandafter\bbl@tempa\expandafter{%
1588     \expandafter{\expandafter,\bbl@savextras,}}%
1589   \expandafter\in@\bbl@tempa
1590   \ifin@else
1591     \bbl@add\bbl@savextras{,{#1,}}%
1592     \bbl@carg\let\babel@number\babel@savecnt\#1\relax
1593     \toks@\expandafter{\originalTeX\let#1=}
1594     \bbl@exp{%
1595       \def\\originalTeX{\the\toks@<\babel@number\babel@savecnt>\relax}}%
1596     \advance\babel@savecnt\@ne
1597   \fi}
1598 \def\babel@savevariable#1{%
1599   \toks@\expandafter{\originalTeX #1=}
1600   \bbl@exp{\def\\originalTeX{\the\toks@the#1\relax}}}
```

**`\bbl@redefine`** To redefine a command, we save the old meaning of the macro. Then we redefine it to call the original macro with the 'sanitized' argument. The reason why we do it this way is that we don't want to redefine the  $\TeX$  macros completely in case their definitions change (they have changed in the past). A macro named `\macro` will be saved new control sequences named `\org@macro`.

```
1601 \def\bbl@redefine#1{%
1602   \edef\bbl@tempa{\bbl@stripslash#1}%
1603   \expandafter\let\csname org@\bbl@tempa\endcsname#1%
1604   \expandafter\def\csname\bbl@tempa\endcsname}
1605 \@onlypreamble\bbl@redefine
```

**`\bbl@redefine@long`** This version of `\babel@redefine` can be used to redefine `\long` commands such as `\ifthenelse`.

```
1606 \def\bbl@redefine@long#1{%
1607   \edef\bbl@tempa{\bbl@stripslash#1}%
1608   \expandafter\let\csname org@\bbl@tempa\endcsname#1%
1609   \long\expandafter\def\csname\bbl@tempa\endcsname}
1610 \@onlypreamble\bbl@redefine@long
```

**\bbl@redefineroobust** For commands that are redefined, but which *might* be robust we need a slightly more intelligent macro. A robust command `foo` is defined to expand to `\protect\foo`. So it is necessary to check whether `\foo` exists. The result is that the command that is being redefined is always robust afterwards. Therefore all we need to do now is define `\foo`.

```
1611 \def\bbl@redefineroobust#1{%
1612   \edef\bbl@tempa{\bbl@stripslash#1}%
1613   \bbl@iifunset{\bbl@tempa\space}%
1614   {\expandafter\let\csname org@\bbl@tempa\endcsname#1%
1615    \bbl@exp{\def\#1{\protect\<\bbl@tempa\space>}}}%
1616   {\bbl@exp{\let\<org@\bbl@tempa>\<\bbl@tempa\space>}}}%
1617   \@namedef{\bbl@tempa\space}}
1618 \onlypreamble\bbl@redefineroobust
```

## 4.11. French spacing

**\bbl@frenchspacing**

**\bbl@nonfrenchspacing** Some languages need to have `\frenchspacing` in effect. Others don't want that. The command `\bbl@frenchspacing` switches it on when it isn't already in effect and `\bbl@nonfrenchspacing` switches it off if necessary.

```
1619 \def\bbl@frenchspacing{%
1620   \ifnum\the\sfcode`\.\=\m
1621     \let\bbl@nonfrenchspacing\relax
1622   \else
1623     \frenchspacing
1624     \let\bbl@nonfrenchspacing\nonfrenchspacing
1625   \fi}
1626 \let\bbl@nonfrenchspacing\nonfrenchspacing
```

A more refined way to switch the catcodes is done with `ini` files. Here an auxiliary macro is defined, but the main part is in `\babelprovide`. This new method should be ideally the default one.

```
1627 \let\bbl@elt\relax
1628 \edef\bbl@fs@chars{%
1629   \bbl@elt{\string.}\@m{3000}\bbl@elt{\string?}\@m{3000}%
1630   \bbl@elt{\string!}\@m{3000}\bbl@elt{\string:}\@m{2000}%
1631   \bbl@elt{\string;}\@m{1500}\bbl@elt{\string,}\@m{1250}}
1632 \def\bbl@pre@fs{%
1633   \def\bbl@elt##1##2##3{\sfcode`##1=\the\sfcode`##1\relax}%
1634   \edef\bbl@save@sfcodes{\bbl@fs@chars}%
1635 \def\bbl@post@fs{%
1636   \bbl@save@sfcodes
1637   \edef\bbl@tempa{\bbl@cl{frspc}}%
1638   \edef\bbl@tempa{\expandafter\@car\bbl@tempa\@nil}%
1639   \if u\bbl@tempa      % do nothing
1640   \else\if n\bbl@tempa % non french
1641     \def\bbl@elt##1##2##3{%
1642       \ifnum\sfcode`##1=##2\relax
1643       \babel@savevariable{\sfcode`##1}%
1644       \sfcode`##1=##3\relax
1645     \fi}%
1646     \bbl@fs@chars
1647   \else\if y\bbl@tempa % french
1648     \def\bbl@elt##1##2##3{%
1649       \ifnum\sfcode`##1=##3\relax
1650       \babel@savevariable{\sfcode`##1}%
1651       \sfcode`##1=##2\relax
1652     \fi}%
1653     \bbl@fs@chars
1654   \fi\fi\fi}
```

## 4.12. Hyphens

**\babelhyphenation** This macro saves hyphenation exceptions. Two macros are used to store them: `\bbl@hyphenation@` for the global ones and `\bbl@hyphenation@(<language>)` for language ones. See

\bbl@patterns above for further details. We make sure there is a space between words when multiple commands are used.

```

1655 \bbl@trace{Hyphens}
1656 \@onlypreamble\babelhyphenation
1657 \AtEndOfPackage{%
1658   \newcommand\babelhyphenation[2][\@empty]{%
1659     \ifx\bbl@hyphenation@\relax
1660       \let\bbl@hyphenation@\@empty
1661     \fi
1662     \ifx\bbl@hyphlist@\@empty\else
1663       \bbl@warning{%
1664         You must not intermingle \string\selectlanguage\space and\\%
1665         \string\babelhyphenation\space or some exceptions will not\\%
1666         be taken into account. Reported}%
1667     \fi
1668     \ifx\@empty#1%
1669       \protected@edef\bbl@hyphenation@{\bbl@hyphenation@\space#2}%
1670     \else
1671       \bbl@vforeach{#1}{%
1672         \def\bbl@tempa{##1}%
1673         \bbl@fixname\bbl@tempa
1674         \bbl@iflanguage\bbl@tempa{%
1675           \bbl@csarg\protected@edef{hyphenation@\bbl@tempa}{%
1676             \bbl@ifunset{bbl@hyphenation@\bbl@tempa}%
1677             {}%
1678             {\csname bbl@hyphenation@\bbl@tempa\endcsname\space}%
1679             #2}}}%
1680       \fi}}

```

**\babelhyphenmins** Only L<sup>A</sup>T<sub>E</sub>X (basically because it's defined with a L<sup>A</sup>T<sub>E</sub>X tool).

```

1681 \ifx\NewDocumentCommand\@undefined\else
1682   \NewDocumentCommand\babelhyphenmins{sommo}{%
1683     \IfNoValueTF{#2}%
1684     {\protected@edef\bbl@hyphenmins@{\set@hyphenmins{#3}{#4}}}%
1685     \IfValueT{#5}{%
1686       \protected@edef\bbl@hyphenatmin@{\hyphenationmin=#5\relax}}%
1687     \IfBooleanT{#1}{%
1688       \lefthyphenmin=#3\relax
1689       \righthyphenmin=#4\relax
1690       \IfValueT{#5}{\hyphenationmin=#5\relax}}}%
1691     {\edef\bbl@tempb{\zap@space#2 \@empty}%
1692     \bbl@for\bbl@tempa\bbl@tempb{%
1693       \@namedef{bbl@hyphenmins@\bbl@tempa}{\set@hyphenmins{#3}{#4}}}%
1694     \IfValueT{#5}{%
1695       \@namedef{bbl@hyphenatmin@\bbl@tempa}{\hyphenationmin=#5\relax}}}%
1696     \IfBooleanT{#1}{\bbl@error{hyphenmins-args}{}}}%
1697 \fi

```

**\bbl@allowhyphens** This macro makes hyphenation possible. Basically its definition is nothing more than \nobreak \hskip 0pt plus 0pt. T<sub>E</sub>X begins and ends a word for hyphenation at a glue node. The penalty prevents a linebreak at this glue node.

```

1698 \def\bbl@allowhyphens{\ifvmode\else\nobreak\hskip\z@skip\fi}
1699 \def\bbl@t@one{T1}
1700 \def\allowhyphens{\ifx\cf@encoding\bbl@t@one\else\bbl@allowhyphens\fi}

```

**\babelhyphen** Macros to insert common hyphens. Note the space before @ in \babelhyphen. Instead of protecting it with \DeclareRobustCommand, which could insert a \relax, we use the same procedure as shorthands, with \active@prefix.

```

1701 \newcommand\babelnullhyphen{\char\hyphenchar\font}
1702 \def\babelhyphen{\active@prefix\babelhyphen\bbl@hyphen}
1703 \def\bbl@hyphen{%

```

```

1704 \ifstar{\bbl@hyphen@i @}{\bbl@hyphen@i\@empty}}
1705 \def\bbl@hyphen@i#1#2{%
1706 \lowercase{\bbl@ifunset{\bbl@hy#1#2\@empty}}}%
1707 {\csname bbl@#1usehyphen\endcsname{\discretionary{#2}{}{#2}}}%
1708 {\lowercase{\csname bbl@hy#1#2\@empty\endcsname}}}

```

The following two commands are used to wrap the “hyphen” and set the behavior of the rest of the word – the version with a single @ is used when further hyphenation is allowed, while that with @@ if no more hyphens are allowed. In both cases, if the hyphen is preceded by a positive space, breaking after the hyphen is disallowed.

There should not be a discretionary after a hyphen at the beginning of a word, so it is prevented if preceded by a skip. Unfortunately, this does handle cases like “(-suffix)”. \nobreak is always preceded by \leavevmode, in case the shorthand starts a paragraph.

```

1709 \def\bbl@usehyphen#1{%
1710 \leavevmode
1711 \ifdim\lastskip>z@\mbox{#1}\else\nobreak#1\fi
1712 \nobreak\hskip\z@skip}
1713 \def\bbl@usehyphen#1{%
1714 \leavevmode\ifdim\lastskip>z@\mbox{#1}\else#1\fi}

```

The following macro inserts the hyphen char.

```

1715 \def\bbl@hyphenchar{%
1716 \ifnum\hyphenchar\font=\m@ne
1717 \babe\nullhyphen
1718 \else
1719 \char\hyphenchar\font
1720 \fi}

```

Finally, we define the hyphen “types”. Their names will not change, so you may use them in ldf’s. After a space, the \mbox in \bbl@hy@nobreak is redundant.

```

1721 \def\bbl@hy@soft{\bbl@usehyphen{\discretionary{\bbl@hyphenchar}{}}{}}
1722 \def\bbl@hy@soft{\bbl@usehyphen{\discretionary{\bbl@hyphenchar}{}}{}}
1723 \def\bbl@hy@hard{\bbl@usehyphen\bbl@hyphenchar}
1724 \def\bbl@hy@hard{\bbl@usehyphen\bbl@hyphenchar}
1725 \def\bbl@hy@nobreak{\bbl@usehyphen{\mbox{\bbl@hyphenchar}}}
1726 \def\bbl@hy@nobreak{\mbox{\bbl@hyphenchar}}
1727 \def\bbl@hy@repeat{%
1728 \bbl@usehyphen{%
1729 \discretionary{\bbl@hyphenchar}{\bbl@hyphenchar}{\bbl@hyphenchar}}}
1730 \def\bbl@hy@repeat{%
1731 \bbl@usehyphen{%
1732 \discretionary{\bbl@hyphenchar}{\bbl@hyphenchar}{\bbl@hyphenchar}}}
1733 \def\bbl@hy@empty{\hskip\z@skip}
1734 \def\bbl@hy@empty{\discretionary{}{}{}}

```

**\bbl@disc** For some languages the macro \bbl@disc is used to ease the insertion of discretionaries for letters that behave ‘abnormally’ at a breakpoint.

```

1735 \def\bbl@disc#1#2{\nobreak\discretionary{#2-}{}{#1}\bbl@allowhyphens}

```

## 4.13. Multiencoding strings

The aim following commands is to provide a common interface for strings in several encodings. They also contains several hooks which can be used by luatex and xetex. The code is organized here with pseudo-guards, so we start with the basic commands.

**Tools** But first, a tool. It makes global a local variable. This is not the best solution, but it works.

```

1736 \bbl@trace{Multiencoding strings}
1737 \def\bbl@tglobal#1{\global\let#1#1}

```

The following option is currently no-op. It was meant for the deprecated \SetCase.

```

1738 <<More package options>> ≡
1739 \DeclareOption{nocase}{}
1740 <</More package options>>

```

The following package options control the behavior of `\SetString`.

```

1741 <<{*More package options}>> ≡
1742 \let\bbl@opt@strings\@nnil % accept strings=value
1743 \DeclareOption{strings}{\def\bbl@opt@strings{\BabelStringsDefault}}
1744 \DeclareOption{strings=encoded}{\let\bbl@opt@strings\relax}
1745 \def\BabelStringsDefault{generic}
1746 <</More package options>>

```

**Main command** This is the main command. With the first use it is redefined to omit the basic setup in subsequent blocks. We make sure strings contain actual letters in the range 128-255, not active characters.

```

1747 \@onlypreamble\StartBabelCommands
1748 \def\StartBabelCommands{%
1749   \begingroup
1750   \@tempcnta="7F
1751   \def\bbl@tempa{%
1752     \ifnum\@tempcnta>"FF\else
1753       \catcode\@tempcnta=11
1754       \advance\@tempcnta\@ne
1755       \expandafter\bbl@tempa
1756     \fi}%
1757   \bbl@tempa
1758   <@Macros local to BabelCommands@>
1759   \def\bbl@provstring##1##2{%
1760     \providecommand##1{##2}%
1761     \bbl@tglobal##1}%
1762   \global\let\bbl@scafter\@empty
1763   \let\StartBabelCommands\bbl@startcmds
1764   \ifx\BabelLanguages\relax
1765     \let\BabelLanguages\CurrentOption
1766   \fi
1767   \begingroup
1768   \let\bbl@screset\@nnil % local flag - disable 1st stopcommands
1769   \StartBabelCommands}
1770 \def\bbl@startcmds{%
1771   \ifx\bbl@screset\@nnil\else
1772     \bbl@usehooks{stopcommands}{}%
1773   \fi
1774   \endgroup
1775   \begingroup
1776   \@ifstar
1777   {\ifx\bbl@opt@strings\@nnil
1778     \let\bbl@opt@strings\BabelStringsDefault
1779     \fi
1780     \bbl@startcmds@i}%
1781   \bbl@startcmds@i}
1782 \def\bbl@startcmds@i#1#2{%
1783   \edef\bbl@L{\zap@space#1 \@empty}%
1784   \edef\bbl@G{\zap@space#2 \@empty}%
1785   \bbl@startcmds@ii}
1786 \let\bbl@startcommands\StartBabelCommands

```

Parse the encoding info to get the label, input, and font parts.

Select the behavior of `\SetString`. There are two main cases, depending of if there is an optional argument: without it and `strings=encoded`, strings are defined always; otherwise, they are set only if they are still undefined (i.e., fallback values). With labelled blocks and `strings=encoded`, define the strings, but with another value, define strings only if the current label or font encoding is the value of strings; otherwise (i.e., no strings or a block whose label is not in `strings=`) do nothing.

We presume the current block is not loaded, and therefore set (above) a couple of default values to gobble the arguments. Then, these macros are redefined if necessary according to several parameters.

```

1787 \newcommand\bbl@startcmds@ii[1][\@empty]{%

```

```

1788 \let\SetString\@gobbletwo
1789 \let\bbl@stringdef\@gobbletwo
1790 \let\AfterBabelCommands\@gobble
1791 \ifx\@empty#1%
1792   \def\bbl@sc@label{generic}%
1793   \def\bbl@encstring##1##2{%
1794     \ProvideTextCommandDefault##1{##2}%
1795     \bbl@tglobal##1%
1796     \expandafter\bbl@tglobal\csname\string?\string##1\endcsname}%
1797   \let\bbl@sctest\in@true
1798 \else
1799   \let\bbl@sc@charset\space % <- zapped below
1800   \let\bbl@sc@fontenc\space % <- " "
1801   \def\bbl@tempa##1=##2\@nil{%
1802     \bbl@csarg\edef{sc@\zap@space##1 \@empty}{##2 }}%
1803   \bbl@vforeach{label=#1}{\bbl@tempa##1\@nil}%
1804   \def\bbl@tempa##1 ##2{% space -> comma
1805     ##1%
1806     \ifx\@empty##2\else\ifx,##1,\else,\fi\bbl@afterfi\bbl@tempa##2\fi}%
1807   \edef\bbl@sc@fontenc{\expandafter\bbl@tempa\bbl@sc@fontenc\@empty}%
1808   \edef\bbl@sc@label{\expandafter\zap@space\bbl@sc@label\@empty}%
1809   \edef\bbl@sc@charset{\expandafter\zap@space\bbl@sc@charset\@empty}%
1810   \def\bbl@encstring##1##2{%
1811     \bbl@foreach\bbl@sc@fontenc{%
1812       \bbl@ifunset{T@###1}%
1813       {}%
1814       {\ProvideTextCommand##1{###1}{##2}%
1815         \bbl@tglobal##1%
1816         \expandafter
1817         \bbl@tglobal\csname###1\string##1\endcsname}}}%
1818   \def\bbl@sctest{%
1819     \bbl@xin@{\bbl@opt@strings,}{,\bbl@sc@label,\bbl@sc@fontenc,}%
1820 \fi
1821 \ifx\bbl@opt@strings\@nnil % i.e., no strings key -> defaults
1822 \else\ifx\bbl@opt@strings\relax % i.e., strings=encoded
1823   \let\AfterBabelCommands\bbl@aftercmds
1824   \let\SetString\bbl@setstring
1825   \let\bbl@stringdef\bbl@encstring
1826 \else % i.e., strings=value
1827   \bbl@sctest
1828 \fin@
1829   \let\AfterBabelCommands\bbl@aftercmds
1830   \let\SetString\bbl@setstring
1831   \let\bbl@stringdef\bbl@provstring
1832 \fi\fi\fi
1833 \bbl@scswitch
1834 \ifx\bbl@G\@empty
1835   \def\SetString##1##2{%
1836     \bbl@error{missing-group}{##1}{}}%
1837 \fi
1838 \ifx\@empty#1%
1839   \bbl@usehooks{defaultcommands}{}%
1840 \else
1841   \@expandtwoargs
1842   \bbl@usehooks{encodedcommands}{\bbl@sc@charset}\bbl@sc@fontenc}%
1843 \fi}

```

There are two versions of `\bbl@scswitch`. The first version is used when `ldfs` are read, and it makes sure `\langle group \rangle \langle language \rangle` is reset, but only once (`\bbl@screset` is used to keep track of this). The second version is used in the preamble and packages loaded after `babel` and does nothing.

The macro `\bbl@forlang` loops `\bbl@L` but its body is executed only if the value is in `\BabelLanguages` (inside `babel`) or `\date \langle language \rangle` is defined (after `babel` has been loaded). There are also two version of `\bbl@forlang`. The first one skips the current iteration if the language is not in `\BabelLanguages` (used in `ldfs`), and the second one skips undefined languages (after `babel` has

been loaded).

```

1844 \def\bbl@forlang#1#2{%
1845   \bbl@for#1\bbl@L{%
1846     \bbl@xin@{,#1,},{,\BabelLanguages,}%
1847     \ifin@#2\relax\fi}}
1848 \def\bbl@scswitch{%
1849   \bbl@forlang\bbl@tempa{%
1850     \ifx\bbl@G\@empty\else
1851       \ifx\SetString@gobbletwo\else
1852         \edef\bbl@GL{\bbl@G\bbl@tempa}%
1853         \bbl@xin@{,\bbl@GL,}{,\bbl@screset,}%
1854         \ifin@\else
1855           \global\expandafter\let\csname\bbl@GL\endcsname\@undefined
1856           \xdef\bbl@screset{\bbl@screset,\bbl@GL}%
1857         \fi
1858       \fi
1859     \fi}}
1860 \AtEndOfPackage{%
1861   \def\bbl@forlang#1#2{\bbl@for#1\bbl@L{\bbl@ifunset{date#1}{\#2}}}%
1862   \let\bbl@scswitch\relax}
1863 \@onlypreamble\EndBabelCommands
1864 \def\EndBabelCommands{%
1865   \bbl@usehooks{stopcommands}{}%
1866   \endgroup
1867   \endgroup
1868   \bbl@scafter}
1869 \let\bbl@endcommands\EndBabelCommands

```

Now we define commands to be used inside \StartBabelCommands.

**Strings** The following macro is the actual definition of \SetString when it is “active”

First save the “switcher”. Create it if undefined. Strings are defined only if undefined (i.e., like \providescommand). With the event stringprocess you can preprocess the string by manipulating the value of \BabelString. If there are several hooks assigned to this event, preprocessing is done in the same order as defined. Finally, the string is set.

```

1870 \def\bbl@setstring#1#2{% e.g., \prefacename{<string>}
1871   \bbl@forlang\bbl@tempa{%
1872     \edef\bbl@LC{\bbl@tempa\bbl@stripslash#1}%
1873     \bbl@ifunset{\bbl@LC}% e.g., \germanchaptername
1874     {\bbl@exp{%
1875       \global\\bbl@add\<\bbl@G\bbl@tempa>{\\bbl@scset\\#1\<\bbl@LC>}}}%
1876     }%
1877     \def\BabelString{#2}%
1878     \bbl@usehooks{stringprocess}{}%
1879     \expandafter\bbl@stringdef
1880     \csname\bbl@LC\expandafter\endcsname\expandafter{\BabelString}}

```

A little auxiliary command sets the string. Formerly used with casing. Very likely no longer necessary, although it’s used in \setlocalecaption.

```

1881 \def\bbl@scset#1#2{\def#1{#2}}

```

Define \SetStringLoop, which is actually set inside \StartBabelCommands. The current definition is somewhat complicated because we need a count, but \count@ is not under our control (remember \SetString may call hooks). Instead of defining a dedicated count, we just “pre-expand” its value.

```

1882 <<*Macros local to BabelCommands>> ≡
1883 \def\SetStringLoop##1#2{%
1884   \def\bbl@templ####1{\expandafter\noexpand\csname##1\endcsname}%
1885   \count@\z@
1886   \bbl@loop\bbl@tempa{##2}{% empty items and spaces are ok
1887     \advance\count@\@ne
1888     \toks@\expandafter{\bbl@tempa}%
1889     \bbl@exp{%
1890       \\SetString\bbl@templ{\romannumeral\count@}{\the\toks@}%

```

```

1891 \count@=\the\count@\relax}}}%
1892 <</Macros local to BabelCommands>>

```

**Delaying code** Now the definition of \AfterBabelCommands when it is activated.

```

1893 \def\bbl@aftercmds#1{%
1894 \toks@\expandafter{\bbl@scafter#1}%
1895 \xdef\bbl@scafter{\the\toks@}}

```

**Case mapping** The command \SetCase is deprecated. Currently it consists in a definition with a hack just for backward compatibility in the macro mapping.

```

1896 <<*Macros local to BabelCommands>> ≡
1897 \newcommand\SetCase[3][]{%
1898 \def\bbl@tempa####1####2{%
1899 \ifx####1\@empty\else
1900 \bbl@carg\bbl@add{extras\CurrentOption}{%
1901 \bbl@carg\babel@save{c__text_uppercase_\string####1_tl}%
1902 \bbl@carg\def{c__text_uppercase_\string####1_tl}{####2}%
1903 \bbl@carg\babel@save{c__text_lowercase_\string####2_tl}%
1904 \bbl@carg\def{c__text_lowercase_\string####2_tl}{####1}}%
1905 \expandafter\bbl@tempa
1906 \fi}%
1907 \bbl@tempa##1\@empty\@empty
1908 \bbl@carg\bbl@tglobal{extras\CurrentOption}}%
1909 <</Macros local to BabelCommands>>

```

Macros to deal with case mapping for hyphenation. To decide if the document is monolingual or multilingual, we make a rough guess – just see if there is a comma in the languages list, built in the first pass of the package options.

```

1910 <<*Macros local to BabelCommands>> ≡
1911 \newcommand\SetHyphenMap[1]{%
1912 \bbl@forlang\bbl@tempa{%
1913 \expandafter\bbl@stringdef
1914 \csname\bbl@tempa @bbl@hyphenmap\endcsname{##1}}}%
1915 <</Macros local to BabelCommands>>

```

There are 3 helper macros which do most of the work for you.

```

1916 \newcommand\BabelLower[2]{% one to one.
1917 \ifnum\lccode#1=#2\else
1918 \babel@savevariable{\lccode#1}%
1919 \lccode#1=#2\relax
1920 \fi}
1921 \newcommand\BabelLowerMM[4]{% many-to-many
1922 \@tempcnta=#1\relax
1923 \@tempcntb=#4\relax
1924 \def\bbl@tempa{%
1925 \ifnum\@tempcnta>#2\else
1926 \@expandtwoargs\BabelLower{\the\@tempcnta}{\the\@tempcntb}%
1927 \advance\@tempcnta#3\relax
1928 \advance\@tempcntb#3\relax
1929 \expandafter\bbl@tempa
1930 \fi}%
1931 \bbl@tempa}
1932 \newcommand\BabelLowerMO[4]{% many-to-one
1933 \@tempcnta=#1\relax
1934 \def\bbl@tempa{%
1935 \ifnum\@tempcnta>#2\else
1936 \@expandtwoargs\BabelLower{\the\@tempcnta}{#4}%
1937 \advance\@tempcnta#3
1938 \expandafter\bbl@tempa
1939 \fi}%
1940 \bbl@tempa}

```



The following package options control the behavior of hyphenation mapping.

```

1941 <<*More package options>> ≡
1942 \DeclareOption{hyphenmap=off}{\chardef\bbl@opt@hyphenmap\z@}
1943 \DeclareOption{hyphenmap=first}{\chardef\bbl@opt@hyphenmap\@ne}
1944 \DeclareOption{hyphenmap=select}{\chardef\bbl@opt@hyphenmap\tw@}
1945 \DeclareOption{hyphenmap=other}{\chardef\bbl@opt@hyphenmap\thr@@}
1946 \DeclareOption{hyphenmap=other*}{\chardef\bbl@opt@hyphenmap4\relax}
1947 <</More package options>>

```

Initial setup to provide a default behavior if hyphenmap is not set.

```

1948 \AtEndOfPackage{%
1949   \ifx\bbl@opt@hyphenmap\undefined
1950     \bbl@xin@{,}{\bbl@language@opts}%
1951     \chardef\bbl@opt@hyphenmap\ifin@4\else\@ne\fi
1952   \fi}

```

## 4.14. Tailor captions

A general tool for resetting the caption names with a unique interface. With the old way, which mixes the switcher and the string, we convert it to the new one, which separates these two steps.

```

1953 \newcommand\setlocalecaption{%
1954   \ifstar\bbl@setcaption@s\bbl@setcaption@x}
1955 \def\bbl@setcaption@x#1#2#3{% language caption-name string
1956   \bbl@trim@def\bbl@tempa{#2}%
1957   \bbl@xin@{.template}{\bbl@tempa}%
1958   \ifin@
1959     \bbl@ini@captions@template{#3}{#1}%
1960   \else
1961     \edef\bbl@tempd{%
1962       \expandafter\expandafter\expandafter
1963       \strip@prefix\expandafter\meaning\csname captions#1\endcsname}%
1964     \bbl@xin@
1965       {\expandafter\string\csname #2name\endcsname}%
1966       {\bbl@tempd}%
1967     \ifin@ % Renew caption
1968       \bbl@xin@{\string\bbl@scset}{\bbl@tempd}%
1969     \ifin@
1970       \bbl@exp{%
1971         \\bbl@ifsamestring{\bbl@tempa}{\language name}%
1972         {\bbl@scset\<#2name>\<#1#2name>}%
1973         {}}%
1974       \else % Old way converts to new way
1975         \bbl@ifunset{#1#2name}%
1976         {\bbl@exp{%
1977           \\bbl@add\<captions#1>\def\<#2name>\<#1#2name>}}%
1978           \\bbl@ifsamestring{\bbl@tempa}{\language name}%
1979           {\def\<#2name>\<#1#2name>}}%
1980           {}}}%
1981       {}%
1982     \fi
1983   \else
1984     \bbl@xin@{\string\bbl@scset}{\bbl@tempd}% New
1985     \ifin@ % New way
1986     \bbl@exp{%
1987       \\bbl@add\<captions#1>\bbl@scset\<#2name>\<#1#2name>}%
1988       \\bbl@ifsamestring{\bbl@tempa}{\language name}%
1989       {\bbl@scset\<#2name>\<#1#2name>}%
1990       {}}%
1991     \else % Old way, but defined in the new way
1992     \bbl@exp{%
1993       \\bbl@add\<captions#1>\def\<#2name>\<#1#2name>}}%
1994       \\bbl@ifsamestring{\bbl@tempa}{\language name}%

```

```

1995      {\def\<#2name>{\<#1#2name>}}%
1996      {}}%
1997      \fi%
1998      \fi
1999      \@namedef{#1#2name}{#3}%
2000      \toks@{\expandafter{\bbl@captionslist}%
2001      \bbl@exp{\in{\<#2name>}{\the\toks@}}}%
2002      \ifin@else
2003      \bbl@exp{\bbl@add{\bbl@captionslist{\<#2name>}}}%
2004      \bbl@tglobal\bbl@captionslist
2005      \fi
2006      \fi}

```

## 4.15. Making glyphs available

This section makes a number of glyphs available that either do not exist in the OT1 encoding and have to be ‘faked’, or that are not accessible through Tlenc.def.

**\set@low@box** The following macro is used to lower quotes to the same level as the comma. It prepares its argument in box register 0.

```

2007 \bbl@trace{Macros related to glyphs}
2008 \def\set@low@box#1{\setbox\tw@{\hbox{,}}\setbox\z@{\hbox{#1}}%
2009   \dimen\z@{\ht\z@ \advance\dimen\z@ -\ht\tw@}%
2010   \setbox\z@{\hbox{\lower\dimen\z@ \box\z@}\ht\z@{\ht\tw@ \dp\z@\dp\tw@}}

```

**\save@sf@q** The macro \save@sf@q is used to save and reset the current space factor.

```

2011 \def\save@sf@q#1{\leavevmode
2012   \begingroup
2013   \edef\@SF{\spacefactor\the\spacefactor}#1\@SF
2014   \endgroup}

```

### 4.15.1. Quotation marks

**\quotedblbase** In the T1 encoding the opening double quote at the baseline is available as a separate character, accessible via \quotedblbase. In the OT1 encoding it is not available, therefore we make it available by lowering the normal open quote character to the baseline.

```

2015 \ProvideTextCommand{\quotedblbase}{OT1}{%
2016   \save@sf@q{\set@low@box{\textquotedblright/}}%
2017   \box\z@\kern-.04em\bbl@allowhyphens}}

```

Make sure that when an encoding other than OT1 or T1 is used this glyph can still be typeset.

```

2018 \ProvideTextCommandDefault{\quotedblbase}{%
2019   \UseTextSymbol{OT1}{\quotedblbase}}

```

**\quotesinglbase** We also need the single quote character at the baseline.

```

2020 \ProvideTextCommand{\quotesinglbase}{OT1}{%
2021   \save@sf@q{\set@low@box{\textquoteright/}}%
2022   \box\z@\kern-.04em\bbl@allowhyphens}}

```

Make sure that when an encoding other than OT1 or T1 is used this glyph can still be typeset.

```

2023 \ProvideTextCommandDefault{\quotesinglbase}{%
2024   \UseTextSymbol{OT1}{\quotesinglbase}}

```

**\guillemetleft**

**\guillemetright** The guillemet characters are not available in OT1 encoding. They are faked. (Wrong names with o preserved for compatibility.)

```
2025 \ProvideTextCommand{\guillemetleft}{OT1}{%
2026   \ifmmode
2027     \ll
2028   \else
2029     \save@sf@q{\nobreak
2030       \raise.2ex\hbox{$\scriptscriptstyle\ll$}\bbl@allowhyphens}%
2031   \fi}
2032 \ProvideTextCommand{\guillemetright}{OT1}{%
2033   \ifmmode
2034     \gg
2035   \else
2036     \save@sf@q{\nobreak
2037       \raise.2ex\hbox{$\scriptscriptstyle\gg$}\bbl@allowhyphens}%
2038   \fi}
2039 \ProvideTextCommand{\guillemotleft}{OT1}{%
2040   \ifmmode
2041     \ll
2042   \else
2043     \save@sf@q{\nobreak
2044       \raise.2ex\hbox{$\scriptscriptstyle\ll$}\bbl@allowhyphens}%
2045   \fi}
2046 \ProvideTextCommand{\guillemotright}{OT1}{%
2047   \ifmmode
2048     \gg
2049   \else
2050     \save@sf@q{\nobreak
2051       \raise.2ex\hbox{$\scriptscriptstyle\gg$}\bbl@allowhyphens}%
2052   \fi}
```

Make sure that when an encoding other than OT1 or T1 is used these glyphs can still be typeset.

```
2053 \ProvideTextCommandDefault{\guillemetleft}{%
2054   \UseTextSymbol{OT1}{\guillemetleft}}
2055 \ProvideTextCommandDefault{\guillemetright}{%
2056   \UseTextSymbol{OT1}{\guillemetright}}
2057 \ProvideTextCommandDefault{\guillemotleft}{%
2058   \UseTextSymbol{OT1}{\guillemotleft}}
2059 \ProvideTextCommandDefault{\guillemotright}{%
2060   \UseTextSymbol{OT1}{\guillemotright}}
```

**\guilsinglleft**

**\guilsinglright** The single guillemets are not available in OT1 encoding. They are faked.

```
2061 \ProvideTextCommand{\guilsinglleft}{OT1}{%
2062   \ifmmode
2063     <%
2064   \else
2065     \save@sf@q{\nobreak
2066       \raise.2ex\hbox{$\scriptscriptstyle<$}\bbl@allowhyphens}%
2067   \fi}
2068 \ProvideTextCommand{\guilsinglright}{OT1}{%
2069   \ifmmode
2070     >%
2071   \else
2072     \save@sf@q{\nobreak
2073       \raise.2ex\hbox{$\scriptscriptstyle>$}\bbl@allowhyphens}%
2074   \fi}
```

Make sure that when an encoding other than OT1 or T1 is used these glyphs can still be typeset.

```
2075 \ProvideTextCommandDefault{\guilsinglleft}{%
2076   \UseTextSymbol{OT1}{\guilsinglleft}}
2077 \ProvideTextCommandDefault{\guilsinglright}{%
2078   \UseTextSymbol{OT1}{\guilsinglright}}
```

### 4.15.2. Letters

**\ij**

**\IJ** The dutch language uses the letter 'ij'. It is available in T1 encoded fonts, but not in the OT1 encoded fonts. Therefore we fake it for the OT1 encoding.

```
2079 \DeclareTextCommand{\ij}{OT1}{%
2080   i\kern-0.02em\bbl@allowhyphens j}
2081 \DeclareTextCommand{\IJ}{OT1}{%
2082   I\kern-0.02em\bbl@allowhyphens J}
2083 \DeclareTextCommand{\ij}{T1}{\char188}
2084 \DeclareTextCommand{\IJ}{T1}{\char156}
```

Make sure that when an encoding other than OT1 or T1 is used these glyphs can still be typeset.

```
2085 \ProvideTextCommandDefault{\ij}{%
2086   \UseTextSymbol{OT1}{\ij}}
2087 \ProvideTextCommandDefault{\IJ}{%
2088   \UseTextSymbol{OT1}{\IJ}}
```

**\dj**

**\DJ** The croatian language needs the letters \dj and \DJ; they are available in the T1 encoding, but not in the OT1 encoding by default.

Some code to construct these glyphs for the OT1 encoding was made available to me by Stipčević Mario, (stipcevic@olimp.irb.hr).

```
2089 \def\crrtic@{\hrule height0.1ex width0.3em}
2090 \def\crrtic@{\hrule height0.1ex width0.33em}
2091 \def\ddj@{%
2092   \setbox0\hbox{d}\dimen@=\ht0
2093   \advance\dimen@lex
2094   \dimen@.45\dimen@
2095   \dimen@ii\expandafter\rem@pt\the\fontdimen\@ne\font\dimen@
2096   \advance\dimen@ii.5ex
2097   \leavevmode\rlap{\raise\dimen@\hbox{\kern\dimen@ii\vbox{\crrtic@}}}}
2098 \def\DDJ@{%
2099   \setbox0\hbox{D}\dimen@=.55\ht0
2100   \dimen@ii\expandafter\rem@pt\the\fontdimen\@ne\font\dimen@
2101   \advance\dimen@ii.15ex % correction for the dash position
2102   \advance\dimen@ii-.15\fontdimen7\font % correction for cmtt font
2103   \dimen\thr@@\expandafter\rem@pt\the\fontdimen7\font\dimen@
2104   \leavevmode\rlap{\raise\dimen@\hbox{\kern\dimen@ii\vbox{\crrtic@}}}}
2105 %
2106 \DeclareTextCommand{\dj}{OT1}{\ddj@ d}
2107 \DeclareTextCommand{\DJ}{OT1}{\DDJ@ D}
```

Make sure that when an encoding other than OT1 or T1 is used these glyphs can still be typeset.

```
2108 \ProvideTextCommandDefault{\dj}{%
2109   \UseTextSymbol{OT1}{\dj}}
2110 \ProvideTextCommandDefault{\DJ}{%
2111   \UseTextSymbol{OT1}{\DJ}}
```

**\SS** For the T1 encoding \SS is defined and selects a specific glyph from the font, but for other encodings it is not available. Therefore we make it available here.

```
2112 \DeclareTextCommand{\SS}{OT1}{SS}
2113 \ProvideTextCommandDefault{\SS}{\UseTextSymbol{OT1}{\SS}}
```

### 4.15.3. Shorthands for quotation marks

Shorthands are provided for a number of different quotation marks, which make them usable both outside and inside mathmode. They are defined with \ProvideTextCommandDefault, but this is very likely not required because their definitions are based on encoding-dependent macros.

**\glq**

**\grq** The ‘german’ single quotes.

```
2114 \ProvideTextCommandDefault{\glq}{%
2115 \textormath{\quotesinglbase}{\mbox{\quotesinglbase}}}
```

The definition of \grq depends on the fontencoding. With T1 encoding no extra kerning is needed.

```
2116 \ProvideTextCommand{\grq}{T1}{%
2117 \textormath{\kern\z@\textquoteleft}{\mbox{\textquoteleft}}}
2118 \ProvideTextCommand{\grq}{TU}{%
2119 \textormath{\textquoteleft}{\mbox{\textquoteleft}}}
2120 \ProvideTextCommand{\grq}{OT1}{%
2121 \save@sf@q{\kern-.0125em
2122 \textormath{\textquoteleft}{\mbox{\textquoteleft}}}%
2123 \kern.07em\relax}}
2124 \ProvideTextCommandDefault{\grq}{\UseTextSymbol{OT1}\grq}
```

**\glqq**

**\grqq** The ‘german’ double quotes.

```
2125 \ProvideTextCommandDefault{\glqq}{%
2126 \textormath{\quotedblbase}{\mbox{\quotedblbase}}}
```

The definition of \grqq depends on the fontencoding. With T1 encoding no extra kerning is needed.

```
2127 \ProvideTextCommand{\grqq}{T1}{%
2128 \textormath{\textquotedblleft}{\mbox{\textquotedblleft}}}
2129 \ProvideTextCommand{\grqq}{TU}{%
2130 \textormath{\textquotedblleft}{\mbox{\textquotedblleft}}}
2131 \ProvideTextCommand{\grqq}{OT1}{%
2132 \save@sf@q{\kern-.07em
2133 \textormath{\textquotedblleft}{\mbox{\textquotedblleft}}}%
2134 \kern.07em\relax}}
2135 \ProvideTextCommandDefault{\grqq}{\UseTextSymbol{OT1}\grqq}
```

**\flq**

**\frq** The ‘french’ single guillemets.

```
2136 \ProvideTextCommandDefault{\flq}{%
2137 \textormath{\guilsinglleft}{\mbox{\guilsinglleft}}}
2138 \ProvideTextCommandDefault{\frq}{%
2139 \textormath{\guilsinglright}{\mbox{\guilsinglright}}}
```

**\flqq**

**\frqq** The ‘french’ double guillemets.

```
2140 \ProvideTextCommandDefault{\flqq}{%
2141 \textormath{\guillemetleft}{\mbox{\guillemetleft}}}
2142 \ProvideTextCommandDefault{\frqq}{%
2143 \textormath{\guillemetright}{\mbox{\guillemetright}}}
```

#### 4.15.4. Umlauts and tremas

The command \ " needs to have a different effect for different languages. For German for instance, the ‘umlaut’ should be positioned lower than the default position for placing it over the letters a, o, u, A, O and U. When placed over an e, i, E or I it can retain its normal position. For Dutch the same glyph is always placed in the lower position.

**\umlauthigh**

**\umlautlow** To be able to provide both positions of `\` we provide two commands to switch the positioning, the default will be `\umlauthigh` (the normal positioning).

```

2144 \def\umlauthigh{%
2145   \def\bbbl@umlauta##1{\leavevmode\bgroup%
2146     \accent\csname\f@encoding dqpos\endcsname
2147     ##1\bbbl@allowhyphens\egroup}%
2148   \let\bbbl@umlaute\bbbl@umlauta}
2149 \def\umlautlow{%
2150   \def\bbbl@umlauta{\protect\lower@umlaut}}
2151 \def\umlautelowlow{%
2152   \def\bbbl@umlaute{\protect\lower@umlaut}}
2153 \umlauthigh

```

**\lower@umlaut** Used to position the `\` closer to the letter. We want the umlaut character lowered, nearer to the letter. To do this we need an extra *(dimen)* register.

```

2154 \expandafter\ifx\csname U@D\endcsname\relax
2155   \csname newdimen\endcsname U@D
2156 \fi

```

The following code fools  $\TeX$ 's `make\_accent` procedure about the current x-height of the font to force another placement of the umlaut character. First we have to save the current x-height of the font, because we'll change this font dimension and this is always done globally.

Then we compute the new x-height in such a way that the umlaut character is lowered to the base character. The value of `.45ex` depends on the METAFONT parameters with which the fonts were built. (Just try out, which value will look best.) If the new x-height is too low, it is not changed. Finally we call the `\accent` primitive, reset the old x-height and insert the base character in the argument.

```

2157 \def\lower@umlaut#1{%
2158   \leavevmode\bgroup
2159     \U@D lex%
2160     {\setbox\z@\hbox{%
2161       \char\csname\f@encoding dqpos\endcsname}%
2162       \dimen@ -.45ex\advance\dimen@ht\z@
2163       \ifdim lex<\dimen@ \fontdimen5\font\dimen@ \fi}%
2164     \accent\csname\f@encoding dqpos\endcsname
2165     \fontdimen5\font\U@D #1%
2166   \egroup}

```

For all vowels we declare `\` to be a composite command which uses `\bbbl@umlauta` or `\bbbl@umlaute` to position the umlaut character. We need to be sure that these definitions override the ones that are provided when the package `fontenc` with option `OT1` is used. Therefore these declarations are postponed until the beginning of the document. Note these definitions only apply to some languages, but `babel` sets them for *all* languages – you may want to redefine `\bbbl@umlauta` and/or `\bbbl@umlaute` for a language in the corresponding `ldf` (using the `babel` switching mechanism, of course).

```

2167 \AtBeginDocument{%
2168   \DeclareTextCompositeCommand{\}{OT1}{a}{\bbbl@umlauta{a}}%
2169   \DeclareTextCompositeCommand{\}{OT1}{e}{\bbbl@umlaute{e}}%
2170   \DeclareTextCompositeCommand{\}{OT1}{i}{\bbbl@umlaute{i}}%
2171   \DeclareTextCompositeCommand{\}{OT1}{\i}{\bbbl@umlaute{i}}%
2172   \DeclareTextCompositeCommand{\}{OT1}{o}{\bbbl@umlauta{o}}%
2173   \DeclareTextCompositeCommand{\}{OT1}{u}{\bbbl@umlauta{u}}%
2174   \DeclareTextCompositeCommand{\}{OT1}{A}{\bbbl@umlauta{A}}%
2175   \DeclareTextCompositeCommand{\}{OT1}{E}{\bbbl@umlaute{E}}%
2176   \DeclareTextCompositeCommand{\}{OT1}{I}{\bbbl@umlaute{I}}%
2177   \DeclareTextCompositeCommand{\}{OT1}{O}{\bbbl@umlauta{O}}%
2178   \DeclareTextCompositeCommand{\}{OT1}{U}{\bbbl@umlauta{U}}%

```

Finally, make sure the default hyphenrules are defined (even if empty). For internal use, another empty `\language` is defined. Currently used in `Amharic`.

```

2179 \ifx\l@english\undefined
2180   \chardef\l@english\z@
2181 \fi

```

```

2182 % The following is used to cancel rules in ini files (see Amharic).
2183 \ifx\l@unhyphenated\@undefined
2184   \newlanguage\l@unhyphenated
2185 \fi

```

## 4.16. Layout

Layout is mainly intended to set bidi documents, but there is at least a tool useful in general.

```

2186 \bbl@trace{Bidi layout}
2187 \providecommand\IfBabelLayout[3]{#3}%

```

## 4.17. Load engine specific macros

Some macros are not defined in all engines, so, after loading the files define them if necessary to raise an error.

```

2188 \bbl@trace{Input engine specific macros}
2189 \ifcase\bbl@engine
2190   \input txtbabel.def
2191 \or
2192   \input luababel.def
2193 \or
2194   \input xebabel.def
2195 \fi
2196 \providecommand\babelfont{\bbl@error{only-lua-xe}{}}{}{}
2197 \providecommand\babelprehyphenation{\bbl@error{only-lua}{}}{}{}
2198 \ifx\babelposthyphenation\@undefined
2199   \let\babelposthyphenation\babelprehyphenation
2200   \let\babelpatterns\babelprehyphenation
2201   \let\babelcharproperty\babelprehyphenation
2202 \fi
2203 </package | core>

```

## 4.18. Creating and modifying languages

Continue with  $\LaTeX$  only.

`\babelprovide` is a general purpose tool for creating and modifying languages. It creates the language infrastructure, and loads, if requested, an ini file. It may be used in conjunction to previously loaded `ldf` files.

```

2204 < *package>
2205 \bbl@trace{Creating languages and reading ini files}
2206 \let\bbl@extend@ini@gobble
2207 \newcommand\babelprovide[2][]{%
2208   \let\bbl@savelangname\languagename
2209   \edef\bbl@savelocaleid{\the\localeid}%
2210   % Set name and locale id
2211   \edef\languagename{#2}%
2212   \bbl@id@assign
2213   % Initialize keys
2214   \bbl@vforeach{captions,date,import,main,script,language,%
2215     hyphenrules,linebreaking,justification,mapfont,maparabic,%
2216     mapdigits,intraspaces,intrapenalty,onchar,transforms,alph,%
2217     Alph,labels,labels*,mapdot,calendar,date,casing,interchar,%
2218     @import}%
2219     {\bbl@csarg\let{KVP@##1}\@nnil}%
2220   \global\let\bbl@release@transforms\@empty
2221   \global\let\bbl@release@casing\@empty
2222   \let\bbl@calendars\@empty
2223   \global\let\bbl@inidata\@empty
2224   \global\let\bbl@extend@ini@gobble
2225   \global\let\bbl@included@inis\@empty
2226   \gdef\bbl@key@list{;}%
2227   \bbl@ifunset\bbl@passto#2}%

```

```

2228     {\def\bb@tempa{#1}}%
2229     {\bb@exp{\def\\bb@tempa{[bb@passto@#2],\unexpanded{#1}}}%
2230 \expandafter\bb@forkv\expandafter{\bb@tempa}{%
2231   \in@{/}{##1}% With /, (re)sets a value in the ini
2232   \ifin@
2233     \bb@renewinikey##1\@{##2}%
2234   \else
2235     \bb@csarg\ifx{KVP@##1}\@nnil\else
2236       \bb@error{unknown-provide-key}{##1}{}}%
2237     \fi
2238     \bb@csarg\def{KVP@##1}{##2}%
2239   \fi}%
2240 \chardef\bb@howloaded=% 0:none; 1:ldf without ini; 2:ini
2241   \bb@ifunset{date#2}\z{\bb@ifunset{bb@llevel@#2}\@ne\tw@}%
2242 % == init ==
2243 \ifx\bb@screset\@undefined
2244   \bb@ldfinit
2245 \fi
2246 % ==
2247 % If there is no import (last wins), use @import (internal, there
2248 % must be just one). To consider any order (because
2249 % \PassOptionsToLocale).
2250 \ifx\bb@KVP@import\@nnil
2251   \let\bb@KVP@import\bb@KVP@import
2252 \fi
2253 % == date (as option) ==
2254 % \ifx\bb@KVP@date\@nnil\else
2255 % \fi
2256 % ==
2257 \let\bb@lbkflag\relax % \@empty = do setup linebreak, only in 3 cases:
2258 \ifcase\bb@howloaded
2259   \let\bb@lbkflag\@empty % new
2260 \else
2261   \ifx\bb@KVP@hyphenrules\@nnil\else
2262     \let\bb@lbkflag\@empty
2263   \fi
2264   \ifx\bb@KVP@import\@nnil\else
2265     \let\bb@lbkflag\@empty
2266   \fi
2267 \fi
2268 % == import, captions ==
2269 \ifx\bb@KVP@import\@nnil\else
2270   \bb@exp{\\bb@ifblank{\bb@KVP@import}}%
2271   {\ifx\bb@initoload\relax
2272     \begingroup
2273       \def\BabelBeforeIni##1##2{\gdef\bb@KVP@import{##1}\endinput}%
2274       \bb@input@texini{##2}%
2275     \endgroup
2276   \else
2277     \xdef\bb@KVP@import{\bb@initoload}%
2278   \fi}%
2279   {}%
2280   \let\bb@KVP@date\@empty
2281 \fi
2282 \let\bb@KVP@captions@\bb@KVP@captions
2283 \ifx\bb@KVP@captions\@nnil
2284   \let\bb@KVP@captions\bb@KVP@import
2285 \fi
2286 % ==
2287 \ifx\bb@KVP@transforms\@nnil\else
2288   \bb@replace\bb@KVP@transforms{ },}%
2289 \fi
2290 % ==

```



```

2291 \ifx\bbbl@KVP@mapdot\@nnil\else
2292 \def\bbbl@tempa{\@empty}%
2293 \ifx\bbbl@KVP@mapdot\bbbl@tempa\else
2294 \bbbl@exp{\gdef\<bbbl@map@. @\language>{\bbbl@KVP@mapdot}}}%
2295 \fi
2296 \fi
2297 % Load ini
2298 % -----
2299 \ifcase\bbbl@howloaded
2300 \bbbl@provide@new{#2}%
2301 \else
2302 \bbbl@ifblank{#1}%
2303 {}% With \bbbl@load@basic below
2304 {\bbbl@provide@renew{#2}}%
2305 \fi
2306 % Post tasks
2307 % -----
2308 % == subsequent calls after the first provide for a locale ==
2309 \ifx\bbbl@inidata\@empty\else
2310 \bbbl@extend@ini{#2}%
2311 \fi
2312 % == ensure captions ==
2313 \ifx\bbbl@KVP@captions\@nnil\else
2314 \bbbl@ifunset{bbbl@extracaps@#2}%
2315 {\bbbl@exp{\bbbl@babelensure[exclude=\\today]{#2}}}%
2316 {\bbbl@exp{\bbbl@babelensure[exclude=\\today,
2317 include=\bbbl@extracaps@#2]}{#2}}%
2318 \bbbl@ifunset{bbbl@ensure@\language}%
2319 {\bbbl@exp{%
2320 \\\DeclareRobustCommand\<bbbl@ensure@\language>[1]{%
2321 \\\foreignlanguage{\language}%
2322 {###1}}}%
2323 }%
2324 \bbbl@exp{%
2325 \\\bbbl@tglobal\<bbbl@ensure@\language>%
2326 \\\bbbl@tglobal\<bbbl@ensure@\language\space>}%
2327 \fi

```

At this point all parameters are defined if 'import'. Now we execute some code depending on them. But what about if nothing was imported? We just set the basic parameters, but still loading the whole ini file.

```

2328 \bbbl@load@basic{#2}%
2329 % == script, language ==
2330 % Override the values from ini or defines them
2331 \ifx\bbbl@KVP@script\@nnil\else
2332 \bbbl@csarg\edef{sname@#2}{\bbbl@KVP@script}%
2333 \fi
2334 \ifx\bbbl@KVP@language\@nnil\else
2335 \bbbl@csarg\edef{lname@#2}{\bbbl@KVP@language}%
2336 \fi
2337 \ifcase\bbbl@engine\or
2338 \bbbl@ifunset{bbbl@chrng@\language}{}%
2339 {\directlua{
2340 Babel.set_chranges_b('\bbbl@cl{sbc}', '\bbbl@cl{chrng}') }}%
2341 \fi
2342 % == Line breaking: intraspace, intrapenalty ==
2343 % For CJK, East Asian, Southeast Asian, if interspace in ini
2344 \ifx\bbbl@KVP@intraspace\@nnil\else % We can override the ini or set
2345 \bbbl@csarg\edef{intsp@#2}{\bbbl@KVP@intraspace}%
2346 \fi
2347 \bbbl@provide@intraspace
2348 % == Line breaking: justification ==
2349 \ifx\bbbl@KVP@justification\@nnil\else

```

```

2350 \let\bbl@KVP@linebreaking\bbl@KVP@justification
2351 \fi
2352 \ifx\bbl@KVP@linebreaking\@nnil\else
2353 \bbl@xin@{,\bbl@KVP@linebreaking,}%
2354 {,elongated,kashida,cjk,padding,unhyphenated,}%
2355 \ifin@
2356 \bbl@csarg\xdef
2357 {\lnbrk@{\language\name}{\expandafter\@car\bbl@KVP@linebreaking\@nil}%
2358 \fi
2359 \fi
2360 \bbl@xin@{/e}{/\bbl@cl{\lnbrk}}}%
2361 \ifin@{\else\bbl@xin@{/k}{/\bbl@cl{\lnbrk}}}\fi
2362 \ifin@\bbl@arabicjust\fi
2363 \bbl@xin@{/p}{/\bbl@cl{\lnbrk}}}%
2364 \ifin@\AtBeginDocument{\@nameuse{\bbl@tibetanjust}}\fi
2365 % == Line breaking: hyphenate.other.(locale|script) ==
2366 \ifx\bbl@lbfkflag\@empty
2367 \bbl@ifunset{\bbl@hyotl@{\language\name}}{ }%
2368 {\bbl@csarg\bbl@replace{\hyotl@{\language\name}}{ }{,}%
2369 \bbl@startcommands*{\language\name}}%
2370 \bbl@csarg\bbl@foreach{\hyotl@{\language\name}}{
2371 \ifcase\bbl@engine
2372 \ifnum##1<257
2373 \SetHyphenMap{\BabelLower{##1}{##1}}%
2374 \fi
2375 \else
2376 \SetHyphenMap{\BabelLower{##1}{##1}}%
2377 \fi}%
2378 \bbl@endcommands}%
2379 \bbl@ifunset{\bbl@hyots@{\language\name}}{ }%
2380 {\bbl@csarg\bbl@replace{\hyots@{\language\name}}{ }{,}%
2381 \bbl@csarg\bbl@foreach{\hyots@{\language\name}}{
2382 \ifcase\bbl@engine
2383 \ifnum##1<257
2384 \global\lccode##1=##1\relax
2385 \fi
2386 \else
2387 \global\lccode##1=##1\relax
2388 \fi}}%
2389 \fi
2390 % == Counters: maparabic ==
2391 % Native digits, if provided in ini (TeX level, xe and lua)
2392 \ifcase\bbl@engine\else
2393 \bbl@ifunset{\bbl@dgnat@{\language\name}}{ }%
2394 {\expandafter\ifx\csname\bbl@dgnat@{\language\name}\endcsname\@empty\else
2395 \expandafter\expandafter\expandafter
2396 \bbl@setdigits\csname\bbl@dgnat@{\language\name}\endcsname
2397 \ifx\bbl@KVP@maparabic\@nnil\else
2398 \ifx\bbl@latinarabic\@undefined
2399 \expandafter\let\expandafter\@arabic
2400 \csname\bbl@counter@{\language\name}\endcsname
2401 \else % i.e., if layout=counters, which redefines \@arabic
2402 \expandafter\let\expandafter\bbl@latinarabic
2403 \csname\bbl@counter@{\language\name}\endcsname
2404 \fi
2405 \fi
2406 \fi}%
2407 \fi
2408 % == Counters: mapdigits ==
2409 % > luababel.def
2410 % == Counters: alph, Alph ==
2411 \ifx\bbl@KVP@alph\@nnil\else
2412 \bbl@exp{%

```

```

2413     \\bbl@add\<bbl@preextras@\language\>{%
2414     \\babel@save\\@alph
2415     \let\\@alph\<bbl@cntr@bbl@KVP@alph @\language\>}}%
2416 \fi
2417 \ifx\bbl@KVP@Alph\@nnil\else
2418     \bbl@exp{%
2419         \\bbl@add\<bbl@preextras@\language\>{%
2420         \\babel@save\\@Alph
2421         \let\\@Alph\<bbl@cntr@bbl@KVP@Alph @\language\>}}%
2422 \fi
2423 % == Counters: mapdot ==
2424 \ifx\bbl@KVP@mapdot\@nnil\else
2425     \bbl@foreach\bbl@list@the{%
2426         \bbl@ifunset{the##1}{}%
2427         {{\bbl@ncarg\let\bbl@tempd{the##1}%
2428         \bbl@carg\bbl@sreplace{the##1}{.}{\bbl@map@lbl{.}}%
2429         \expandafter\ifx\csname the##1\endcsname\bbl@tempd\else
2430         \bbl@exp{\gdef\<the##1>{{\the##1}}}%
2431         \fi}}}%
2432 \edef\bbl@tempb{enumi,enumii,enumiii,enumiv}%
2433 \bbl@foreach\bbl@tempb{%
2434     \bbl@ifunset{label##1}{}%
2435     {{\bbl@ncarg\let\bbl@tempd{label##1}%
2436     \bbl@carg\bbl@sreplace{label##1}{.}{\bbl@map@lbl{.}}%
2437     \expandafter\ifx\csname label##1\endcsname\bbl@tempd\else
2438     \bbl@exp{\gdef\<label##1>{{\label##1}}}%
2439     \fi}}}%
2440 \fi
2441 % == Casing ==
2442 \bbl@release@casing
2443 \ifx\bbl@KVP@casing\@nnil\else
2444     \bbl@csarg\xdef{casing@\language}%
2445     {\@nameuse{bbl@casing@\language}\bbl@maybextx\bbl@KVP@casing}%
2446 \fi
2447 % == Calendars ==
2448 \ifx\bbl@KVP@calendar\@nnil
2449     \edef\bbl@KVP@calendar{\bbl@cl{calpr}}%
2450 \fi
2451 \def\bbl@tempe##1 ##2\@{@% Get first calendar
2452     \def\bbl@tempa{##1}%
2453     \bbl@exp{\\bbl@tempe\bbl@KVP@calendar\space\\@}%
2454 \def\bbl@tempe##1.##2.##3\@{@%
2455     \def\bbl@tempc{##1}%
2456     \def\bbl@tempb{##2}}%
2457 \expandafter\bbl@tempe\bbl@tempa..@@
2458 \bbl@csarg\edef{calpr@\language}{%
2459     \ifx\bbl@tempc\@empty\else
2460         calendar=\bbl@tempc
2461     \fi
2462     \ifx\bbl@tempb\@empty\else
2463         ,variant=\bbl@tempb
2464     \fi}%
2465 % == engine specific extensions ==
2466 % Defined in XXXbabel.def
2467 \bbl@provide@extra{#2}%
2468 % == require.babel in ini ==
2469 % To load or reload the babel-*.tex, if require.babel in ini
2470 \ifx\bbl@beforestart\relax\else % But not in doc aux or body
2471     \bbl@ifunset{bbl@rqtex@\language}{}%
2472     {\expandafter\ifx\csname bbl@rqtex@\language\endcsname\@empty\else
2473         \let\BabelBeforeIni@gobbletwo
2474         \chardef\atcatcode=\catcode\@
2475         \catcode\@=11\relax

```

```

2476     \def\CurrentOption{#2}%
2477     \bbl@input@texini{\bbl@cs{rqtex@}\languagename}}%
2478     \catcode`\@=\atcatcode
2479     \let\atcatcode\relax
2480     \global\bbl@csarg\let{rqtex@}\languagename}\relax
2481     \fi}%
2482 \bbl@foreach\bbl@calendars{%
2483   \bbl@ifunset{\bbl@ca##1}{%
2484     \chardef\atcatcode=\catcode`\@
2485     \catcode`\@=11\relax
2486     \InputIfFileExists{babel-ca-##1.tex}{}{}%
2487     \catcode`\@=\atcatcode
2488     \let\atcatcode\relax}%
2489   {}}%
2490 \fi
2491 % == frenchspacing ==
2492 \ifcase\bbl@howloaded\in@true\else\in@false\fi
2493 \ifin@else\bbl@xin@{typography/frenchspacing}{\bbl@key@list}\fi
2494 \ifin@
2495   \bbl@extras@wrap{\bbl@pre@fs}%
2496   {\bbl@pre@fs}%
2497   {\bbl@post@fs}%
2498 \fi
2499 % == transforms ==
2500 % > luababel.def
2501 \def\CurrentOption{#2}%
2502 \@nameuse{\bbl@icsave@#2}%
2503 % == main ==
2504 \ifx\bbl@KVP@main\@nnil % Restore only if not 'main'
2505   \let\languagename\bbl@savelangname
2506   \chardef\localeid\bbl@savelocaleid\relax
2507 \fi
2508 % == hyphenrules (apply if current) ==
2509 \ifx\bbl@KVP@hyphenrules\@nnil\else
2510   \ifnum\bbl@savelocaleid=\localeid
2511     \language\@nameuse{l@\languagename}%
2512   \fi
2513 \fi}

```

Depending on whether or not the language exists (based on `\date<language>`), we define two macros. Remember `\bbl@startcommands` opens a group.

```

2514 \def\bbl@provide@new#1{%
2515   \@namedef{date#1}{}% marks lang exists - required by \StartBabelCommands
2516   \@namedef{extras#1}{}%
2517   \@namedef{noextras#1}{}%
2518   \bbl@startcommands*{#1}{captions}%
2519   \ifx\bbl@KVP@captions\@nnil % and also if import, implicit
2520     \def\bbl@tempb##1{% elt for \bbl@captionslist
2521       \ifx##1\@nnil\else
2522         \bbl@exp{%
2523           \\SetString\\##1{%
2524             \\bbl@nocaption{\bbl@stripslash##1}{#1\bbl@stripslash##1}}}%
2525         \expandafter\bbl@tempb
2526       \fi}%
2527   \expandafter\bbl@tempb\bbl@captionslist\@nnil
2528 \else
2529   \ifx\bbl@initoload\relax
2530     \bbl@read@ini{\bbl@KVP@captions}2% % Here letters cat = 11
2531   \else
2532     \bbl@read@ini{\bbl@initoload}2% % Same
2533   \fi
2534 \fi
2535 \StartBabelCommands*{#1}{date}%

```

```

2536 \ifx\bbk@KVP@date\@nnil
2537 \bbk@exp{%
2538 \SetString\@today{\bbk@nocaption{today}{#1today}}}%
2539 \else
2540 \bbk@savetoday
2541 \bbk@savedate
2542 \fi
2543 \bbk@endcommands
2544 \bbk@load@basic{#1}%
2545 % == hyphenmins == (only if new)
2546 \bbk@exp{%
2547 \gdef\<#1hyphenmins>{%
2548 {\bbk@ifunset{\bbk@lfthm@#1}{2}{\bbk@cs{lfthm@#1}}}%
2549 {\bbk@ifunset{\bbk@rgthm@#1}{3}{\bbk@cs{rgthm@#1}}}}}%
2550 % == hyphenrules (also in renew) ==
2551 \bbk@provide@hyphens{#1}%
2552 % == main ==
2553 \ifx\bbk@KVP@main\@nnil\else
2554 \expandafter\main@language\expandafter{#1}%
2555 \fi}
2556 %
2557 \def\bbk@provide@renew#1{%
2558 \ifx\bbk@KVP@captions\@nnil\else
2559 \StartBabelCommands*{#1}{captions}%
2560 \bbk@read@ini{\bbk@KVP@captions}2% % Here all letters cat = 11
2561 \EndBabelCommands
2562 \fi
2563 \ifx\bbk@KVP@date\@nnil\else
2564 \StartBabelCommands*{#1}{date}%
2565 \bbk@savetoday
2566 \bbk@savedate
2567 \EndBabelCommands
2568 \fi
2569 % == hyphenrules (also in new) ==
2570 \ifx\bbk@lbkflag\@empty
2571 \bbk@provide@hyphens{#1}%
2572 \fi
2573 % == main ==
2574 \ifx\bbk@KVP@main\@nnil\else
2575 \expandafter\main@language\expandafter{#1}%
2576 \fi}

```

Load the basic parameters (ids, typography, counters, and a few more), while captions and dates are left out. But it may happen some data has been loaded before automatically, so we first discard the saved values.

```

2577 \def\bbk@load@basic#1{%
2578 \ifcase\bbk@howloaded\or\or
2579 \ifcase\csname bbl@llevel@\language\endcsname
2580 \bbk@csarg\let\lname@\language\relax
2581 \fi
2582 \fi
2583 \bbk@ifunset{\bbk@lname@#1}%
2584 {\def\BabelBeforeIni##1##2{%
2585 \begingroup
2586 \let\bbk@ini@captions@aux\@gobbletwo
2587 \def\bbk@inidate #####1.####2.####3.####4\relax #####5####6}%
2588 \bbk@read@ini{##1}1%
2589 \ifx\bbk@initoload\relax\endinput\fi
2590 \endgroup}%
2591 \begingroup % boxed, to avoid extra spaces:
2592 \ifx\bbk@initoload\relax
2593 \bbk@input@texini{#1}%
2594 \else

```

```

2595     \setbox\z@\hbox{\BabelBeforeIni{\bbl@initoload}}}%
2596     \fi
2597     \endgroup}%
2598     {}%

```

The following ini reader ignores everything but the identification section. It is called when a font is defined (i.e., when the language is first selected) to know which script/language must be enabled. This means we must make sure a few characters are not active. The ini is not read directly, but with a proxy tex file named as the language (which means any code in it must be skipped, too).

```

2599 \def\bbl@load@info#1{%
2600   \def\BabelBeforeIni##1##2{%
2601     \begingroup
2602     \bbl@read@ini{##1}0%
2603     \endinput           % babel- .tex may contain onlypreamble's
2604     \endgroup}%        boxed, to avoid extra spaces:
2605     {\bbl@input@texini{##1}}%

```

The hyphenrules option is handled with an auxiliary macro. This macro is called in three cases: when a language is first declared with \babelprovide, with hyphenrules and with import.

```

2606 \def\bbl@provide@hyphens#1{%
2607   \@tempcnta\m@ne % a flag
2608   \ifx\bbl@KVP@hyphenrules\@nnil\else
2609     \bbl@replace\bbl@KVP@hyphenrules{ },}%
2610     \bbl@foreach\bbl@KVP@hyphenrules{%
2611       \ifnum\@tempcnta=\m@ne % if not yet found
2612         \bbl@ifsamestring{##1}{+}%
2613         {\bbl@carg\addlanguage{l@##1}}%
2614         {}%
2615         \bbl@ifunset{l@##1}% After a possible +
2616         {}%
2617         {\@tempcnta\@nameuse{l@##1}}%
2618       \fi}%
2619   \ifnum\@tempcnta=\m@ne
2620     \bbl@warning{%
2621       Requested 'hyphenrules' for '\language' not found:\%
2622       \bbl@KVP@hyphenrules.\%
2623       Using the default value. Reported}%
2624   \fi
2625   \fi
2626   \ifnum\@tempcnta=\m@ne % if no opt or no language in opt found
2627     \ifx\bbl@KVP@captions@\@nnil
2628       \bbl@ifunset\bbl@hyphr{#1}{}% use value in ini, if exists
2629       {\bbl@exp{\@bbl@ifblank{\bbl@cs{hyphr#1}}}%
2630        {}%
2631        {\bbl@ifunset{l@\bbl@cl{hyphr}}%
2632         {}%
2633         {\@tempcnta\@nameuse{l@\bbl@cl{hyphr}}}}}%
2634     \fi
2635   \fi
2636   \bbl@ifunset{l@#1}%
2637   {\ifnum\@tempcnta=\m@ne
2638     \bbl@carg\adddialect{l@#1}\language
2639   \else
2640     \bbl@carg\adddialect{l@#1}\@tempcnta
2641   \fi}%
2642   {\ifnum\@tempcnta=\m@ne\else
2643     \global\bbl@carg\chardef{l@#1}\@tempcnta
2644   \fi}}

```

The reader of babel-...tex files. We reset temporarily some catcodes (and make sure no space is accidentally inserted).

```

2645 \def\bbl@input@texini#1{%
2646   \bbl@bsphack
2647   \bbl@exp{%

```

```

2648 \catcode`\\%=14 \catcode`\\\=0
2649 \catcode`\\={1 \catcode`\\\}=2
2650 \lowercase{\\InputIfFileExists{babel-#1.tex}{}}}%
2651 \catcode`\\%=the\catcode`\relax
2652 \catcode`\\\=the\catcode`\\\relax
2653 \catcode`\\={the\catcode`\relax
2654 \catcode`\\\}=the\catcode`\relax}%
2655 \bbl@esphack}

```

The following macros read and store ini files (but don't process them). For each line, there are 3 possible actions: ignore if starts with ;, switch section if starts with [, and store otherwise. There are used in the first step of \bbl@read@ini.

```

2656 \def\bbl@iniline#1\bbl@iniline{%
2657 \ifnextchar[\bbl@inisect{\ifnextchar;\bbl@iniskip\bbl@inistore}#1\@@}% ]
2658 \def\bbl@inisect[#1]#2\@@{\def\bbl@section{#1}}
2659 \def\bbl@iniskip#1\@@{% if starts with ;
2660 \def\bbl@inistore#1=#2\@@{% full (default)
2661 \bbl@trim@def\bbl@tempa{#1}%
2662 \bbl@trim\toks@{#2}%
2663 \bbl@ifsamestring{\bbl@tempa}{\include}%
2664 {\bbl@read@subini{\the\toks@}}%
2665 {\bbl@xin@;\bbl@section/\bbl@tempa;}{\bbl@key@list}%
2666 \ifin@else
2667 \bbl@xin@{,identification/include.}%
2668 {,\bbl@section/\bbl@tempa}%
2669 \ifin@\xdef\bbl@included@inis{\the\toks@}\fi
2670 \bbl@exp{%
2671 \\g@addto@macro\\bbl@inidata{%
2672 \\bbl@elt{\bbl@section}{\bbl@tempa}{\the\toks@}}}%
2673 \fi}}
2674 \def\bbl@inistore@min#1=#2\@@{% minimal (maybe set in \bbl@read@ini)
2675 \bbl@trim@def\bbl@tempa{#1}%
2676 \bbl@trim\toks@{#2}%
2677 \bbl@xin@{.identification.}{.\bbl@section.}%
2678 \ifin@
2679 \bbl@exp{\\g@addto@macro\\bbl@inidata{%
2680 \\bbl@elt{identification}{\bbl@tempa}{\the\toks@}}}%
2681 \fi}

```

## 4.19. Main loop in 'provide'

Now, the 'main loop', \bbl@read@ini, which **must be executed inside a group**. At this point, \bbl@inidata may contain data declared in \babelprovide, with 'slashed' keys. There are 3 steps: first read the ini file and store it; then traverse the stored values, and process some groups if required (date, captions, labels, counters); finally, 'export' some values by defining global macros (identification, typography, characters, numbers). The second argument is 0 when called to read the minimal data for fonts; with \babelprovide it's either 1 (without import) or 2 (which import). The value -1 is used with \DocumentMetadata.

\bbl@loop@ini is the reader, line by line (1: stream), and calls \bbl@iniline to save the key/value pairs. If \bbl@inistore finds the @include directive, the input stream is switched temporarily and \bbl@read@subini is called.

When the language is being set based on the document metadata (#2 in \bbl@read@ini is -1), there is an interlude to get the name, after the data have been collected, and before it's processed.

```

2682 \def\bbl@loop@ini#1{%
2683 \loop
2684 \if T\ifeof#1 F\fi T\relax % Trick, because inside \loop
2685 \endlinechar\m@ne
2686 \read#1 to \bbl@line
2687 \endlinechar`\^^M
2688 \ifx\bbl@line\empty\else
2689 \expandafter\bbl@iniline\bbl@line\bbl@iniline
2690 \fi
2691 \repeat}

```

```

2692 %
2693 \def\bbl@read@subini#1{%
2694   \ifx\bbl@readsubstream\@undefined
2695     \csname newread\endcsname\bbl@readsubstream
2696   \fi
2697   \openin\bbl@readsubstream=babel-#1.ini
2698   \ifeof\bbl@readsubstream
2699     \bbl@error{no-ini-file}{#1}{}{}%
2700   \else
2701     {\bbl@loop@ini\bbl@readsubstream}%
2702   \fi
2703   \closein\bbl@readsubstream}
2704 %
2705 \ifx\bbl@readstream\@undefined
2706   \csname newread\endcsname\bbl@readstream
2707 \fi
2708 \def\bbl@read@ini#1#2{%
2709   \global\let\bbl@extend@ini@gobble
2710   \openin\bbl@readstream=babel-#1.ini
2711   \ifeof\bbl@readstream
2712     \bbl@error{no-ini-file}{#1}{}{}%
2713   \else
2714     % == Store ini data in \bbl@inidata ==
2715     \catcode`\ =10 \catcode`\ =12
2716     \catcode`\ [=12 \catcode`\ ]=12 \catcode`\ ==12 \catcode`\ &=12
2717     \catcode`\ ;=12 \catcode`\ |=12 \catcode`\ %=14 \catcode`\ -=12
2718     \ifnum#2=\m@ne % Just for the info
2719       \edef\language\tag \bbl@metalang}%
2720     \fi
2721     \bbl@info{\ifnum#2=\m@ne Fetching locale name for tag \bbl@metalang
2722       \else Importing
2723         \ifcase#2font and identification \or basic \fi
2724         data for \language
2725       \fi}%
2726     from babel-#1.ini. Reported}%
2727   \ifnum#2<\@ne
2728     \global\let\bbl@inidata\@empty
2729     \let\bbl@inistore\bbl@inistore@min % Remember it's local
2730   \fi
2731   \def\bbl@section{identification}%
2732   \bbl@exp{%
2733     \\bbl@inistore tag.ini=#1\\@
2734     \\bbl@inistore load.level=\ifnum#2<\@ne 0\else #2\fi\\@}%
2735   \bbl@loop@ini\bbl@readstream
2736   % == Process stored data ==
2737   \ifnum#2=\m@ne
2738     \def\bbl@tempa##1 ##2\@{##1}% Get first name
2739     \def\bbl@elt##1##2##3{%
2740       \bbl@ifsamestring{identification/name.babel}{##1/##2}%
2741       {\edef\language{\bbl@tempa##3 \@}%
2742        \let\locale\language
2743        \bbl@id@assign
2744        \def\bbl@elt###1####2####3{}}%
2745       {}}%
2746     \bbl@inidata
2747   \fi
2748   \bbl@csarg\xdef{lini@\language}{#1}%
2749   \bbl@read@ini@aux
2750   % == 'Export' data ==
2751   \bbl@ini@exports{#2}%
2752   \global\bbl@csarg\let{inidata@\language}\bbl@inidata
2753   \global\let\bbl@inidata\@empty
2754   \bbl@exp{\\bbl@add@list\\bbl@ini@loaded{\language}}%

```



```

2755 \bbl@toglobal\bbl@ini@loaded
2756 \fi
2757 \closein\bbl@readstream}
2758 \def\bbl@read@ini@aux{%
2759 \let\bbl@savestrings\@empty
2760 \let\bbl@savetoday\@empty
2761 \let\bbl@savestate\@empty
2762 \def\bbl@elt##1##2##3{%
2763 \def\bbl@section{##1}%
2764 \in@{=date.}{=##1}% Find a better place
2765 \ifin@
2766 \bbl@ifunset{bbl@inikv@##1}%
2767 {\bbl@ini@calendar{##1}}%
2768 {}%
2769 \fi
2770 \bbl@ifunset{bbl@inikv@##1}{}%
2771 {\csname bbl@inikv@##1\endcsname{##2}{##3}}%
2772 \bbl@inidata}

```

A variant to be used when the ini file has been already loaded, because it's not the first \babelprovide for this language.

```

2773 \def\bbl@extend@ini@aux#1{%
2774 \bbl@startcommands*{#1}{captions}%
2775 % Activate captions/... and modify exports
2776 \bbl@csarg\def{inikv@captions.licr}##1##2{%
2777 \setlocalecaption{#1}{##1}{##2}}%
2778 \def\bbl@inikv@captions##1##2{%
2779 \bbl@ini@captions@aux{##1}{##2}}%
2780 \def\bbl@stringdef##1##2{\gdef##1{##2}}%
2781 \def\bbl@exportkey##1##2##3{%
2782 \bbl@ifunset{bbl@kv@##2}{}%
2783 {\expandafter\ifx\csname bbl@kv@##2\endcsname\@empty\else
2784 \bbl@exp{\global\let\<bbl@##1@\language\>\<bbl@kv@##2>}}%
2785 \fi}}%
2786 % As with \bbl@read@ini, but with some changes
2787 \bbl@read@ini@aux
2788 \bbl@ini@exports\tw@
2789 % Update inidata@lang by pretending the ini is read.
2790 \def\bbl@elt##1##2##3{%
2791 \def\bbl@section{##1}%
2792 \bbl@iniline##2=##3\bbl@iniline}%
2793 \csname bbl@inidata@#1\endcsname
2794 \global\bbl@csarg\let{inidata@#1}\bbl@inidata
2795 \StartBabelCommands*{#1}{date}% And from the import stuff
2796 \def\bbl@stringdef##1##2{\gdef##1{##2}}%
2797 \bbl@savetoday
2798 \bbl@savestate
2799 \bbl@endcommands}

```

A somewhat hackish tool to handle calendar sections.

```

2800 \def\bbl@ini@calendar#1{%
2801 \lowercase{\def\bbl@tempa{=##1=}}%
2802 \bbl@replace\bbl@tempa{=date.gregorian}{}%
2803 \bbl@replace\bbl@tempa{=date.}{}%
2804 \in@{.licr=}{#1=}%
2805 \ifin@
2806 \ifcase\bbl@engine
2807 \bbl@replace\bbl@tempa{.licr=}{}%
2808 \else
2809 \let\bbl@tempa\relax
2810 \fi
2811 \fi
2812 \ifx\bbl@tempa\relax\else
2813 \bbl@replace\bbl@tempa{=}{}%

```

```

2814 \ifx\bbl@tempa\@empty\else
2815 \xdef\bbl@calendars{\bbl@calendars,\bbl@tempa}%
2816 \fi
2817 \bbl@exp{%
2818 \def<\bbl@inikv@#1>####1####2{%
2819 \\\bbl@inidate####1...\relax{####2}{\bbl@tempa}}}%
2820 \fi}

```

A key with a slash in `\babelprovide` replaces the value in the ini file (which is ignored altogether). The mechanism is simple (but suboptimal): add the data to the ini one (at this point the ini file has not yet been read), and define a dummy macro. When the ini file is read, just skip the corresponding key and reset the macro (in `\bbl@inistore` above).

```

2821 \def\bbl@renewinikey#1/#2\@#3{%
2822 \global\let\bbl@extend@ini\bbl@extend@ini@aux
2823 \edef\bbl@tempa{\zap@space #1 \@empty}% section
2824 \edef\bbl@tempb{\zap@space #2 \@empty}% key
2825 \bbl@trim\toks@{#3}% value
2826 \bbl@exp{%
2827 \edef\\bbl@key@list{\bbl@key@list \bbl@tempa/\bbl@tempb;}%
2828 \\g@addto@macro\\bbl@inidata{%
2829 \\\bbl@elt{\bbl@tempa}{\bbl@tempb}{\the\toks@}}}%

```

The previous assignments are local, so we need to export them. If the value is empty, we can provide a default value.

```

2830 \def\bbl@exportkey#1#2#3{%
2831 \bbl@ifunset{\bbl@kv@#2}%
2832 {\bbl@csarg\gdef{#1@\language}\@empty}%
2833 {\expandafter\ifx\csname\bbl@kv@#2\endcsname\@empty
2834 \bbl@csarg\gdef{#1@\language}\@empty}%
2835 \else
2836 \bbl@exp{\global\let<\bbl@#1@\language>\<\bbl@kv@#2>}%
2837 \fi}}

```

Key-value pairs are treated differently depending on the section in the ini file. The following macros are the readers for identification and typography. Note `\bbl@ini@exports` is called always (via `\bbl@inisec`), while `\bbl@after@ini` must be called explicitly after `\bbl@read@ini` if necessary.

Although BCP 47 doesn't treat 'x-' as an extension, the CLDR and many other sources do (as a *private use extension*). For consistency with other single-letter subtags or 'singletons', here is considered an extension, too.

The identification section is used internally by babel in the following places [to be completed]: BCP 47 script tag in the Unicode ranges, which is in turn used by `onchar`; the language system is set with the names, and then `fontspec` maps them to the opentype tags, but if the latter package doesn't define them, then babel does it; encodings are used in `pdfTeX` to select a font encoding valid (and preloaded) for a language loaded on the fly.

```

2838 \def\bbl@iniwarning#1{%
2839 \bbl@ifunset{\bbl@kv@identification.warning#1}{}%
2840 {\bbl@warning{%
2841 From babel-\bbl@cs{lini@\language}.ini:\\%
2842 \bbl@cs{@kv@identification.warning#1}\\%
2843 Reported}}}
2844 %
2845 \let\bbl@release@transforms\@empty
2846 \let\bbl@release@casing\@empty

```

Relevant keys are 'exported', i.e., global macros with short names are created with values taken from the corresponding keys. The number of exported keys depends on the loading level (#1): -1 and 0 only info (the identification section), 1 also basic (like linebreaking or character ranges), 2 also (re)new (with date and captions).

```

2847 \def\bbl@ini@exports#1{%
2848 % Identification always exported
2849 \bbl@iniwarning{%
2850 \ifcase\bbl@engine
2851 \bbl@iniwarning{.pdfLaTeX}%

```

```

2852 \or
2853 \bbl@iniwarning{.lua\latex}%
2854 \or
2855 \bbl@iniwarning{.xel\latex}%
2856 \fi%
2857 \bbl@exportkey{lllevel}{identification.load.level}{}%
2858 \bbl@exportkey{elname}{identification.name.english}{}%
2859 \bbl@expf{\bbl@exportkey{lname}{identification.name.opentype}%
2860 {\csname bbl@elname@\language\endcsname}}%
2861 \bbl@exportkey{tbcpr}{identification.tag.bcp47}{}%
2862 \bbl@exportkey{casing}{identification.tag.bcp47}{}%
2863 \bbl@exportkey{lbcpr}{identification.language.tag.bcp47}{}%
2864 \bbl@exportkey{lotf}{identification.tag.opentype}{dflt}%
2865 \bbl@exportkey{esname}{identification.script.name}{}%
2866 \bbl@expf{\bbl@exportkey{sname}{identification.script.name.opentype}%
2867 {\csname bbl@esname@\language\endcsname}}%
2868 \bbl@exportkey{sbcpr}{identification.script.tag.bcp47}{}%
2869 \bbl@exportkey{sotf}{identification.script.tag.opentype}{DFLT}%
2870 \bbl@exportkey{rbcp}{identification.region.tag.bcp47}{}%
2871 \bbl@exportkey{vbcp}{identification.variant.tag.bcp47}{}%
2872 \bbl@exportkey{extt}{identification.extension.t.tag.bcp47}{}%
2873 \bbl@exportkey{extu}{identification.extension.u.tag.bcp47}{}%
2874 \bbl@exportkey{extx}{identification.extension.x.tag.bcp47}{}%
2875 % Also maps bcp47 -> language
2876 \bbl@csarg\edef{bcp@map@\bbl@cl{tbcpr}}{\language}%
2877 \ifcase\bbl@engine\or
2878 \directlua{%
2879 Babel.locale_props[\the\bbl@cs{id@@\language}].script
2880 = '\bbl@cl{sbcpr}'}%
2881 \fi
2882 % Conditional
2883 \ifnum#1>\z@ % -1 or 0 = only info, 1 = basic, 2 = (re)new
2884 \bbl@exportkey{calpr}{date.calendar.preferred}{}%
2885 \bbl@exportkey{lnbrk}{typography.linebreaking}{h}%
2886 \bbl@exportkey{hyphr}{typography.hyphenrules}{}%
2887 \bbl@exportkey{lftm}{typography.lefthyphenmin}{2}%
2888 \bbl@exportkey{rgthm}{typography.righthyphenmin}{3}%
2889 \bbl@exportkey{prehc}{typography.prehyphenchar}{}%
2890 \bbl@exportkey{hyotl}{typography.hyphenate.other.locale}{}%
2891 \bbl@exportkey{hyots}{typography.hyphenate.other.script}{}%
2892 \bbl@exportkey{intsp}{typography.intraspace}{}%
2893 \bbl@exportkey{frspc}{typography.frenchspacing}{u}%
2894 \bbl@exportkey{chrng}{characters.ranges}{}%
2895 \bbl@exportkey{quote}{characters.delimiters.quotes}{}%
2896 \bbl@exportkey{dgnat}{numbers.digits.native}{}%
2897 \ifnum#1=\tw@ % only (re)new
2898 \bbl@exportkey{rqtex}{identification.require.babel}{}%
2899 \bbl@tglobal\bbl@savetoday
2900 \bbl@tglobal\bbl@savestate
2901 \bbl@savestrings
2902 \fi
2903 \fi}

```

## 4.20. Processing keys in ini

A shared handler for key=val lines to be stored in \bbl@kv@<section>.<key>.

```

2904 \def\bbl@inikv#1#2{%      key=value
2905 \toks@{#2}%              This hides #'s from ini values
2906 \bbl@csarg\edef{@kv@\bbl@section.#1}{\the\toks@}}

```

By default, the following sections are just read. Actions are taken later.

```

2907 \let\bbl@inikv@identification\bbl@inikv
2908 \let\bbl@inikv@date\bbl@inikv

```

```

2909 \let\bbl@inikv@typography\bbl@inikv
2910 \let\bbl@inikv@numbers\bbl@inikv

```

The characters section also stores the values, but casing is treated in a different fashion. Much like transforms, a set of commands calling the parser are stored in `\bbl@release@casing`, which is executed in `\babelprovide`.

```

2911 \def\bbl@maybextx{-\bbl@csarg\ifx{extx@\language}\empty x-\fi}
2912 \def\bbl@inikv@characters#1#2{%
2913   \bbl@ifsamestring{#1}{casing}% e.g., casing = uV
2914   {\bbl@exp{%
2915     \\g@addto@macro\\bbl@release@casing{%
2916       \\bbl@casemapping}{\language}\unexpanded{#2}}}%
2917   {\in@{$casing.}{$#1}% e.g., casing.Uv = uV
2918     \ifin@
2919       \lowercase{\def\bbl@tempb{#1}%
2920         \bbl@replace\bbl@tempb{casing.}{}}%
2921       \bbl@exp{\\g@addto@macro\\bbl@release@casing{%
2922         \\bbl@casemapping
2923         {\\bbl@maybextx\bbl@tempb}{\language}\unexpanded{#2}}}%
2924     \else
2925       \bbl@inikv{#1}{#2}%
2926     \fi}}

```

Additive numerals require an additional definition. When `.1` is found, two macros are defined – the basic one, without `.1` called by `\localenumeral`, and another one preserving the trailing `.1` for the ‘units’.

```

2927 \def\bbl@inikv@counters#1#2{%
2928   \bbl@ifsamestring{#1}{digits}%
2929   {\bbl@error{digits-is-reserved}{}}{}%
2930   {}%
2931   \def\bbl@tempc{#1}%
2932   \bbl@trim@def{\bbl@tempb*}{#2}%
2933   \in@{.1$}{#1$}%
2934   \ifin@
2935     \bbl@replace\bbl@tempc{.1}{}%
2936     \bbl@csarg\protected@xdef{cntr@\bbl@tempc @\language}{%
2937       \noexpand\bbl@alphanumeric{\bbl@tempc}}%
2938   \fi
2939   \in@{.F.}{#1}%
2940   \ifin@\else\in@{.S.}{#1}\fi
2941   \ifin@
2942     \bbl@csarg\protected@xdef{cntr@#1@\language}{\bbl@tempb*}%
2943   \else
2944     \toks@{}% Required by \bbl@buildifcase, which returns \bbl@tempa
2945     \expandafter\bbl@buildifcase\bbl@tempb* \ \ % Space after \
2946     \bbl@csarg{\global\expandafter\let}{cntr@#1@\language}\bbl@tempa
2947   \fi}

```

Now captions and `captions.licr`, depending on the engine. And below also for dates. They rely on a few auxiliary macros. It is expected the ini file provides the complete set in Unicode and LICR, in that order.

```

2948 \ifcase\bbl@engine
2949   \bbl@csarg\def{inikv@captions.licr}#1#2{%
2950     \bbl@ini@captions@aux{#1}{#2}}
2951 \else
2952   \def\bbl@inikv@captions#1#2{%
2953     \bbl@ini@captions@aux{#1}{#2}}
2954 \fi

```

The auxiliary macro for captions define `\<caption>name`.

```

2955 \def\bbl@ini@captions@template#1#2{% string language tempa=capt-name
2956   \bbl@replace\bbl@tempa{.template}{}}%
2957   \def\bbl@toreplace{#1}{}}%
2958   \bbl@replace\bbl@toreplace{[ ]}{\nobreakspace}}%

```

```

2959 \bbl@replace\bbl@toreplace{[]}{\csname}%
2960 \bbl@replace\bbl@toreplace{[]}{\csname the}%
2961 \bbl@replace\bbl@toreplace{[]}{\name\endcsname{}}%
2962 \bbl@replace\bbl@toreplace{[]}{\endcsname{}}%
2963 \bbl@xin@{,\bbl@tempa,}{,chapter,appendix,part,}%
2964 \ifin@
2965   \@nameuse{\bbl@patch\bbl@tempa}%
2966   \global\bbl@csarg\let{\bbl@tempa fmt@#2}\bbl@toreplace
2967 \fi
2968 \bbl@xin@{,\bbl@tempa,}{,figure,table,}%
2969 \ifin@
2970   \global\bbl@csarg\let{\bbl@tempa fmt@#2}\bbl@toreplace
2971   \bbl@exp{\gdef\<fnum\bbl@tempa>{%
2972     \\bbl@ifunset{\bbl@bbl@tempa fmt@\\language}%
2973     {\[fnum\bbl@tempa]}%
2974     {\@nameuse{\bbl@bbl@tempa fmt@\\language}}}%
2975 \fi}
2976 %
2977 \def\bbl@ini@captions@aux#1#2{%
2978   \bbl@trim@def\bbl@tempa{#1}%
2979   \bbl@xin@{.template}{\bbl@tempa}%
2980   \ifin@
2981     \bbl@ini@captions@template{#2}\language
2982   \else
2983     \bbl@ifblank{#2}%
2984     {\bbl@exp{%
2985       \toks@{\bbl@nocaption{\bbl@tempa name}\language\bbl@tempa name}}}%
2986     {\bbl@trim\toks@{#2}}%
2987     \bbl@exp{%
2988       \\bbl@add\\bbl@savestrings{%
2989         \\SetString\<\bbl@tempa name>{\the\toks@}}%
2990       \toks@\expandafter{\bbl@captionslist}%
2991       \bbl@exp{\\in@{\<\bbl@tempa name>}\the\toks@}}%
2992     \ifin@else
2993       \bbl@exp{%
2994         \\bbl@add\<\bbl@extracaps@language>{\<\bbl@tempa name>}%
2995         \\bbl@toglobal\<\bbl@extracaps@language>}%
2996       \fi
2997 \fi}

```

**Labels.** Captions must contain just strings, no format at all, so there is new group in ini files.

```

2998 \def\bbl@list@the{%
2999   part,chapter,section,subsection,subsubsection,paragraph,%
3000   subparagraph,enumi,enumii,enumiii,enumiv,equation,figure,%
3001   table,page,footnote,mpfootnote,mpfn}
3002 %
3003 \def\bbl@map@cnt#1{% #1:roman,etc, // #2:enumi,etc
3004   \bbl@ifunset{\bbl@map@#1@language}%
3005   {\@nameuse{#1}}%
3006   {\@nameuse{\bbl@map@#1@language}}%
3007 %
3008 \def\bbl@map@lbl#1{% #1:a sign, eg, .
3009   \ifin@csname#1\else
3010     \bbl@ifunset{\bbl@map@#1@language}%
3011     {#1}%
3012     {\@nameuse{\bbl@map@#1@language}}%
3013   \fi}
3014 %
3015 \def\bbl@inikv@labels#1#2{%
3016   \in@{.map}{#1}%
3017   \ifin@
3018     \in@{,dot.map,}{, #1,}%
3019   \ifin@

```

```

3020 \global\@namedef{bbl@map@.@@\language}{#2}%
3021 \fi
3022 \ifx\bbl@KVP@labels\@nnil\else
3023 \bbl@xin@{ map }{ \bbl@KVP@labels\space}%
3024 \ifin@
3025 \def\bbl@tempc{#1}%
3026 \bbl@replace\bbl@tempc{.map}{}%
3027 \in@{, #2, }{, arabic, roman, Roman, alph, Alph, fnsymbol,}%
3028 \bbl@exp{%
3029 \gdef\<bbl@map@\bbl@tempc @\language>%
3030 {\ifin@<#2>\else\\localecounter{#2}\fi}}%
3031 \bbl@foreach\bbl@list@the{%
3032 \bbl@ifunset{the##1}{}%
3033 {\bbl@ncarg\let\bbl@tempd{the##1}%
3034 \bbl@exp{%
3035 \\bbl@sreplace\<the##1>%
3036 {\<\bbl@tempc>{##1}}%
3037 {\bbl@map@cnt{\bbl@tempc}{##1}}%
3038 \\bbl@sreplace\<the##1>%
3039 {\<\@empty @\bbl@tempc>\<c@##1>%
3040 {\bbl@map@cnt{\bbl@tempc}{##1}}%
3041 \\bbl@sreplace\<the##1>%
3042 {\csname @\bbl@tempc\endcsname\<c@##1>%
3043 {\bbl@map@cnt{\bbl@tempc}{##1}}}%
3044 \expandafter\ifx\csname the##1\endcsname\bbl@tempd\else
3045 \bbl@exp{\gdef\<the##1>{\[the##1]}}%
3046 \fi}}%
3047 \fi
3048 \fi
3049 %
3050 \else
3051 % The following code is still under study. You can test it and make
3052 % suggestions. E.g., enumerate.2 = ([enumi]).([enumii]). It's
3053 % language dependent.
3054 \in@{enumerate.}{#1}%
3055 \ifin@
3056 \def\bbl@tempa{#1}%
3057 \bbl@replace\bbl@tempa{enumerate.}{}%
3058 \def\bbl@toreplace{#2}%
3059 \bbl@replace\bbl@toreplace{[ ]}{\nobreakspace}%
3060 \bbl@replace\bbl@toreplace{[ ]}{\csname the}%
3061 \bbl@replace\bbl@toreplace{ ]}{\endcsname}}%
3062 \toks@ \expandafter{\bbl@toreplace}%
3063 \bbl@exp{%
3064 \\bbl@add\<extras\language>{%
3065 \\babel@save\<labelenum\romannumeral\bbl@tempa>%
3066 \def\<labelenum\romannumeral\bbl@tempa>{\the\toks@}%
3067 \\bbl@tglobal\<extras\language>}%
3068 \fi
3069 \fi}

```

To show correctly some captions in a few languages, we need to patch some internal macros, because the order is hardcoded. For example, in Japanese the chapter number is surrounded by two string, while in Hungarian is placed after. These replacement works in many classes, but not all. Actually, the following lines are somewhat tentative.

```

3070 \def\bbl@chapttype{chapter}
3071 \ifx\@makechapterhead\@undefined
3072 \let\bbl@patchchapter\relax
3073 \else\ifx\thechapter\@undefined
3074 \let\bbl@patchchapter\relax
3075 \else\ifx\ps@headings\@undefined
3076 \let\bbl@patchchapter\relax
3077 \else

```

```

3078 \def\bbl@patchchapter{%
3079   \global\let\bbl@patchchapter\relax
3080   \gdef\bbl@chfmt{%
3081     \bbl@ifunset\bbl@bbl@chapttype fmt@\language}%
3082     {\@chapapp\space\thechapter}%
3083     {\@nameuse\bbl@bbl@chapttype fmt@\language}}}%
3084 \bbl@add\appendix{\def\bbl@chapttype{appendix}}% Not harmful, I hope
3085 \bbl@sreplace\ps@headings{\@chapapp\ \thechapter}{\bbl@chfmt}%
3086 \bbl@sreplace\chaptermark{\@chapapp\ \thechapter}{\bbl@chfmt}%
3087 \bbl@sreplace\makechapterhead{\@chapapp\space\thechapter}{\bbl@chfmt}%
3088 \bbl@tglobal\appendix
3089 \bbl@tglobal\ps@headings
3090 \bbl@tglobal\chaptermark
3091 \bbl@tglobal\makechapterhead}
3092 \let\bbl@patchappendix\bbl@patchchapter
3093 \fi\fi\fi
3094 \ifx\@part\undefined
3095   \let\bbl@patchpart\relax
3096 \else
3097   \def\bbl@patchpart{%
3098     \global\let\bbl@patchpart\relax
3099     \gdef\bbl@partformat{%
3100       \bbl@ifunset\bbl@partfmt@\language}%
3101       {\partname\nobreakspace\thepart}%
3102       {\@nameuse\bbl@partfmt@\language}}}%
3103   \bbl@sreplace\@part{\partname\nobreakspace\thepart}{\bbl@partformat}%
3104   \bbl@tglobal\@part}
3105 \fi

```

**Date.** Arguments (year, month, day) are *not* protected, on purpose. In \today, arguments are always gregorian, and therefore always converted with other calendars.

```

3106 \let\bbl@calendar\@empty
3107 \DeclareRobustCommand\localedate[1][\bbl@localedate{#1}]
3108 \def\bbl@localedate#1#2#3#4{%
3109   \begingroup
3110     \edef\bbl@they{#2}%
3111     \edef\bbl@them{#3}%
3112     \edef\bbl@thed{#4}%
3113     \edef\bbl@tempe{%
3114       \bbl@ifunset\bbl@calpr@\language}{\bbl@cl{calpr}},%
3115       #1}%
3116     \bbl@exp{\lowercase{\edef\\bbl@tempe{\bbl@tempe}}}%
3117     \bbl@replace\bbl@tempe{ }{}%
3118     \bbl@replace\bbl@tempe{convert}{convert=}%
3119     \let\bbl@ld@calendar\@empty
3120     \let\bbl@ld@variant\@empty
3121     \let\bbl@ld@convert\relax
3122     \def\bbl@tempb##1=##2\@{\@namedef\bbl@ld##1}{##2}}%
3123     \bbl@foreach\bbl@tempe{\bbl@tempb##1\@}%
3124     \bbl@replace\bbl@ld@calendar{gregorian}{}%
3125     \ifx\bbl@ld@calendar\@empty\else
3126       \ifx\bbl@ld@convert\relax\else
3127         \babelcalendar[\bbl@they-\bbl@them-\bbl@thed]%
3128         {\bbl@ld@calendar}\bbl@they\bbl@them\bbl@thed
3129       \fi
3130     \fi
3131     \@nameuse\bbl@precalendar}% Remove, e.g., +, -civil (-ca-islamic)
3132   \edef\bbl@calendar{% Used in \month..., too
3133     \bbl@ld@calendar
3134     \ifx\bbl@ld@variant\@empty\else
3135       .\bbl@ld@variant
3136     \fi}%
3137   \bbl@cased

```

```

3138      {\@nameuse{bbl@date@\language @\bbl@calendar}%
3139       \bbl@they\bbl@them\bbl@thed}%
3140 \endgroup}
3141 %
3142 \def\bbl@printdate#1{%
3143   \ifnextchar[{\bbl@printdate@i{#1}}{\bbl@printdate@i{#1}[]}}
3144 \def\bbl@printdate@i#1[#2]#3#4#5{%
3145   \bbl@usedategroupttrue
3146   \@nameuse{bbl@ensure@#1}{\localedate[#2]{#3}{#4}{#5}}}
3147 %
3148 % e.g.: 1=months, 2=wide, 3=1, 4=dummy, 5=value, 6=calendar
3149 \def\bbl@inidate#1.#2.#3.#4\relax#5#6{%
3150   \bbl@trim@def\bbl@tempa{#1.#2}%
3151   \bbl@ifsamestring{\bbl@tempa}{months.wide}%      to savedate
3152   {\bbl@trim@def\bbl@tempa{#3}%
3153    \bbl@trim\toks@{#5}%
3154    \@temptokena\expandafter{\bbl@savestate}%
3155    \bbl@exp{% Reverse order - in ini last wins
3156      \def\\bbl@savestate{%
3157        \\SetString\<month\romannumeral\bbl@tempa#6name>{\the\toks@}%
3158        \the\@temptokena}}}%
3159   {\bbl@ifsamestring{\bbl@tempa}{date.long}%      defined now
3160    {\lowercase{\def\bbl@tempb{#6}}}%
3161    \bbl@trim@def\bbl@toreplace{#5}%
3162    \bbl@TG@@date
3163    \global\bbl@csarg\let{date@\language @\bbl@tempb}\bbl@toreplace
3164    \ifx\bbl@savestate@empty
3165      \bbl@exp{%
3166        \\AfterBabelCommands{%
3167          \gdef\<\language date>{\\protect\<\language date >}%
3168          \gdef\<\language date >{\\bbl@printdate{\language}}}%
3169        \def\\bbl@savestate{%
3170          \\SetString\\today{%
3171            \<\language date>[convert]%
3172            {\the\year}{\the\month}{\the\day}}}%
3173        \fi}%
3174      {}}}}

```

**Dates** will require some macros for the basic formatting. They may be redefined by language, so “semi-public” names (camel case) are used. Oddly enough, the CLDR places particles like “de” inconsistently in either in the date or in the month name. Note after `\bbl@replace\toks@` contains the resulting string, which is used by `\bbl@replace@finish@iii` (this implicit behavior doesn’t seem a good idea, but it’s efficient).

```

3175 \let\bbl@calendar@empty
3176 \newcommand\babelcalendar[2][\the\year-\the\month-\the\day]{%
3177   \@nameuse{bbl@ca@#2}#1@@}
3178 \newcommand\babelDateSpace{\nobreakspace}
3179 \newcommand\babelDateDot{. \@}
3180 \newcommand\babelDated[1][\number#1]}
3181 \newcommand\babelDatedd[1][\ifnum#1<10 0\fi\number#1]}
3182 \newcommand\babelDateM[1][\number#1]}
3183 \newcommand\babelDateMM[1][\ifnum#1<10 0\fi\number#1]}
3184 \newcommand\babelDateMMM[1][\fi\number#1]}
3185 \csname month\romannumeral#1\bbl@calendar name\endcsname}%
3186 \newcommand\babelDatey[1][\number#1]}%
3187 \newcommand\babelDateyy[1][\number#1]}%
3188 \ifnum#1<10 0\number#1 %
3189 \else\ifnum#1<100 \number#1 %
3190 \else\ifnum#1<1000 \expandafter\@gobble\number#1 %
3191 \else\ifnum#1<10000 \expandafter\@gobbletwo\number#1 %
3192 \else
3193   \bbl@error{limit-two-digits}{\number#1}%
3194 \fi\fi\fi\fi}

```



```

3195 \newcommand\BabelDateyyyy[1]{\number#1}
3196 \newcommand\BabelDateU[1]{\number#1}%
3197 \def\bbl@replace@finish@iii#1{%
3198   \bbl@exp{\def\#1###1###2###3{\the\toks@}}
3199 \def\bbl@TG@date{%
3200   \bbl@replace\bbl@toreplace{[ ]}{\BabelDateSpace{}}%
3201   \bbl@replace\bbl@toreplace{[. ]}{\BabelDateDot{}}%
3202   \bbl@replace\bbl@toreplace{[y]}{\BabelDatey{###1}}%
3203   \bbl@replace\bbl@toreplace{[y]}{\bbl@datecctr{###1|}}%
3204   \bbl@replace\bbl@toreplace{[yy]}{\BabelDateyy{###1}}%
3205   \bbl@replace\bbl@toreplace{[yyyy]}{\BabelDateyyyy{###1}}%
3206   \bbl@replace\bbl@toreplace{[M]}{\BabelDateM{###2}}%
3207   \bbl@replace\bbl@toreplace{[M]}{\bbl@datecctr{###2|}}%
3208   \bbl@replace\bbl@toreplace{[MM]}{\BabelDateMM{###2}}%
3209   \bbl@replace\bbl@toreplace{[MMMM]}{\BabelDateMMMM{###2}}%
3210   \bbl@replace\bbl@toreplace{[d]}{\BabelDated{###3}}%
3211   \bbl@replace\bbl@toreplace{[d]}{\bbl@datecctr{###3|}}%
3212   \bbl@replace\bbl@toreplace{[dd]}{\BabelDatedd{###3}}%
3213   \bbl@replace\bbl@toreplace{[U]}{\BabelDateU{###1}}%
3214   \bbl@replace\bbl@toreplace{[U]}{\bbl@datecctr{###1|}}%
3215   \bbl@replace@finish@iii\bbl@toreplace}
3216 \def\bbl@datecctr{\expandafter\bbl@xdatecctr\expandafter}
3217 \def\bbl@xdatecctr[#1|#2]{\localenumeral{#2}{#1}}

```

## 4.21. French spacing (again)

For the following declarations, see issue #240. `\nonfrenchspacing` is set by document too early, so it's a hack.

```

3218 \AddToHook{begindocument/before}{%
3219   \let\bbl@normalsf\normalsfcodes
3220   \let\normalsfcodes\relax}
3221 \AtBeginDocument{%
3222   \ifx\bbl@normalsf\@empty
3223     \ifnum\sfcodes\@m
3224       \let\normalsfcodes\frenchspacing
3225     \else
3226       \let\normalsfcodes\nonfrenchspacing
3227     \fi
3228   \else
3229     \let\normalsfcodes\bbl@normalsf
3230   \fi}

```

### Transforms.

Process the transforms read from ini files, converts them to a form close to the user interface (with `\babelprehyphenation` and `\babelposthyphenation`), wrapped with `\bbl@transforms@aux` ...`\relax`, and stores them in `\bbl@release@transforms`. However, since building a list enclosed in braces isn't trivial, the replacements are added after a comma, and then `\bbl@transforms@aux` adds the braces.

```

3231 \bbl@csarg\let{inikv@transforms.prehyphenation}\bbl@inikv
3232 \bbl@csarg\let{inikv@transforms.posthyphenation}\bbl@inikv
3233 \def\bbl@transforms@aux#1#2#3#4,#5\relax{%
3234   #1[#2]{#3}{#4}{#5}}
3235 \begingroup
3236   \catcode`\%=12
3237   \catcode`\&=14
3238   \gdef\bbl@transforms#1#2#3{%&
3239     \directlua{
3240       local str = [==[#2]==]
3241       str = str:gsub('%.%d+%.%d+$', '')
3242       token.set_macro('babeltempa', str)
3243     }&
3244     \def\babeltempc{ }&
3245     \bbl@xin@{,\babeltempa,},{,\bbl@KVP@transforms,}&

```

```

3242 \ifin@ \else
3243 \bbl@xin@{: \babeltempa, }{, \bbl@KVP@transforms, }&%
3244 \fi
3245 \ifin@
3246 \bbl@foreach \bbl@KVP@transforms {&%
3247 \bbl@xin@{: \babeltempa, }{, ##1, }&%
3248 \ifin@ &% font:font:transform syntax
3249 \directlua{
3250 local t = {}
3251 for m in string.gmatch('##1'..':', '(.):') do
3252 table.insert(t, m)
3253 end
3254 table.remove(t)
3255 token.set_macro('babeltempc', ', fonts=' .. table.concat(t, ' '))
3256 }&%
3257 \fi}&%
3258 \in@{.0$}{#2$}&%
3259 \ifin@
3260 \directlua{&% (\attribute) syntax
3261 local str = string.match([[ \bbl@KVP@transforms]],
3262 '%([^([]-)[^)]-\babeltempa')
3263 if str == nil then
3264 token.set_macro('babeltempb', '')
3265 else
3266 token.set_macro('babeltempb', ', attribute=' .. str)
3267 end
3268 }&%
3269 \toks@{#3}&%
3270 \bbl@exp{&%
3271 \\\g@addto@macro \\\bbl@release@transforms {&%
3272 \relax &% Closes previous \bbl@transforms@aux
3273 \\\bbl@transforms@aux
3274 \\\#1{label=\babeltempa\babeltempb\babeltempc}&%
3275 {\language@name}{\the\toks@}}&%
3276 \else
3277 \g@addto@macro \bbl@release@transforms {, {#3}}&%
3278 \fi
3279 \fi}
3280 \endgroup

```

#### 4.22. Handle language system

The language system (i.e., `Language` and `Script`) to be used when defining a font or setting the direction are set with the following macros. It also deals with unhyphenated line breaking in xetex (e.g., Thai and traditional Sanskrit), which is done with a hack at the font level because this engine doesn't support it.

```

3285 \def\bbl@provide#1{%
3286   \bbl@ifunset{bbl@lname@#1}%
3287     {\bbl@load@info{#1}}%
3288     {}%
3289   \bbl@csarg\let{#1}\@empty
3290   \bbl@ifunset{bbl@sname@#1}{\bbl@csarg\gdef{sname@#1}{Default}}}%
3291   \bbl@ifunset{bbl@sotf@#1}{\bbl@csarg\gdef{sotf@#1}{DFLT}}}%
3292   \bbl@csarg\bbl@add@list{#1}{Script=\bbl@cs{sname@#1}}%
3293   \bbl@ifunset{bbl@lname@#1}}}%
3294   {\bbl@csarg\bbl@add@list{#1}{Language=\bbl@cs{lname@#1}}}%
3295   \ifcase\bbl@engine\or\or
3296     \bbl@ifunset{bbl@prehc@#1}}}%
3297     {\bbl@exp{\\bbl@ifblank{\bbl@cs{prehc@#1}}}%
3298     {}%
3299     {\ifx\bbl@xenohyph\@undefined
3300       \global\let\bbl@xenohyph\bbl@xenohyphd
3301       \ifx\AtBeginDocument\@notprerr

```

```

3302         \expandafter\@secondoftwo % to execute right now
3303         \fi
3304         \AtBeginDocument{%
3305             \bbl@patchfont{\bbl@xenohyph}%
3306             {\expandafter\select@language\expandafter{\language\language}}}%
3307         \fi}}%
3308 \fi
3309 \bbl@csarg\bbl@tglobal{\sys@#1}}

```

## 4.23. Numerals

A tool to define the macros for native digits from the list provided in the `ini` file. Somewhat convoluted because there are 10 digits, but only 9 arguments in  $\text{\TeX}$ . Non-digits characters are kept. The first macro is the generic “localized” command.

```

3310 \def\bbl@setdigits#1#2#3#4#5{%
3311   \bbl@exp{%
3312     \def\<\language\name digits>####1{%       i.e., \langdigits
3313       \<\bbl@digits@\language\name>####1\\\@nil}%
3314       \let\<\bbl@cnt@digits@\language\name>\<\language\name digits>%
3315       \def\<\language\name counter>####1{%      i.e., \langcounter
3316         \\\expandafter\<\bbl@counter@\language\name>%
3317         \\\csname c@####1\endcsname}%
3318         \def\<\bbl@counter@\language\name>####1{% i.e., \bbl@counter@lang
3319           \\\expandafter\<\bbl@digits@\language\name>%
3320           \\\number####1\\\@nil}}}%
3321   \def\bbl@tempa##1##2##3##4##5{%
3322     \bbl@exp{%      Wow, quite a lot of hashes! :- (
3323       \def\<\bbl@digits@\language\name>#####1{%
3324         \\\ifx#####1\\\@nil                    % i.e., \bbl@digits@lang
3325         \\\else
3326           \\\ifx0#####1#1%
3327           \\\else\\\ifx1#####1#2%
3328           \\\else\\\ifx2#####1#3%
3329           \\\else\\\ifx3#####1#4%
3330           \\\else\\\ifx4#####1#5%
3331           \\\else\\\ifx5#####1##1%
3332           \\\else\\\ifx6#####1##2%
3333           \\\else\\\ifx7#####1##3%
3334           \\\else\\\ifx8#####1##4%
3335           \\\else\\\ifx9#####1##5%
3336           \\\else#####1%
3337           \\\fi\\\fi\\\fi\\\fi\\\fi\\\fi\\\fi\\\fi\\\fi\\\fi\\\fi\\\fi
3338           \\\expandafter\<\bbl@digits@\language\name>%
3339           \\\fi}}}%
3340   \bbl@tempa}

```

Alphabetic counters must be converted from a space separated list to an \ifcase structure.

```

3341 \def\bbl@buildifcase#1 {% Returns \bbl@tempa, requires \toks@={%
3342   \ifx\\#1%
3343     \bbl@exp{%
3344       \def\\bbl@tempa####1{%
3345         \<ifcase>####1\space\the\toks@\<else>\\@ctrerr\<fi>}}%
3346   \else
3347     \toks@\expandafter{\the\toks@\or #1}%
3348     \expandafter\bbl@buildifcase
3349   \fi}

```

The code for additive counters is somewhat tricky and it's based on the fact the arguments just before `\@@` collects digits which have been left 'unused' in previous arguments, the first of them being the number of digits in the number to be converted. This explains the reverse set 76543210. Digits above 10000 are not handled yet. When the key contains the subkey `.F.`, the number after is treated as an special case, for a fixed form (see `babel-he.ini`, for example).

```
3350 \newcommand\localenumeral[2]{%
```

```

3351 \bbl@ifunset{bbl@cntr@#1@\languagename}%
3352 {#2}%
3353 {\bbl@cs{cntr@#1@\languagename}{#2}}
3354 \def\bbl@localecntr#1#2{\lcalenumeral{#2}{#1}}
3355 \newcommand\localecounter[2]{%
3356 \expandafter\bbl@localecntr
3357 \expandafter\number\csname c@#2\endcsname}{#1}}
3358 \def\bbl@alphnumeral#1#2{%
3359 \expandafter\bbl@alphnumeral@i\number#2 76543210\@@{#1}}
3360 \def\bbl@alphnumeral@i#1#2#3#4#5#6#7#8\@@#9{%
3361 \ifcase\@car#8\@nil\or % Currently <10000, but prepared for bigger
3362 \bbl@alphnumeral@ii{#9}00000#1\or
3363 \bbl@alphnumeral@ii{#9}00000#1#2\or
3364 \bbl@alphnumeral@ii{#9}0000#1#2#3\or
3365 \bbl@alphnumeral@ii{#9}000#1#2#3#4\else
3366 \bbl@alphnum@invalid{>9999}%
3367 \fi}
3368 \def\bbl@alphnumeral@ii#1#2#3#4#5#6#7#8{%
3369 \bbl@ifunset{bbl@cntr@#1.F.\number#5#6#7#8@\languagename}%
3370 {\bbl@cs{cntr@#1.4@\languagename}#5%
3371 \bbl@cs{cntr@#1.3@\languagename}#6%
3372 \bbl@cs{cntr@#1.2@\languagename}#7%
3373 \bbl@cs{cntr@#1.1@\languagename}#8%
3374 \ifnum#6#7#8>\z@
3375 \bbl@ifunset{bbl@cntr@#1.S.321@\languagename}{}%
3376 {\bbl@cs{cntr@#1.S.321@\languagename}}%
3377 \fi}%
3378 {\bbl@cs{cntr@#1.F.\number#5#6#7#8@\languagename}}
3379 \def\bbl@alphnum@invalid#1{%
3380 \bbl@error{alphabetic-too-large}{#1}{}}

```

## 4.24. Casing

```

3381 \newcommand\BabelUppercaseMapping[3]{%
3382 \DeclareUppercaseMapping[\@nameuse{bbl@casing@#1}]{#2}{#3}}
3383 \newcommand\BabelTitlecaseMapping[3]{%
3384 \DeclareTitlecaseMapping[\@nameuse{bbl@casing@#1}]{#2}{#3}}
3385 \newcommand\BabelLowercaseMapping[3]{%
3386 \DeclareLowercaseMapping[\@nameuse{bbl@casing@#1}]{#2}{#3}}

The parser for casing and casing.<variant>.
3387 \ifcase\bbl@engine % Converts utf8 to its code (expandable)
3388 \def\bbl@utftocode#1{\the\numexpr\decode@UTFviii#1\relax}
3389 \else
3390 \def\bbl@utftocode#1{\expandafter`\string#1}
3391 \fi
3392 \def\bbl@casemapping#1#2#3{% 1:variant
3393 \def\bbl@tempa##1 ##2{% Loop
3394 \bbl@casemapping@i{##1}%
3395 \ifx\@empty##2\else\bbl@afterfi\bbl@tempa##2\fi}%
3396 \edef\bbl@templ{\@nameuse{bbl@casing@#2}#1}% Language code
3397 \def\bbl@tempe{0}% Mode (upper/lower...)
3398 \def\bbl@tempc{#3}% Casing list
3399 \expandafter\bbl@tempa\bbl@tempc\@empty}
3400 \def\bbl@casemapping@i#1{%
3401 \def\bbl@tempb{#1}%
3402 \ifcase\bbl@engine % Handle utf8 in pdftex, by surrounding chars with {}
3403 \@nameuse{regex_replace_all:nnN}%
3404 {[{\x{c0}-\x{ff}}][\x{80}-\x{bf}]}*}{\@empty}\bbl@tempb
3405 \else
3406 \@nameuse{regex_replace_all:nnN}{.}{\@empty}\bbl@tempb
3407 \fi
3408 \expandafter\bbl@casemapping@ii\bbl@tempb\@@}
3409 \def\bbl@casemapping@ii#1#2#3\@@{%

```

```

3410 \in{#1#3}{<>}% i.e., if <u>, <l>, <t>
3411 \ifin@
3412 \edef\bbl@tempe{%
3413 \if#2u1 \else\if#2l2 \else\if#2t3 \fi\fi\fi}%
3414 \else
3415 \ifcase\bbl@tempe\relax
3416 \DeclareUppercaseMapping[\bbl@templ]{\bbl@uftocode{#1}}{#2}%
3417 \DeclareLowercaseMapping[\bbl@templ]{\bbl@uftocode{#2}}{#1}%
3418 \or
3419 \DeclareUppercaseMapping[\bbl@templ]{\bbl@uftocode{#1}}{#2}%
3420 \or
3421 \DeclareLowercaseMapping[\bbl@templ]{\bbl@uftocode{#1}}{#2}%
3422 \or
3423 \DeclareTitlecaseMapping[\bbl@templ]{\bbl@uftocode{#1}}{#2}%
3424 \fi
3425 \fi}

```

## 4.25. Getting info

The information in the identification section can be useful, so the following macro just exposes it with a user command.

```

3426 \def\bbl@localeinfo#1#2{%
3427 \bbl@ifunset\bbl@info@#2}{#1}%
3428 {\bbl@ifunset\bbl@csname bbl@info@#2\endcsname @\language\name}{#1}%
3429 {\bbl@cs{\csname bbl@info@#2\endcsname @\language\name}}}%
3430 \newcommand\bbl@localeinfo[1]{%
3431 \ifx*#1\@empty
3432 \bbl@afterelse\bbl@localeinfo{}%
3433 \else
3434 \bbl@localeinfo
3435 {\bbl@error{no-ini-info}}{}{}{}%
3436 {#1}%
3437 \fi}
3438 % \@namedef\bbl@info@name.locale}{lname}
3439 \@namedef\bbl@info@tag.ini}{lini}
3440 \@namedef\bbl@info@name.english}{elname}
3441 \@namedef\bbl@info@name.opentype}{lname}
3442 \@namedef\bbl@info@tag.bcp47}{tbc}
3443 \@namedef\bbl@info@language.tag.bcp47}{lbc}
3444 \@namedef\bbl@info@tag.opentype}{lotf}
3445 \@namedef\bbl@info@script.name}{esname}
3446 \@namedef\bbl@info@script.name.opentype}{sname}
3447 \@namedef\bbl@info@script.tag.bcp47}{sbcp}
3448 \@namedef\bbl@info@script.tag.opentype}{sotf}
3449 \@namedef\bbl@info@region.tag.bcp47}{rbcp}
3450 \@namedef\bbl@info@variant.tag.bcp47}{vbcp}
3451 \@namedef\bbl@info@extension.t.tag.bcp47}{extt}
3452 \@namedef\bbl@info@extension.u.tag.bcp47}{extu}
3453 \@namedef\bbl@info@extension.x.tag.bcp47}{extx}

```

With version 3.75 `\BabelEnsureInfo` is executed always, but there is an option to disable it. Since the info in ini files are always loaded, it has been made no-op in version 25.8.

```

3454 << *More package options >> ≡
3455 \DeclareOption{ensureinfo=off}{}
3456 << /More package options >>
3457 \let\BabelEnsureInfo\relax

```

More general, but non-expandable, is `\getlocaleproperty`.

```

3458 \newcommand\getlocaleproperty{%
3459 \ifstar\bbl@getproperty@s\bbl@getproperty@x}
3460 \def\bbl@getproperty@s#1#2#3{%
3461 \let#1\relax
3462 \def\bbl@elt##1##2##3{%
3463 \bbl@ifsamestring{##1/##2}{#3}%

```

```

3464      {\providecommand#1{##3}%
3465       \def\bbl@elt###1###2###3{}}%
3466      {}}%
3467      \bbl@cs{inidata@#2}}%
3468 \def\bbl@getproperty@x#1#2#3{%
3469   \bbl@getproperty@#1{#2}{#3}%
3470   \ifx#1\relax
3471     \bbl@error{unknown-locale-key}{#1}{#2}{#3}%
3472   \fi}

```

To inspect every possible loaded ini, we define `\LocaleForEach`, where `\bbl@ini@loaded` is a comma-separated list of locales, built by `\bbl@read@ini`.

```

3473 \let\bbl@ini@loaded\@empty
3474 \newcommand\LocaleForEach{\bbl@foreach\bbl@ini@loaded}
3475 \def\ShowLocaleProperties#1{%
3476   \typeout{}}%
3477   \typeout{*** Properties for language '#1' ***}
3478 \def\bbl@elt###1###2###3{\typeout{##1/##2 = \unexpanded{##3}}}%
3479 \@nameuse{\bbl@inidata@#1}%
3480 \typeout{*****}}

```

## 4.26. BCP 47 related commands

This macro is called by language selectors when the language isn't recognized. So, it's the core for (1) mapping from a BCP 27 tag to the actual language, if `bcp47.toname` is enabled (i.e., if `\bbl@bcptoname` is true), and (2) lazy loading. With `autoload.bcp47` enabled *and* lazy loading, we must first build a name for the language, with the help of `autoload.bcp47.prefix`. Then we use `\provideprovide` passing the options set with `autoload.bcp47.options` (by default `import`). Finally, and if the locale has not been loaded before, we use `\provideprovide` with the language name as passed to the selector.

```

3481 \newif\ifbbl@bcpallowed
3482 \bbl@bcpallowedfalse
3483 \def\bbl@autoload@options{@import}
3484 \def\bbl@provide@locale{%
3485   \ifx\babelprovide\@undefined
3486     \bbl@error{base-on-the-fly}{}{}%
3487   \fi
3488   \let\bbl@auxname\language
3489   \ifbbl@bcptoname
3490     \bbl@ifunset{\bbl@bcp@map@\language}{}% Move uplevel??
3491     {\edef\language{\@nameuse{\bbl@bcp@map@\language}}}%
3492     \let\localename\language}%
3493   \fi
3494   \ifbbl@bcpallowed
3495     \expandafter\ifx\csname date\language\endcsname\relax
3496       \expandafter
3497       \bbl@bcplookup\language-\@empty-\@empty-\@empty@@
3498       \ifx\bbl@bcp\relax\else % Returned by \bbl@bcplookup
3499         \edef\language{\bbl@bcp@prefix\bbl@bcp}%
3500         \let\localename\language
3501         \expandafter\ifx\csname date\language\endcsname\relax
3502           \let\bbl@initoload\bbl@bcp
3503           \bbl@exp{\babelprovide[\bbl@autoload@bcptoptions]{\language}}%
3504           \let\bbl@initoload\relax
3505         \fi
3506         \bbl@csarg\xdef{\bbl@bcp@\localename}%
3507       \fi
3508     \fi
3509   \fi
3510   \expandafter\ifx\csname date\language\endcsname\relax
3511     \IfFileExists{babel-\language.tex}%
3512     {\bbl@exp{\babelprovide[\bbl@autoload@options]{\language}}}%
3513     {}%

```

```
3514 \fi}
```

$\TeX$  needs to know the BCP 47 codes for some features. For that, it expects `\BCPdata` to be defined. While language, region, script, and variant are recognized, extension `.{s}` for singletons may change.

Still somewhat hackish. Note `\str_if_eq:nnTF` is fully expandable (`\bbl@ifsamestring` isn't). The argument is the prefix to `tag.bcp47`.

```
3515 \providecommand\BCPdata{}
3516 \ifx\renewcommand\undefined\else
3517 \renewcommand\BCPdata[1]{\bbl@bcpdata@i#1\@empty\@empty\@empty}
3518 \def\bbl@bcpdata@i#1#2#3#4#5#6\@empty{%
3519 \@nameuse{str_if_eq:nnTF}{#1#2#3#4#5}{main.}%
3520 {\bbl@bcpdata@ii{#6}\bbl@main@language}%
3521 {\bbl@bcpdata@ii{#1#2#3#4#5#6}\languagename}}%
3522 \def\bbl@bcpdata@ii#1#2{%
3523 \bbl@ifunset{bbl@info@#1.tag.bcp47}%
3524 {\bbl@error{unknown-ini-field}{#1}{}}}%
3525 {\bbl@ifunset{bbl@csname bbl@info@#1.tag.bcp47\endcsname @#2}{}%
3526 {\bbl@cs{csname bbl@info@#1.tag.bcp47\endcsname @#2}}}%
3527 \fi
3528 \@namedef{bbl@info@casing.tag.bcp47}{casing}
3529 \@namedef{bbl@info@tag.tag.bcp47}{tbc} % For \BCPdata
```

## 5. Adjusting the Babel behavior

A generic high level interface is provided to adjust some global and general settings.

```
3530 \newcommand\babeladjust[1]{%
3531 \bbl@forkv{#1}{%
3532 \bbl@ifunset{bbl@ADJ@##1@##2}%
3533 {\bbl@cs{ADJ@##1}{##2}}%
3534 {\bbl@cs{ADJ@##1@##2}}}
3535 %
3536 \def\bbl@adjust@lua#1#2{%
3537 \ifvmode
3538 \ifnum\currentgrouplevel=\z@
3539 \directlua{ Babel.#2 }%
3540 \expandafter\expandafter\expandafter\@gobble
3541 \fi
3542 \fi
3543 {\bbl@error{adjust-only-vertical}{#1}{}}}% Gobbled if everything went ok.
3544 \@namedef{bbl@ADJ@bidi.mirroring@on}{%
3545 \bbl@adjust@lua{bidi}{mirroring_enabled=true}}
3546 \@namedef{bbl@ADJ@bidi.mirroring@off}{%
3547 \bbl@adjust@lua{bidi}{mirroring_enabled=false}}
3548 \@namedef{bbl@ADJ@bidi.text@on}{%
3549 \bbl@adjust@lua{bidi}{bidi_enabled=true}}
3550 \@namedef{bbl@ADJ@bidi.text@off}{%
3551 \bbl@adjust@lua{bidi}{bidi_enabled=false}}
3552 \@namedef{bbl@ADJ@bidi.math@on}{%
3553 \let\bbl@noamsmath\@empty}
3554 \@namedef{bbl@ADJ@bidi.math@off}{%
3555 \let\bbl@noamsmath\relax}
3556 %
3557 \@namedef{bbl@ADJ@bidi.mapdigits@on}{%
3558 \bbl@adjust@lua{bidi}{digits_mapped=true}}
3559 \@namedef{bbl@ADJ@bidi.mapdigits@off}{%
3560 \bbl@adjust@lua{bidi}{digits_mapped=false}}
3561 %
3562 \@namedef{bbl@ADJ@linebreak.sea@on}{%
3563 \bbl@adjust@lua{linebreak}{sea_enabled=true}}
3564 \@namedef{bbl@ADJ@linebreak.sea@off}{%
3565 \bbl@adjust@lua{linebreak}{sea_enabled=false}}
```

```

3566 \@namedef{bbl@ADJ@linebreak.cjk@on}{%
3567   \bbl@adjust@lua{linebreak}{cjk_enabled=true}}
3568 \@namedef{bbl@ADJ@linebreak.cjk@off}{%
3569   \bbl@adjust@lua{linebreak}{cjk_enabled=false}}
3570 \@namedef{bbl@ADJ@justify.arabic@on}{%
3571   \bbl@adjust@lua{linebreak}{arabic.justify_enabled=true}}
3572 \@namedef{bbl@ADJ@justify.arabic@off}{%
3573   \bbl@adjust@lua{linebreak}{arabic.justify_enabled=false}}
3574 %
3575 \def\bbl@adjust@layout#1{%
3576   \ifvmode
3577     #1%
3578     \expandafter\@gobble
3579   \fi
3580   {\bbl@error{layout-only-vertical}{}}{}% Gobbled if everything went ok.
3581 \@namedef{bbl@ADJ@layout.tabular@on}{%
3582   \ifnum\bbl@tabular@mode=\tw@
3583     \bbl@adjust@layout{\let\@tabular\bbl@NL@tabular}%
3584   \else
3585     \chardef\bbl@tabular@mode\@ne
3586   \fi}
3587 \@namedef{bbl@ADJ@layout.tabular@off}{%
3588   \ifnum\bbl@tabular@mode=\tw@
3589     \bbl@adjust@layout{\let\@tabular\bbl@OL@tabular}%
3590   \else
3591     \chardef\bbl@tabular@mode\z@
3592   \fi}
3593 \@namedef{bbl@ADJ@layout.lists@on}{%
3594   \bbl@adjust@layout{\let\list\bbl@NL@list}}
3595 \@namedef{bbl@ADJ@layout.lists@off}{%
3596   \bbl@adjust@layout{\let\list\bbl@OL@list}}
3597 %
3598 \@namedef{bbl@ADJ@autoload.bcp47@on}{%
3599   \bbl@bcpallowedtrue}
3600 \@namedef{bbl@ADJ@autoload.bcp47@off}{%
3601   \bbl@bcpallowedfalse}
3602 \@namedef{bbl@ADJ@autoload.bcp47.prefix}#1{%
3603   \def\bbl@bcp@prefix{#1}}
3604 \def\bbl@bcp@prefix{bcp47-}
3605 \@namedef{bbl@ADJ@autoload.options}#1{%
3606   \def\bbl@autoload@options{#1}}
3607 \def\bbl@autoload@bcptoptions{import}
3608 \@namedef{bbl@ADJ@autoload.bcp47.options}#1{%
3609   \def\bbl@autoload@bcptoptions{#1}}
3610 \newif\ifbbl@bcptname
3611 %
3612 \@namedef{bbl@ADJ@bcp47.toname@on}{%
3613   \bbl@bcptnametrue}
3614 \@namedef{bbl@ADJ@bcp47.toname@off}{%
3615   \bbl@bcptnamefalse}
3616 %
3617 \@namedef{bbl@ADJ@prehyphenation.disable@nohyphenation}{%
3618   \directlua{ Babel.ignore_pre_char = function(node)
3619     return (node.lang == \the\csname l@nohyphenation\endcsname)
3620   end }}
3621 \@namedef{bbl@ADJ@prehyphenation.disable@off}{%
3622   \directlua{ Babel.ignore_pre_char = function(node)
3623     return false
3624   end }}
3625 %
3626 \@namedef{bbl@ADJ@interchar.disable@nohyphenation}{%
3627   \def\bbl@ignoreinterchar{%
3628     \ifnum\language=\l@nohyphenation

```



```

3629 \expandafter\@gobble
3630 \else
3631 \expandafter\@firstofone
3632 \fi}}
3633 \@namedef{bbl@ADJ@interchar.disable@off}{%
3634 \let\bbl@ignoreinterchar\@firstofone}
3635 %
3636 \@namedef{bbl@ADJ@select.write@shift}{%
3637 \let\bbl@restorelastskip\relax
3638 \def\bbl@savelastskip{%
3639 \let\bbl@restorelastskip\relax
3640 \ifvmode
3641 \ifdim\lastskip=\z@
3642 \let\bbl@restorelastskip\nobreak
3643 \else
3644 \bbl@exp{%
3645 \def\\bbl@restorelastskip{%
3646 \skip@=\the\lastskip
3647 \\nobreak \vskip-\skip@ \vskip\skip@}}%
3648 \fi
3649 \fi}}
3650 \@namedef{bbl@ADJ@select.write@keep}{%
3651 \let\bbl@restorelastskip\relax
3652 \let\bbl@savelastskip\relax}
3653 \@namedef{bbl@ADJ@select.write@omit}{%
3654 \AddBabelHook{babel-select}{beforestart}{%
3655 \expandafter\babel@aux\expandafter\bbl@main@language{}}}%
3656 \let\bbl@restorelastskip\relax
3657 \def\bbl@savelastskip##1\bbl@restorelastskip{}}
3658 \@namedef{bbl@ADJ@select.encoding@off}{%
3659 \let\bbl@encoding@select@off\@empty}

```

## 5.1. Cross referencing macros

The  $\LaTeX$  book states:

The *key* argument is any sequence of letters, digits, and punctuation symbols; upper- and lowercase letters are regarded as different.

When the above quote should still be true when a document is typeset in a language that has active characters, special care has to be taken of the category codes of these characters when they appear in an argument of the cross referencing macros.

When a cross referencing command processes its argument, all tokens in this argument should be character tokens with category ‘letter’ or ‘other’.

The following package options control which macros are to be redefined.

```

3660 <<More package options>> ≡
3661 \DeclareOption{safe=none}{\let\bbl@opt@safe\@empty}
3662 \DeclareOption{safe=bib}{\def\bbl@opt@safe{B}}
3663 \DeclareOption{safe=ref}{\def\bbl@opt@safe{R}}
3664 \DeclareOption{safe=refbib}{\def\bbl@opt@safe{BR}}
3665 \DeclareOption{safe=bibref}{\def\bbl@opt@safe{BR}}
3666 <</More package options>>

```

**\@newl@bel** First we open a new group to keep the changed setting of `\protect` local and then we set the `@safe@actives` switch to true to make sure that any shorthand that appears in any of the arguments immediately expands to its non-active self.

```

3667 \bbl@trace{Cross referencing macros}
3668 \ifx\bbl@opt@safe\@empty\else % i.e., if 'ref' and/or 'bib'
3669 \def\@newl@bel#1#2#3{%
3670 {\@safe@activestrue
3671 \bbl@ifunset{#1@#2}%
3672 \relax
3673 {\gdef\@multiplelabels{%

```

```

3674      \@latex@warning@no@line{There were multiply-defined labels}}%
3675      \@latex@warning@no@line{Label `#2' multiply defined}}%
3676      \global\@namedef{#1@#2}{#3}}

```

**\@testdef** An internal  $\TeX$  macro used to test if the labels that have been written on the aux file have changed. It is called by the `\enddocument` macro.

```

3677  \CheckCommand*\@testdef[3]{%
3678    \def\reserved@a{#3}%
3679    \expandafter\ifx\csname#1@#2\endcsname\reserved@a
3680    \else
3681      \@tempswatrue
3682    \fi}

```

Now that we made sure that `\@testdef` still has the same definition we can rewrite it. First we make the shorthands ‘safe’. Then we use `\bbl@tempa` as an ‘alias’ for the macro that contains the label which is being checked. Then we define `\bbl@tempb` just as `\@newlabel` does it. When the label is defined we replace the definition of `\bbl@tempa` by its meaning. If the label didn’t change, `\bbl@tempa` and `\bbl@tempb` should be identical macros.

```

3683  \def\@testdef#1#2#3{%
3684    \@safe@activetrue
3685    \expandafter\let\expandafter\bbl@tempa\csname #1@#2\endcsname
3686    \def\bbl@tempb{#3}%
3687    \@safe@activetrue
3688    \ifx\bbl@tempa\relax
3689    \else
3690      \edef\bbl@tempa{\expandafter\strip@prefix\meaning\bbl@tempa}%
3691    \fi
3692    \edef\bbl@tempb{\expandafter\strip@prefix\meaning\bbl@tempb}%
3693    \ifx\bbl@tempa\bbl@tempb
3694    \else
3695      \@tempswatrue
3696    \fi}
3697 \fi

```

## **\ref**

**\pageref** The same holds for the macro `\ref` that references a label and `\pageref` to reference a page. We make them robust as well (if they weren’t already) to prevent problems if they should become expanded at the wrong moment.

```

3698 \bbl@xin@{R}\bbl@opt@safe
3699 \ifin@
3700 \edef\bbl@tempc{\expandafter\string\csname ref code\endcsname}%
3701 \bbl@xin@{\expandafter\strip@prefix\meaning\bbl@tempc}%
3702 {\expandafter\strip@prefix\meaning\ref}%
3703 \ifin@
3704 \bbl@redefine\@kernel@ref#1{%
3705   \@safe@activetrue\org@@kernel@ref{#1}\@safe@activetrue}
3706 \bbl@redefine\@kernel@pageref#1{%
3707   \@safe@activetrue\org@@kernel@pageref{#1}\@safe@activetrue}
3708 \bbl@redefine\@kernel@sref#1{%
3709   \@safe@activetrue\org@@kernel@sref{#1}\@safe@activetrue}
3710 \bbl@redefine\@kernel@spageref#1{%
3711   \@safe@activetrue\org@@kernel@spageref{#1}\@safe@activetrue}
3712 \else
3713 \bbl@redefineroobust\ref#1{%
3714   \@safe@activetrue\org@ref{#1}\@safe@activetrue}
3715 \bbl@redefineroobust\pageref#1{%
3716   \@safe@activetrue\org@pageref{#1}\@safe@activetrue}
3717 \fi
3718 \else
3719 \let\org@ref\ref
3720 \let\org@pageref\pageref
3721 \fi

```

**\@citex** The macro used to cite from a bibliography, \cite, uses an internal macro, \@citex. It is this internal macro that picks up the argument(s), so we redefine this internal macro and leave \cite alone. The first argument is used for typesetting, so the shorthands need only be deactivated in the second argument.

```

3722 \bbl@xin@{B}\bbl@opt@safe
3723 \ifin@
3724 \bbl@redefine\@citex[#1]#2{%
3725   \@safe@activetrue\edef\bbl@tempa{#2}\@safe@activesfalse
3726   \org@citex[#1]{\bbl@tempa}}

```

Unfortunately, the packages natbib and cite need a different definition of \@citex... To begin with, natbib has a definition for \@citex with *three* arguments... We only know that a package is loaded when \begin{document} is executed, so we need to postpone the different redefinition.

Notice that we use \def here instead of \bbl@redefine because \org@citex is already defined and we don't want to overwrite that definition (it would result in parameter stack overflow because of a circular definition).

(Recent versions of natbib change dynamically \@citex, so PR4087 doesn't seem fixable in a simple way. Just load natbib before.)

```

3727 \AtBeginDocument{%
3728   \ifpackageloaded{natbib}{%
3729     \def\@citex[#1][#2]#3{%
3730       \@safe@activetrue\edef\bbl@tempa{#3}\@safe@activesfalse
3731       \org@citex[#1][#2]{\bbl@tempa}}%
3732   }{}}

```

The package cite has a definition of \@citex where the shorthands need to be turned off in both arguments.

```

3733 \AtBeginDocument{%
3734   \ifpackageloaded{cite}{%
3735     \def\@citex[#1]#2{%
3736       \@safe@activetrue\org@citex[#1]{#2}\@safe@activesfalse}%
3737   }{}}

```

**\nocite** The macro \nocite which is used to instruct BiBTeX to extract uncited references from the database.

```

3738 \bbl@redefine\nocite#1{%
3739   \@safe@activetrue\org@nocite{#1}\@safe@activesfalse}

```

**\bibcite** The macro that is used in the aux file to define citation labels. When packages such as natbib or cite are not loaded its second argument is used to typeset the citation label. In that case, this second argument can contain active characters but is used in an environment where \@safe@activetrue is in effect. This switch needs to be reset inside the \hbox which contains the citation label. In order to determine during aux file processing which definition of \bibcite is needed we define \bibcite in such a way that it redefines itself with the proper definition. We call \bbl@cite@choice to select the proper definition for \bibcite. This new definition is then activated.

```

3740 \bbl@redefine\bibcite{%
3741   \bbl@cite@choice
3742   \bibcite}

```

**\bbl@bibcite** The macro \bbl@bibcite holds the definition of \bibcite needed when neither natbib nor cite is loaded.

```

3743 \def\bbl@bibcite#1#2{%
3744   \org@bibcite{#1}{\@safe@activesfalse#2}}

```

**\bbl@cite@choice** The macro \bbl@cite@choice determines which definition of \bibcite is needed. First we give \bibcite its default definition.

```

3745 \def\bbl@cite@choice{%
3746   \global\let\bibcite\bbl@bibcite
3747   \ifpackageloaded{natbib}{\global\let\bibcite\org@bibcite}{}%
3748   \ifpackageloaded{cite}{\global\let\bibcite\org@bibcite}{}%
3749   \global\let\bbl@cite@choice\relax}

```

When a document is run for the first time, no aux file is available, and \babcite will not yet be properly defined. In this case, this has to happen before the document starts.

```
3750 \AtBeginDocument{\bbl@cite@choice}
```

**\@bibitem** One of the two internal L<sup>A</sup>T<sub>E</sub>X macros called by \bibitem that write the citation label on the aux file.

```
3751 \bbl@redefine\@bibitem#1{%
3752   \@safe@activestruelorg@@bibitem{#1}\@safe@activesfalse}
3753 \else
3754   \let\org@nocite\nocite
3755   \let\org@@citex\@citex
3756   \let\org@babcite\babcite
3757   \let\org@@bibitem\@bibitem
3758 \fi
```

## 5.2. Layout

```
3759 \newcommand\BabelPatchSection[1]{%
3760   \@ifundefined{#1}{}{%
3761     \bbl@exp{\let\<bbl@ss@#1>\<#1>}%
3762     \@namedef{#1}{%
3763       \@ifstar{\bbl@presec@s{#1}}%
3764       {\@dblarg{\bbl@presec@x{#1}}}}%
3765 \def\bbl@presec@x#1[#2]#3{%
3766   \bbl@exp{%
3767     \\\select@language@x{\bbl@main@language}%
3768     \\\bbl@cs{sspre@#1}%
3769     \\\bbl@cs{ss@#1}%
3770     [\\foreignlanguage{\language}{\unexpanded{#2}}}%
3771     {\\foreignlanguage{\language}{\unexpanded{#3}}}%
3772     \\\select@language@x{\language}}%
3773 \def\bbl@presec@s#1#2{%
3774   \bbl@exp{%
3775     \\\select@language@x{\bbl@main@language}%
3776     \\\bbl@cs{sspre@#1}%
3777     \\\bbl@cs{ss@#1}*%
3778     {\\foreignlanguage{\language}{\unexpanded{#2}}}%
3779     \\\select@language@x{\language}}%
3780 %
3781 \IfBabelLayout{sectioning}%
3782   {\BabelPatchSection{part}%
3783    \BabelPatchSection{chapter}%
3784    \BabelPatchSection{section}%
3785    \BabelPatchSection{subsection}%
3786    \BabelPatchSection{subsubsection}%
3787    \BabelPatchSection{paragraph}%
3788    \BabelPatchSection{subparagraph}%
3789    \def\babel@toc#1{%
3790      \select@language@x{\bbl@main@language}}}%
3791 \IfBabelLayout{captions}%
3792   {\BabelPatchSection{caption}}{}}
```

**\BabelFootnote** Footnotes.

```
3793 \bbl@trace{Footnotes}
3794 \def\bbl@footnote#1#2#3{%
3795   \@ifnextchar[%
3796     {\bbl@footnote@o{#1}{#2}{#3}}%
3797     {\bbl@footnote@x{#1}{#2}{#3}}%
3798 \long\def\bbl@footnote@x#1#2#3#4{%
3799   \bgroup
3800   \select@language@x{\bbl@main@language}%
3801   \bbl@fn@footnote{#2#1{\ignorespaces#4}#3}%

```

```

3802 \egroup}
3803 \long\def\bbl@footnote@o#1#2#3[#4]#5{%
3804 \bgroup
3805 \select@language@x{\bbl@main@language}%
3806 \bbl@fn@footnote[#4]{#2#1{\ignorespaces#5}#3}%
3807 \egroup}
3808 \def\bbl@footnotetext#1#2#3{%
3809 \@ifnextchar[%
3810 {\bbl@footnotetext@o{#1}{#2}{#3}}%
3811 {\bbl@footnotetext@x{#1}{#2}{#3}}}
3812 \long\def\bbl@footnotetext@x#1#2#3#4{%
3813 \bgroup
3814 \select@language@x{\bbl@main@language}%
3815 \bbl@fn@footnotetext{#2#1{\ignorespaces#4}#3}%
3816 \egroup}
3817 \long\def\bbl@footnotetext@o#1#2#3[#4]#5{%
3818 \bgroup
3819 \select@language@x{\bbl@main@language}%
3820 \bbl@fn@footnotetext[#4]{#2#1{\ignorespaces#5}#3}%
3821 \egroup}
3822 \def\BabelFootnote#1#2#3#4{%
3823 \ifx\bbl@fn@footnote\@undefined
3824 \let\bbl@fn@footnote\footnote
3825 \fi
3826 \ifx\bbl@fn@footnotetext\@undefined
3827 \let\bbl@fn@footnotetext\footnotetext
3828 \fi
3829 \bbl@ifblank{#2}%
3830 {\def#1{\bbl@footnote{\@firstofone}{#3}{#4}}
3831 \namedef{\bbl@stripslash#1text}%
3832 {\bbl@footnotetext{\@firstofone}{#3}{#4}}}%
3833 {\def#1{\bbl@exp{\bbl@footnote{\bbl@foreignlanguage{#2}}}{#3}{#4}}%
3834 \namedef{\bbl@stripslash#1text}%
3835 {\bbl@exp{\bbl@footnotetext{\bbl@foreignlanguage{#2}}}{#3}{#4}}}%
3836 \IfBabelLayout{footnotes}%
3837 {\let\bbl@OL@footnote\footnote
3838 \BabelFootnote\footnote\languagename{}}}%
3839 \BabelFootnote\localfootnote\languagename{}}}%
3840 \BabelFootnote\mainfootnote{}}}%
3841 {}

```

### 5.3. Marks

**\markright** Because the output routine is asynchronous, we must pass the current language attribute to the head lines. To achieve this we need to adapt the definition of `\markright` and `\markboth` somewhat. However, headlines and footlines can contain text outside marks; for that we must take some actions in the output routine if the 'headfoot' options is used.

We need to make some redefinitions to the output routine to avoid an endless loop and to correctly handle the page number in bidi documents.

```

3842 \bbl@trace{Marks}
3843 \IfBabelLayout{sectioning}
3844 {\ifx\bbl@opt@headfoot\@nnil
3845 \g@addto@macro\resetactivechars{%
3846 \set@typeset@protect
3847 \expandafter\select@language@x\expandafter{\bbl@main@language}%
3848 \let\protect\noexpand
3849 \ifcase\bbl@bidimode\else % Only with bidi. See also above
3850 \edef\thepage{%
3851 \noexpand\babelsublr{\unexpanded\expandafter{\thepage}}}%
3852 \fi}%
3853 \fi}
3854 {\ifbbl@single\else
3855 \bbl@ifunset{markright} \bbl@redefine\bbl@redefineroobust

```

```

3856 \markright#1{%
3857 \bbl@ifblank{#1}%
3858 {\org@markright{}}}%
3859 {\toks@{#1}%
3860 \bbl@exp{%
3861 \\\org@markright{\\protect\\foreignlanguage{\\language}%
3862 {\\protect\\bbl@restore@actives\the\toks@}}}%

```

## **\markboth**

**\@mkboth** The definition of `\markboth` is equivalent to that of `\markright`, except that we need two token registers. The documentclasses report and book define and set the headings for the page. While doing so they also store a copy of `\markboth` in `\@mkboth`. Therefore we need to check whether `\@mkboth` has already been set. If so we need to do that again with the new definition of `\markboth`. (As of Oct 2019,  $\TeX$  stores the definition in an intermediate macro, so it's not necessary anymore, but it's preserved for older versions.)

```

3863 \ifx\@mkboth\markboth
3864 \def\bbl@tempc{\let\@mkboth\markboth}%
3865 \else
3866 \def\bbl@tempc{%
3867 \fi
3868 \bbl@ifunset{markboth }{\bbl@redefine\bbl@redefineroobust
3869 \markboth#1#2{%
3870 \protected@edef\bbl@tempb##1{%
3871 \protect\foreignlanguage
3872 {\\language}%{\protect\bbl@restore@actives##1}}}%
3873 \bbl@ifblank{#1}%
3874 {\toks@{}}}%
3875 {\toks@\expandafter{\bbl@tempb{#1}}}%
3876 \bbl@ifblank{#2}%
3877 {\@temptokena{}}}%
3878 {\@temptokena\expandafter{\bbl@tempb{#2}}}%
3879 \bbl@exp{\\org@markboth{\the\toks@}{\the\@temptokena}}}%
3880 \bbl@tempc
3881 \fi} % end ifbbl@single, end \IfBabelLayout

```

## 5.4. Other packages

### 5.4.1. ifthen

**\ifthenelse** Sometimes a document writer wants to create a special effect depending on the page a certain fragment of text appears on. This can be achieved by the following piece of code:

```

% \ifthenelse{\isodd{\pageref{some-label}}}
% {code for odd pages}
% {code for even pages}
%

```

In order for this to work the argument of `\isodd` needs to be fully expandable. With the above redefinition of `\pageref` it is not in the case of this example. To overcome that, we add some code to the definition of `\ifthenelse` to make things work.

We want to revert the definition of `\pageref` and `\ref` to their original definition for the first argument of `\ifthenelse`, so we first need to store their current meanings.

Then we can set the `\@safe@actives` switch and call the original `\ifthenelse`. In order to be able to use shorthands in the second and third arguments of `\ifthenelse` the resetting of the switch *and* the definition of `\pageref` happens inside those arguments.

```

3882 \bbl@trace{Preventing clashes with other packages}
3883 \ifx\org@ref@undefined\else
3884 \bbl@xin@{R}\bbl@opt@safe
3885 \ifin@
3886 \AtBeginDocument{%
3887 \@ifpackageloaded{ifthen}{%
3888 \bbl@redefine@long\ifthenelse#1#2#3{%

```

```

3889      \let\bbl@temp@pref\pageref
3890      \let\pageref\org@pageref
3891      \let\bbl@temp@ref\ref
3892      \let\ref\org@ref
3893      \@safe@activetrue
3894      \org@ifthenelse{#1}%
3895      {\let\pageref\bbl@temp@pref
3896       \let\ref\bbl@temp@ref
3897       \@safe@activesfalse
3898       #2}%
3899      {\let\pageref\bbl@temp@pref
3900       \let\ref\bbl@temp@ref
3901       \@safe@activesfalse
3902       #3}%
3903      }%
3904    }{}%
3905  }
3906 \fi

```

#### 5.4.2. varioref

**\@@vpageref**

**\vrefpagemum**

**\Ref** When the package varioref is in use we need to modify its internal command \@@vpageref in order to prevent problems when an active character ends up in the argument of \vref. The same needs to happen for \vrefpagemum.

```

3907 \AtBeginDocument{%
3908   \ifpackageloaded{varioref}{%
3909     \bbl@redefine\@@vpageref#1[#2]#3{%
3910       \@safe@activetrue
3911       \org@@@vpageref{#1}[#2]{#3}%
3912       \@safe@activesfalse}%
3913     \bbl@redefine\vrefpagemum#1#2{%
3914       \@safe@activetrue
3915       \org@vrefpagemum{#1}#2}%
3916     \@safe@activesfalse}%

```

The package varioref defines \Ref to be a robust command which uppercases the first character of the reference text. In order to be able to do that it needs to access the expandable form of \ref. So we employ a little trick here. We redefine the (internal) command \Ref\_ to call \org@ref instead of \ref. The disadvantage of this solution is that whenever the definition of \Ref changes, this definition needs to be updated as well.

```

3917   \expandafter\def\csname Ref \endcsname#1{%
3918     \protected@edef\@tempa{\org@ref{#1}}\expandafter\MakeUppercase\@tempa}
3919   }{}%
3920 }
3921 \fi

```

#### 5.4.3. hhline

**\hhline** Delaying the activation of the shorthand characters has introduced a problem with the hhline package. The reason is that it uses the ‘:’ character which is made active by the french support in babel. Therefore we need to *reload* the package when the ‘:’ is an active character. Note that this happens *after* the category code of the @-sign has been changed to other, so we need to temporarily change it to letter again.

```

3922 \AtEndOfPackage{%
3923   \AtBeginDocument{%
3924     \ifpackageloaded{hhline}%
3925     {\expandafter\ifx\csname normal@char\string\endcsname\relax
3926      \else
3927        \makeatletter
3928        \def\@currname{hhline}\input{hhline.sty}\makeatother

```

```

3929     \fi}%
3930   {}}}

```

**\substitutefontfamily** *Deprecated.* It creates an fd file on the fly. The first argument is an encoding mnemonic, the second and third arguments are font family names. Use the tools provided by  $\text{\LaTeX}$  ( $\text{\DeclareFontFamilySubstitution}$ ).

```

3931 \def\substitutefontfamily#1#2#3{%
3932   \lowercase{\immediate\openout15=#1#2.fd\relax}%
3933   \immediate\writel5{%
3934     \string\ProvidesFile{#1#2.fd}%
3935     [\the\year/\two@digits{\the\month}/\two@digits{\the\day}
3936     \space generated font description file]^J
3937     \string\DeclareFontFamily{#1}{#2}{}}^J
3938     \string\DeclareFontShape{#1}{#2}{m}{n}{<->ssub * #3/m/n}{}}^J
3939     \string\DeclareFontShape{#1}{#2}{m}{it}{<->ssub * #3/m/it}{}}^J
3940     \string\DeclareFontShape{#1}{#2}{m}{sl}{<->ssub * #3/m/sl}{}}^J
3941     \string\DeclareFontShape{#1}{#2}{m}{sc}{<->ssub * #3/m/sc}{}}^J
3942     \string\DeclareFontShape{#1}{#2}{b}{n}{<->ssub * #3/bx/n}{}}^J
3943     \string\DeclareFontShape{#1}{#2}{b}{it}{<->ssub * #3/bx/it}{}}^J
3944     \string\DeclareFontShape{#1}{#2}{b}{sl}{<->ssub * #3/bx/sl}{}}^J
3945     \string\DeclareFontShape{#1}{#2}{b}{sc}{<->ssub * #3/bx/sc}{}}^J
3946   }%
3947   \closeout15
3948 }
3949 \@onlypreamble\substitutefontfamily

```

## 5.5. Encoding and fonts

Because documents may use non-ASCII font encodings, we make sure that the logos of  $\text{\TeX}$  and  $\text{\LaTeX}$  always come out in the right encoding. There is a list of non-ASCII encodings. Requested encodings are currently stored in  $\text{\@fontenc@load@list}$ . If a non-ASCII has been loaded, we define versions of  $\text{\TeX}$  and  $\text{\LaTeX}$  for them using  $\text{\ensureascii}$ . The default ASCII encoding is set, too (in reverse order): the “main” encoding (when the document begins), the last loaded, or OT1.

**\ensureascii**

```

3950 \bbl@trace{Encoding and fonts}
3951 \newcommand\BabelNonASCII{LGR,LGI,X2,OT2,OT3,OT6,LHE,LWN,LMA,LMC,LMS,LMU}
3952 \newcommand\BabelNonText{TS1,T3,TS3}
3953 \let\org@TeX\TeX
3954 \let\org@LaTeX\LaTeX
3955 \let\ensureascii@firstofone
3956 \let\asciientcoding@empty
3957 \AtBeginDocument{%
3958   \def\@elt#1{,#1,}%
3959   \edef\bbl@tempa{\expandafter\@gobbletwo\@fontenc@load@list}%
3960   \let\@elt\relax
3961   \let\bbl@tempb@empty
3962   \def\bbl@tempc{OT1}%
3963   \bbl@foreach\BabelNonASCII{% LGR loaded in a non-standard way
3964     \bbl@ifunset{T@#1}{\def\bbl@tempb{#1}}}%
3965   \bbl@foreach\bbl@tempa{%
3966     \bbl@xin@{,#1,}{,\BabelNonASCII,}%
3967     \ifin@
3968       \def\bbl@tempb{#1}% Store last non-ascii
3969     \else\bbl@xin@{,#1,}{,\BabelNonText,}% Pass
3970       \ifin@else
3971       \def\bbl@tempc{#1}% Store last ascii
3972     \fi
3973   \fi}%
3974   \ifx\bbl@tempb@empty\else
3975     \bbl@xin@{,\cf@encoding,}{,\BabelNonASCII,\BabelNonText,}%
3976     \ifin@else

```



```

3977     \edef\bbl@tempc{\cf@encoding}% The default if ascii wins
3978     \fi
3979     \let\asciencoding\bbl@tempc
3980     \renewcommand\ensureascii[1]{%
3981       {\fontencoding{\asciencoding}\selectfont#1}}%
3982     \DeclareTextCommandDefault{\TeX}{\ensureascii{\org@TeX}}%
3983     \DeclareTextCommandDefault{\LaTeX}{\ensureascii{\org@LaTeX}}%
3984     \fi}

```

Now comes the old deprecated stuff (with a little change in 3.9l, for fontspec). The first thing we need to do is to determine, at `\begin{document}`, which latin fontencoding to use.

**Latinencoding** When text is being typeset in an encoding other than ‘latin’ (OT1 or T1), it would be nice to still have Roman numerals come out in the Latin encoding. So we first assume that the current encoding at the end of processing the package is the Latin encoding.

```

3985 \AtEndOfPackage{\edef\latinencoding{\cf@encoding}}

```

But this might be overruled with a later loading of the package fontenc. Therefore we check at the execution of `\begin{document}` whether it was loaded with the T1 option. The normal way to do this (using `\ifpackageloaded`) is disabled for this package. Now we have to revert to parsing the internal macro `\@filelist` which contains all the filenames loaded.

```

3986 \AtBeginDocument{%
3987   \@ifpackageloaded{fontspec}%
3988   {\xdef\latinencoding{%
3989     \ifx\UTFencname\@undefined
3990       EU\ifcase\bbl@engine\or2\or1\fi
3991     \else
3992       \UTFencname
3993     \fi}}%
3994   {\gdef\latinencoding{OT1}%
3995     \ifx\cf@encoding\bbl@t@one
3996       \xdef\latinencoding{\bbl@t@one}%
3997     \else
3998       \def\@elt#1{, #1,}%
3999       \edef\bbl@tempa{\expandafter\@gobbletwo\@fontenc@load@list}%
4000       \let\@elt\relax
4001       \bbl@xin@{, T1, }\bbl@tempa
4002       \ifin@
4003         \xdef\latinencoding{\bbl@t@one}%
4004       \fi
4005     \fi}}

```

**Latintext** Then we can define the command `\latintext` which is a declarative switch to a latin font-encoding. Usage of this macro is deprecated.

```

4006 \DeclareRobustCommand{\latintext}{%
4007   \fontencoding{\latinencoding}\selectfont
4008   \def\encodingdefault{\latinencoding}}

```

**Textlatin** This command takes an argument which is then typeset using the requested font encoding. In order to avoid many encoding switches it operates in a local scope.

```

4009 \ifx\@undefined\DeclareTextFontCommand
4010   \DeclareRobustCommand{\textlatin}[1]{\leavevmode{\latintext #1}}
4011 \else
4012   \DeclareTextFontCommand{\textlatin}{\latintext}
4013 \fi

```

For several functions, we need to execute some code with `\selectfont`. With  $\TeX$  2021-06-01, there is a hook for this purpose.

```

4014 \def\bbl@patchfont#1{\AddToHook{selectfont}{#1}}

```

## 5.6. Basic bidi support

This code is currently placed here for practical reasons. It will be moved to the correct place soon, I hope.

It is loosely based on `rlbabel.def`, but most of it has been developed from scratch. This `babel` module (by Johannes Braams and Boris Lavva) has served the purpose of typesetting R documents for two decades, and despite its flaws I think it is still a good starting point (some parts have been copied here almost verbatim), partly thanks to its simplicity. I've also looked at `ARABI` (by Youssef Jabri), which is compatible with `babel`.

There are two ways of modifying macros to make them “bidi”, namely, by patching the internal low-level macros (which is what I have done with lists, columns, counters, tocs, much like `rlbabel` did), and by introducing a “middle layer” just below the user interface (sectioning, footnotes).

- `pdftex` provides a minimal support for bidi text, and it must be done by hand. Vertical typesetting is not possible.
- `xetex` is somewhat better, thanks to its font engine (even if not always reliable) and a few additional tools. However, very little is done at the paragraph level. Another challenging problem is text direction does not honour  $\text{T}_\text{E}\text{X}$  grouping.
- `luatex` can provide the most complete solution, as we can manipulate almost freely the node list, the generated lines, and so on, but bidi text does not work out of the box and some development is necessary. It also provides tools to properly set left-to-right and right-to-left page layouts. As `LuaTEX-jā` shows, vertical typesetting is possible, too.

```
4015 \bbl@trace{Loading basic (internal) bidi support}
4016 \ifodd\bbl@engine
4017 \else % Any xe+lua bidi
4018   \ifnum\bbl@bidimode>100 \ifnum\bbl@bidimode<200
4019     \bbl@error{bidi-only-lua}{}}{}%
4020     \let\bbl@beforeforeign\leavevmode
4021     \AtEndOfPackage{%
4022       \EnableBabelHook{babel-bidi}%
4023       \bbl@xebidipar}
4024   \fi\fi
4025   \def\bbl@loadxebidi#1{%
4026     \ifx\RTLfootnotetext\@undefined
4027       \AtEndOfPackage{%
4028         \EnableBabelHook{babel-bidi}%
4029         \ifx\fontspec\@undefined
4030           \usepackage{fontspec}% bidi needs fontspec
4031         \fi
4032         \usepackage#1{bidi}%
4033         \let\bbl@digitsdotdash\DigitsDotDashInterCharToks
4034         \def\DigitsDotDashInterCharToks{% See the 'bidi' package
4035           \ifnum\@nameuse\bbl@wdir\@languagename=\tw@ % 'AL' bidi
4036             \bbl@digitsdotdash % So ignore in 'R' bidi
4037           \fi}}%
4038     \fi}
4039   \ifnum\bbl@bidimode>200 % Any xe bidi=
4040     \ifcase\expandafter\@gobbletwo\the\bbl@bidimode\or
4041       \bbl@tentative{bidi=bidi}
4042       \bbl@loadxebidi{}
4043     \or
4044       \bbl@loadxebidi{[rldocument]}
4045     \or
4046       \bbl@loadxebidi{}
4047     \fi
4048   \fi
4049 \fi
4050 \ifnum\bbl@bidimode=\@ne % bidi=default
4051   \let\bbl@beforeforeign\leavevmode
4052   \ifodd\bbl@engine % lua
4053     \newattribute\bbl@attr@dir
4054     \directlua{ Babel.attr_dir = luatexbase.registernumber'bbl@attr@dir' }
4055     \bbl@exp{\output{\bodydir\pagedir\the\output}}
```

```

4056 \fi
4057 \AtEndOfPackage{%
4058   \EnableBabelHook{babel-bidi}% pdf/luax/xe
4059   \ifodd\bbbl@engine\else % pdf/xe
4060     \bbbl@xebidipar
4061   \fi}
4062 \fi

```

Now come the macros used to set the direction when a language is switched. Testing are based on script names, because it's the user interface (including language and script in \babelprovide. First the (mostly) common macros.

```

4063 \bbbl@trace{Macros to switch the text direction}
4064 \def\bbbl@alscripts{%
4065   ,Arabic,Syriac,Thaana,Hanifi_Rohingya,Hanifi,Sogdian,}
4066 \def\bbbl@rscripts{%
4067   Adlam,Avestan,Chorasmian,Cypriot,Elymaic,Garay,%
4068   Hatran,Hebrew,Imperial_Aramaic,Inscriptional_Pahlavi,%
4069   Inscriptional_Parthian,Kharoshthi,Lydian,Mandaic,Manichaean,%
4070   Mende_Kikakui,Meroitic_Cursive,Meroitic_Hieroglyphs,Nabataean,%
4071   Nko,Old_Hungarian,Old_North_Arabian,Old_Sogdian,%
4072   Old_South_Arabian,Old_Turkic,Old_Uyghur,Palmyrene,Phoenician,%
4073   Psalter_Pahlavi,Samaritan,Yezidi,Mandaean,%
4074   Meroitic,N'Ko,Orkhon,Todhri}
4075 %
4076 \def\bbbl@provide@dirs#1{%
4077   \bbbl@xin@{\csname bbl@sname@#1\endcsname}{\bbbl@alscripts\bbbl@rscripts}%
4078   \ifin@
4079     \global\bbbl@csarg\chardef{wdir@#1}\@ne
4080     \bbbl@xin@{\csname bbl@sname@#1\endcsname}{\bbbl@alscripts}%
4081     \ifin@
4082       \global\bbbl@csarg\chardef{wdir@#1}\tw@
4083     \fi
4084   \else
4085     \global\bbbl@csarg\chardef{wdir@#1}\z@
4086   \fi
4087   \ifodd\bbbl@engine
4088     \bbbl@csarg\ifcase{wdir@#1}%
4089       \directlua{ Babel.locale_props[\the\localeid].textdir = 'l' }%
4090     \or
4091       \directlua{ Babel.locale_props[\the\localeid].textdir = 'r' }%
4092     \or
4093       \directlua{ Babel.locale_props[\the\localeid].textdir = 'al' }%
4094     \fi
4095   \fi}
4096 %
4097 \def\bbbl@switchdir{%
4098   \bbbl@ifunset{bbbl@sys@\language name}{\bbbl@provide@sys@\language name}}{%
4099   \bbbl@ifunset{bbbl@wdir@\language name}{\bbbl@provide@dirs@\language name}}{%
4100   \bbbl@exp{\bbbl@setdirs\bbbl@cl{wdir}}}%
4101 \def\bbbl@setdirs#1{%
4102   \ifcase\bbbl@select@type
4103     \bbbl@bodydir{#1}%
4104     \bbbl@pardir{#1}% <- Must precede \bbbl@textdir
4105   \fi
4106   \bbbl@textdir{#1}}
4107 \ifnum\bbbl@bidimode>\z@
4108   \AddBabelHook{babel-bidi}{afterextras}{\bbbl@switchdir}
4109   \DisableBabelHook{babel-bidi}
4110 \fi

```

Now the engine-dependent macros.

```

4111 \ifodd\bbbl@engine % luatex=1
4112 \else % pdftex=0, xetex=2
4113   \newcount\bbbl@dirlevel

```

```

4114 \chardef\bbL@thetextdir\z@
4115 \chardef\bbL@thepardir\z@
4116 \def\bbL@textdir#1{%
4117   \ifcase#1\relax
4118     \chardef\bbL@thetextdir\z@
4119     \@nameuse{setlatin}%
4120     \bbL@textdir@i\beginL\endL
4121   \else
4122     \chardef\bbL@thetextdir\@ne
4123     \@nameuse{setnonlatin}%
4124     \bbL@textdir@i\beginR\endR
4125   \fi}
4126 \def\bbL@textdir@i#1#2{%
4127   \ifhmode
4128     \ifnum\currentgrouplevel>\z@
4129       \ifnum\currentgrouplevel=\bbL@dirlevel
4130         \bbL@error{multiple-bidi}{\}\}\}%
4131         \bgroup\aftergroup#2\aftergroup\egroup
4132       \else
4133         \ifcase\currentgrouptype\or % 0 bottom
4134           \aftergroup#2% 1 simple {}
4135         \or
4136           \bgroup\aftergroup#2\aftergroup\egroup % 2 hbox
4137         \or
4138           \bgroup\aftergroup#2\aftergroup\egroup % 3 adj hbox
4139         \or\or\or % vbox vtop align
4140         \or
4141           \bgroup\aftergroup#2\aftergroup\egroup % 7 noalign
4142         \or\or\or\or\or\or % output math disc insert vcent mathchoice
4143         \or
4144           \aftergroup#2% 14 \begingroup
4145         \else
4146           \bgroup\aftergroup#2\aftergroup\egroup % 15 adj
4147         \fi
4148       \fi
4149       \bbL@dirlevel\currentgrouplevel
4150     \fi
4151     #1%
4152   \fi}
4153 \def\bbL@pardir#1{\chardef\bbL@thepardir#1\relax}
4154 \let\bbL@bodydir\@gobble
4155 \let\bbL@pagedir\@gobble
4156 \def\bbL@dirparastext{\chardef\bbL@thepardir\bbL@thetextdir}

```

The following command is executed only if there is a right-to-left script (once). It activates the `\everypar` hack for xetex, to properly handle the par direction. Note text and par dirs are decoupled to some extent (although not completely).

```

4157 \def\bbL@xebidipar{%
4158   \let\bbL@xebidipar\relax
4159   \TeXeTstate\@ne
4160   \def\bbL@xeverypar{%
4161     \ifcase\bbL@thepardir
4162       \ifcase\bbL@thetextdir\else\beginR\fi
4163     \else
4164       {\setbox\z@\lastbox\beginR\box\z@}%
4165     \fi}%
4166   \AddToHook{para/begin}{\bbL@xeverypar}}
4167 \ifnum\bbL@bidimode>200 % Any xe bidi=
4168   \let\bbL@textdir@i\@gobbletwo
4169   \let\bbL@xebidipar\@empty
4170   \AddBabelHook{bidi}{foreign}{%
4171     \ifcase\bbL@thetextdir
4172       \BabelWrapText{\LR{##1}}}%

```

```

4173     \else
4174     \BabelWrapText{\RL{##1}}%
4175     \fi}
4176     \def\bbl@pardir#1{\ifcase#1\relax\setLR\else\setRL\fi}
4177 \fi
4178 \fi

A tool for weak L (mainly digits). We also disable warnings with hyperref.

4179 \DeclareRobustCommand\babelsublr[1]{\leavevmode{\bbl@textdir\z@#1}}
4180 \AtBeginDocument{%
4181   \ifx\pdfstringdefDisableCommands\@undefined\else
4182   \ifx\pdfstringdefDisableCommands\relax\else
4183   \pdfstringdefDisableCommands{\let\babelsublr\bbl@firstofone}%
4184   \fi
4185   \fi}

```

## 5.7. Local Language Configuration

**\loadlocalcfg** At some sites it may be necessary to add site-specific actions to a language definition file. This can be done by creating a file with the same name as the language definition file, but with the extension .cfg. For instance the file norsk.cfg will be loaded when the language definition file norsk.ldf is loaded.

For plain-based formats we don't want to override the definition of \loadlocalcfg from plain.def.

```

4186 \bbl@trace{Local Language Configuration}
4187 \ifx\loadlocalcfg\@undefined
4188   \ifpackagewith{babel}{noconfigs}%
4189   {\let\loadlocalcfg@gobble}%
4190   {\def\loadlocalcfg#1{%
4191     \InputIfFileExists{#1.cfg}%
4192     {\typeout{*****^J%
4193               * Local config file #1.cfg used^^J%
4194               *}}%
4195     \@empty}}
4196 \fi

```

## 5.8. Language options

Languages are loaded when processing the corresponding option *except* if a main language has been set. In such a case, it is not loaded until all options has been processed. The following macro inputs the ldf file and does some additional checks (\input works, too, but possible errors are not caught).

```

4197 \bbl@trace{Language options}
4198 \def\BabelDefinitionFile#1#2#3{}
4199 \let\bbl@afterlang\relax
4200 \let\BabelModifiers\relax
4201 \let\bbl@loaded\@empty
4202 \def\bbl@load@language#1{%
4203   \InputIfFileExists{#1.ldf}%
4204   {\edef\bbl@loaded{\CurrentOption
4205     \ifx\bbl@loaded\@empty\else,\bbl@loaded\fi}%
4206     \expandafter\let\expandafter\bbl@afterlang
4207     \csname\CurrentOption.ldf-h@@k\endcsname
4208     \expandafter\let\expandafter\BabelModifiers
4209     \csname bbl@mod@\CurrentOption\endcsname
4210     \bbl@exp{\AtBeginDocument{%
4211       \bbl@usehooks@lang{\CurrentOption}{begindocument}{\CurrentOption}}}%
4212     {\bbl@error{unknown-package-option}}}}

```

Another way to extend the list of 'known' options for babel was to create the file bblopts.cfg in which one can add option declarations. However, this mechanism is deprecated – if you want an alternative name for a language, just create a new ldf file loading the actual one. You can also set the name of the file with the package option config=<name>, which will load <name>.cfg instead.

If the language has been set as metadata, read the info from the corresponding ini file and extract the babel name. Then added it as a package option at the end, so that it becomes the main language. The behavior of a metatag with a global language option is not well defined, so if there is not a main option we set here explicitly.

Tagging PDF Span elements requires horizontal mode. With DocumentMetadata we also force it with `\foreignlanguage` (this is also done in bidi texts).

```

4213 \ifx\GetDocumentProperties\@undefined\else
4214   \let\bbl@beforeforeign\leavevmode
4215   \edef\bbl@metalang{\GetDocumentProperties{document/lang}}%
4216   \ifx\bbl@metalang\empty\else
4217     \begingroup
4218       \expandafter
4219       \bbl@bcpllookup\bbl@metalang-\@empty-\@empty-\@empty@@
4220       \ifx\bbl@bcp\relax
4221         \ifx\bbl@opt@main\@nnil
4222           \bbl@error{no-locale-for-meta}{\bbl@metalang}{}%
4223         \fi
4224       \else
4225         \bbl@read@ini{\bbl@bcp}\m@ne
4226         \xdef\bbl@language@opts{\bbl@language@opts,\language}%
4227         \ifx\bbl@opt@main\@nnil
4228           \global\let\bbl@opt@main\language
4229         \fi
4230         \bbl@info{Passing \language\space to babel.\\%
4231                  This will be the main language except if\\%
4232                  explicitly overridden with 'main='.\\%
4233                  Reported}%
4234       \fi
4235     \endgroup
4236   \fi
4237 \fi
4238 \ifx\bbl@opt@config\@nnil
4239   \@ifpackagewith{babel}{noconfigs}{}%
4240   {\InputIfFileExists{bblopts.cfg}%
4241    {\bbl@info{Configuration files are deprecated, as\\%
4242              they can break document portability.\\%
4243              Reported}%
4244     \typeout{*****^J%
4245              * Local config file bblopts.cfg used^^J%
4246              *}}%
4247    }%
4248 \else
4249   \InputIfFileExists{\bbl@opt@config.cfg}%
4250   {\bbl@info{Configuration files are deprecated, as\\%
4251             they can break document portability.\\%
4252             Reported}%
4253    \typeout{*****^J%
4254             * Local config file \bbl@opt@config.cfg used^^J%
4255             *}}%
4256   {\bbl@error{config-not-found}{}}}%
4257 \fi

```

Recognizing global options in packages not having a closed set of them is not trivial, as for them to be processed they must be defined explicitly. So, package options not yet taken into account and stored in `\bbl@language@opts` are assumed to be languages. If not declared above, the names of the option and the file are the same. We first pre-process the class and package options to determine the available locales, and which version (ldf or ini) will be loaded. This is done by first loading the corresponding `babel-⟨name⟩.tex` file.

The second argument of `\BabelBeforeIni` may contain a `\BabelDefinitionFile` which defines `\bbl@tempa` and `\bbl@tempb` and saves the third argument for the moment of the actual loading. If there is no `\BabelDefinitionFile` the last element is usually empty, and the ini file is loaded. The values are used to build a list in the form 'main-or-not' / 'ldf-or-ldfini-flag' // 'option-name' // 'bcp-tag' / 'ldf-name-or-none'. The 'main-or-not' element is 0 by default and set to 10 later if

necessary (by prepending 1). The ‘bcp-tag’ is stored here so that the corresponding ini file can be loaded directly (with @import).

```

4258 \def\BabelBeforeIni#1#2{%
4259   \def\bbl@tempa{\@m}% <- Default if no \BDefFile
4260   \let\bbl@tempb\@empty
4261   #2%
4262   \edef\bbl@toload{%
4263     \ifx\bbl@toload\@empty\else\bbl@toload,\fi
4264     \bbl@toload@last}%
4265   \edef\bbl@toload@last{0/\bbl@tempa//\CurrentOption//\#1/\bbl@tempb}}
4266 \def\BabelDefinitionFile#1#2#3{%
4267   \def\bbl@tempa{#1}\def\bbl@tempb{#2}%
4268   \@namedef{\bbl@preldf\CurrentOption}{#3}%
4269   \endinput}%

```

For efficiency, first preprocess the class options to remove those with =, which are becoming increasingly frequent (no language should contain this character).

```

4270 \def\bbl@tempf{,}
4271 \bbl@foreach\@raw@classoptionslist{%
4272   \in@{=}{#1}%
4273   \ifin@else
4274     \edef\bbl@tempf{\bbl@tempf\zap@space#1 \@empty,}%
4275   \fi}

```

Store the class/package options in a list. If there is an explicit main, it’s placed as the last option. Then loop it to read the tex files, which can have a \BabelDefinitionFile. If there is no tex file, we attempt loading the ldf for the option name; if it fails, an error is raised. Note the option name is surrounded by // . . . //. Class and package options are separated with @@, because errors and info are dealt with in different ways. Consecutive identical languages count as one.

```

4276 \let\bbl@toload\@empty
4277 \let\bbl@toload@last\@empty
4278 \let\bbl@unkopt\@gobble %% <- Ugly
4279 \edef\bbl@tempc{%
4280   \bbl@tempf,@@,\bbl@language@opts
4281   \ifx\bbl@opt@main\@nnil\else,\bbl@opt@main\fi}
4282 \let\BabelLocalesTentative\bbl@tempc
4283 %
4284 \bbl@foreach\bbl@tempc{%
4285   \in@{@@}{#1}% <- Ugly
4286   \ifin@
4287     \def\bbl@unkopt##1{%
4288       \DeclareOption{##1}{\bbl@error{unknown-package-option}}{}}}%
4289   \else
4290     \def\CurrentOption{#1}%
4291     \bbl@xin@{/#1//}{\bbl@toload@last}% Collapse consecutive
4292     \ifin@else
4293       \lowercase{\InputIfFileExists{babel-#1.tex}}{ }{%
4294         \IfFileExists{#1.ldf}%
4295         {\edef\bbl@toload{%
4296           \ifx\bbl@toload\@empty\else\bbl@toload,\fi
4297           \bbl@toload@last}%
4298           \edef\bbl@toload@last{0/0//\CurrentOption//und/#1}}%
4299         {\bbl@unkopt{#1}}}%
4300     \fi
4301   \fi}

```

We have to determine (1) if no language has been loaded (in which case we fallback to ‘nil’, with a special tag), and (2) the main language. With an explicit ‘main’ language, remove repeated elements. The number 1 flags it as the main language (relevant in *ini* locales), because with 0 becomes 10.

```

4302 \ifx\bbl@opt@main\@nnil
4303   \ifx\bbl@toload@last\@empty
4304     \def\bbl@toload@last{0/0//nil//und-x-nil/nil}
4305     \bbl@info{%

```

```

4306     You haven't specified a language as a class or package\\%
4307     option. I'll load 'nil'. Reported}
4308 \fi
4309 \else
4310 \let\bbl@tempc\@empty
4311 \bbl@foreach\bbl@toload{%
4312 \bbl@xin@{//\bbl@opt@main//}{#1}%
4313 \ifin@else
4314 \bbl@add@list\bbl@tempc{#1}%
4315 \fi}
4316 \let\bbl@toload\bbl@tempc
4317 \fi
4318 \edef\bbl@toload{\bbl@toload,1\bbl@toload@last}

```

Finally, load the ‘ini’ file or the pair ‘ini’/‘ldf’ file. Babel resorts to its own mechanism, not the default one based on \ProcessOptions (which is still present to make some internal clean-up). First, handle provide= and friends (with a recursive call if they are present), and then provide=\* and friend. \count@ is used as flag: 0 if ‘ini’, 1 if ‘ldf’.

```

4319 \def\AfterBabelLanguage#1{%
4320 \bbl@ifsamestring\CurrentOption{#1}{\global\bbl@add\bbl@afterlang}{}}
4321 \NewHook{babel/presets}
4322 \UseHook{babel/presets}
4323 %
4324 \let\bbl@tempb\@empty
4325 \def\bbl@tempc#1/#2/#3/#4/#5\@@{%
4326 \count@z@
4327 \ifnum#2=\@m % if no \BabelDefinitionFile
4328 \ifnum#1=z@ % not main. -- % if provide=!, provide*=!
4329 \ifnum\bbl@ldfflag>\@ne\bbl@tempc 0/0/#3/#4/#3\@@
4330 \else\bbl@tempd{#1}{#2}{#3}{#4}{#5}%
4331 \fi
4332 \else % 10 = main -- % if provide=!, provide*=!
4333 \ifodd\bbl@ldfflag\bbl@tempc 10/0/#3/#4/#3\@@
4334 \else\bbl@tempd{#1}{#2}{#3}{#4}{#5}%
4335 \fi
4336 \fi
4337 \else
4338 \ifnum#1=z@ % not main
4339 \ifnum\bbl@iniflag>\@ne\else % if ø, provide
4340 \ifcase#2\count@\@ne\else\ifcase\bbl@engine\count@\@ne\fi\fi
4341 \fi
4342 \else % 10 = main
4343 \ifodd\bbl@iniflag\else % if provide+, provide*
4344 \ifcase#2\count@\@ne\else\ifcase\bbl@engine\count@\@ne\fi\fi
4345 \fi
4346 \fi
4347 \bbl@tempd{#1}{#2}{#3}{#4}{#5}%
4348 \fi}

```

Based on the value of \count@, do the actual loading. If ‘ldf’, we load the basic info from the ‘ini’ file before.

```

4349 \def\bbl@tempd#1#2#3#4#5{%
4350 \DeclareOption{#3}{%
4351 \ifcase\count@
4352 \bbl@exp{\bbl@add\bbl@tempb{%
4353 \\\@nameuse\bbl@preini{#3}%
4354 \\\bbl@ldffinit
4355 \def\\CurrentOption{#3}%
4356 \\\babelprovide[@import=#4,\ifnum#1=z@\else\bbl@opt@provide,main\fi]{#3}%
4357 \\\bbl@afterldf}}%
4358 \else
4359 \bbl@add\bbl@tempb{%
4360 \def\CurrentOption{#3}%
4361 \let\localename\CurrentOption

```



```

4362 \let\language\localename
4363 \def\BabelIniTag{#4}%
4364 \@nameuse{bbl@preldf@#3}%
4365 \begingroup
4366 \bbl@id@assign
4367 \bbl@read@ini{\BabelIniTag}0%
4368 \endgroup
4369 \bbl@load@language{#5}%
4370 \fi}
4371 %
4372 \bbl@foreach\bbl@toload{\bbl@tempc#1\@@}
4373 \bbl@tempb
4374 \DeclareOption*{}
4375 \ProcessOptions
4376 %
4377 \bbl@exp{%
4378 \\\AtBeginDocument{\bbl@usehooks@lang/{\begindocument}{\}}}%
4379 \def\AfterBabelLanguage{\bbl@error{late-after-babel}{\}}}%
4380 \end{package}

```

## 6. The kernel of Babel

The kernel of the babel system is currently stored in `babel.def`. The file `babel.def` contains most of the code. The file `hyphen.cfg` is a file that can be loaded into the format, which is necessary when you want to be able to switch hyphenation patterns.

Because plain  $\TeX$  users might want to use some of the features of the babel system too, care has to be taken that plain  $\TeX$  can process the files. For this reason the current format will have to be checked in a number of places. Some of the code below is common to plain  $\TeX$  and  $\LaTeX$ , some of it is for the  $\LaTeX$  case only.

Plain formats based on `etex` (`etex`, `xetex`, `luatex`) don't load `hyphen.cfg` but `etex.src`, which follows a different naming convention, so we need to define the babel names. It presumes `language.def` exists and it is the same file used when formats were created.

A proxy file for `switch.def`

```

4381 \kernel
4382 \let\bbl@onlyswitch\@empty
4383 \input babel.def
4384 \let\bbl@onlyswitch\@undefined
4385 \end{kernel}

```

## 7. Error messages

They are loaded when `\bbl@error` is first called. To save space, the main code just identifies them with a tag, and messages are stored in a separate file. Since it can be loaded anywhere, you make sure some catcodes have the right value, although those for `\`, ```, `^M`, `%` and `=` are reset before loading the file.

```

4386 \errors
4387 \catcode`\{=1 \catcode`\}=2 \catcode`\#=6
4388 \catcode`\:=12 \catcode`\,=12 \catcode`\.=12 \catcode`\-=12
4389 \catcode`\'=12 \catcode`\(=12 \catcode`\)=12
4390 \catcode`\@=11 \catcode`\^=7
4391 %
4392 \ifx\MessageBreak\@undefined
4393 \gdef\bbl@error@i#1#2{%
4394 \begingroup
4395 \newlinechar=`^^J
4396 \def\{^^J(babel) }%
4397 \errhelp{#2}\errmessage{\{#1}%
4398 \endgroup}
4399 \else
4400 \gdef\bbl@error@i#1#2{%
4401 \begingroup

```

```

4402 \def\{\MessageBreak}%
4403 \PackageError{babel}{#1}{#2}%
4404 \endgroup}
4405 \fi
4406 \def\bbl@errmessage#1#2#3{%
4407 \expandafter\gdef\csname bbl@err@#1\endcsname##1##2##3{%
4408 \bbl@error@i{#2}{#3}}
4409 % Implicit #2#3#4:
4410 \gdef\bbl@error#1{\csname bbl@err@#1\endcsname}
4411 %
4412 \bbl@errmessage{not-yet-available}
4413 {Not yet available}%
4414 {Find an armchair, sit down and wait}
4415 \bbl@errmessage{bad-package-option}%
4416 {Bad option '#1=#2'. Either you have misspelled the\\%
4417 key or there is a previous setting of '#1'. Valid\\%
4418 keys are, among others, 'shorthands', 'main', 'bidi',\\%
4419 'strings', 'config', 'headfoot', 'safe', 'math'.}%
4420 {See the manual for further details.}
4421 \bbl@errmessage{base-on-the-fly}
4422 {For a language to be defined on the fly 'base'\\%
4423 is not enough, and the whole package must be\\%
4424 loaded. Either delete the 'base' option or\\%
4425 request the languages explicitly}%
4426 {See the manual for further details.}
4427 \bbl@errmessage{undefined-language}
4428 {You haven't defined the language '#1' yet.\\%
4429 Perhaps you misspelled it or your installation\\%
4430 is not complete}%
4431 {Your command will be ignored, type <return> to proceed}
4432 \bbl@errmessage{invalid-ini-name}
4433 {'#1' not valid with the 'ini' mechanism.\\%
4434 I think you want '#2' instead. You may continue,\\%
4435 but you should fix the name. See the babel manual\\%
4436 for the available locales with 'provide'}%
4437 {See the manual for further details.}
4438 \bbl@errmessage{shorthand-is-off}
4439 {I can't declare a shorthand turned off (\string#2)}
4440 {Sorry, but you can't use shorthands which have been\\%
4441 turned off in the package options}
4442 \bbl@errmessage{not-a-shorthand}
4443 {The character '\string #1' should be made a shorthand character;\\%
4444 add the command \string\usesshorthands\string{#1\string} to
4445 the preamble.\\%
4446 I will ignore your instruction}%
4447 {You may proceed, but expect unexpected results}
4448 \bbl@errmessage{not-a-shorthand-b}
4449 {I can't switch '\string#2' on or off--not a shorthand\\%
4450 This character is not a shorthand. Maybe you made\\%
4451 a typing mistake?}%
4452 {I will ignore your instruction.}
4453 \bbl@errmessage{unknown-attribute}
4454 {The attribute #2 is unknown for language #1.}%
4455 {Your command will be ignored, type <return> to proceed}
4456 \bbl@errmessage{missing-group}
4457 {Missing group for string \string#1}%
4458 {You must assign strings to some category, typically\\%
4459 captions or extras, but you set none}
4460 \bbl@errmessage{only-lua-xe}
4461 {This macro is available only in LuaLaTeX and XeLaTeX.}%
4462 {Consider switching to these engines.}
4463 \bbl@errmessage{only-lua}
4464 {This macro is available only in LuaLaTeX}%

```

```

4465 {Consider switching to that engine.}
4466 \bbl@errmessage{unknown-provide-key}
4467 {Unknown key '#1' in \string\babelprovide}%
4468 {See the manual for valid keys}%
4469 \bbl@errmessage{unknown-mapfont}
4470 {Option '\bbl@KVP@mapfont' unknown for\\%
4471 mapfont. Use 'direction'}%
4472 {See the manual for details.}
4473 \bbl@errmessage{no-ini-file}
4474 {There is no ini file for the requested language\\%
4475 (#1: \language). Perhaps you misspelled it or your\\%
4476 installation is not complete}%
4477 {Fix the name or reinstall babel.}
4478 \bbl@errmessage{digits-is-reserved}
4479 {The counter name 'digits' is reserved for mapping\\%
4480 decimal digits}%
4481 {Use another name.}
4482 \bbl@errmessage{limit-two-digits}
4483 {Currently two-digit years are restricted to the\\
4484 range 0-9999}%
4485 {There is little you can do. Sorry.}
4486 \bbl@errmessage{alphabetic-too-large}
4487 {Alphabetic numeral too large (#1)}%
4488 {Currently this is the limit.}
4489 \bbl@errmessage{no-ini-info}
4490 {I've found no info for the current locale.\\%
4491 The corresponding ini file has not been loaded\\%
4492 Perhaps it doesn't exist}%
4493 {See the manual for details.}
4494 \bbl@errmessage{unknown-ini-field}
4495 {Unknown field '#1' in \string\BCPdata.\\%
4496 Perhaps you misspelled it}%
4497 {See the manual for details.}
4498 \bbl@errmessage{unknown-locale-key}
4499 {Unknown key for locale '#2':\\%
4500 #3\\%
4501 \string#1 will be set to \string\relax}%
4502 {Perhaps you misspelled it.}%
4503 \bbl@errmessage{adjust-only-vertical}
4504 {Currently, #1 related features can be adjusted only\\%
4505 in the main vertical list}%
4506 {Maybe things change in the future, but this is what it is.}
4507 \bbl@errmessage{layout-only-vertical}
4508 {Currently, layout related features can be adjusted only\\%
4509 in vertical mode}%
4510 {Maybe things change in the future, but this is what it is.}
4511 \bbl@errmessage{bidi-only-lua}
4512 {The bidi method 'basic' is available only in\\%
4513 luatex. I'll continue with 'bidi=default', so\\%
4514 expect wrong results.\\%
4515 Suggested actions:\\%
4516 * If possible, switch to luatex, as xetex is not\\%
4517 recommend anymore.\\
4518 * If you can't, try 'bidi=bidi' with xetex.\\%
4519 * With pdftex, only 'bidi=default' is available.}%
4520 {See the manual for further details.}
4521 \bbl@errmessage{multiple-bidi}
4522 {Multiple bidi settings inside a group\\%
4523 I'll insert a new group, but expect wrong results.\\%
4524 Suggested action:\\%
4525 * Add a new group where appropriate.}
4526 {See the manual for further details.}
4527 \bbl@errmessage{unknown-package-option}

```

```

4528 {Unknown option '\CurrentOption'.\\%
4529 Suggested actions:\\%
4530 * Make sure you haven't misspelled it\\%
4531 * Check in the babel manual that it's supported\\%
4532 * If supported and it's a language, you may\\%
4533 \space\space need in some distributions a separate\\%
4534 \space\space installation\\%
4535 * If installed, check there isn't an old\\%
4536 \space\space version of the required files in your system\\%
4537 * If it's an unsupported language, create it with\\%
4538 \string\babelprovide (see the manual)}
4539 {Valid options are, among others: shorthands=, KeepShorthandsActive,\\%
4540 activeacute, activegrave, noconfigs, safe=, main=, math=\\%
4541 headfoot=, strings=, config=, hyphenmap=, or a language name.}
4542 \bbl@errmessage{config-not-found}
4543 {Local config file '\bbl@opt@config.cfg' not found.\\%
4544 Suggested actions:\\%
4545 * Make sure you haven't misspelled it in config=\\%
4546 * Check it exists and it's in the correct path}%
4547 {Perhaps you misspelled it.}
4548 \bbl@errmessage{late-after-babel}
4549 {Too late for \string\AfterBabelLanguage}%
4550 {Languages have been loaded, so I can do nothing}
4551 \bbl@errmessage{double-hyphens-class}
4552 {Double hyphens aren't allowed in \string\babelcharclass\\%
4553 because it's potentially ambiguous}%
4554 {See the manual for further info}
4555 \bbl@errmessage{unknown-interchar}
4556 {'#1' for '\language' cannot be enabled.\\%
4557 Maybe there is a typo}%
4558 {See the manual for further details.}
4559 \bbl@errmessage{unknown-interchar-b}
4560 {'#1' for '\language' cannot be disabled.\\%
4561 Maybe there is a typo}%
4562 {See the manual for further details.}
4563 \bbl@errmessage{charproperty-only-vertical}
4564 {\string\babelcharproperty\space can be used only in\\%
4565 vertical mode (preamble or between paragraphs)}%
4566 {See the manual for further info}
4567 \bbl@errmessage{unknown-char-property}
4568 {No property named '#2'. Allowed values are\\%
4569 direction (bc), mirror (bmg), and linebreak (lb)}%
4570 {See the manual for further info}
4571 \bbl@errmessage{bad-transform-option}
4572 {Bad option '#1' in a transform.\\%
4573 I'll ignore it but expect more errors}%
4574 {See the manual for further info.}
4575 \bbl@errmessage{font-conflict-transforms}
4576 {Transforms cannot be re-assigned to different\\%
4577 fonts. The conflict is in '\bbl@kv@label'.\\%
4578 Apply the same fonts or use a different label}%
4579 {See the manual for further details.}
4580 \bbl@errmessage{transform-not-available}
4581 {'#1' for '\language' cannot be enabled.\\%
4582 Maybe there is a typo or it's a font-dependent transform}%
4583 {See the manual for further details.}
4584 \bbl@errmessage{transform-not-available-b}
4585 {'#1' for '\language' cannot be disabled.\\%
4586 Maybe there is a typo or it's a font-dependent transform}%
4587 {See the manual for further details.}
4588 \bbl@errmessage{year-out-range}
4589 {Year out of range.\\%
4590 The allowed range is #1}%

```

```

4591 {See the manual for further details.}
4592 \bbl@errmessage{only-pdfTeX-lang}
4593 {The '#1' ldf style doesn't work with #2,\\%
4594 but you can use the ini locale instead.\\%
4595 Try adding 'provide=*' to the option list. You may\\%
4596 also want to set 'bidi=' to some value}%
4597 {See the manual for further details.}
4598 \bbl@errmessage{hyphenmins-args}
4599 {\string\babelhyphenmins\ accepts either the optional\\%
4600 argument or the star, but not both at the same time}%
4601 {See the manual for further details.}
4602 \bbl@errmessage{no-locale-for-meta}
4603 {There isn't currently a locale for the 'lang' requested\\%
4604 in the PDF metadata ('#1'). To fix it, you can\\%
4605 set explicitly a similar language (using the same\\%
4606 script) with the key main= when loading babel. If you\\%
4607 continue, I'll fallback to the 'nil' language, with\\%
4608 tag 'und' and script 'Latn', but expect a bad font\\%
4609 rendering with other scripts. You may also need set\\%
4610 explicitly captions and date, too}%
4611 {See the manual for further details.}
4612 </errors>
4613 < *patterns>

```

## 8. Loading hyphenation patterns

The following code is meant to be read by `iniTeX` because it should instruct `TeX` to read hyphenation patterns. To this end the `docstrip` option `patterns` is used to include this code in the file `hyphen.cfg`. Code is written with lower level macros.

```

4614 <@Make sure ProvidesFile is defined@>
4615 \ProvidesFile{hyphen.cfg}[<@date@> v<@version@> Babel hyphens]
4616 \xdef\bbl@format{\jobname}
4617 \def\bbl@version{<@version@>}
4618 \def\bbl@date{<@date@>}
4619 \ifx\AtBeginDocument\@undefined
4620 \def\@empty{}
4621 \fi
4622 <@Define core switching macros@>

```

**\process@line** Each line in the file `language.dat` is processed by `\process@line` after it is read. The first thing this macro does is to check whether the line starts with `=`. When the first token of a line is an `=`, the macro `\process@synonym` is called; otherwise the macro `\process@language` will continue.

```

4623 \def\process@line#1#2 #3 #4 {%
4624 \ifx=#1%
4625 \process@synonym{#2}%
4626 \else
4627 \process@language{#1#2}{#3}{#4}%
4628 \fi
4629 \ignorespaces}

```

**\process@synonym** This macro takes care of the lines which start with an `=`. It needs an empty token register to begin with. `\bbl@languages` is also set to empty.

```

4630 \toks@{}
4631 \def\bbl@languages{}

```

When no languages have been loaded yet, the name following the `=` will be a synonym for hyphenation register 0. So, it is stored in a token register and executed when the first pattern file has been processed. (The `\relax` just helps to the `\if` below catching synonyms without a language.)

Otherwise the name will be a synonym for the language loaded last.

We also need to copy the `hyphenmin` parameters for the synonym.

```

4632 \def\process@synonym#1{%

```

```

4633 \ifnum\last@language=\m@ne
4634 \toks@\expandafter{\the\toks@\relax\process@synonym{#1}}%
4635 \else
4636 \expandafter\chardef\csname l@#1\endcsname\last@language
4637 \wlog{\string\l@#1=\string\language\the\last@language}%
4638 \expandafter\let\csname #1hyphenmins\expandafter\endcsname
4639 \csname\language\hyphenmins\endcsname
4640 \let\bbl@elt\relax
4641 \edef\bbl@languages{\bbl@languages\bbl@elt{#1}{\the\last@language}}}%
4642 \fi}

```

**\process@language** The macro `\process@language` is used to process a non-empty line from the ‘configuration file’. It has three arguments, each delimited by white space. The first argument is the ‘name’ of a language; the second is the name of the file that contains the patterns. The optional third argument is the name of a file containing hyphenation exceptions.

The first thing to do is call `\addlanguage` to allocate a pattern register and to make that register ‘active’. Then the pattern file is read.

For some hyphenation patterns it is needed to load them with a specific font encoding selected. This can be specified in the file `language.dat` by adding for instance ‘:T1’ to the name of the language. The macro `\bbl@get@enc` extracts the font encoding from the language name and stores it in `\bbl@hyph@enc`. The latter can be used in hyphenation files if you need to set a behavior depending on the given encoding (it is set to empty if no encoding is given).

Pattern files may contain assignments to `\lefthyphenmin` and `\righthyphenmin`. T<sub>E</sub>X does not keep track of these assignments. Therefore we try to detect such assignments and store them in the `\<language>hyphenmins` macro. When no assignments were made we provide a default setting.

Some pattern files contain changes to the `\lccode` `\uccode` arrays. Such changes should remain local to the language; therefore we process the pattern file in a group; the `\patterns` command acts globally so its effect will be remembered.

Then we globally store the settings of `\lefthyphenmin` and `\righthyphenmin` and close the group.

When the hyphenation patterns have been processed we need to see if a file with hyphenation exceptions needs to be read. This is the case when the third argument is not empty and when it does not contain a space token. (Note however there is no need to save hyphenation exceptions into the format.)

`\bbl@languages` saves a snapshot of the loaded languages in the form `\bbl@elt{<language-name>}{<number>}{<patterns-file>}{<exceptions-file>}`. Note the last 2 arguments are empty in ‘dialects’ defined in `language.dat` with `=`. Note also the language name can have encoding info.

Finally, if the counter `\language` is equal to zero we execute the synonyms stored.

```

4643 \def\process@language#1#2#3{%
4644 \expandafter\addlanguage\csname l@#1\endcsname
4645 \expandafter\language\csname l@#1\endcsname
4646 \edef\language{#1}%
4647 \bbl@hook@everylanguage{#1}%
4648 % > luatex
4649 \bbl@get@enc#1::@@@
4650 \begingroup
4651 \lefthyphenmin\m@ne
4652 \bbl@hook@loadpatterns{#2}%
4653 % > luatex
4654 \ifnum\lefthyphenmin=\m@ne
4655 \else
4656 \expandafter\xdef\csname #1hyphenmins\endcsname{%
4657 \the\lefthyphenmin\the\righthyphenmin}%
4658 \fi
4659 \endgroup
4660 \def\bbl@tempa{#3}%
4661 \ifx\bbl@tempa\@empty\else
4662 \bbl@hook@loadexceptions{#3}%
4663 % > luatex
4664 \fi
4665 \let\bbl@elt\relax
4666 \edef\bbl@languages{%

```

```

4667 \bbl@languages\bbl@elt{#1}{\the\language}{#2}{\bbl@tempa}}%
4668 \ifnum\the\language=\z@
4669 \expandafter\ifx\csname #1hyphenmins\endcsname\relax
4670 \set@hyphenmins\tw@thr@@\relax
4671 \else
4672 \expandafter\expandafter\expandafter\set@hyphenmins
4673 \csname #1hyphenmins\endcsname
4674 \fi
4675 \the\toks@
4676 \toks@{}%
4677 \fi}

```

### **\bbl@get@enc**

**\bbl@hyph@enc** The macro `\bbl@get@enc` extracts the font encoding from the language name and stores it in `\bbl@hyph@enc`. It uses delimited arguments to achieve this.

```

4678 \def\bbl@get@enc#1:#2:#3\@@{\def\bbl@hyph@enc{#2}}

```

Now, hooks are defined. For efficiency reasons, they are dealt here in a special way. Besides `luatex`, format-specific configuration files are taken into account. `loadkernel` currently loads nothing, but define some basic macros instead.

```

4679 \def\bbl@hook@everylanguage#1{}
4680 \def\bbl@hook@loadpatterns#1{\input #1\relax}
4681 \let\bbl@hook@loadexceptions\bbl@hook@loadpatterns
4682 \def\bbl@hook@loadkernel#1{%
4683 \def\addlanguage{\csname newlanguage\endcsname}%
4684 \def\adddialect##1##2{%
4685 \global\chardef##1##2\relax
4686 \wlog{\string##1 = a dialect from \string\language##2}}%
4687 \def\iflanguage##1{%
4688 \expandafter\ifx\csname l@##1\endcsname\relax
4689 \@nolanerr{##1}%
4690 \else
4691 \ifnum\csname l@##1\endcsname=\language
4692 \expandafter\expandafter\expandafter\@firstoftwo
4693 \else
4694 \expandafter\expandafter\expandafter\@secondoftwo
4695 \fi
4696 \fi}%
4697 \def\providehyphenmins##1##2{%
4698 \expandafter\ifx\csname ##1hyphenmins\endcsname\relax
4699 \@namedef{##1hyphenmins}{##2}%
4700 \fi}%
4701 \def\set@hyphenmins##1##2{%
4702 \lefthyphenmin##1\relax
4703 \righthyphenmin##2\relax}%
4704 \def\selectlanguage{%
4705 \errhelp{Selecting a language requires a package supporting it}%
4706 \errmessage{No multilingual package has been loaded}}%
4707 \let\foreignlanguage\selectlanguage
4708 \let\otherlanguage\selectlanguage
4709 \expandafter\let\csname otherlanguage*\endcsname\selectlanguage
4710 \def\bbl@usehooks##1##2{%
4711 \def\setlocale{%
4712 \errhelp{Find an armchair, sit down and wait}%
4713 \errmessage{(babel) Not yet available}}%
4714 \let\uselocale\setlocale
4715 \let\locale\setlocale
4716 \let\selectlocale\setlocale
4717 \let\localename\setlocale
4718 \let\textlocale\setlocale
4719 \let\textlanguage\setlocale
4720 \let\languagetext\setlocale}
4721 \begingroup

```

```

4722 \def\AddBabelHook#1#2{%
4723   \expandafter\ifx\csname bbl@hook@#2\endcsname\relax
4724     \def\next{\toks1}%
4725   \else
4726     \def\next{\expandafter\gdef\csname bbl@hook@#2\endcsname####1}%
4727   \fi
4728   \next}
4729 \ifx\directlua\@undefined
4730   \ifx\XeTeXinputencoding\@undefined\else
4731     \input xebabel.def
4732   \fi
4733 \else
4734   \input luababel.def
4735 \fi
4736 \openin1 = babel-\bbl@format.cfg
4737 \ifeof1
4738 \else
4739   \input babel-\bbl@format.cfg\relax
4740 \fi
4741 \closein1
4742 \endgroup
4743 \bbl@hook@loadkernel{switch.def}

```

**\readconfigfile** The configuration file can now be opened for reading.

```

4744 \openin1 = language.dat

```

See if the file exists, if not, use the default hyphenation file `hyphen.tex`. The user will be informed about this.

```

4745 \def\language{english}%
4746 \ifeof1
4747   \message{I couldn't find the file language.dat,\space
4748     I will try the file hyphen.tex}
4749   \input hyphen.tex\relax
4750   \chardef\l@english\z@
4751 \else

```

Pattern registers are allocated using count register `\last@language`. Its initial value is 0. The definition of the macro `\newlanguage` is such that it first increments the count register and then defines the language. In order to have the first patterns loaded in pattern register number 0 we initialize `\last@language` with the value `-1`.

```

4752 \last@language@m@ne

```

We now read lines from the file until the end is found. While reading from the input, it is useful to switch off recognition of the end-of-line character. This saves us stripping off spaces from the contents of the control sequence.

```

4753 \loop
4754   \endlinechar@m@ne
4755   \read1 to \bbl@line
4756   \endlinechar`\^^M

```

If the file has reached its end, exit from the loop here. If not, empty lines are skipped. Add 3 space characters to the end of `\bbl@line`. This is needed to be able to recognize the arguments of `\process@line` later on. The default language should be the very first one.

```

4757   \if T\ifeof1F\fi T\relax
4758   \ifx\bbl@line\@empty\else
4759     \edef\bbl@line{\bbl@line\space\space\space}%
4760     \expandafter\process@line\bbl@line\relax
4761   \fi
4762 \repeat

```

Check for the end of the file. We must reverse the test for `\ifeof` without `\else`. Then reactivate the default patterns, and close the configuration file.

```

4763 \begingroup

```



```

4764 \def\bbl@elt#1#2#3#4{%
4765 \global\language=#2\relax
4766 \gdef\language#1}%
4767 \def\bbl@elt##1##2##3##4{}}%
4768 \bbl@languages
4769 \endgroup
4770 \fi
4771 \closein1

```

We add a message about the fact that babel is loaded in the format and with which language patterns to the `\everyjob` register.

```

4772 \if/\the\toks@/\else
4773 \errhelp{language.dat loads no language, only synonyms}
4774 \errmessage{Orphan language synonym}
4775 \fi

```

Also remove some macros from memory and raise an error if `\toks@` is not empty. Finally load `switch.def`, but the latter is not required and the line inputting it may be commented out.

```

4776 \let\bbl@line\@undefined
4777 \let\process@line\@undefined
4778 \let\process@synonym\@undefined
4779 \let\process@language\@undefined
4780 \let\bbl@get@enc\@undefined
4781 \let\bbl@hyph@enc\@undefined
4782 \let\bbl@tempa\@undefined
4783 \let\bbl@hook@loadkernel\@undefined
4784 \let\bbl@hook@everylanguage\@undefined
4785 \let\bbl@hook@loadpatterns\@undefined
4786 \let\bbl@hook@loadexceptions\@undefined
4787 </patterns>

```

Here the code for `iniTeX` ends.

## 9. luatex + xetex: common stuff

Add the bidi handler just before `luaotfload`, which is loaded by default by LaTeX. Just in case, consider the possibility it has not been loaded. First, a couple of definitions related to bidi (although default also applies to `pdfTeX`).

```

4788 <<*<More package options>>> ≡
4789 \chardef\bbl@bidimode\z@
4790 \DeclareOption{bidi=default}{\chardef\bbl@bidimode=\@ne}
4791 \DeclareOption{bidi=basic}{\chardef\bbl@bidimode=101 }
4792 \DeclareOption{bidi=basic-r}{\chardef\bbl@bidimode=102 }
4793 \DeclareOption{bidi=bidi}{\chardef\bbl@bidimode=201 }
4794 \DeclareOption{bidi=bidi-r}{\chardef\bbl@bidimode=202 }
4795 \DeclareOption{bidi=bidi-l}{\chardef\bbl@bidimode=203 }
4796 <</More package options>>

```

**\babelfont** With explicit languages, we could define the font at once, but we don't. Just wait and see if the language is actually activated. `bbl@font` replaces hardcoded font names inside `\. . family` by the corresponding macro `\. . default`.

```

4797 <<*<Font selection>>> ≡
4798 \bbl@trace{Font handling with fontspec}
4799 \AddBabelHook{babel-fontspec}{afterextras}{\bbl@switchfont}
4800 \AddBabelHook{babel-fontspec}{beforestart}{\bbl@cckstdfonts}
4801 \DisableBabelHook{babel-fontspec}
4802 \onlypreamble\babelfont
4803 \ifx\NewDocumentCommand\@undefined\else % Not plain
4804 \NewDocumentCommand\babelfont{0}{m0}{m0}}{%
4805 \bbl@bblfont@o[#1]{#2}{#3,#5}{#4}}
4806 \fi
4807 \newcommand\bbl@bblfont@o[2][]{% 1=langs/scripts 2=fam

```

```

4808 \ifx\fontspec\undefined
4809 \usepackage{fontspec}%
4810 \fi
4811 \EnableBabelHook{babel-fontspec}%
4812 \edef\bbbl@tempa{#1}%
4813 \def\bbbl@tempb{#2}% Used by \bbbl@bblfont
4814 \bbbl@bblfont}
4815 \newcommand\bbbl@bblfont[2][]{% 1=features 2=fontname, @font=rm|sf|tt
4816 \bbbl@ifunset{\bbbl@tempb family}%
4817 {\bbbl@providefam{\bbbl@tempb}}%
4818 }%
4819 % For the default font, just in case:
4820 \bbbl@ifunset{\bbbl@lsys{\languagename}}{\bbbl@provide@lsys{\languagename}}{%
4821 \expandafter\bbbl@ifblank\expandafter{\bbbl@tempa}%
4822 {\bbbl@csarg\edef{\bbbl@tempb dflt@}{<{#1}{#2}}% save bbl@rmdflt@
4823 \bbbl@exp{%
4824 \let<\bbbl@tempb dflt@\languagename>\bbbl@tempb dflt@>%
4825 \\\bbbl@font@set<\bbbl@tempb dflt@\languagename>%
4826 \<\bbbl@tempb default>\<\bbbl@tempb family>}}%
4827 {\bbbl@foreach\bbbl@tempa{% i.e., bbl@rmdflt@lang / *scrt
4828 \bbbl@csarg\def{\bbbl@tempb dflt@##1}{<{#1}{#2}}}}}%

```

If the family in the previous command does not exist, it must be defined. Here is how:

```

4829 \def\bbbl@providefam#1{%
4830 \bbbl@exp{%
4831 \\\newcommand<#1default>{}% Just define it
4832 \\\bbbl@add@list\\bbbl@font@fams{#1}%
4833 \\\NewHook{#1family}%
4834 \\\DeclareRobustCommand<#1family>{%
4835 \\\not@math@alphabet<#1family>\relax
4836 % \\\prepare@family@series@update{#1}<#1default>% TODO. Fails
4837 \\\fontfamily<#1default>%
4838 \\\UseHook{#1family}%
4839 \\\selectfont}%
4840 \\\DeclareTextFontCommand{\<text#1>}{<#1family>}}}

```

The following macro is activated when the hook babel-fontspec is enabled. But before, we define a macro for a warning, which sets a flag to avoid duplicate them.

```

4841 \def\bbbl@nostdfont#1{%
4842 \bbbl@once{nostdfam-f@family}%
4843 {\bbbl@infowarn{The current font is not a babel standard family:\\%
4844 #1%
4845 \fontname\font\\%
4846 There is nothing intrinsically wrong, and you can\\%,
4847 ignore this message altogether if you do not need\\%
4848 this font. If they are used in the document, be aware\\%
4849 'babel' will not set Script and Language for it, so\\%
4850 you may consider defining a new family with \string\babelfont.\\%
4851 See the manual for further details about \string\babelfont.
4852 Reported}}
4853 }%
4854 \gdef\bbbl@switchfont{%
4855 \bbbl@ifunset{\bbbl@lsys{\languagename}}{\bbbl@provide@lsys{\languagename}}{%
4856 \bbbl@exp{% e.g., Arabic -> arabic
4857 \lowercase{\edef\\bbbl@tempa{\bbbl@cl{sname}}}}%
4858 \bbbl@foreach\bbbl@font@fams{%
4859 \bbbl@ifunset{\bbbl@##1dflt@\languagename}% (1) language?
4860 {\bbbl@ifunset{\bbbl@##1dflt@*\bbbl@tempa}% (2) from script?
4861 {\bbbl@ifunset{\bbbl@##1dflt@}% 2=F - (3) from generic?
4862 {}% 123=F - nothing!
4863 {\bbbl@exp{% 3=T - from generic
4864 \global\let<\bbbl@##1dflt@\languagename>%
4865 \<\bbbl@##1dflt@>}}}%
4866 {\bbbl@exp{% 2=T - from script

```

```

4867 \global\let\<bbl@##1dflt@\language>%
4868 \<bbl@##1dflt@*\bbl@tempa>}}}%
4869 {}}% l=T - language, already defined
4870 \def\bbl@tempa{\bbl@nostdfont{}}}%
4871 \bbl@foreach\bbl@font@fams{% don't gather with prev for
4872 \bbl@ifunset{bbl@##1dflt@\language}%
4873 {\bbl@cs{famrst@##1}%
4874 \global\bbl@csarg\let{famrst@##1}\relax}%
4875 {\bbl@exp{% order is relevant.
4876 \\\bbl@add\\\originalTeX{%
4877 \\\bbl@font@rst{\bbl@cl{##1dflt}}}%
4878 \<##1default>\<##1family>{##1}}}%
4879 \\\bbl@font@set\<bbl@##1dflt@\language>% the main part!
4880 \<##1default>\<##1family>}}}%
4881 \bbl@ifrestoring{\bbl@tempa}}}%

```

The following is executed at the beginning of the aux file or the document to warn about fonts not defined with `\babelfont`.

```

4882 \ifx\fbfamily\undefined\else % if latex
4883 \ifcase\bbl@engine % if pdftex
4884 \let\bbl@cckstdfont\relax
4885 \else
4886 \def\bbl@cckstdfont{%
4887 \begingroup
4888 \global\let\bbl@cckstdfont\relax
4889 \let\bbl@tempa\empty
4890 \bbl@foreach\bbl@font@fams{%
4891 \bbl@ifunset{bbl@##1dflt@}%
4892 {\@nameuse{##1family}%
4893 \bbl@csarg\gdef{WFF@fbfamily}}}% Flag
4894 \bbl@exp{\\\bbl@add\\\bbl@tempa* \<##1family>= \fbfamily\\}%
4895 \space\space\fontname\font\\}%
4896 \bbl@csarg\xdef{##1dflt@}{fbfamily}%
4897 \expandafter\xdef\csname ##1default\endcsname{fbfamily}}}%
4898 {}}%
4899 \ifx\bbl@tempa\empty\else
4900 \bbl@infowarn{The following font families will use the default\\%
4901 settings for all or some languages:\\%
4902 \bbl@tempa
4903 There is nothing intrinsically wrong with it, but\\%
4904 'babel' will no set Script and Language, which could\\%
4905 be relevant in some languages. If your document uses\\%
4906 these families, consider redefining them with \string\babelfont.\\%
4907 Reported}%
4908 \fi
4909 \endgroup}
4910 \fi
4911 \fi

```

Now the macros defining the font with `fontspec`.

When there are repeated keys in `fontspec`, the last value wins. So, we just place the ini settings at the beginning, and user settings will take precedence. We must deactivate temporarily `\bbl@mapselect` because `\selectfont` is called internally when a font is defined.

For historical reasons,  $\text{\LaTeX}$  can select two different series (bx and b), for what is conceptually a single one. This can lead to problems when a single family requires several fonts, depending on the language, mainly because ‘substitutions’ with some combinations are not done consistently – sometimes bx/sc is the correct font, but sometimes points to b/n, even if b/sc exists. So, some substitutions are redefined (in a somewhat hackish way, by inspecting if the variant declaration contains `>ssub*`).

```

4912 \def\bbl@font@set#1#2#3{% e.g., \bbl@rmdflt@lang \rmdefault \rmfamily
4913 \bbl@xin@{<>}{#1}%
4914 \ifin@
4915 \bbl@exp{\\\bbl@fontspec@set\\#1\expandafter\@gobbletwo#1\\#3}%
4916 \fi

```

```

4917 \bbl@exp{%          'Unprotected' macros return prev values
4918 \def\#2{#1}%        e.g., \rmdefault{\bbl@rmdflt@lang}
4919 \bbl@ifsamestring{#2}{\f@family}%
4920 {\#3%
4921 \bbl@ifsamestring{\f@series}{\bfdefault}{\bfseries}{}%
4922 \let\bbl@tempa\relax}%
4923 {}}}

```

Loaded locally, which does its job, but very must be global. The problem is how. This actually defines a font predeclared with `\babelfont`, making sure Script and Language names are defined. If they are not, the corresponding data in the ini file is used. The font is actually set temporarily to get the family name (`\f@family`). There is also a hack because by default some replacements related to the bold series are sometimes assigned to the wrong font (see issue #92).

```

4924 \def\bbl@fontspec@set#1#2#3#4{% eg \bbl@rmdflt@lang fnt-opt fnt-nme \xxfamily
4925 \let\bbl@tempe\bbl@mapselect
4926 \edef\bbl@tempb{\bbl@stripslash#4}% Catcodes hack (better pass it).
4927 \bbl@exp{\bbl@replace\bbl@tempb{\bbl@stripslash\family/}{}}%
4928 \let\bbl@mapselect\relax
4929 \let\bbl@temp@fam#4%          e.g., '\rmfamily', to be restored below
4930 \let#4@empty %              Make sure \renewfontfamily is valid
4931 \bbl@set@renderer
4932 \bbl@exp{%
4933 \let\bbl@temp@pfam<\bbl@stripslash#4\space>% e.g., '\rmfamily '
4934 <\keys_if_exist:nnF>{fontspec-opentype}{Script/\bbl@cl{sname}}}%
4935 {\newfontscript{\bbl@cl{sname}}{\bbl@cl{sotf}}}%
4936 <\keys_if_exist:nnF>{fontspec-opentype}{Language/\bbl@cl{lname}}}%
4937 {\newfontlanguage{\bbl@cl{lname}}{\bbl@cl{lotf}}}%
4938 \renewfontfamily\#4%
4939 [\bbl@cl{lsys},% xetex removes unknown features :-(
4940 \ifcase\bbl@engine\or RawFeature={family=\bbl@tempb},\fi
4941 #2]}{#3}% i.e., \bbl@exp{..}{#3}
4942 \bbl@unset@renderer
4943 \begingroup
4944 #4%
4945 \xdef#1{\f@family}%          e.g., \bbl@rmdflt@lang{FreeSerif(0)}
4946 \endgroup
4947 \bbl@xin@{\string>\string s\string s\string u\string b\string*}%
4948 {\expandafter\meaning\csname TU/#1/bx/sc\endcsname}%
4949 \ifin@
4950 \global\bbl@ccarg\let{TU/#1/bx/sc}{TU/#1/b/sc}%
4951 \fi
4952 \bbl@xin@{\string>\string s\string s\string u\string b\string*}%
4953 {\expandafter\meaning\csname TU/#1/bx/scit\endcsname}%
4954 \ifin@
4955 \global\bbl@ccarg\let{TU/#1/bx/scit}{TU/#1/b/scit}%
4956 \fi
4957 \let#4\bbl@temp@fam
4958 \bbl@exp{\let<\bbl@stripslash#4\space>\bbl@temp@pfam
4959 \let\bbl@mapselect\bbl@tempe}%

```

`font@rst` and `famrst` are only used when there is no global settings, to save and restore de previous families. Not really necessary, but done for optimization.

```

4960 \def\bbl@font@rst#1#2#3#4{%
4961 \bbl@csarg\def{famrst@#4}{\bbl@font@set{#1}#2#3}}

```

The default font families. They are eurocentric, but the list can be expanded easily with `\babelfont`.

```

4962 \def\bbl@font@fams{rm,sf,tt}
4963 <</Font selection>>

```

## 10. Hooks for XeTeX and LuaTeX

### 10.1. XeTeX

Unfortunately, the current encoding cannot be retrieved and therefore it is reset always to utf8, which seems a sensible default.

Now, the code.

```
4964 <*\xetex>
4965 \def\BabelStringsDefault{unicode}
4966 \let\xebbl@stop\relax
4967 \AddBabelHook{xetex}{encodedcommands}{%
4968   \def\bbl@tempa{#1}%
4969   \ifx\bbl@tempa\@empty
4970     \XeTeXinputencoding"bytes"%
4971   \else
4972     \XeTeXinputencoding"#1"%
4973   \fi
4974   \def\xebbl@stop{\XeTeXinputencoding"utf8"}}
4975 \AddBabelHook{xetex}{stopcommands}{%
4976   \xebbl@stop
4977   \let\xebbl@stop\relax}
4978 \def\bbl@input@classes{% Used in CJK intraspaces
4979   \input{load-unicode-xetex-classes.tex}%
4980   \let\bbl@input@classes\relax}
4981 \def\bbl@intraspace#1 #2 #3\@@{%
4982   \bbl@csarg\gdef{xeisp@\language}%
4983   {\XeTeXlinebreakskip #1em plus #2em minus #3em\relax}}
4984 \def\bbl@intrapenalty#1\@@{%
4985   \bbl@csarg\gdef{xeipn@\language}%
4986   {\XeTeXlinebreakpenalty #1\relax}}
4987 \def\bbl@provide@intraspace{%
4988   \bbl@xin@{/s}{/\bbl@cl{lnbrk}}}%
4989   \ifin@ \else \bbl@xin@{/c}{/\bbl@cl{lnbrk}} \fi
4990   \ifin@
4991     \bbl@ifunset{bbl@intsp@\language}{%
4992       {\expandafter\ifx\csname bbl@intsp@\language\endcsname\@empty\else
4993         \ifx\bbl@KVP@intraspace\@nnil
4994           \bbl@exp{%
4995             \\bbl@intraspace\bbl@cl{intsp}\\@@}%
4996           \fi
4997           \ifx\bbl@KVP@intrapenalty\@nnil
4998             \bbl@intrapenalty0\@@
4999           \fi
5000         \fi
5001         \ifx\bbl@KVP@intraspace\@nnil\else % We may override the ini
5002           \expandafter\bbl@intraspace\bbl@KVP@intraspace\@@
5003         \fi
5004         \ifx\bbl@KVP@intrapenalty\@nnil\else
5005           \expandafter\bbl@intrapenalty\bbl@KVP@intrapenalty\@@
5006         \fi
5007         \bbl@exp{%
5008           \\bbl@add<extras\language>{%
5009             \XeTeXlinebreaklocale "\bbl@cl{tbc}}"%
5010           \<bbl@xeisp@\language>%
5011           \<bbl@xeipn@\language>%
5012           \\bbl@tglobal\<extras\language>%
5013           \\bbl@add<noextras\language>{%
5014             \XeTeXlinebreaklocale ""}%
5015           \\bbl@tglobal\<noextras\language>%
5016         \ifx\bbl@ispacesize\@undefined
5017           \gdef\bbl@ispacesize{\bbl@cl{xeisp}}}%
5018         \ifx\AtBeginDocument\@notprerr
5019           \expandafter\@secondoftwo % to execute right now
```

```

5020      \fi
5021      \AtBeginDocument{\bbl@patchfont{\bbl@ispace}}%
5022      \fi}%
5023  \fi}
5024  \ifx\DisableBabelHook\undefined\endinput\fi
5025  \let\bbl@set@renderer\relax
5026  \let\bbl@unset@renderer\relax
5027  <@Font selection>
5028  \def\bbl@provide@extra#1{}

Hack for unhyphenated line breaking. See \bbl@provide@lsys in the common code.

5029  \def\bbl@xenoxyph@d{%
5030    \bbl@ifset{\bbl@prehc\language}%
5031    {\ifnum\hyphenchar\font=\defaultshphenchar
5032      \iffontchar\font\bbl@cl{prehc}\relax
5033      \hyphenchar\font\bbl@cl{prehc}\relax
5034      \else\iffontchar\font"200B
5035        \hyphenchar\font"200B
5036      \else
5037        \bbl@warning
5038        {Neither 0 nor ZERO WIDTH SPACE are available\\%
5039         in the current font, and therefore the hyphen\\%
5040         will be printed. Try changing the fontspec's\\%
5041         'HyphenChar' to another value, but be aware\\%
5042         this setting is not safe (see the manual).\\%
5043         Reported}%
5044        \hyphenchar\font\defaultshphenchar
5045      \fi\fi
5046    \fi}%
5047    {\hyphenchar\font\defaultshphenchar}}

```

## 10.2. Support for interchar

xetex reserves some values for CJK (although they are not set in XELATEX), so we make sure they are skipped. Define some user names for the global classes, too.

```

5048  \ifnum\xe@alloc@intercharclass<\thr@@
5049  \xe@alloc@intercharclass\thr@@
5050  \fi
5051  \chardef\bbl@xe@class@default=\z@
5052  \chardef\bbl@xe@class@cjkideogram=\@ne
5053  \chardef\bbl@xe@class@cjkleftpunctuation=\tw@
5054  \chardef\bbl@xe@class@cjkrightpunctuation=\thr@@
5055  \chardef\bbl@xe@class@boundary=4095
5056  \chardef\bbl@xe@class@ignore=4096

```

The machinery is activated with a hook (enabled only if actually used). Here \bbl@tempc is pre-set with \bbl@usingxe@class, defined below. The standard mechanism based on \originalTeX to save, set and restore values is used. \count@ stores the previous char to be set, except at the beginning (0) and after \bbl@upto, which is the previous char negated, as a flag to mark a range.

```

5057  \AddBabelHook{babel-interchar}{beforeextras}{%
5058    \nameuse{\bbl@xe@chars\language}}
5059  \DisableBabelHook{babel-interchar}
5060  \protected\def\bbl@charclass#1{%
5061    \ifnum\count@<\z@
5062      \count@-\count@
5063      \loop
5064        \bbl@exp{%
5065          \\babel@savevariable{\XeTeXcharclass`Uchar\count@}}%
5066          \XeTeXcharclass\count@ \bbl@tempc
5067          \ifnum\count@<`#1\relax
5068            \advance\count@\@ne
5069          \repeat
5070        \else

```

```

5071 \babel@savevariable{\XeTeXcharclass`#1}%
5072 \XeTeXcharclass`#1 \bbl@tempc
5073 \fi
5074 \count@`#1\relax}

Now the two user macros. Char classes are declared implicitly, and then the macro to be executed
at the babel-interchar hook is created. The list of chars to be handled by the hook defined above
has internally the form \bbl@usingxeclass\bbl@xeclass@punct@english\bbl@charclass{.}
\bbl@charclass{,} (etc.), where \bbl@usingxeclass stores the class to be applied to the
subsequent characters. The \ifcat part deals with the alternative way to enter characters as macros
(e.g., \). As a special case, hyphens are stored as \bbl@upto, to deal with ranges.

5075 \newcommand\bbl@ifinterchar[1]{%
5076 \let\bbl@tempa\@gobble % Assume to ignore
5077 \edef\bbl@tempb{\zap@space#1 \@empty}%
5078 \ifx\bbl@KVP@interchar\@nnil\else
5079 \bbl@replace\bbl@KVP@interchar{ }{,}%
5080 \bbl@foreach\bbl@tempb{%
5081 \bbl@xin@{,##1,}{, \bbl@KVP@interchar,}%
5082 \ifin@
5083 \let\bbl@tempa\@firstofone
5084 \fi}%
5085 \fi
5086 \bbl@tempa}
5087 \newcommand\IfBabelIntercharT[2]{%
5088 \bbl@carg\bbl@add{\bbl@icsave@CurrentOption}{\bbl@ifinterchar{#1}{#2}}}%
5089 \newcommand\babelcharclass[3]{%
5090 \EnableBabelHook{babel-interchar}%
5091 \bbl@csarg\newXeTeXintercharclass{xeclass@#2@#1}%
5092 \def\bbl@tempb##1{%
5093 \ifx##1\@empty\else
5094 \ifx##1-%
5095 \bbl@upto
5096 \else
5097 \bbl@charclass{%
5098 \ifcat\noexpand##1\relax\bbl@stripslash##1\else\string##1\fi}%
5099 \fi
5100 \expandafter\bbl@tempb
5101 \fi}%
5102 \bbl@ifunset{\bbl@xechars@#1}%
5103 {\toks@{%
5104 \babel@savevariable\XeTeXinterchartokenstate
5105 \XeTeXinterchartokenstate\@ne
5106 }}%
5107 {\toks@\expandafter\expandafter\expandafter{%
5108 \csname bbl@xechars@#1\endcsname}}%
5109 \bbl@csarg\edef{xechars@#1}{%
5110 \the\toks@
5111 \bbl@usingxeclass\csname bbl@xeclass@#2@#1\endcsname
5112 \bbl@tempb#3\@empty}}
5113 \protected\def\bbl@usingxeclass#1{\count@\z@ \let\bbl@tempc#1}
5114 \protected\def\bbl@upto{%
5115 \ifnum\count@>\z@
5116 \advance\count@\@ne
5117 \count@-\count@
5118 \else\ifnum\count@=\z@
5119 \bbl@charclass{-}%
5120 \else
5121 \bbl@error{double-hyphens-class}{ }{}%
5122 \fi\fi}

```

And finally, the command with the code to be inserted. If the language doesn't define a class, then use the global one, as defined above. For the definition there is a intermediate macro, which can be 'disabled' with \bbl@ic@<label>@<language>.

```

5123 \def\bbl@ignoreinterchar{%

```

```

5124 \ifnum\language=\l@nohyphenation
5125   \expandafter\@gobble
5126 \else
5127   \expandafter\@firstofone
5128 \fi}
5129 \newcommand\babelinterchar[5][]{%
5130   \let\bbl@kv@label\@empty
5131   \bbl@forkv{#1}{\bbl@csarg\edef{kv@##1}{##2}}}%
5132   \namedef{\zap@space bbl@xeinter@\bbl@kv@label @#3@#4@#2 \@empty}%
5133   {\bbl@ignoreinterchar{#5}}}%
5134   \bbl@csarg\let{ic@\bbl@kv@label @#2}\@firstofone
5135   \bbl@exp{\bbl@for{\bbl@tempa{\zap@space#3 \@empty}}{%
5136     \bbl@exp{\bbl@for{\bbl@tempb{\zap@space#4 \@empty}}{%
5137       \XeTeXinterchartoks
5138       \@nameuse{\bbl@xeclasse@\bbl@tempa @#2}
5139       \bbl@ifunset{\bbl@xeclasse@\bbl@tempa @#2}{#2} %
5140       \@nameuse{\bbl@xeclasse@\bbl@tempb @#2}
5141       \bbl@ifunset{\bbl@xeclasse@\bbl@tempb @#2}{#2} %
5142       = \expandafter{%
5143         \csname bbl@ic@\bbl@kv@label @#2\expandafter\endcsname
5144         \csname\zap@space bbl@xeinter@\bbl@kv@label
5145           @#3@#4@#2 \@empty\endcsname}}}}
5146 \DeclareRobustCommand\enablelocaleinterchar[1]{%
5147   \bbl@ifunset{\bbl@ic@#1\@languagename}%
5148   {\bbl@error{unknown-interchar}{#1}{}}}%
5149   {\bbl@csarg\let{ic@#1\@languagename}\@firstofone}}
5150 \DeclareRobustCommand\disablelocaleinterchar[1]{%
5151   \bbl@ifunset{\bbl@ic@#1\@languagename}%
5152   {\bbl@error{unknown-interchar-b}{#1}{}}}%
5153   {\bbl@csarg\let{ic@#1\@languagename}\@gobble}}
5154 \</xetex>

```

### 10.3. Layout

Note elements like headlines and margins can be modified easily with packages like fancyhdr, typearea or titleps, and geometry.

\bbl@startskip and \bbl@endskip are available to package authors. Thanks to the T<sub>E</sub>X expansion mechanism the following constructs are valid: \adim\bbl@startskip, \advance\bbl@startskip\adim, \bbl@startskip\adim.

Consider txtbabel as a shorthand for *tex-xet babel*, which is the bidi model in both pdf<sub>TE</sub>X and xet<sub>EX</sub>.

```

5155 \< *xetex | texxet >
5156 \providecommand\bbl@provide@intraspace{}
5157 \bbl@trace{Redefinitions for bidi layout}

    Finish here if there in no layout.

5158 \ifx\bbl@opt@layout\@nnil\else % if layout=..
5159 \IfBabelLayout{nopars}
5160 {}
5161 {\edef\bbl@opt@layout{\bbl@opt@layout.pars.}}%
5162 \def\bbl@startskip{\ifcase\bbl@thepardir\leftskip\else\rightskip\fi}
5163 \def\bbl@endskip{\ifcase\bbl@thepardir\rightskip\else\leftskip\fi}
5164 \ifnum\bbl@bidimode>\z@
5165 \IfBabelLayout{pars}
5166 {\def\@hangfrom#1{%
5167   \setbox\@tempboxa\hbox{#1}}%
5168   \hangindent\ifcase\bbl@thepardir\wd\@tempboxa\else-\wd\@tempboxa\fi
5169   \noindent\box\@tempboxa}
5170 \def\raggedright{%
5171   \let\@centercr
5172   \bbl@startskip\z@skip
5173   \@rightskip\@flushglue
5174   \bbl@endskip\@rightskip

```



```

5175     \parindent\z@
5176     \parfillskip\bbbl@startskip}
5177 \def\raggedleft{%
5178     \let\\\@centercr
5179     \bbbl@startskip\@flushglue
5180     \bbbl@endskip\z@skip
5181     \parindent\z@
5182     \parfillskip\bbbl@endskip}}
5183 {}
5184 \fi
5185 \IfBabelLayout{lists}
5186 {\bbbl@sreplace\list
5187     {\@totalleftmargin\leftmargin}{\@totalleftmargin\bbbl@listleftmargin}%
5188     \def\bbbl@listleftmargin{%
5189         \ifcase\bbbl@thepardir\leftmargin\else\rightmargin\fi}%
5190     \ifcase\bbbl@engine
5191         \def\labelenumii{}\theenumii{}% pdftex doesn't reverse ()
5192         \def\p@enumiii{\p@enumii}\theenumii{}%
5193     \fi
5194     \bbbl@sreplace\@verbatim
5195         {\leftskip\@totalleftmargin}%
5196         {\bbbl@startskip\textwidth
5197             \advance\bbbl@startskip-\linewidth}%
5198     \bbbl@sreplace\@verbatim
5199         {\rightskip\z@skip}%
5200         {\bbbl@endskip\z@skip}}}%
5201 {}
5202 \IfBabelLayout{contents}
5203 {\bbbl@sreplace\@dottedtocline{\leftskip}{\bbbl@startskip}%
5204     \bbbl@sreplace\@dottedtocline{\rightskip}{\bbbl@endskip}}
5205 {}
5206 \IfBabelLayout{columns}
5207 {\bbbl@sreplace\@outputdblcol{\hb@xt@\textwidth}{\bbbl@outputbox}%
5208     \def\bbbl@outputbox#1{%
5209         \hb@xt@\textwidth{%
5210             \hskip\columnwidth
5211             \hfil
5212             {\normalcolor\vrule \@width\columnseprule}%
5213             \hfil
5214             \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
5215             \hskip-\textwidth
5216             \hb@xt@\columnwidth{\box\@outputbox \hss}%
5217             \hskip\columnsep
5218             \hskip\columnwidth}}}%
5219 {}

```

Implicitly reverses sectioning labels in bidi=basic, because the full stop is not in contact with L numbers any more. I think there must be a better way.

```

5220 \IfBabelLayout{counters*}%
5221 {\bbbl@add\bbbl@opt@layout{.counters.}%
5222     \AddToHook{shipout/before}{%
5223         \let\bbbl@tempa\babelsublr
5224         \let\babelsublr\@firstofone
5225         \let\bbbl@save@thepage\thepage
5226         \protected@edef\thepage{\thepage}%
5227         \let\babelsublr\bbbl@tempa}%
5228     \AddToHook{shipout/after}{%
5229         \let\thepage\bbbl@save@thepage}}{}
5230 \IfBabelLayout{counters}%
5231 {\let\bbbl@latinarabic=\@arabic
5232     \def\@arabic#1{\babelsublr{\bbbl@latinarabic#1}}%
5233     \let\bbbl@asciroman=\@roman
5234     \def\@roman#1{\babelsublr{\ensureascii{\bbbl@asciroman#1}}}%

```

```

5235 \let\bbl@asciiRoman=\@Roman
5236 \def\@Roman#1{\babelsublr{\ensureascii{\bbl@asciiRoman#1}}}{}}
5237 \fi % end if layout
5238 </xetex | texxet>

```

## 10.4. 8-bit TeX

Which start just above, because some code is shared with xetex. Now, 8-bit specific stuff. If just one encoding has been declared, then assume no switching is necessary (1).

```

5239 < *texxet>
5240 \def\bbl@provide@extra#1{%
5241   % == auto-select encoding ==
5242   \ifx\bbl@encoding@select@off\@empty\else
5243     \bbl@ifunset{\bbl@encoding@#1}%
5244     {\def\@elt##1{,##1,}%
5245      \edef\bbl@tempe{\expandafter\@gobbletwo\@fontenc@load@list}%
5246      \count@\z@
5247      \bbl@foreach\bbl@tempe{%
5248        \def\bbl@tempd{##1}% Save last declared
5249        \advance\count@\@ne}%
5250      \ifnum\count@>\@ne % (1)
5251        \getlocaleproperty*\bbl@tempe{#1}{identification/encodings}%
5252        \ifx\bbl@tempe\relax \let\bbl@tempe\@empty \fi
5253        \bbl@replace\bbl@tempe{ }{,}%
5254        \global\bbl@csarg\let{encoding@#1}\@empty
5255        \bbl@xin@{,\bbl@tempd,}{,\bbl@tempe,}%
5256        \ifin\@else % if main encoding included in ini, do nothing
5257          \let\bbl@tempb\relax
5258          \bbl@foreach\bbl@tempe{%
5259            \ifx\bbl@tempb\relax
5260              \bbl@xin@{,##1,}{,\bbl@tempe,}%
5261              \ifin\@def\bbl@tempb{##1}\fi
5262            \fi}%
5263          \ifx\bbl@tempb\relax\else
5264            \bbl@exp{%
5265              \global\<\bbl@add>\<\bbl@preextras@#1>\<\bbl@encoding@#1>%
5266              \gdef\<\bbl@encoding@#1>{%
5267                \\babel@save\\f@encoding
5268                \\bbl@add\\originalTeX{\\selectfont}%
5269                \\fontencoding{\bbl@tempb}%
5270                \\selectfont}}%
5271            \fi
5272          \fi
5273        \fi}%
5274      }%
5275    \fi}
5276 </texxet>

```

## 10.5. LuaTeX

The loader for luatex is based solely on language.dat, which is read on the fly. The code shouldn't be executed when the format is build, so we check if \AddBabelHook is defined. Then comes a modified version of the loader in hyphen.cfg (without the hyphenmins stuff, which is under the direct control of babel).

The names \l@<language> are defined and take some value from the beginning because all ldf files assume this for the corresponding language to be considered valid, but patterns are not loaded (except the first one). This is done later, when the language is first selected (which usually means when the ldf finishes). If a language has been loaded, \bbl@hyphendata@<num> exists (with the names of the files read).

The default setup preloads the first language into the format. This is intended mainly for 'english', so that it's available without further intervention from the user. To avoid duplicating it, the following rule applies: if the "0th" language and the first language in language.dat have the same name then

just ignore the latter. If there are new synonymous, they are added, but note if the language patterns have not been preloaded they won't at run time.

Other preloaded languages could be read twice, if they have been preloaded into the format. This is not optimal, but it shouldn't happen very often – with luatex patterns are best loaded when the document is typeset, and the “0th” language is preloaded just for backwards compatibility.

As of 1.1b, lua(e)tex is taken into account. Formerly, loading of patterns on the fly didn't work in this format, but with the new loader it does. Unfortunately, the format is not based on babel, and data could be duplicated, because languages are reassigned above those in the format (nothing serious, anyway). Note even with this format language.dat is used (under the principle of a single source), instead of language.def.

Of course, there is room for improvements, like tools to read and reassign languages, which would require modifying the language list, and better error handling.

We need catcode tables, but no format (targeted by babel) provide a command to allocate them (although there are packages like ctablestack). FIX - This isn't true anymore. For the moment, a dangerous approach is used - just allocate a high random number and cross the fingers. To complicate things, etex.sty changes the way languages are allocated.

This file is read at three places: (1) when plain.def, babel.sty starts, to read the list of available languages from language.dat (for the base option); (2) at hyphen.cfg, to modify some macros; (3) in the middle of plain.def and babel.sty, by babel.def, with the commands and other definitions for luatex (e.g., \babelpatterns).

```

5277 (*luatex)
5278 \directlua{ Babel = Babel or {} } % DL2
5279 \ifx\AddBabelHook\undefined % When plain.def, babel.sty starts
5280 \bbl@trace{Read language.dat}
5281 \ifx\bbl@readstream\undefined
5282 \csname newread\endcsname\bbl@readstream
5283 \fi
5284 \begingroup
5285 \toks@{}
5286 \count@ \z@ % 0=start, 1=0th, 2=normal
5287 \def\bbl@process@line#1#2 #3 #4 {%
5288 \ifx=#1%
5289 \bbl@process@synonym{#2}%
5290 \else
5291 \bbl@process@language{#1#2}{#3}{#4}%
5292 \fi
5293 \ignorespaces}
5294 \def\bbl@manylang{%
5295 \ifnum\bbl@last>\@ne
5296 \bbl@info{Non-standard hyphenation setup}%
5297 \fi
5298 \let\bbl@manylang\relax}
5299 \def\bbl@process@language#1#2#3{%
5300 \ifcase\count@
5301 \@ifundefined{zth@#1}{\count@\tw@}{\count@\@ne}%
5302 \or
5303 \count@\tw@
5304 \fi
5305 \ifnum\count@=\tw@
5306 \expandafter\addlanguage\csname l@#1\endcsname
5307 \language\allocationnumber
5308 \chardef\bbl@last\allocationnumber
5309 \bbl@manylang
5310 \let\bbl@elt\relax
5311 \xdef\bbl@languages{%
5312 \bbl@languages\bbl@elt{#1}{\the\language}{#2}{#3}}%
5313 \fi
5314 \the\toks@
5315 \toks@{}
5316 \def\bbl@process@synonym@aux#1#2{%
5317 \global\expandafter\chardef\csname l@#1\endcsname#2\relax
5318 \let\bbl@elt\relax
5319 \xdef\bbl@languages{%

```

```

5320     \bbl@languages\bbl@elt{#1}{#2}{}}}%
5321 \def\bbl@process@synonym#1{%
5322     \ifcase\count@
5323     \toks@\expandafter{\the\toks@\relax\bbl@process@synonym{#1}}%
5324     \or
5325     \ifundefined{zth@#1}{\bbl@process@synonym@aux{#1}{0}}}%
5326     \else
5327     \bbl@process@synonym@aux{#1}{\the\bbl@last}%
5328     \fi}
5329 \ifx\bbl@languages\undefined % Just a (sensible?) guess
5330     \chardef\l@english\z@
5331     \chardef\l@USenglish\z@
5332     \chardef\bbl@last\z@
5333     \global\@namedef{bbl@hyphendata@0}{{hyphen.tex}}
5334     \gdef\bbl@languages{%
5335         \bbl@elt{english}{0}{hyphen.tex}}%
5336     \bbl@elt{USenglish}{0}{}%
5337 \else
5338     \global\let\bbl@languages@format\bbl@languages
5339     \def\bbl@elt#1#2#3#4{% Remove all except language 0
5340         \ifnum#2>\z@
5341             \noexpand\bbl@elt{#1}{#2}{#3}{#4}%
5342         \fi}%
5343     \xdef\bbl@languages{\bbl@languages}%
5344     \fi
5345     \def\bbl@elt#1#2#3#4{\@namedef{zth@#1}} % Define flags
5346     \bbl@languages
5347     \openin\bbl@readstream=language.dat
5348     \ifeof\bbl@readstream
5349         \bbl@warning{I couldn't find language.dat. No additional\\
5350             patterns loaded. Reported}%
5351     \else
5352         \loop
5353             \endlinechar\m@ne
5354             \read\bbl@readstream to \bbl@line
5355             \endlinechar\^^M
5356             \if T\ifeof\bbl@readstream F\fi T\relax
5357             \ifx\bbl@line\empty\else
5358                 \edef\bbl@line{\bbl@line\space\space\space}%
5359                 \expandafter\bbl@process@line\bbl@line\relax
5360             \fi
5361         \repeat
5362     \fi
5363     \closein\bbl@readstream
5364 \endgroup
5365 \bbl@trace{Macros for reading patterns files}
5366 \def\bbl@get@enc#1:#2:#3\@@{\def\bbl@hyph@enc{#2}}
5367 \ifx\babelcatcodetablenum\undefined
5368     \ifx\newcatcodetable\undefined
5369         \def\babelcatcodetablenum{5211}
5370         \def\bbl@pattcodes{\numexpr\babelcatcodetablenum+1\relax}
5371     \else
5372         \newcatcodetable\babelcatcodetablenum
5373         \newcatcodetable\bbl@pattcodes
5374     \fi
5375 \else
5376     \def\bbl@pattcodes{\numexpr\babelcatcodetablenum+1\relax}
5377 \fi
5378 \def\bbl@luapatterns#1#2{%
5379     \bbl@get@enc#1::\@@
5380     \setbox\z@\hbox\bgroup
5381     \begingroup
5382         \savecatcodetable\babelcatcodetablenum\relax

```

```

5383 \initcatcodetable\bbl@pattcodes\relax
5384 \catcodetable\bbl@pattcodes\relax
5385 \catcode`\#=6 \catcode`\$=3 \catcode`\&=4 \catcode`\^=7
5386 \catcode`\_ =8 \catcode`\{=1 \catcode`\}=2 \catcode`\~ =13
5387 \catcode`\@=11 \catcode`\^^I=10 \catcode`\^^J=12
5388 \catcode`\<=12 \catcode`\>=12 \catcode`\*=12 \catcode`\.=12
5389 \catcode`\-=12 \catcode`\/=12 \catcode`\[=12 \catcode`\]=12
5390 \catcode`\`=12 \catcode`\'=12 \catcode`\\"=12
5391 \input #1\relax
5392 \catcodetable\babelcatcodetablenum\relax
5393 \endgroup
5394 \def\bbl@tempa{#2}%
5395 \ifx\bbl@tempa\empty\else
5396 \input #2\relax
5397 \fi
5398 \egroup}%
5399 \def\bbl@patterns@lua#1{%
5400 \language=\expandafter\ifx\csname l@#1:\f@encoding\endcsname\relax
5401 \csname l@#1\endcsname
5402 \edef\bbl@tempa{#1}%
5403 \else
5404 \csname l@#1:\f@encoding\endcsname
5405 \edef\bbl@tempa{#1:\f@encoding}%
5406 \fi\relax
5407 \@namedef{lu@texhyphen@loaded@the\language}{}% Temp
5408 \@ifundefined{bbl@hyphendata@the\language}%
5409 {\def\bbl@elt##1##2##3##4{%
5410 \ifnum##2=\csname l@bbl@tempa\endcsname % #2=spanish, dutch:OT1...
5411 \def\bbl@tempb{##3}%
5412 \ifx\bbl@tempb\empty\else % if not a synonymous
5413 \def\bbl@tempc{##3}{##4}%
5414 \fi
5415 \bbl@csarg\xdef{hyphendata@##2}{\bbl@tempc}%
5416 \fi}%
5417 \bbl@languages
5418 \@ifundefined{bbl@hyphendata@the\language}%
5419 {\bbl@info{No hyphenation patterns were set for\%
5420 language '\bbl@tempa'. Reported}}%
5421 {\expandafter\expandafter\expandafter\bbl@luapatterns
5422 \csname bbl@hyphendata@the\language\endcsname}}}%
5423 \endinput\fi

```

Here ends \ifx\AddBabelHook\@undefined. A few lines are only read by HYPHEN.CFG.

```

5424 \ifx\DisableBabelHook\@undefined
5425 \AddBabelHook{luatex}{everylanguage}{%
5426 \def\process@language##1##2##3{%
5427 \def\process@line####1####2 ####3 ####4 {}}
5428 \AddBabelHook{luatex}{loadpatterns}{%
5429 \input #1\relax
5430 \expandafter\gdef\csname bbl@hyphendata@the\language\endcsname
5431 {{#1}}}%
5432 \AddBabelHook{luatex}{loadexceptions}{%
5433 \input #1\relax
5434 \def\bbl@tempb##1##2{{##1}{##2}}%
5435 \expandafter\xdef\csname bbl@hyphendata@the\language\endcsname
5436 {\expandafter\expandafter\expandafter\bbl@tempb
5437 \csname bbl@hyphendata@the\language\endcsname}}
5438 \endinput\fi

```

Here stops reading code for HYPHEN.CFG. The following is read the 2nd time it's loaded. First, global declarations for lua.

```

5439 \begingroup
5440 \catcode`\%=12
5441 \catcode`\'=12

```

```

5442 \catcode\`=12
5443 \catcode\:=12
5444 \directlua{
5445   Babel.locale_props = Babel.locale_props or {}
5446   function Babel.lua_error(e, a)
5447     tex.print([[ \noexpand\csname bbl@error\endcsname{]] ..
5448       e .. '}' .. (a or '') .. '}{}}')
5449   end
5450
5451   function Babel.bytes(line)
5452     return line:gsub(".",
5453       function (chr) return unicode.utf8.char(string.byte(chr)) end)
5454   end
5455
5456   function Babel.priority_in_callback(name,description)
5457     for i,v in ipairs(luatexbase.callback_descriptions(name)) do
5458       if v == description then return i end
5459     end
5460     return false
5461   end
5462
5463   function Babel.begin_process_input()
5464     if luatexbase and luatexbase.add_to_callback then
5465       luatexbase.add_to_callback('process_input_buffer',
5466         Babel.bytes, 'Babel.bytes')
5467     else
5468       Babel.callback = callback.find('process_input_buffer')
5469       callback.register('process_input_buffer', Babel.bytes)
5470     end
5471   end
5472   function Babel.end_process_input ()
5473     if luatexbase and luatexbase.remove_from_callback then
5474       luatexbase.remove_from_callback('process_input_buffer', 'Babel.bytes')
5475     else
5476       callback.register('process_input_buffer', Babel.callback)
5477     end
5478   end
5479
5480   function Babel.str_to_nodes(fn, matches, base)
5481     local n, head, last
5482     if fn == nil then return nil end
5483     for s in string.utfvalues(fn(matches)) do
5484       if base.id == 7 then
5485         base = base.replace
5486       end
5487       n = node.copy(base)
5488       n.char = s
5489       if not head then
5490         head = n
5491       else
5492         last.next = n
5493       end
5494       last = n
5495     end
5496     return head
5497   end
5498
5499   Babel.linebreaking = Babel.linebreaking or {}
5500   Babel.linebreaking.before = {}
5501   Babel.linebreaking.after = {}
5502   Babel.locale = {}
5503   function Babel.linebreaking.add_before(func, pos)
5504     tex.print([[ \noexpand\csname bbl@luahyphenate\endcsname{]]

```

```

5505     if pos == nil then
5506         table.insert(Babel.linebreaking.before, func)
5507     else
5508         table.insert(Babel.linebreaking.before, pos, func)
5509     end
5510 end
5511 function Babel.linebreaking.add_after(func)
5512     tex.print([[noexpand\csname bbl@luaahyphenate\endcsname]])
5513     table.insert(Babel.linebreaking.after, func)
5514 end
5515
5516 function Babel.addpatterns(pp, lg)
5517     local lg = lang.new(lg)
5518     local pats = lang.patterns(lg) or ''
5519     lang.clear_patterns(lg)
5520     for p in pp:gmatch('[^%s]+') do
5521         ss = ''
5522         for i in string.utfcharacters(p:gsub('%d', '')) do
5523             ss = ss .. '%d?' .. i
5524         end
5525         ss = ss:gsub('^%d%?%.', '%%.') .. '%d?'
5526         ss = ss:gsub('%.%d%?$', '%%.')
5527         pats, n = pats:gsub('%s' .. ss .. '%s', ' ' .. p .. ' ')
5528         if n == 0 then
5529             tex.sprint(
5530                 [[\string\csname\space bbl@info\endcsname{New pattern: }]]
5531                 .. p .. [[]])
5532             pats = pats .. ' ' .. p
5533         else
5534             tex.sprint(
5535                 [[\string\csname\space bbl@info\endcsname{Renew pattern: }]]
5536                 .. p .. [[]])
5537         end
5538     end
5539     lang.patterns(lg, pats)
5540 end
5541
5542 Babel.characters = Babel.characters or {}
5543 Babel.ranges = Babel.ranges or {}
5544 function Babel.hlist_has_bidi(head)
5545     local has_bidi = false
5546     local ranges = Babel.ranges
5547     for item in node.traverse(head) do
5548         if item.id == node.id'glyph' then
5549             local itemchar = item.char
5550             local chardata = Babel.characters[itemchar]
5551             local dir = chardata and chardata.d or nil
5552             if not dir then
5553                 for nn, et in ipairs(ranges) do
5554                     if itemchar < et[1] then
5555                         break
5556                     elseif itemchar <= et[2] then
5557                         dir = et[3]
5558                         break
5559                     end
5560                 end
5561             end
5562             if dir and (dir == 'al' or dir == 'r') then
5563                 has_bidi = true
5564             end
5565         end
5566     end
5567     return has_bidi

```

```

5568 end
5569 function Babel.set_chrnges_b (script, chrng)
5570   if chrng == '' then return end
5571   texio.write('Replacing ' .. script .. ' script ranges')
5572   Babel.script_blocks[script] = {}
5573   for s, e in string.gmatch(chrng..' ', '(.)%.%.(-)%s') do
5574     table.insert(
5575       Babel.script_blocks[script], {tonumber(s,16), tonumber(e,16)})
5576   end
5577 end
5578
5579 function Babel.discard_sublr(str)
5580   if str:find( [[\string\indexentry]] ) and
5581     str:find( [[\string\babelsublr]] ) then
5582     str = str:gsub( [[\string\babelsublr%s*(%b{})]],
5583       function(m) return m:sub(2,-2) end )
5584   end
5585   return str
5586 end
5587 }
5588 \endgroup
5589 \ifx\newattribute\undefined\else % Test for plain
5590   \newattribute\bbl@attr@locale % DL4
5591   \directlua{ Babel.attr_locale = luatexbase.registernumber'bbl@attr@locale' }
5592   \AddBabelHook{luatex}{beforeextras}{%
5593     \setattribute\bbl@attr@locale\localeid}
5594 \fi
5595 %
5596 \def\BabelStringsDefault{unicode}
5597 \let\luabbl@stop\relax
5598 \AddBabelHook{luatex}{encodedcommands}{%
5599   \def\bbl@tempa{utf8}\def\bbl@tempb{#1}%
5600   \ifx\bbl@tempa\bbl@tempb\else
5601     \directlua{Babel.begin_process_input()}%
5602     \def\luabbl@stop{%
5603       \directlua{Babel.end_process_input()}}%
5604   \fi}%
5605 \AddBabelHook{luatex}{stopcommands}{%
5606   \luabbl@stop
5607   \let\luabbl@stop\relax}
5608 %
5609 \AddBabelHook{luatex}{patterns}{%
5610   \@ifundefined{bbl@hyphendata@the\language}%
5611     {\def\bbl@elt##1##2##3##4{%
5612       \ifnum##2=\csname l@##2\endcsname % #2=spanish, dutch:OT1...
5613       \def\bbl@tempb{##3}%
5614       \ifx\bbl@tempb\empty\else % if not a synonymous
5615         \def\bbl@tempc{##3}{##4}}%
5616       \fi
5617       \bbl@csarg\xdef{hyphendata@##2}{\bbl@tempc}%
5618     \fi}%
5619   \bbl@languages
5620   \@ifundefined{bbl@hyphendata@the\language}%
5621     {\bbl@info{No hyphenation patterns were set for\%
5622       language '#2'. Reported}}%
5623     {\expandafter\expandafter\expandafter\bbl@luapatterns
5624       \csname bbl@hyphendata@the\language\endcsname}}}%
5625   \@ifundefined{bbl@patterns@}{}%
5626   \begingroup
5627     \bbl@xin@{,\number\language,}{,\bbl@pttnlist}%
5628     \ifin@else
5629       \ifx\bbl@patterns@\empty\else
5630         \directlua{ Babel.addpatterns(

```



```

5631         [[\bbl@patterns@]], \number\language) }%
5632     \fi
5633     \@ifundefined{bbl@patterns@#1}%
5634     \@empty
5635     {\directlua{ Babel.addpatterns(
5636         [[\space\csname bbl@patterns@#1\endcsname]],
5637         \number\language) }}%
5638     \xdef\bbl@pttnlist{\bbl@pttnlist\number\language,}%
5639     \fi
5640 \endgroup}%
5641 \bbl@exp{%
5642     \bbl@ifunset{bbl@prehc@\languagename}{}%
5643     {\bbl@ifblank{\bbl@cs{prehc@\languagename}}{}}%
5644     {\prehyphenchar=\bbl@cl{prehc}\relax}}}%

```

**\babelpatterns** This macro adds patterns. Two macros are used to store them: \bbl@patterns@ for the global ones and \bbl@patterns@*(language)* for language ones. We make sure there is a space between words when multiple commands are used.

```

5645 \@onlypreamble\babelpatterns
5646 \AtEndOfPackage{%
5647     \newcommand\babelpatterns[2][\@empty]{%
5648         \ifx\bbl@patterns@relax
5649             \let\bbl@patterns@\@empty
5650         \fi
5651         \ifx\bbl@pttnlist@\@empty\else
5652             \bbl@warning{%
5653                 You must not intermingle \string\selectlanguage\space and\%
5654                 \string\babelpatterns\space or some patterns will not\%
5655                 be taken into account. Reported}%
5656             \fi
5657             \ifx\@empty#1%
5658                 \protected@edef\bbl@patterns@{\bbl@patterns@\space#2}%
5659             \else
5660                 \edef\bbl@tempb{\zap@space#1 \@empty}%
5661                 \bbl@for\bbl@tempa\bbl@tempb{%
5662                     \bbl@fixname\bbl@tempa
5663                     \bbl@iflanguage\bbl@tempa{%
5664                         \bbl@csarg\protected@edef{patterns@\bbl@tempa}{%
5665                             \@ifundefined{bbl@patterns@\bbl@tempa}%
5666                             \@empty
5667                             {\csname bbl@patterns@\bbl@tempa\endcsname\space}%
5668                             #2}}}%
5669             \fi}}

```

## 10.6. Southeast Asian scripts

First, some general code for line breaking, used by \babelposthyphenation.

Replace regular (i.e., implicit) discretionaries by spaceskips, based on the previous glyph (which I think makes sense, because the hyphen and the previous char go always together). Other discretionaries are not touched. See Unicode UAX 14.

```

5670 \def\bbl@intraspace#1 #2 #3\@{%
5671     \directlua{
5672         Babel.intraspaces = Babel.intraspaces or {}
5673         Babel.intraspaces['\csname bbl@sbc@languagename\endcsname'] = %
5674             {b = #1, p = #2, m = #3}
5675         Babel.locale_props[\the\localeid].intraspace = %
5676             {b = #1, p = #2, m = #3}
5677     }}
5678 \def\bbl@intrapenalty#1\@{%
5679     \directlua{
5680         Babel.intrapenalties = Babel.intrapenalties or {}
5681         Babel.intrapenalties['\csname bbl@sbc@languagename\endcsname'] = #1

```

```

5682     Babel.locale_props[\the\localeid].intrapenalty = #1
5683   }}
5684 \begingroup
5685 \catcode`\%=12
5686 \catcode`\&=14
5687 \catcode`\'=12
5688 \catcode`\~ =12
5689 \gdef\bbl@seaintraspacespace{&
5690   \let\bbl@seaintraspacespace\relax
5691   \directlua{
5692     Babel.sea_enabled = true
5693     Babel.sea_ranges = Babel.sea_ranges or {}
5694     function Babel.set_chranges (script, chrng)
5695       local c = 0
5696       for s, e in string.gmatch(chrng..' ', '(.-%.%.(-)%s') do
5697         Babel.sea_ranges[script..c]={tonumber(s,16), tonumber(e,16)}
5698         c = c + 1
5699       end
5700     end
5701     function Babel.sea_disc_to_space (head)
5702       local sea_ranges = Babel.sea_ranges
5703       local last_char = nil
5704       local quad = 655360      &% 10 pt = 655360 = 10 * 65536
5705       for item in node.traverse(head) do
5706         local i = item.id
5707         if i == node.id'glyph' then
5708           last_char = item
5709         elseif i == 7 and item.subtype == 3 and last_char
5710           and last_char.char > 0x0C99 then
5711           quad = font.getfont(last_char.font).size
5712           for lg, rg in pairs(sea_ranges) do
5713             if last_char.char > rg[1] and last_char.char < rg[2] then
5714               lg = lg:sub(1, 4) &% Remove trailing number of, e.g., Cyril
5715               local intraspaces = Babel.intraspaces[lg]
5716               local intrapenalty = Babel.intrapenalties[lg]
5717               local n
5718               if intrapenalty ~= 0 then
5719                 n = node.new(14, 0)      &% penalty
5720                 n.penalty = intrapenalty
5721                 node.insert_before(head, item, n)
5722               end
5723               n = node.new(12, 13)      &% (glue, spaceskip)
5724               node.setglue(n, intraspaces.b * quad,
5725                 intraspaces.p * quad,
5726                 intraspaces.m * quad)
5727               node.insert_before(head, item, n)
5728               node.remove(head, item)
5729             end
5730           end
5731         end
5732       end
5733     end
5734   }&
5735   \bbl@luahyphenate}

```

## 10.7. CJK line breaking

Minimal line breaking for CJK scripts, mainly intended for simple documents and short texts as a secondary language. Only line breaking, with a little stretching for justification, without any attempt to adjust the spacing. It is based on (but does not strictly follow) the Unicode algorithm.

We first need a little table with the corresponding line breaking properties. A few characters have an additional key for the width (fullwidth vs. halfwidth), not yet used. There is a separate file, defined below.

```

5736 \catcode\%=14
5737 \gdef\bbl@cjkintraspace{%
5738   \let\bbl@cjkintraspace\relax
5739   \directlua{
5740     require('babel-data-cjk.lua')
5741     Babel.cjk_enabled = true
5742     function Babel.cjk_linebreak(head)
5743       local GLYPH = node.id'glyph'
5744       local last_char = nil
5745       local quad = 655360      % 10 pt = 655360 = 10 * 65536
5746       local last_class = nil
5747       local last_lang = nil
5748       for item in node.traverse(head) do
5749         if item.id == GLYPH then
5750           local lang = item.lang
5751           local LOCALE = node.get_attribute(item,
5752             Babel.attr_locale)
5753           local props = Babel.locale_props[LOCALE] or {}
5754           local class = Babel.cjk_class[item.char].c
5755           if props.cjk_quotes and props.cjk_quotes[item.char] then
5756             class = props.cjk_quotes[item.char]
5757           end
5758           if class == 'cp' then class = 'cl' % ]) as CL
5759           elseif class == 'id' then class = 'I'
5760           elseif class == 'cj' then class = 'I' % loose
5761           end
5762           local br = 0
5763           if class and last_class and Babel.cjk_breaks[last_class][class] then
5764             br = Babel.cjk_breaks[last_class][class]
5765           end
5766           if br == 1 and props.linebreak == 'c' and
5767             lang ~= \the\l@nohyphenation\space and
5768             last_lang ~= \the\l@nohyphenation then
5769             local intrapenalty = props.intrapenalty
5770             if intrapenalty ~= 0 then
5771               local n = node.new(14, 0)      % penalty
5772               n.penalty = intrapenalty
5773               node.insert_before(head, item, n)
5774             end
5775             local intraspace = props.intraspace
5776             local n = node.new(12, 13)      % (glue, spaceskip)
5777             node.setglue(n, intraspace.b * quad,
5778               intraspace.p * quad,
5779               intraspace.m * quad)
5780             node.insert_before(head, item, n)
5781           end
5782           if font.getfont(item.font) then
5783             quad = font.getfont(item.font).size
5784           end
5785           last_class = class
5786           last_lang = lang
5787         else % if penalty, glue or anything else
5788           last_class = nil
5789         end
5790       end
5791       lang.hyphenate(head)
5792     end
5793   }%
5794   \bbl@luahyphenate}
5795 \gdef\bbl@luahyphenate{%
5796   \let\bbl@luahyphenate\relax
5797   \directlua{
5798     luatexbase.add_to_callback('hyphenate',

```

```

5799 function (head, tail)
5800   if Babel.linebreaking.before then
5801     for k, func in ipairs(Babel.linebreaking.before) do
5802       func(head)
5803     end
5804   end
5805   lang.hyphenate(head)
5806   if Babel.cjk_enabled then
5807     Babel.cjk_linebreak(head)
5808   end
5809   if Babel.linebreaking.after then
5810     for k, func in ipairs(Babel.linebreaking.after) do
5811       func(head)
5812     end
5813   end
5814   if Babel.set_hboxed then
5815     Babel.set_hboxed(head)
5816   end
5817   if Babel.sea_enabled then
5818     Babel.sea_disc_to_space(head)
5819   end
5820 end,
5821 'Babel.hyphenate')
5822 }}
5823 \endgroup
5824 %
5825 \def\bbl@provide@intraspace{%
5826   \bbl@ifunset\bbl@intsp@\language\language\endcsname\empty\else
5827     {\expandafter\ifx\csname\bbl@intsp@\language\endcsname\empty\else
5828       \bbl@xin@{/c}{/\bbl@cl{\lnbrk}}}%
5829     \ifin@ % cjk
5830       \bbl@cjk@intraspace
5831       \directlua{
5832         Babel.locale_props = Babel.locale_props or {}
5833         Babel.locale_props[\the\localeid].linebreak = 'c'
5834       }%
5835       \bbl@exp{\bbl@intraspace\bbl@cl{\intsp}\bbl@cl{\intsp}}%
5836       \ifx\bbl@KVP@intrapenalty\@nnil
5837         \bbl@intrapenalty0\@
5838       \fi
5839     \else % sea
5840       \bbl@sea@intraspace
5841       \bbl@exp{\bbl@intraspace\bbl@cl{\intsp}\bbl@cl{\intsp}}%
5842       \directlua{
5843         Babel.sea_ranges = Babel.sea_ranges or {}
5844         Babel.set_chranges('\bbl@cl{\sbcp}',
5845                           '\bbl@cl{\chrng}')
5846       }%
5847       \ifx\bbl@KVP@intrapenalty\@nnil
5848         \bbl@intrapenalty0\@
5849       \fi
5850     \fi
5851   \fi
5852   \ifx\bbl@KVP@intrapenalty\@nnil\else
5853     \expandafter\bbl@intrapenalty\bbl@KVP@intrapenalty\@
5854   \fi}}

```

## 10.8. Arabic justification

WIP. `\bbl@arabicjust` is executed with both elongated an kashida. This must be fine tuned. The attribute `kashida` is set by transforms with `kashida`.

```

5855 \ifnum\bbl@bidimode>100 \ifnum\bbl@bidimode<200
5856 \def\bblar@chars{%

```

```

5857 0628,0629,062A,062B,062C,062D,062E,062F,0630,0631,0632,0633,%
5858 0634,0635,0636,0637,0638,0639,063A,063B,063C,063D,063E,063F,%
5859 0640,0641,0642,0643,0644,0645,0646,0647,0649}
5860 \def\bblar@elongated{%
5861 0626,0628,062A,062B,0633,0634,0635,0636,063B,%
5862 063C,063D,063E,063F,0641,0642,0643,0644,0646,%
5863 0649,064A}
5864 \beginingroup
5865 \catcode`_:=11 \catcode`:=11
5866 \gdef\bblar@nofswarn{\gdef\msg_warning:nx##1##2##3{}}
5867 \endgroup
5868 \gdef\bbl@arabicjust{%
5869 \let\bbl@arabicjust\relax
5870 \newattribute\bblar@kashida
5871 \directlua{ Babel.attr_kashida = luatexbase.registernumber'bblar@kashida' }%
5872 \bblar@kashida=\z@
5873 \bbl@patchfont{\bbl@parsejalt}}%
5874 \directlua{
5875 Babel.arabic.elong_map = Babel.arabic.elong_map or {}
5876 Babel.arabic.elong_map[\the\localeid] = {}
5877 luatexbase.add_to_callback('post_linebreak_filter',
5878 Babel.arabic.justify, 'Babel.arabic.justify')
5879 luatexbase.add_to_callback('hpack_filter',
5880 Babel.arabic.justify_hbox, 'Babel.arabic.justify_hbox')
5881 }}%

```

Save both node lists to make replacement.

```

5882 \def\bblar@fetchjalt#1#2#3#4{%
5883 \bbl@exp{\bbl@foreach{#1}}{%
5884 \bbl@ifunset{bblar@JE@##1}%
5885 {\setbox\z@\hbox{\textdir TRT ^^^200d\char"##1#2}}%
5886 {\setbox\z@\hbox{\textdir TRT ^^^200d\char"\@nameuse{bblar@JE@##1}#2}}%
5887 \directlua{%
5888 local last = nil
5889 for item in node.traverse(tex.box[0].head) do
5890 if item.id == node.id'glyph' and item.char > 0x600 and
5891 not (item.char == 0x200D) then
5892 last = item
5893 end
5894 end
5895 Babel.arabic.#3['##1#4'] = last.char
5896 }}}

```

Elongated forms. Brute force. No rules at all, yet. The ideal: look at jalt table. And perhaps other tables (falt?, csw?). What about kaf? And diacritic positioning?

```

5897 \gdef\bbl@parsejalt{%
5898 \ifx\addfontfeature\undefined\else
5899 \bbl@xin@{/e}{\bbl@cl{lbrk}}%
5900 \ifin@
5901 \directlua{%
5902 if Babel.arabic.elong_map[\the\localeid][\fontid\font] == nil then
5903 Babel.arabic.elong_map[\the\localeid][\fontid\font] = {}
5904 tex.print([[string\curname\space bbl@parsejalti\endcurname]])
5905 end
5906 }%
5907 \fi
5908 \fi}
5909 \gdef\bbl@parsejalti{%
5910 \beginingroup
5911 \let\bbl@parsejalt\relax % To avoid infinite loop
5912 \edef\bbl@tempb{\fontid\font}%
5913 \bblar@nofswarn
5914 \bblar@fetchjalt\bblar@elongated{}{from}{}%
5915 \bblar@fetchjalt\bblar@chars{^^^064a}{from}{a}% Alef maksura

```

```

5916 \bblar@fetchjalt\bblar@chars{^^^0649}{from}{y}% Yeh
5917 \addfontfeature{RawFeature+=jalt}%
5918 % \@namedef{bblar@JE@0643}{06AA}% todo: catch medial kaf
5919 \bblar@fetchjalt\bblar@elongated{}{dest}{}%
5920 \bblar@fetchjalt\bblar@chars{^^^064a}{dest}{a}%
5921 \bblar@fetchjalt\bblar@chars{^^^0649}{dest}{y}%
5922 \directlua{%
5923     for k, v in pairs(Babel.arabic.from) do
5924         if Babel.arabic.dest[k] and
5925             not (Babel.arabic.from[k] == Babel.arabic.dest[k]) then
5926             Babel.arabic.elong_map[\the\localeid][\bbl@tempb]
5927                 [Babel.arabic.from[k]] = Babel.arabic.dest[k]
5928         end
5929     end
5930 }%
5931 \endgroup}

```

The actual justification (inspired by CHICKENIZE).

```

5932 \begingroup
5933 \catcode`#=11
5934 \catcode`~=11
5935 \directlua{
5936
5937 Babel.arabic = Babel.arabic or {}
5938 Babel.arabic.from = {}
5939 Babel.arabic.dest = {}
5940 Babel.arabic.justify_factor = 0.95
5941 Babel.arabic.justify_enabled = true
5942 Babel.arabic.kashida_limit = -1
5943
5944 function Babel.arabic.justify(head)
5945     if not Babel.arabic.justify_enabled then return head end
5946     for line in node.traverse_id(node.id'hlist', head) do
5947         Babel.arabic.justify_hlist(head, line)
5948     end
5949     % In case the very first item is a line (eg, in \vbox):
5950     while head.prev do head = head.prev end
5951     return head
5952 end
5953
5954 function Babel.arabic.justify_hbox(head, gc, size, pack)
5955     local has_inf = false
5956     if Babel.arabic.justify_enabled and pack == 'exactly' then
5957         for n in node.traverse_id(12, head) do
5958             if n.stretch_order > 0 then has_inf = true end
5959         end
5960         if not has_inf then
5961             Babel.arabic.justify_hlist(head, nil, gc, size, pack)
5962         end
5963     end
5964     return head
5965 end
5966
5967 function Babel.arabic.justify_hlist(head, line, gc, size, pack)
5968     local d, new
5969     local k_list, k_item, pos_inline
5970     local width, width_new, full, k_curr, wt_pos, goal, shift
5971     local subst_done = false
5972     local elong_map = Babel.arabic.elong_map
5973     local cnt
5974     local last_line
5975     local GLYPH = node.id'glyph'
5976     local KASHIDA = Babel.attr_kashida

```

```

5977 local LOCALE = Babel.attr_locale
5978
5979 if line == nil then
5980     line = {}
5981     line.glue_sign = 1
5982     line.glue_order = 0
5983     line.head = head
5984     line.shift = 0
5985     line.width = size
5986 end
5987
5988 % Exclude last line. todo. But-- it discards one-word lines, too!
5989 % ? Look for glue = 12:15
5990 if (line.glue_sign == 1 and line.glue_order == 0) then
5991     elongs = {}      % Stores elongated candidates of each line
5992     k_list = {}      % And all letters with kashida
5993     pos_inline = 0   % Not yet used
5994
5995     for n in node.traverse_id(GLYPH, line.head) do
5996         pos_inline = pos_inline + 1 % To find where it is. Not used.
5997
5998         % Elongated glyphs
5999         if elong_map then
6000             local locale = node.get_attribute(n, LOCALE)
6001             if elong_map[locale] and elong_map[locale][n.font] and
6002                 elong_map[locale][n.font][n.char] then
6003                 table.insert(elongs, {node = n, locale = locale} )
6004                 node.set_attribute(n.prev, KASHIDA, 0)
6005             end
6006         end
6007
6008         % Tatwil. First create a list of nodes marked with kashida. The
6009         % rest of nodes can be ignored. The list of used weights is build
6010         % when transforms with the key kashida= are declared.
6011         if Babel.kashida_wts then
6012             local k_wt = node.get_attribute(n, KASHIDA)
6013             if k_wt > 0 then % todo. parameter for multi inserts
6014                 table.insert(k_list, {node = n, weight = k_wt, pos = pos_inline})
6015             end
6016         end
6017
6018     end % of node.traverse_id
6019
6020     if #elongs == 0 and #k_list == 0 then goto next_line end
6021     full = line.width
6022     shift = line.shift
6023     goal = full * Babel.arabic.justify_factor % A bit crude
6024     width = node.dimensions(line.head) % The 'natural' width
6025
6026     % == Elongated ==
6027     % Original idea taken from 'chickenize'
6028     while (#elongs > 0 and width < goal) do
6029         subst_done = true
6030         local x = #elongs
6031         local curr = elongs[x].node
6032         local oldchar = curr.char
6033         curr.char = elong_map[elongs[x].locale][curr.font][curr.char]
6034         width = node.dimensions(line.head) % Check if the line is too wide
6035         % Substitute back if the line would be too wide and break:
6036         if width > goal then
6037             curr.char = oldchar
6038             break
6039         end

```

```

6040     % If continue, pop the just substituted node from the list:
6041     table.remove(elongs, x)
6042 end
6043
6044 % == Tatwil ==
6045 % Traverse the kashida node list so many times as required, until
6046 % the line is filled. The first pass adds a tatweel after each
6047 % node with kashida in the line, the second pass adds another one,
6048 % and so on. In each pass, add first the kashida with the highest
6049 % weight, then with lower weight and so on.
6050 if #k_list == 0 then goto next_line end
6051
6052 width = node.dimensions(line.head) % The 'natural' width
6053 k_curr = #k_list % Traverse backwards, from the end
6054 wt_pos = 1
6055
6056 while width < goal do
6057     subst_done = true
6058     k_item = k_list[k_curr].node
6059     if k_list[k_curr].weight == Babel.kashida_wts[wt_pos] then
6060         d = node.copy(k_item)
6061         d.char = 0x0640
6062         d.yoffset = 0 % TODO. From the prev char. But 0 seems safe.
6063         d.xoffset = 0
6064         line.head, new = node.insert_after(line.head, k_item, d)
6065         width_new = node.dimensions(line.head)
6066         if width > goal or width == width_new then
6067             node.remove(line.head, new) % Better compute before
6068             break
6069         end
6070         if Babel.fix_diacr then
6071             Babel.fix_diacr(k_item.next)
6072         end
6073         width = width_new
6074     end
6075     if k_curr == 1 then
6076         k_curr = #k_list
6077         wt_pos = (wt_pos >= table.getn(Babel.kashida_wts)) and 1 or wt_pos+1
6078     else
6079         k_curr = k_curr - 1
6080     end
6081 end
6082
6083 % Limit the number of tatweel by removing them. Not very efficient,
6084 % but it does the job in a quite predictable way.
6085 if Babel.arabic.kashida_limit > -1 then
6086     cnt = 0
6087     for n in node.traverse_id(GLYPH, line.head) do
6088         if n.char == 0x0640 then
6089             cnt = cnt + 1
6090             if cnt > Babel.arabic.kashida_limit then
6091                 node.remove(line.head, n)
6092             end
6093         else
6094             cnt = 0
6095         end
6096     end
6097 end
6098
6099 ::next_line::
6100
6101 % Must take into account marks and ins, see luatex manual.
6102 % Have to be executed only if there are changes. Investigate

```



```

6103 % what's going on exactly.
6104 if subst_done and not gc then
6105   d = node.hpack(line.head, full, 'exactly')
6106   d.shift = shift
6107   node.insert_before(head, line, d)
6108   node.remove(head, line)
6109 end
6110 end % if process line
6111 end
6112 }
6113 \endgroup
6114 \fi\fi % ends Arabic just block: \ifnum\bbl@bidimode>100...

```

## 10.9. Common stuff

First, a couple of auxiliary macros to set the renderer according to the script. This is done by patching temporarily the low-level fontspec macro containing the current features set with `\defaultfontfeatures`. Admittedly this is somewhat dangerous, but that way the latter command still works as expected, because the renderer is set just before other settings. In xetex they are set to `\relax`.

```

6115 \def\bbl@scr@node@list{%
6116   ,Armenian,Coptic,Cyrillic,Georgian,,Glagolitic,Gothic,%
6117   ,Greek,Latin,Old Church Slavonic Cyrillic,}
6118 \ifnum\bbl@bidimode=102 % bidi-r
6119   \bbl@add\bbl@scr@node@list{Arabic,Hebrew,Syriac}
6120 \fi
6121 \def\bbl@set@renderer{%
6122   \bbl@xin@{\bbl@cl{sname}}{\bbl@scr@node@list}%
6123   \ifin@
6124     \let\bbl@unset@renderer\relax
6125   \else
6126     \bbl@exp{%
6127       \def\\bbl@unset@renderer{%
6128         \def<g__fontspec_default_fontopts_clist>{%
6129           \[g__fontspec_default_fontopts_clist]}%
6130       \def<g__fontspec_default_fontopts_clist>{%
6131         Renderer=Harfbuzz,\[g__fontspec_default_fontopts_clist]}%
6132     \fi}
6133 <@Font selection@>

```

## 10.10. Automatic fonts and ids switching

After defining the blocks for a number of scripts (must be extended and very likely fine tuned), we define a the function `Babel.locale_map`, which just traverse the node list to carry out the replacements. The table `loc_to_scr` stores the script range for each locale (whose id is the key), copied from this table (so that it can be modified on a locale basis); there is an intermediate table named `chr_to_loc` built on the fly for optimization, which maps a char to the locale. This locale is then used to get the `\language` as stored in `locale_props`, as well as the font (as requested). In the latter table a key starting with `/` maps the font from the global one (the key) to the local one (the value). Maths are skipped and discretionaries are handled in a special way.

There are two situations where the replacement is not carried out: either the `letters` option has been set and the character is not a letter (in the  $\TeX$  sense), or the current script is the same as the new one.

```

6134 \directlua{% DL6
6135 Babel.script_blocks = {
6136   ['dflt'] = {},
6137   ['Arab'] = {{0x0600, 0x06FF}, {0x08A0, 0x08FF}, {0x0750, 0x077F},
6138               {0xFE70, 0xFEFF}, {0xFB50, 0xFDFF}, {0x1EE00, 0x1EEFF}},
6139   ['Armn'] = {{0x0530, 0x058F}},
6140   ['Beng'] = {{0x0980, 0x09FF}},
6141   ['Cher'] = {{0x13A0, 0x13FF}, {0xAB70, 0xABBF}},
6142   ['Copt'] = {{0x03E2, 0x03EF}, {0x2C80, 0x2CFF}, {0x102E0, 0x102FF}},

```

```

6143 ['Cyril'] = {{0x0400, 0x04FF}, {0x0500, 0x052F}, {0x1C80, 0x1C8F},
6144             {0x2DE0, 0x2DFF}, {0xA640, 0xA69F}},
6145 ['Deva'] = {{0x0900, 0x097F}, {0xA8E0, 0xA8FF}},
6146 ['Ethi'] = {{0x1200, 0x137F}, {0x1380, 0x139F}, {0x2D80, 0x2DDF},
6147             {0xAB00, 0xAB2F}},
6148 ['Geor'] = {{0x10A0, 0x10FF}, {0x2D00, 0x2D2F}},
6149 % Don't follow strictly Unicode, which places some Coptic letters in
6150 % the 'Greek and Coptic' block
6151 ['Grek'] = {{0x0370, 0x03E1}, {0x03F0, 0x03FF}, {0x1F00, 0x1FFF}},
6152 ['Hans'] = {{0x2E80, 0x2EFF}, {0x3000, 0x303F}, {0x31C0, 0x31EF},
6153             {0x3300, 0x33FF}, {0x3400, 0x4DBF}, {0x4E00, 0x9FFF},
6154             {0xF900, 0xFAFF}, {0xFE30, 0xFE4F}, {0xFF00, 0xFFEF},
6155             {0x20000, 0x2A6DF}, {0x2A700, 0x2B73F},
6156             {0x2B740, 0x2B81F}, {0x2B820, 0x2CEAF},
6157             {0x2CEB0, 0x2EBEF}, {0x2F800, 0x2FA1F}},
6158 ['Hebr'] = {{0x0590, 0x05FF},
6159             {0xFB1F, 0xFB4E}}, % <- Includes some <reserved>
6160 ['Jpan'] = {{0x3000, 0x303F}, {0x3040, 0x309F}, {0x30A0, 0x30FF},
6161             {0x4E00, 0x9FAF}, {0xFF00, 0xFFEF}},
6162 ['Khmr'] = {{0x1780, 0x17FF}, {0x19E0, 0x19FF}},
6163 ['Knda'] = {{0x0C80, 0x0CFF}},
6164 ['Kore'] = {{0x1100, 0x11FF}, {0x3000, 0x303F}, {0x3130, 0x318F},
6165             {0x4E00, 0x9FAF}, {0xA960, 0xA97F}, {0xAC00, 0xD7AF},
6166             {0xD7B0, 0xD7FF}, {0xFF00, 0xFFEF}},
6167 ['Lao'] = {{0x0E80, 0x0EFF}},
6168 ['Latn'] = {{0x0000, 0x007F}, {0x0080, 0x00FF}, {0x0100, 0x017F},
6169             {0x0180, 0x024F}, {0x1E00, 0x1EFF}, {0x2C60, 0x2C7F},
6170             {0xA720, 0xA7FF}, {0xAB30, 0xAB6F}},
6171 ['Mahj'] = {{0x11150, 0x1117F}},
6172 ['Mlym'] = {{0x0D00, 0x0D7F}},
6173 ['Mymr'] = {{0x1000, 0x109F}, {0xAA60, 0xAA7F}, {0xA9E0, 0xA9FF}},
6174 ['Orya'] = {{0x0B00, 0x0B7F}},
6175 ['Sinh'] = {{0x0D80, 0x0DFF}, {0x111E0, 0x111FF}},
6176 ['Syr'] = {{0x0700, 0x074F}, {0x0860, 0x086F}},
6177 ['Taml'] = {{0x0B80, 0x0BFF}},
6178 ['Telu'] = {{0x0C00, 0x0C7F}},
6179 ['Tfng'] = {{0x2D30, 0x2D7F}},
6180 ['Thai'] = {{0x0E00, 0x0E7F}},
6181 ['Tibt'] = {{0x0F00, 0x0FFF}},
6182 ['Vaii'] = {{0xA500, 0xA63F}},
6183 ['Yiii'] = {{0xA000, 0xA48F}, {0xA490, 0xA4CF}}
6184 }
6185
6186 Babel.script_blocks.Cyrs = Babel.script_blocks.Cyrl
6187 Babel.script_blocks.Hant = Babel.script_blocks.Hans
6188 Babel.script_blocks.Kana = Babel.script_blocks.Jpan
6189
6190 function Babel.locale_map(head)
6191   if not Babel.locale_mapped then return head end
6192
6193   local LOCALE = Babel.attr_locale
6194   local GLYPH = node.id('glyph')
6195   local inmath = false
6196   local toloc_save
6197   for item in node.traverse(head) do
6198     local toloc
6199     if not inmath and item.id == GLYPH then
6200       % Optimization: build a table with the chars found
6201       if Babel.chr_to_loc[item.char] then
6202         toloc = Babel.chr_to_loc[item.char]
6203       else
6204         for lc, maps in pairs(Babel.loc_to_scr) do
6205           for _, rg in pairs(maps) do

```

```

6206         if item.char >= rg[1] and item.char <= rg[2] then
6207             Babel.chr_to_loc[item.char] = lc
6208             toloc = lc
6209             break
6210         end
6211     end
6212 end
6213 % Treat composite chars in a different fashion, because they
6214 % 'inherit' the previous locale.
6215 if (item.char >= 0x0300 and item.char <= 0x036F) or
6216     (item.char >= 0x1AB0 and item.char <= 0x1AFF) or
6217     (item.char >= 0x1DC0 and item.char <= 0x1DFF) then
6218     Babel.chr_to_loc[item.char] = -2000
6219     toloc = -2000
6220 end
6221 if not toloc then
6222     Babel.chr_to_loc[item.char] = -1000
6223 end
6224 end
6225 if toloc == -2000 then
6226     toloc = toloc_save
6227 elseif toloc == -1000 then
6228     toloc = nil
6229 end
6230 if toloc and Babel.locale_props[toloc] and
6231     Babel.locale_props[toloc].letters and
6232     tex.getcatcode(item.char) \string~= 11 then
6233     toloc = nil
6234 end
6235 if toloc and Babel.locale_props[toloc].script
6236     and Babel.locale_props[node.get_attribute(item, LOCALE)].script
6237     and Babel.locale_props[toloc].script ==
6238     Babel.locale_props[node.get_attribute(item, LOCALE)].script then
6239     toloc = nil
6240 end
6241 if toloc then
6242     if Babel.locale_props[toloc].lg then
6243         item.lang = Babel.locale_props[toloc].lg
6244         node.set_attribute(item, LOCALE, toloc)
6245     end
6246     if Babel.locale_props[toloc]['/'..item.font] then
6247         item.font = Babel.locale_props[toloc]['/'..item.font]
6248     end
6249 end
6250 toloc_save = toloc
6251 elseif not inmath and item.id == 7 then % Apply recursively
6252     item.replace = item.replace and Babel.locale_map(item.replace)
6253     item.pre      = item.pre and Babel.locale_map(item.pre)
6254     item.post     = item.post and Babel.locale_map(item.post)
6255 elseif item.id == node.id'math' then
6256     inmath = (item.subtype == 0)
6257 end
6258 end
6259 return head
6260 end
6261 }

```

The code for `\babelcharproperty` is straightforward. Just note the modified lua table can be different.

```

6262 \newcommand\babelcharproperty[1]{%
6263   \count@=#1\relax
6264   \ifvmode
6265     \expandafter\bbl@chprop

```

```

6266 \else
6267   \bbl@error{charproperty-only-vertical}{}{}{}%
6268 \fi}
6269 \newcommand\bbl@chprop[3][\the\count@]{%
6270   \@tempcnta=#1\relax
6271   \bbl@ifunset\bbl@chprop@#2}% {unknown-char-property}
6272   {\bbl@error{unknown-char-property}{}{#2}{}%
6273     {}%
6274   \loop
6275     \bbl@cs{chprop@#2}{#3}%
6276     \ifnum\count@<\@tempcnta
6277       \advance\count@\@ne
6278     \repeat}
6279 %
6280 \def\bbl@chprop@direction#1{%
6281   \directlua{
6282     Babel.characters[\the\count@] = Babel.characters[\the\count@] or {}
6283     Babel.characters[\the\count@]['d'] = '#1'
6284   }}
6285 \let\bbl@chprop@bc\bbl@chprop@direction
6286 %
6287 \def\bbl@chprop@mirror#1{%
6288   \directlua{
6289     Babel.characters[\the\count@] = Babel.characters[\the\count@] or {}
6290     Babel.characters[\the\count@]['m'] = '\number#1'
6291   }}
6292 \let\bbl@chprop@bmg\bbl@chprop@mirror
6293 %
6294 \def\bbl@chprop@linebreak#1{%
6295   \directlua{
6296     Babel.cjk_characters[\the\count@] = Babel.cjk_characters[\the\count@] or {}
6297     Babel.cjk_characters[\the\count@]['c'] = '#1'
6298   }}
6299 \let\bbl@chprop@lb\bbl@chprop@linebreak
6300 %
6301 \def\bbl@chprop@locale#1{%
6302   \directlua{
6303     Babel.chr_to_loc = Babel.chr_to_loc or {}
6304     Babel.chr_to_loc[\the\count@] =
6305       \bbl@ifblank{#1}{-1000}{\the\bbl@cs{id@#1}}\space
6306   }}

```

Post-handling hyphenation patterns for non-standard rules, like ff to ff-f. There are still some issues with speed (not very slow, but still slow). The Lua code is below.

```

6307 \directlua{% DL7
6308   Babel.nohyphenation = \the\l@nohyphenation
6309 }

```

Now the  $\TeX$  high level interface, which requires the function defined above for converting strings to functions returning a string. These functions handle the  $\{n\}$  syntax. For example,  $\text{pre}=\{1\}\{1\}$  - becomes  $\text{function}(m) \text{ return } m[1]..m[1]..'-' \text{ end}$ , where  $m$  are the matches returned after applying the pattern. With a mapped capture the functions are similar to  $\text{function}(m) \text{ return } \text{Babel.capt\_map}(m[1], 1) \text{ end}$ , where the last argument identifies the mapping to be applied to  $m[1]$ . The way it is carried out is somewhat tricky, but the effect is not dissimilar to lua load – save the code as string in a  $\TeX$  macro, and expand this macro at the appropriate place. As  $\text{\directlua}$  does not take into account the current catcode of  $@$ , we just avoid this character in macro names (which explains the internal group, too).

```

6310 \begingroup
6311 \catcode`\-=12
6312 \catcode`\%=12
6313 \catcode`\&=14
6314 \catcode`\|=12
6315 \gdef\babelprehyphenation{%
6316   \@ifnextchar{\bbl@settransform{0}}{\bbl@settransform{0}}{}}

```

```

6317 \gdef\babelposthyphenation{%&
6318 \ifnextchar[{\bbl@settransform{1}}{\bbl@settransform{1}[]}]
6319 %
6320 \gdef\bbl@settransform#1[#2]#3#4#5{%&
6321 \ifcase#1
6322 \bbl@activateprehyphen
6323 \or
6324 \bbl@activateposthyphen
6325 \fi
6326 \beginingroup
6327 \def\babeltempa{\bbl@add@list\babeltempb}%&
6328 \let\babeltempb\@empty
6329 \def\bbl@tempa{#5}%&
6330 \bbl@replace\bbl@tempa{,}{ ,}%& TODO. Ugly trick to preserve {}
6331 \expandafter\bbl@foreach\expandafter{\bbl@tempa}{%&
6332 \bbl@ifsamestring{##1}{remove}%&
6333 {\bbl@add@list\babeltempb{nil}}}%&
6334 {\directlua{
6335 local rep = [=[#1]=]
6336 local three_args = '%s*=%s*([%-d%.%a{}|]+)%s+([%-d%.%a{}|]+)%s+([%-d%.%a{}|]+)'
6337 & Numeric passes directly: kern, penalty...
6338 rep = rep:gsub('^s*(remove)s*$', 'remove = true')
6339 rep = rep:gsub('^s*(insert)s*$', 'insert = true, ')
6340 rep = rep:gsub('^s*(after)s*$', 'after = true, ')
6341 rep = rep:gsub('(string)s*=%s*([^\s,]*)', Babel.capture_func)
6342 rep = rep:gsub('(node)s*=%s*(%a+)%s*(%a*)', Babel.capture_node)
6343 rep = rep:gsub(' (norule)' .. three_args,
6344 'norule = { ' .. '%2, %3, %4' .. ' }')
6345 if #1 == 0 or #1 == 2 then
6346 rep = rep:gsub(' (space)' .. three_args,
6347 'space = { ' .. '%2, %3, %4' .. ' }')
6348 rep = rep:gsub(' (spacefactor)' .. three_args,
6349 'spacefactor = { ' .. '%2, %3, %4' .. ' }')
6350 rep = rep:gsub('(kashida)s*=%s*([^\s,]*)', Babel.capture_kashida)
6351 & Transform values
6352 rep, n = rep:gsub( '{([%a%-%.]+)|([%a%-%.]+)}',
6353 function(v,d)
6354 return string.format (
6355 '\the\csname bbl@id@@#3\endcsname,"%s",%s',
6356 v,
6357 load( 'return Babel.locale_props'..
6358 '\the\csname bbl@id@@#3\endcsname'..' .. d)() )
6359 end )
6360 rep, n = rep:gsub( '{([%a%-%.]+)|([%-d%.]+)}',
6361 '\the\csname bbl@id@@#3\endcsname,"%1",%2}')
6362 end
6363 if #1 == 1 then
6364 rep = rep:gsub( ' (no)s*=%s*([^\s,]*)', Babel.capture_func)
6365 rep = rep:gsub( ' (pre)s*=%s*([^\s,]*)', Babel.capture_func)
6366 rep = rep:gsub( ' (post)s*=%s*([^\s,]*)', Babel.capture_func)
6367 end
6368 tex.print([[\string\babeltempa{[] .. rep .. []]])
6369 }}}%&
6370 \bbl@foreach\babeltempb{%&
6371 \bbl@forkv{##1}{%&
6372 \in@{,###1,}{,nil,step,data,remove,insert,string,no,pre,no,&
6373 post,penalty,kashida,space,spacefactor,kern,node,after,norule,}%&
6374 \ifin@else
6375 \bbl@error{bad-transform-option}{###1}{,}%&
6376 \fi}}}%&
6377 \let\bbl@kv@attribute\relax
6378 \let\bbl@kv@label\relax
6379 \let\bbl@kv@fonts\@empty

```

```

6380 \let\bbl@kv@prepend\relax
6381 \bbl@forkv{#2}{\bbl@csarg\edef{kv@##1}{##2}}&%
6382 \ifx\bbl@kv@fonts\empty\else\bbl@settransfont\fi
6383 \ifx\bbl@kv@attribute\relax
6384 \ifx\bbl@kv@label\relax\else
6385 \bbl@exp{\bbl@trim@def\bbl@kv@fonts{\bbl@kv@fonts}}&%
6386 \bbl@replace\bbl@kv@fonts{ }{,}&%
6387 \edef\bbl@kv@attribute{\bbl@ATR@\bbl@kv@label @#3@\bbl@kv@fonts}&%
6388 \count@\z@
6389 \def\bbl@elt##1##2##3{&%
6390 \bbl@ifsamestring{#3,\bbl@kv@label}{##1,##2}&%
6391 {\bbl@ifsamestring{\bbl@kv@fonts}{##3}&%
6392 {\count@\@ne}&%
6393 {\bbl@error{font-conflict-transforms}{}}}&%
6394 {}}&%
6395 \bbl@transfont@list
6396 \ifnum\count@=\z@
6397 \bbl@exp{\global\bbl@add\bbl@transfont@list
6398 {\bbl@elt{#3}{\bbl@kv@label}{\bbl@kv@fonts}}}&%
6399 \fi
6400 \bbl@ifunset{\bbl@kv@attribute}&%
6401 {\global\bbl@carg\newattribute{\bbl@kv@attribute}}&%
6402 {}&%
6403 \global\bbl@carg\setattribute{\bbl@kv@attribute}\@ne
6404 \fi
6405 \else
6406 \edef\bbl@kv@attribute{\expandafter\bbl@stripslash\bbl@kv@attribute}&%
6407 \fi
6408 \directlua{
6409 local lbrk = Babel.linebreaking.replacements[#1]
6410 local u = unicode.utf8
6411 local id, attr, label
6412 if #1 == 0 then
6413 id = \the\csname bbl@id@@#3\endcsname\space
6414 else
6415 id = \the\csname l@#3\endcsname\space
6416 end
6417 \ifx\bbl@kv@attribute\relax
6418 attr = -1
6419 \else
6420 attr = luatexbase.registernumber'\bbl@kv@attribute'
6421 \fi
6422 \ifx\bbl@kv@label\relax\else &% Same refs:
6423 label = [==[\bbl@kv@label]==]
6424 \fi
6425 &% Convert pattern:
6426 local patt = string.gsub([==[#4]==], '%s', '')
6427 if #1 == 0 then
6428 patt = string.gsub(patt, '|', ' ')
6429 end
6430 if not u.find(patt, '()', nil, true) then
6431 patt = '()' .. patt .. '()'
6432 end
6433 if #1 == 1 then
6434 patt = string.gsub(patt, '%(%)^', '^()')
6435 patt = string.gsub(patt, '%$(%)', '()$')
6436 end
6437 patt = u.gsub(patt, '{(.)}',
6438 function (n)
6439 return '%' .. (tonumber(n) and (tonumber(n)+1) or n)
6440 end)
6441 patt = u.gsub(patt, '{(X%X%X%X+)}',
6442 function (n)

```

```

6443         return u.gsub(u.char(tonumber(n, 16)), '(%p)', '%%1')
6444     end)
6445     lbr[id] = lbr[id] or {}
6446     table.insert(lbr[id], \ifx\bbl@kv@prepend\relax\else 1,\fi
6447     { label=label, attr=attr, pattern=patt, replace={\babeltempb} })
6448 }&%
6449 \endgroup}
6450 \endgroup
6451 %
6452 \let\bbl@transfont@list\@empty
6453 \def\bbl@settransfont{%
6454   \global\let\bbl@settransfont\relax % Execute only once
6455   \gdef\bbl@transfont{%
6456     \def\bbl@elt####1####2####3{%
6457       \bbl@ifblank{####3}%
6458       {\count@tw@}% Do nothing if no fonts
6459       {\count@z@
6460         \bbl@vforeach{####3}{%
6461           \def\bbl@tempd{#####1}%
6462           \edef\bbl@tempe{\bbl@transfam/\f@series/\f@shape}%
6463           \ifx\bbl@tempd\bbl@tempe
6464             \count@ne
6465           \else\ifx\bbl@tempd\bbl@transfam
6466             \count@ne
6467           \fi\fi}%
6468           \ifcase\count@
6469             \bbl@csarg\unsetattribute{ATR@####2@####1@####3}%
6470           \or
6471             \bbl@csarg\setattribute{ATR@####2@####1@####3}\@ne
6472           \fi}%
6473       \bbl@transfont@list}%
6474   \AddToHook{selectfont}{\bbl@transfont}% Hooks are global.
6475   \gdef\bbl@transfam{-unknown-}%
6476   \bbl@foreach\bbl@font@fams{%
6477     \AddToHook{##1family}{\def\bbl@transfam{##1}}%
6478     \bbl@ifsamestring{\@nameuse{##1default}}\familydefault
6479     {\xdef\bbl@transfam{##1}}%
6480   }}}}
6481 %
6482 \DeclareRobustCommand\enablelocaletransform[1]{%
6483   \bbl@ifunset\bbl@ATR@#1@\languagename @}%
6484   {\bbl@error{transform-not-available}{#1}{}}}%
6485   {\bbl@csarg\setattribute{ATR@#1@\languagename @}\@ne}}
6486 \DeclareRobustCommand\disablelocaletransform[1]{%
6487   \bbl@ifunset\bbl@ATR@#1@\languagename @}%
6488   {\bbl@error{transform-not-available-b}{#1}{}}}%
6489   {\bbl@csarg\unsetattribute{ATR@#1@\languagename @}}}

```

The following two macros load the Lua code for transforms, but only once. The only difference is in `add_after` and `add_before`.

```

6490 \def\bbl@activateposthyphen{%
6491   \let\bbl@activateposthyphen\relax
6492   \ifx\bbl@attr@hboxed\undefined
6493     \newattribute\bbl@attr@hboxed
6494   \fi
6495   \directlua{
6496     require('babel-transforms.lua')
6497     Babel.linebreaking.add_after(Babel.post_hyphenate_replace)
6498   }}
6499 \def\bbl@activateprehyphen{%
6500   \let\bbl@activateprehyphen\relax
6501   \ifx\bbl@attr@hboxed\undefined
6502     \newattribute\bbl@attr@hboxed

```

```

6503 \fi
6504 \directlua{
6505     require('babel-transforms.lua')
6506     Babel.linebreaking.add_before(Babel.pre_hyphenate_replace)
6507 }
6508 \newcommand\SetTransformValue[3]{%
6509     \directlua{
6510         Babel.locale_props[\the\csname bbl@id@@#1\endcsname].vars["#2"] = #3
6511     }

```

The code in `babel-transforms.lua` prints at some points the current string being transformed. This macro first make sure this file is loaded. Then, activates temporarily this feature and typeset inside a box the text in the argument.

```

6512 \newcommand\ShowBabelTransforms[1]{%
6513     \bbl@activateprehyphen
6514     \bbl@activateposthyphen
6515     \beginngroup
6516     \directlua{ Babel.show_transforms = true }%
6517     \setbox\z@\vbox{#1}%
6518     \directlua{ Babel.show_transforms = false }%
6519     \endgroup}

```

The following experimental (and unfinished) macro applies the prehyphenation transforms for the current locale to a string (characters and spaces) and processes it in a fully expandable way (among other limitations, the string can't contain `]==]`). The way it operates is admittedly rather cumbersome: it converts the string to a node list, processes it, and converts it back to a string. The lua code is in the lua file below.

```

6520 \newcommand\localeprehyphenation[1]{%
6521     \directlua{ Babel.string_prehyphenation([==#1]==), \the\localeid }

```

## 10.11.Bidi

As a first step, add a handler for bidi and digits (and potentially other processes) just before `luaotfload` is applied, which is loaded by default by  $\TeX$ . Just in case, consider the possibility it has not been loaded.

```

6522 \def\bbl@activate@preotf{%
6523     \let\bbl@activate@preotf\relax % only once
6524     \directlua{
6525         function Babel.pre_otfload_v(head)
6526             if Babel.numbers and Babel.digits_mapped then
6527                 head = Babel.numbers(head)
6528             end
6529             if Babel.bidi_enabled then
6530                 head = Babel.bidi(head, false, dir)
6531             end
6532             return head
6533         end
6534         %
6535         function Babel.pre_otfload_h(head, gc, sz, pt, dir)
6536             if Babel.numbers and Babel.digits_mapped then
6537                 head = Babel.numbers(head)
6538             end
6539             if Babel.bidi_enabled then
6540                 head = Babel.bidi(head, false, dir)
6541             end
6542             return head
6543         end
6544         %
6545         luatexbase.add_to_callback('pre_linebreak_filter',
6546             Babel.pre_otfload_v,
6547             'Babel.pre_otfload_v',
6548             Babel.priority_in_callback('pre_linebreak_filter',
6549                 'luaotfload.node_processor') or nil)

```



```

6550 %
6551 \luatexbase.add_to_callback('hpack_filter',
6552   Babel.pre_otfload_h,
6553   'Babel.pre_otfload_h',
6554   Babel.priority_in_callback('hpack_filter',
6555     'luaotfload.node_processor') or nil)
6556 }}

```

The basic setup. The output is modified at a very low level to set the `\bodydir` to the `\pagedir`. Sadly, we have to deal with boxes in math with basic, so the `\bbl@mathboxdir` hack is activated every math with the package option `bidi=`. The hack for the PUA is no longer necessary with basic (24.8), but it's kept in `basic-r`.

```

6557 \breakafterdirmode=1
6558 \ifnum\bbl@bidimode>\@ne % Any bidi= except default (=1)
6559   \let\bbl@beforeforeign\leavevmode
6560   \AtEndOfPackage{\EnableBabelHook{babel-bidi}}
6561   \RequirePackage{luatexbase}
6562   \bbl@activate@preotf
6563   \directlua{
6564     require('babel-data-bidi.lua')
6565     \ifcase\expandafter\@gobbletwo\the\bbl@bidimode\or
6566       require('babel-bidi-basic.lua')
6567     \or
6568       require('babel-bidi-basic-r.lua')
6569     table.insert(Babel.ranges, {0xE000, 0xF8FF, 'on'})
6570     table.insert(Babel.ranges, {0xF000, 0xFFFFD, 'on'})
6571     table.insert(Babel.ranges, {0x10000, 0x10FFFFD, 'on'})
6572   \fi}
6573 \newattribute\bbl@attr@dir
6574 \directlua{ Babel.attr_dir = luatexbase.registernumber'bbl@attr@dir' }
6575 \bbl@exp{\output{\bodydir\pagedir\the\output}}
6576 \fi
6577 %
6578 \chardef\bbl@thetextdir\z@
6579 \chardef\bbl@thepardir\z@
6580 \def\bbl@getluadir#1{%
6581   \directlua{
6582     if tex.#ldir == 'TLT' then
6583       tex.sprint('0')
6584     elseif tex.#ldir == 'TRT' then
6585       tex.sprint('1')
6586     else
6587       tex.sprint('0')
6588     end}}
6589 \def\bbl@setluadir#1#2#3{% 1=text/par.. 2=\textdir.. 3=0 lr/1 rl
6590   \ifcase#3\relax
6591     \ifcase\bbl@getluadir{#1}\relax\else
6592       #2 TLT\relax
6593     \fi
6594   \else
6595     \ifcase\bbl@getluadir{#1}\relax
6596       #2 TRT\relax
6597     \fi
6598   \fi}

```

`\bbl@attr@dir` stores the directions with a mask: `..00PPTT`, with masks `0xC` (PP is the par dir) and `0x3` (TT is the text dir).

```

6599 \def\bbl@thedir{0}
6600 \def\bbl@textdir#1{%
6601   \bbl@setluadir{text}\textdir{#1}%
6602   \chardef\bbl@thetextdir#1\relax
6603   \edef\bbl@thedir{\the\numexpr\bbl@thepardir*4+#1}%
6604   \setattribute\bbl@attr@dir{\numexpr\bbl@thepardir*4+#1}}
6605 \def\bbl@pardir#1{% Used twice

```

```

6606 \bbl@setluadir{par}\pardir{#1}%
6607 \chardef\bbl@thepardir#1\relax}
6608 \def\bbl@bodydir{\bbl@setluadir{body}\bodydir}% Used once
6609 \def\bbl@pagedir{\bbl@setluadir{page}\pagedir}% Unused
6610 \def\bbl@dirparastext{\pardir\the\textdir\relax}% Used once

```

RTL text inside math needs special attention. It affects not only to actual math stuff, but also to ‘tabular’, which is based on a fake math.

```

6611 \ifnum\bbl@bidimode>\z@ % Any bidi=
6612 \def\bbl@insidemath{0}%
6613 \def\bbl@everymath{\def\bbl@insidemath{1}}
6614 \def\bbl@everydisplay{\def\bbl@insidemath{2}}
6615 \frozen@everymath\expandafter{%
6616 \expandafter\bbl@everymath\the\frozen@everymath}
6617 \frozen@everydisplay\expandafter{%
6618 \expandafter\bbl@everydisplay\the\frozen@everydisplay}
6619 \AtBeginDocument{
6620 \directlua{
6621 function Babel.math_box_dir(head)
6622 if not (token.get_macro('bbl@insidemath') == '0') then
6623 if Babel.hlist_has_bidi(head) then
6624 local d = node.new(node.id'dir')
6625 d.dir = '+TRT'
6626 node.insert_before(head, node.has_glyph(head), d)
6627 local inmath = false
6628 for item in node.traverse(head) do
6629 if item.id == 11 then
6630 inmath = (item.subtype == 0)
6631 elseif not inmath then
6632 node.set_attribute(item,
6633 Babel.attr_dir, token.get_macro('bbl@thedir'))
6634 end
6635 end
6636 end
6637 end
6638 return head
6639 end
6640 luatexbase.add_to_callback("hpack_filter", Babel.math_box_dir,
6641 "Babel.math_box_dir", 0)
6642 if Babel.unset_atdir then
6643 luatexbase.add_to_callback("pre_linebreak_filter", Babel.unset_atdir,
6644 "Babel.unset_atdir")
6645 luatexbase.add_to_callback("hpack_filter", Babel.unset_atdir,
6646 "Babel.unset_atdir")
6647 end
6648 }}%
6649 \fi

```

Experimental. Tentative name.

```

6650 \DeclareRobustCommand\localebox[1]{%
6651 {\def\bbl@insidemath{0}%
6652 \mbox{\foreignlanguage{\language}\language{#1}}}}

```

## 10.12 Layout

Unlike xetex, luatex requires only minimal changes for right-to-left layouts, particularly in monolingual documents (the engine itself reverses boxes – including column order or headings –, margins, etc.) with `bidi=basic`, without having to patch almost any macro where text direction is relevant.

Still, there are three areas deserving special attention, namely, tabular, math, and graphics, text and intrinsically left-to-right elements are intermingled. I’ve made some progress in graphics, but they’re essentially hacks; I’ve also made some progress in ‘tabular’, but when I decided to tackle math (both standard math and ‘amsmath’) the nightmare began. I’m still not sure how ‘amsmath’

should be modified, but the main problem is that, boxes are “generic” containers that can hold text, math, and graphics (even at the same time; remember that inline math is included in the list of text nodes marked with ‘math’ (11) nodes too).

\@hangfrom is useful in many contexts and it is redefined always with the layout option.

There are, however, a number of issues when the text direction is not the same as the box direction (as set by \bodydir), and when \parbox and \hangindent are involved. Fortunately, latest releases of luatex simplify a lot the solution with \shapemode.

With the issue #15 I realized commands are best patched, instead of redefined. With a few lines, a modification could be applied to several classes and packages. Now, tabular seems to work (at least in simple cases) with array, tabularx, hhline, colortbl, longtable, booktabs, etc. However, dcolumn still fails.

```

6653 \bbl@trace{Redefinitions for bidi layout}
6654 %
6655 <<{*More package options}>> ≡
6656 \chardef\bbl@eqnpos\z@
6657 \DeclareOption{leqno}{\chardef\bbl@eqnpos\@ne}
6658 \DeclareOption{fleqn}{\chardef\bbl@eqnpos\@tw@}
6659 <</More package options>>
6660 %
6661 \ifnum\bbl@bidimode>\z@ % Any bidi=
6662   \matheqdirmode\@ne % A luatex primitive
6663   \mathemptydisplaymode\@ne % Another
6664   \let\bbl@eqnudir\relax
6665   \def\bbl@eqdel{()}
6666   \def\bbl@eqnum{%
6667     {\normalfont\normalcolor
6668       \expandafter\@firstoftwo\bbl@eqdel
6669       \theequation
6670       \expandafter\@secondoftwo\bbl@eqdel}}
6671   \def\bbl@puteqno#1{\eqno\hbox{#1}}
6672   \def\bbl@putleqno#1{\leqno\hbox{#1}}
6673   \def\bbl@eqno@flip#1{%
6674     \ifdim\predisplaysize=-\maxdimen
6675       \eqno
6676       \hb@xt@.01pt{%
6677         \hb@xt@\displaywidth{\hss#1\glet\bbl@upset\@currentlabel}}\hss}%
6678     \else
6679       \leqno\hbox{#1\glet\bbl@upset\@currentlabel}%
6680     \fi
6681     \bbl@exp{\def\\@currentlabel{\bbl@upset}}}
6682   \def\bbl@leqno@flip#1{%
6683     \ifdim\predisplaysize=-\maxdimen
6684       \leqno
6685       \hb@xt@.01pt{%
6686         \hss\hb@xt@\displaywidth{#1\glet\bbl@upset\@currentlabel}\hss}%
6687     \else
6688       \eqno\hbox{#1\glet\bbl@upset\@currentlabel}%
6689     \fi
6690     \bbl@exp{\def\\@currentlabel{\bbl@upset}}}
6691 %
6692 \AtBeginDocument{%
6693   \ifx\bbl@noamsmath\relax\else
6694     \ifx\maketag@@@\@undefined % Normal equation, eqnarray
6695       \AddToHook{env/equation/begin}{%
6696         \ifnum\bbl@thetextdir>\z@
6697           \def\bbl@mathboxdir{\def\bbl@insidemath{1}}%
6698           \let\@eqnnum\bbl@eqnum
6699           \edef\bbl@eqnudir{\noexpand\bbl@textdir{\the\bbl@thetextdir}}%
6700           \chardef\bbl@thetextdir\z@
6701           \bbl@add\normalfont{\bbl@eqnudir}%
6702           \ifcase\bbl@eqnpos
6703             \let\bbl@puteqno\bbl@eqno@flip
6704             \or

```

```

6705         \let\bbl@puteqno\bbl@leqno@flip
6706     \fi
6707 \fi}%
6708 \ifnum\bbl@eqnpos=\tw@\else
6709     \def\endequation{\bbl@puteqno{\@eqnnum}$\@ignoretrue}%
6710 \fi
6711 \AddToHook{env/eqnarray/begin}{%
6712     \ifnum\bbl@thetextdir>\z@
6713         \def\bbl@mathboxdir{\def\bbl@insidemath{1}}%
6714         \edef\bbl@eqnodir{\noexpand\bbl@textdir{\the\bbl@thetextdir}}%
6715         \chardef\bbl@thetextdir\z@
6716         \bbl@add\normalfont{\bbl@eqnodir}%
6717         \ifnum\bbl@eqnpos=\@ne
6718             \def\@eqnnum{%
6719                 \setbox\z@\hbox{\bbl@eqnum}%
6720                 \hbox to0.01pt{\hss\hbox to\displaywidth{\box\z@\hss}}}%
6721         \else
6722             \let\@eqnnum\bbl@eqnum
6723         \fi
6724     \fi}
6725 % Hack for wrong vertical spacing with \[ \]. YA luatex bug?:
6726 \expandafter\bbl@sreplace\cename \endcsname{$$}{\eqno\kern.001pt$}$%
6727 \expandafter\bbl@sreplace\cename \endcsname
6728     {\dollar\dollar@end}{\eqno\kern.001pt\dollar\dollar@end}%
6729 \else % amstex
6730     \bbl@exp{% Hack to hide maybe undefined conditionals:
6731         \chardef\bbl@eqnpos=0%
6732         \<iftagsleft@>1\<else>\<if@fleqn>2\<fi>\<fi>\relax}%
6733     \ifnum\bbl@eqnpos=\@ne
6734         \let\bbl@ams@lap\hbox
6735     \else
6736         \let\bbl@ams@lap\llap
6737     \fi
6738     \ExplSyntaxOn % Required by \bbl@sreplace with \intertext@
6739     \bbl@sreplace\intertext@{\normalbaselines}%
6740     {\normalbaselines
6741         \ifx\bbl@eqnodir\relax\else\bbl@pardir\@ne\bbl@eqnodir\fi}%
6742     \ExplSyntaxOff
6743     \def\bbl@ams@tagbox#1#2{#1{\bbl@eqnodir#2}}% #1=hbox|@lap|flip
6744     \ifx\bbl@ams@lap\hbox % leqno
6745         \def\bbl@ams@flip#1{%
6746             \hbox to 0.01pt{\hss\hbox to\displaywidth{{#1}\hss}}}%
6747     \else % eqno
6748         \def\bbl@ams@flip#1{%
6749             \hbox to 0.01pt{\hbox to\displaywidth{\hss{#1}\hss}}}%
6750     \fi
6751     \def\bbl@ams@preset#1{%
6752         \def\bbl@mathboxdir{\def\bbl@insidemath{1}}%
6753         \ifnum\bbl@thetextdir>\z@
6754             \edef\bbl@eqnodir{\noexpand\bbl@textdir{\the\bbl@thetextdir}}%
6755             \bbl@sreplace\textdef@{\hbox}{\bbl@ams@tagbox\hbox}%
6756             \bbl@sreplace\maketag@@@{\hbox}{\bbl@ams@tagbox#1}%
6757         \fi}%
6758     \ifnum\bbl@eqnpos=\tw@\else
6759         \def\bbl@ams@equation{%
6760             \def\bbl@mathboxdir{\def\bbl@insidemath{1}}%
6761             \ifnum\bbl@thetextdir>\z@
6762                 \edef\bbl@eqnodir{\noexpand\bbl@textdir{\the\bbl@thetextdir}}%
6763                 \chardef\bbl@thetextdir\z@
6764                 \bbl@add\normalfont{\bbl@eqnodir}%
6765                 \ifcase\bbl@eqnpos
6766                     \def\veqno##1##2{\bbl@eqno@flip{##1##2}}%
6767                 \or

```

```

6768         \def\veqno##1##2{\bbl@leqno@flip{##1##2}}%
6769     \fi
6770 \fi}%
6771 \AddToHook{env/equation/begin}{\bbl@ams@equation}%
6772 \AddToHook{env/equation*/begin}{\bbl@ams@equation}%
6773 \fi
6774 \AddToHook{env/cases/begin}{\bbl@ams@preset\bbl@ams@lap}%
6775 \AddToHook{env/multline/begin}{\bbl@ams@preset\hbox}%
6776 \AddToHook{env/gather/begin}{\bbl@ams@preset\bbl@ams@lap}%
6777 \AddToHook{env/gather*/begin}{\bbl@ams@preset\bbl@ams@lap}%
6778 \AddToHook{env/align/begin}{\bbl@ams@preset\bbl@ams@lap}%
6779 \AddToHook{env/align*/begin}{\bbl@ams@preset\bbl@ams@lap}%
6780 \AddToHook{env/alignat/begin}{\bbl@ams@preset\bbl@ams@lap}%
6781 \AddToHook{env/alignat*/begin}{\bbl@ams@preset\bbl@ams@lap}%
6782 \AddToHook{env/eqnalign/begin}{\bbl@ams@preset\hbox}%
6783 % Hackish, for proper alignment. Don't ask me why it works!:
6784 \bbl@exp{% Avoid a 'visible' conditional
6785     \\\AddToHook{env/align*/end}{\<iftag@>\<else>\\tag*{\<fi>}}%
6786     \\\AddToHook{env/alignat*/end}{\<iftag@>\<else>\\tag*{\<fi>}}%
6787 \AddToHook{env/flalign/begin}{\bbl@ams@preset\hbox}%
6788 \AddToHook{env/split/before}{%
6789     \def\bbl@mathboxdir{\def\bbl@insidemath{1}}%
6790     \ifnum\bbl@thetextdir>\z@
6791         \bbl@ifsamestring\@currentenv{equation}%
6792         {\ifx\bbl@ams@lap\hbox % leqno
6793             \def\bbl@ams@flip#1{%
6794                 \hbox to 0.01pt{\hbox to\displaywidth{#{1}\hss}\hss}}%
6795             \else
6796                 \def\bbl@ams@flip#1{%
6797                     \hbox to 0.01pt{\hss\hbox to\displaywidth{\hss#{1}}}}%
6798             \fi}%
6799         }%
6800     \fi}%
6801 \fi\fi}
6802 \fi

```

Declarations specific to lua, called by \babelprovide.

```

6803 \def\bbl@provide@extra#1{%
6804     % == onchar ==
6805     \ifx\bbl@KVP@onchar\@nnil\else
6806         \bbl@luahyphenate
6807         \bbl@exp{%
6808             \\\AddToHook{env/document/before}{%
6809                 {\let\\bbl@ifrestoring\\@firstoftwo
6810                     \\\select@language{#1}}}}%
6811         \directlua{
6812             if Babel.locale_mapped == nil then
6813                 Babel.locale_mapped = true
6814                 Babel.linebreaking.add_before(Babel.locale_map, 1)
6815                 Babel.loc_to_scr = {}
6816                 Babel.chr_to_loc = Babel.chr_to_loc or {}
6817             end
6818             Babel.locale_props[\the\localeid].letters = false
6819         }%
6820         \bbl@xin@{ letters }{ \bbl@KVP@onchar\space}%
6821         \ifin@
6822             \directlua{
6823                 Babel.locale_props[\the\localeid].letters = true
6824             }%
6825         \fi
6826         \bbl@xin@{ ids }{ \bbl@KVP@onchar\space}%
6827         \ifin@
6828             \ifx\bbl@starthyphens\@undefined % Needed if no explicit selection

```

```

6829     \AddBabelHook{babel-onchar}{beforestart}{\bbel@starthyphens}}%
6830 \fi
6831 \bbel@exp{\bbel@add{\bbel@starthyphens
6832     {\bbel@patterns@lua{\language\language}}}%
6833 \directlua{
6834     if Babel.script_blocks['\bbel@cl{sbc}'] then
6835         Babel.loc_to_scr[\the\localeid] = Babel.script_blocks['\bbel@cl{sbc}']
6836         Babel.locale_props[\the\localeid].lg = \the\@nameuse{l\language}\space
6837     end
6838 }%
6839 \fi
6840 \bbel@xin@{ fonts }{ \bbel@KVP@onchar\space}%
6841 \ifin@
6842     \bbel@ifunset{bbel@lsys\language}{\bbel@provide@lsys\language}}}%
6843     \bbel@ifunset{bbel@wdir\language}{\bbel@provide@dirs\language}}}%
6844 \directlua{
6845     if Babel.script_blocks['\bbel@cl{sbc}'] then
6846         Babel.loc_to_scr[\the\localeid] =
6847         Babel.script_blocks['\bbel@cl{sbc}']
6848     end}%
6849 \ifx\bbel@mapselect\undefined
6850     \AtBeginDocument{%
6851         \bbel@patchfont{\bbel@mapselect}}%
6852         {\selectfont}}%
6853     \def\bbel@mapselect{%
6854         \let\bbel@mapselect\relax
6855         \edef\bbel@prefontid{\fontid\font}}%
6856     \def\bbel@mapdir##1{%
6857         \begingroup
6858         \setbox\z@ \hbox{% Force text mode
6859             \def\language{##1}%
6860             \let\bbel@ifrestoring\@firstoftwo % To avoid font warning
6861             \bbel@switchfont
6862             \ifnum\fontid\font>\z@ % A hack, for the pgf nullfont hack
6863             \directlua{
6864                 Babel.locale_props[\the\csname bbel@id@##1\endcsname]%
6865                 [\bbel@prefontid'] = \fontid\font\space}%
6866             \fi}%
6867         \endgroup}%
6868     \fi
6869     \bbel@exp{\bbel@add{\bbel@mapselect{\bbel@mapdir\language}}}%
6870 \fi
6871 \fi
6872 % == mapfont ==
6873 % For bidi texts, to switch the font based on direction. Deprecated
6874 \ifx\bbel@KVP@mapfont\@nnil\else
6875     \bbel@ifsamestring{\bbel@KVP@mapfont}{direction}}}%
6876     {\bbel@error{unknown-mapfont}}}%
6877     \bbel@ifunset{bbel@lsys\language}{\bbel@provide@lsys\language}}}%
6878     \bbel@ifunset{bbel@wdir\language}{\bbel@provide@dirs\language}}}%
6879 \ifx\bbel@mapselect\undefined
6880     \AtBeginDocument{%
6881         \bbel@patchfont{\bbel@mapselect}}%
6882         {\selectfont}}%
6883     \def\bbel@mapselect{%
6884         \let\bbel@mapselect\relax
6885         \edef\bbel@prefontid{\fontid\font}}%
6886     \def\bbel@mapdir##1{%
6887         {\def\language{##1}%
6888         \let\bbel@ifrestoring\@firstoftwo % avoid font warning
6889         \bbel@switchfont
6890         \directlua{Babel.fontmap
6891             [\the\csname bbel@wdir@##1\endcsname]}%

```

```

6892         [\bbl@prefontid]=\fontid\font}}}%
6893     \fi
6894     \bbl@exp{\bbl@add\bbl@mapselect{\bbl@mapdir{\languagename}}}%
6895 \fi
6896 % == Line breaking: CJK quotes ==
6897 \ifcase\bbl@engine\or
6898     \bbl@xin{/c}{/\bbl@ccl{lnbrk}}}%
6899 \ifin@
6900     \bbl@ifunset{\bbl@quote@\languagename}{}%
6901     {\directlua{
6902         Babel.locale_props[\the\localeid].cjk_quotes = {}
6903         local cs = 'op'
6904         for c in string.utfvalues(
6905             [[\csname \bbl@quote@\languagename\endcsname]]) do
6906             if Babel.cjk_characters[c].c == 'qu' then
6907                 Babel.locale_props[\the\localeid].cjk_quotes[c] = cs
6908             end
6909             cs = ( cs == 'op') and 'cl' or 'op'
6910         end
6911     }}%
6912 \fi
6913 \fi
6914 % == Counters: mapdigits ==
6915 % Native digits
6916 \ifx\bbl@KVP@mapdigits\@nnil\else
6917     \bbl@ifunset{\bbl@dgnat@\languagename}{}%
6918     {\bbl@activate@preotf
6919     \directlua{
6920         Babel.digits_mapped = true
6921         Babel.digits = Babel.digits or {}
6922         Babel.digits[\the\localeid] =
6923             table.pack(string.utfvalue('\bbl@ccl{dgnat}'))
6924         if not Babel.numbers then
6925             function Babel.numbers(head)
6926                 local LOCALE = Babel.attr_locale
6927                 local GLYPH = node.id'glyph'
6928                 local inmath = false
6929                 for item in node.traverse(head) do
6930                     if not inmath and item.id == GLYPH then
6931                         local temp = node.get_attribute(item, LOCALE)
6932                         if Babel.digits[temp] then
6933                             local chr = item.char
6934                             if chr > 47 and chr < 58 then
6935                                 item.char = Babel.digits[temp][chr-47]
6936                             end
6937                         end
6938                     elseif item.id == node.id'math' then
6939                         inmath = (item.subtype == 0)
6940                     end
6941                 end
6942                 return head
6943             end
6944         end
6945     }}%
6946 \fi
6947 % == transforms ==
6948 \ifx\bbl@KVP@transforms\@nnil\else
6949     \def\bbl@elt##1##2##3{%
6950         \in@{${transforms.}}{##1}%
6951         \ifin@
6952             \def\bbl@tempa{##1}%
6953             \bbl@replace\bbl@tempa{transforms.}%
6954             \bbl@carg\bbl@transforms{babel\bbl@tempa}{##2}{##3}%

```

```

6955 \fi}%
6956 \bbl@exp{%
6957 \\\bbl@ifblank{\bbl@cl{dgnat}}}%
6958 {\let\\bbl@tempa\relax}%
6959 {\def\\bbl@tempa{%
6960 \\\bbl@elt{transforms.prehyphenation}%
6961 {digits.native.1.0}{([0-9]))}%
6962 \\\bbl@elt{transforms.prehyphenation}%
6963 {digits.native.1.1}{string={\string|0123456789\string|\bbl@cl{dgnat}}}}}%
6964 \ifx\bbl@tempa\relax\else
6965 \toks@{\expandafter\expandafter\expandafter{%
6966 \csname bbl@inidata@\language\endcsname}%
6967 \bbl@csarg\edef{inidata@\language}{%
6968 \unexpanded\expandafter{\bbl@tempa}%
6969 \the\toks@}%
6970 \fi
6971 \csname bbl@inidata@\language\endcsname
6972 \bbl@release@transforms\relax % \relax closes the last item.
6973 \fi}

```

Start tabular here:

```

6974 \def\localerestoredirs{%
6975 \ifcase\bbl@thetextdir
6976 \ifnum\textdirection=\z@\else\textdir TLT\fi
6977 \else
6978 \ifnum\textdirection=\@ne\else\textdir TRT\fi
6979 \fi
6980 \ifcase\bbl@thepardir
6981 \ifnum\pardirection=\z@\else\pardir TLT\bodydir TLT\fi
6982 \else
6983 \ifnum\pardirection=\@ne\else\pardir TRT\bodydir TRT\fi
6984 \fi}
6985 %
6986 \IfBabelLayout{tabular}%
6987 {\chardef\bbl@tabular@mode\tw@}% All RTL
6988 {\IfBabelLayout{notabular}%
6989 {\chardef\bbl@tabular@mode\z@}%
6990 {\chardef\bbl@tabular@mode\@ne}}% Mixed, with LTR cols
6991 %
6992 \ifnum\bbl@bidimode>\@ne % Any lua bidi= except default=1
6993 % Redefine: vrules mess up dirs.
6994 \def\@arstrut{\relax\copy\@arstrutbox}%
6995 \ifcase\bbl@tabular@mode\or % 1 = Mixed - default
6996 \let\bbl@parabefore\relax
6997 \AddToHook{para/before}{\bbl@parabefore}
6998 \AtBeginDocument{%
6999 \bbl@replace\@tabular{${}}{${}
7000 \def\bbl@insidemath{0}%
7001 \def\bbl@parabefore{\localerestoredirs}}%
7002 \ifnum\bbl@tabular@mode=\@ne
7003 \bbl@ifunset{@tabclassz}{\{}%
7004 \bbl@exp{% Hide conditionals
7005 \\\bbl@sreplace\\\@tabclassz
7006 {\<ifcase>\\\@chnum}%
7007 {\\\localerestoredirs\<ifcase>\\\@chnum}}}%
7008 \@ifpackageloaded{colortbl}%
7009 {\bbl@sreplace\@classz
7010 {\hbox\bgroup\bgroup}{\hbox\bgroup\bgroup\localerestoredirs}}%
7011 {\@ifpackageloaded{array}%
7012 {\bbl@exp{% Hide conditionals
7013 \\\bbl@sreplace\\\@classz
7014 {\<ifcase>\\\@chnum}%
7015 {\bgroup\\\localerestoredirs\<ifcase>\\\@chnum}%

```



```

7016          \\bbl@sreplace\\@classz
7017          {\\do@row@strut\<fi>}{\\do@row@strut\<fi>\egroup}}}%
7018      {}}%
7019  \fi}%
7020 \or % 2 = All RTL - tabular
7021   \let\bbl@parabefore\relax
7022   \AddToHook{para/before}{\bbl@parabefore}%
7023   \AtBeginDocument{%
7024     \ifpackageloaded{colortbl}%
7025       {\bbl@replace\@tabular{$}{$%
7026         \def\bbl@insidemath{0}%
7027         \def\bbl@parabefore{\localerestoredirs}}}%
7028       \bbl@sreplace\@classz
7029       {\hbox\bgroup\bgroup}{\hbox\bgroup\bgroup\localerestoredirs}}}%
7030     {}}%
7031  \fi

```

Very likely the `\output` routine must be patched in a quite general way to make sure the `\bodydir` is set to `\pagedir`. Note outside `\output` they can be different (and often are). For the moment, two *ad hoc* changes.

```

7032 \AtBeginDocument{%
7033   \ifpackageloaded{multicol}%
7034     {\toks@ \expandafter{\multi@column@out}%
7035     \edef\multi@column@out{\bodydir\pagedir\the\toks@}}}%
7036   {}}%
7037   \ifpackageloaded{paracol}%
7038     {\edef\pcol@output{%
7039       \bodydir\pagedir\unexpanded\expandafter{\pcol@output}}}%
7040     {}}%
7041 \fi

```

Finish here if there is no layout.

```

7042 \ifx\bbl@opt@layout\@nnil\endinput\fi

```

OMEGA provided a companion to `\mathdir` (`\nextfake`) for those cases where we did not want it to be applied, so that the writing direction of the main text was left unchanged. `\bbl@nextfake` is an attempt to emulate it, because `luatex` has removed it without an alternative. Used in `tabular`, `\underline` and `\LaTeX`. Also, `\hangindent` does not honour direction changes by default, so we need to redefine `\@hangfrom`.

```

7043 \ifnum\bbl@bidimode>\z@ % Any bidi=
7044   \def\bbl@nextfake#1{% non-local changes, use always inside a group!
7045     \bbl@exp{%
7046       \mathdir\the\bodydir
7047       #1% Once entered in math, set boxes to restore values
7048       \def\\bbl@insidemath{0}%
7049       \<ifmmode>%
7050         \everyvbox{%
7051           \the\everyvbox
7052           \bodydir\the\bodydir
7053           \mathdir\the\mathdir
7054           \everyhbox{\the\everyhbox}%
7055           \everyvbox{\the\everyvbox}}}%
7056         \everyhbox{%
7057           \the\everyhbox
7058           \bodydir\the\bodydir
7059           \mathdir\the\mathdir
7060           \everyhbox{\the\everyhbox}%
7061           \everyvbox{\the\everyvbox}}}%
7062       \<fi>}}%
7063 \IfBabelLayout{nopars}
7064 {}
7065 {\edef\bbl@opt@layout{\bbl@opt@layout.pars.}}%
7066 \IfBabelLayout{pars}
7067 {\def\@hangfrom#1{%

```

```

7068 \setbox\@tempboxa\hbox{{#1}}%
7069 \hangindent\wd\@tempboxa
7070 \ifnum\bbbl@getluadir{page}=\bbbl@getluadir{par}\else
7071 \shapemode\@ne
7072 \fi
7073 \noindent\box\@tempboxa}}
7074 {}
7075 \fi
7076 %
7077 \IfBabelLayout{tabular}
7078 {\let\bbbl@OL@tabular\@tabular
7079 \bbbl@replace\@tabular{$}\{\bbbl@nextfake$\}%
7080 \let\bbbl@NL@tabular\@tabular
7081 \AtBeginDocument{%
7082 \ifx\bbbl@NL@tabular\@tabular\else
7083 \bbbl@exp{\in@\{\bbbl@nextfake$\}\{[@tabular]\}}%
7084 \ifin\@else
7085 \bbbl@replace\@tabular{$}\{\bbbl@nextfake$\}%
7086 \fi
7087 \let\bbbl@NL@tabular\@tabular
7088 \fi}}
7089 {}
7090 %
7091 \IfBabelLayout{lists}
7092 {\let\bbbl@OL@list\list
7093 \bbbl@sreplace\list{\parshape}\{\bbbl@listparshape}%
7094 \let\bbbl@NL@list\list
7095 \def\bbbl@listparshape#1#2#3{%
7096 \parshape #1 #2 #3 %
7097 \ifnum\bbbl@getluadir{page}=\bbbl@getluadir{par}\else
7098 \shapemode\tw@
7099 \fi}}
7100 {}
7101 %
7102 \IfBabelLayout{graphics}
7103 {\let\bbbl@pictresetdir\relax
7104 \def\bbbl@pictsetdir#1{%
7105 \ifcase\bbbl@thetextdir
7106 \let\bbbl@pictresetdir\relax
7107 \else
7108 \ifcase#1\bodydir TLT % Remember this sets the inner boxes
7109 \or\textdir TLT
7110 \else\bodydir TLT \textdir TLT
7111 \fi
7112 % \(\text|par)dir required in pgf:
7113 \def\bbbl@pictresetdir{\bodydir TRT\pardir TRT\textdir TRT\relax}%
7114 \fi}%
7115 \AddToHook{env/picture/begin}\{\bbbl@pictsetdir\tw@\}%
7116 \directlua{
7117 Babel.get_picture_dir = true
7118 Babel.picture_has_bidi = 0
7119 %
7120 function Babel.picture_dir (head)
7121 if not Babel.get_picture_dir then return head end
7122 if Babel.hlist_has_bidi(head) then
7123 Babel.picture_has_bidi = 1
7124 end
7125 return head
7126 end
7127 luatexbase.add_to_callback("hpack_filter", Babel.picture_dir,
7128 "Babel.picture_dir")
7129 }%
7130 \AtBeginDocument{%

```

```

7131 \def\LS@rot{%
7132 \setbox\@outputbox\vbox{%
7133 \hbox dir TLT{\rotatebox{90}{\box\@outputbox}}}%
7134 \long\def\put(#1,#2)#3{%
7135 \@killglue
7136 % Try:
7137 \ifx\bbp@pictresetdir\relax
7138 \def\bbp@tempc{0}%
7139 \else
7140 \directlua{
7141 Babel.get_picture_dir = true
7142 Babel.picture_has_bidi = 0
7143 }%
7144 \setbox\z@\hb@xt@\z@{%
7145 \@defaultunitsset\@tempdimc{#1}\unitlength
7146 \kern\@tempdimc
7147 #3\hss}%
7148 \edef\bbp@tempc{\directlua{tex.print(Babel.picture_has_bidi)}}%
7149 \fi
7150 % Do:
7151 \@defaultunitsset\@tempdimc{#2}\unitlength
7152 \raise\@tempdimc\hb@xt@\z@{%
7153 \@defaultunitsset\@tempdimc{#1}\unitlength
7154 \kern\@tempdimc
7155 {\ifnum\bbp@tempc>\z@\bbp@pictresetdir\fi#3}\hss}%
7156 \ignorespaces}%
7157 \MakeRobust\put}%
7158 \AtBeginDocument
7159 {\AddToHook{cmd/diagbox@pict/before}{\let\bbp@pictsetdir\@gobble}%
7160 \ifx\pgfpicture\@undefined\else
7161 \AddToHook{env/pgfpicture/begin}{\bbp@pictsetdir\@ne}%
7162 \bbp@add\pgfinterruptpicture{\bbp@pictresetdir}%
7163 \bbp@add\pgfsys@beginpicture{\bbp@pictsetdir\z@}%
7164 \fi
7165 \ifx\tikzpicture\@undefined\else
7166 \AddToHook{env/tikzpicture/begin}{\bbp@pictsetdir\tw}%
7167 \bbp@add\tikz@atbegin@node{\bbp@pictresetdir}%
7168 \bbp@sreplace\tikz{\begingroup}{\begingroup\bbp@pictsetdir\tw}%
7169 \bbp@sreplace\tikzpicture{\begingroup}{\begingroup\bbp@pictsetdir\tw}%
7170 \fi
7171 \ifx\tcolorbox\@undefined\else
7172 \def\tcb@drawing@env@begin{%
7173 \csname tcb@before@\tcb@split@state\endcsname
7174 \bbp@pictsetdir\tw@
7175 \begin{\kv tcb@graphenv}%
7176 \tcb@bbdraw
7177 \tcb@apply@graph@patches}%
7178 \def\tcb@drawing@env@end{%
7179 \end{\kv tcb@graphenv}%
7180 \bbp@pictresetdir
7181 \csname tcb@after@\tcb@split@state\endcsname}%
7182 \fi
7183 }}
7184 {}

```

Implicitly reverses sectioning labels in bidi=basic-r, because the full stop is not in contact with L numbers any more. I think there must be a better way. Assumes bidi=basic, but there are some additional readjustments for bidi=default.

```

7185 \IfBabelLayout{counters*}%
7186 {\bbp@add\bbp@opt@layout{.counters.}%
7187 \directlua{
7188 luatexbase.add_to_callback("process_output_buffer",
7189 Babel.discard_sublr , "Babel.discard_sublr") }%

```

```

7190 {}{}
7191 \IfBabelLayout{counters}%
7192 {\let\bbl@0L@textsuperscript\@textsuperscript
7193 \bbl@sreplace\@textsuperscript{\m@th}{\m@th\mathdir\pagedir}%
7194 \let\bbl@latinarabic=\@arabic
7195 \let\bbl@0L@arabic\@arabic
7196 \def\@arabic#1{\babelsublr{\bbl@latinarabic#1}}%
7197 \ifpackagewith{babel}{bidi=default}%
7198 {\let\bbl@asciroman=\@roman
7199 \let\bbl@0L@roman\@roman
7200 \def\@roman#1{\babelsublr{\ensureascii{\bbl@asciroman#1}}}%
7201 \let\bbl@asciiRoman=\@Roman
7202 \let\bbl@0L@roman\@Roman
7203 \def\@Roman#1{\babelsublr{\ensureascii{\bbl@asciiRoman#1}}}%
7204 \let\bbl@0L@labelenumii\labelenumii
7205 \def\labelenumii{}\theenumii}%
7206 \let\bbl@0L@p@enumiii\p@enumiii
7207 \def\p@enumiii{\p@enumii}\theenumii{}}{}{}

```

Some  $\TeX$  macros use internally the math mode for text formatting. They have very little in common and are grouped here, as a single option.

```

7208 \IfBabelLayout{extras}%
7209 {\bbl@ncarg\let\bbl@0L@underline{underline }%
7210 \bbl@carg\bbl@sreplace{underline }%
7211 {\$@@underline}{\bgroup\bbl@nextfake$@@underline}%
7212 \bbl@carg\bbl@sreplace{underline }%
7213 {\m@th$}{\m@th$\egroup}%
7214 \let\bbl@0L@LaTeXe\LaTeXe
7215 \DeclareRobustCommand{\LaTeXe}{\mbox{\m@th
7216 \if b\expandafter\@car\@fseries\@nil\boldmath\fi
7217 \babelsublr{%
7218 \LaTeX\kern.15em2\bbl@nextfake$_{\textstyle\varepsilon}$}}}%
7219 {}
7220 </luatex>

```

### 10.13 Lua: transforms

After declaring the table containing the patterns with their replacements, we define some auxiliary functions: `str_to_nodes` converts the string returned by a function to a node list, taking the node at base as a model (font, language, etc.); `fetch_word` fetches a series of glyphs and discretionaries, which pattern is matched against (if there is a match, it is called again before trying other patterns, and this is very likely the main bottleneck).

`post_hyphenate_replace` is the callback applied after `lang.hyphenate`. This means the automatic hyphenation points are known. As empty captures return a byte position (as explained in the `luatex manual`), we must convert it to a utf8 position. With `first`, the last byte can be the leading byte in a utf8 sequence, so we just remove it and add 1 to the resulting length. With `last` we must take into account the capture position points to the next character. Here `word_head` points to the starting node of the text to be matched.

```

7221 <{*transforms>
7222 Babel.linebreaking.replacements = {}
7223 Babel.linebreaking.replacements[0] = {} -- pre
7224 Babel.linebreaking.replacements[1] = {} -- post
7225
7226 function Babel.tovalue(v)
7227   if type(v) == 'table' then
7228     return Babel.locale_props[v[1]].vars[v[2]] or v[3]
7229   else
7230     return v
7231   end
7232 end
7233
7234 Babel.attr_hboxed = luatexbase.registernumber'bbl@attr@hboxed'
7235

```

```

7236 function Babel.set_hboxed(head, gc)
7237   for item in node.traverse(head) do
7238     node.set_attribute(item, Babel.attr_hboxed, 1)
7239   end
7240   return head
7241 end
7242
7243 Babel.fetch_subtext = {}
7244
7245 Babel.ignore_pre_char = function(node)
7246   return (node.lang == Babel.nohyphenation)
7247 end
7248
7249 Babel.show_transforms = false
7250
7251 -- Merging both functions doesn't seem feasible, because there are too
7252 -- many differences.
7253 Babel.fetch_subtext[0] = function(head)
7254   local word_string = ''
7255   local word_nodes = {}
7256   local lang
7257   local item = head
7258   local inmath = false
7259
7260   while item do
7261     if item.id == 11 then
7262       inmath = (item.subtype == 0)
7263     end
7264
7265     if inmath then
7266       -- pass
7267     end
7268
7269     elseif item.id == 29 then
7270       local locale = node.get_attribute(item, Babel.attr_locale)
7271
7272       if lang == locale or lang == nil then
7273         lang = lang or locale
7274         if Babel.ignore_pre_char(item) then
7275           word_string = word_string .. Babel.us_char
7276         else
7277           if node.has_attribute(item, Babel.attr_hboxed) then
7278             word_string = word_string .. Babel.us_char
7279           else
7280             word_string = word_string .. unicode.utf8.char(item.char)
7281           end
7282         end
7283         word_nodes[#word_nodes+1] = item
7284       else
7285         break
7286       end
7287
7288       elseif item.id == 12 and item.subtype == 13 then
7289         if node.has_attribute(item, Babel.attr_hboxed) then
7290           word_string = word_string .. Babel.us_char
7291         else
7292           word_string = word_string .. ' '
7293         end
7294         word_nodes[#word_nodes+1] = item
7295
7296         -- Ignore leading unrecognized nodes, too.
7297         elseif word_string ~= '' then
7298           word_string = word_string .. Babel.us_char

```

```

7299     word_nodes[#word_nodes+1] = item -- Will be ignored
7300 end
7301
7302     item = item.next
7303 end
7304
7305 -- Here and above we remove some trailing chars but not the
7306 -- corresponding nodes. But they aren't accessed.
7307 if word_string:sub(-1) == ' ' then
7308     word_string = word_string:sub(1,-2)
7309 end
7310 if Babel.show_transforms then texio.write_nl(word_string) end
7311 word_string = unicode.utf8.gsub(word_string, Babel.us_char .. '+$', '')
7312 return word_string, word_nodes, item, lang
7313 end
7314
7315 Babel.fetch_subtext[1] = function(head)
7316     local word_string = ''
7317     local word_nodes = {}
7318     local lang
7319     local item = head
7320     local inmath = false
7321
7322     while item do
7323
7324         if item.id == 11 then
7325             inmath = (item.subtype == 0)
7326         end
7327
7328         if inmath then
7329             -- pass
7330
7331         elseif item.id == 29 then
7332             if item.lang == lang or lang == nil then
7333                 lang = lang or item.lang
7334                 if node.has_attribute(item, Babel.attr_hboxed) then
7335                     word_string = word_string .. Babel.us_char
7336                 elseif (item.char == 124) or (item.char == 61) then -- not =, not |
7337                     word_string = word_string .. Babel.us_char
7338                 else
7339                     word_string = word_string .. unicode.utf8.char(item.char)
7340                 end
7341                 word_nodes[#word_nodes+1] = item
7342             else
7343                 break
7344             end
7345
7346         elseif item.id == 7 and item.subtype == 2 then
7347             if node.has_attribute(item, Babel.attr_hboxed) then
7348                 word_string = word_string .. Babel.us_char
7349             else
7350                 word_string = word_string .. '='
7351             end
7352             word_nodes[#word_nodes+1] = item
7353
7354         elseif item.id == 7 and item.subtype == 3 then
7355             if node.has_attribute(item, Babel.attr_hboxed) then
7356                 word_string = word_string .. Babel.us_char
7357             else
7358                 word_string = word_string .. '|'
7359             end
7360             word_nodes[#word_nodes+1] = item
7361

```

```

7362 -- (1) Go to next word if nothing was found, and (2) implicitly
7363 -- remove leading USs.
7364 elseif word_string == '' then
7365     -- pass
7366
7367 -- This is the responsible for splitting by words.
7368 elseif (item.id == 12 and item.subtype == 13) then
7369     break
7370
7371 else
7372     word_string = word_string .. Babel.us_char
7373     word_nodes[#word_nodes+1] = item -- Will be ignored
7374 end
7375
7376 item = item.next
7377 end
7378 if Babel.show_transforms then texio.write_nl(word_string) end
7379 word_string = unicode.utf8.gsub(word_string, Babel.us_char .. '+$', '')
7380 return word_string, word_nodes, item, lang
7381 end
7382
7383 function Babel.pre_hyphenate_replace(head)
7384     Babel.hyphenate_replace(head, 0)
7385 end
7386
7387 function Babel.post_hyphenate_replace(head)
7388     Babel.hyphenate_replace(head, 1)
7389 end
7390
7391 Babel.us_char = string.char(31)
7392
7393 function Babel.hyphenate_replace(head, mode)
7394     local u = unicode.utf8
7395     local lbkr = Babel.linebreaking.replacements[mode]
7396     local tovalue = Babel.tovalue
7397
7398     local word_head = head
7399
7400     if Babel.show_transforms then
7401         texio.write_nl('\n==== Showing ' .. (mode == 0 and 'pre' or 'post') .. 'hyphenation ====')
7402     end
7403
7404     while true do -- for each subtext block
7405
7406         local w, w_nodes, nw, lang = Babel.fetch_subtext[mode](word_head)
7407
7408         if Babel.debug then
7409             print()
7410             print((mode == 0) and '@@@<' or '@@@>', w)
7411         end
7412
7413         if nw == nil and w == '' then break end
7414
7415         if not lang then goto next end
7416         if not lbkr[lang] then goto next end
7417
7418         -- For each saved (pre|post)hyphenation. TODO. Reconsider how
7419         -- loops are nested.
7420         for k=1, #lbkr[lang] do
7421             local p = lbkr[lang][k].pattern
7422             local r = lbkr[lang][k].replace
7423             local attr = lbkr[lang][k].attr or -1
7424

```

```

7425     if Babel.debug then
7426         print('*****', p, mode)
7427     end
7428
7429     -- This variable is set in some cases below to the first *byte*
7430     -- after the match, either as found by u.match (faster) or the
7431     -- computed position based on sc if w has changed.
7432     local last_match = 0
7433     local step = 0
7434
7435     -- For every match.
7436     while true do
7437         if Babel.debug then
7438             print('====')
7439         end
7440         local new -- used when inserting and removing nodes
7441         local dummy_node -- used by after
7442
7443         local matches = { u.match(w, p, last_match) }
7444
7445         if #matches < 2 then break end
7446
7447         -- Get and remove empty captures (with ())'s, which return a
7448         -- number with the position), and keep actual captures
7449         -- (from (...)), if any, in matches.
7450         local first = table.remove(matches, 1)
7451         local last = table.remove(matches, #matches)
7452         -- Non re-fetched substrings may contain \31, which separates
7453         -- subsubstrings.
7454         if string.find(w:sub(first, last-1), Babel.us_char) then break end
7455
7456         local save_last = last -- with A()BC()D, points to D
7457
7458         -- Fix offsets, from bytes to unicode. Explained above.
7459         first = u.len(w:sub(1, first-1)) + 1
7460         last = u.len(w:sub(1, last-1)) -- now last points to C
7461
7462         -- This loop stores in a small table the nodes
7463         -- corresponding to the pattern. Used by 'data' to provide a
7464         -- predictable behavior with 'insert' (w_nodes is modified on
7465         -- the fly), and also access to 'remove'd nodes.
7466         local sc = first-1 -- Used below, too
7467         local data_nodes = {}
7468
7469         local enabled = true
7470         for q = 1, last-first+1 do
7471             data_nodes[q] = w_nodes[sc+q]
7472             if enabled
7473                 and attr > -1
7474                 and not node.has_attribute(data_nodes[q], attr)
7475             then
7476                 enabled = false
7477             end
7478         end
7479
7480         -- This loop traverses the matched substring and takes the
7481         -- corresponding action stored in the replacement list.
7482         -- sc = the position in substr nodes / string
7483         -- rc = the replacement table index
7484         local rc = 0
7485
7486         ----- TODO. dummy_node?
7487         while rc < last-first+1 or dummy_node do -- for each replacement

```



```

7488     if Babel.debug then
7489         print('.....', rc + 1)
7490     end
7491     sc = sc + 1
7492     rc = rc + 1
7493
7494     if Babel.debug then
7495         Babel.debug_hyph(w, w_nodes, sc, first, last, last_match)
7496         local ss = ''
7497         for itt in node.traverse(head) do
7498             if itt.id == 29 then
7499                 ss = ss .. unicode.utf8.char(itt.char)
7500             else
7501                 ss = ss .. '{' .. itt.id .. '}'
7502             end
7503         end
7504         print('*****', ss)
7505
7506     end
7507
7508     local crep = r[rc]
7509     local item = w_nodes[sc]
7510     local item_base = item
7511     local placeholder = Babel.us_char
7512     local d
7513
7514     if crep and crep.data then
7515         item_base = data_nodes[crep.data]
7516     end
7517
7518     if crep then
7519         step = crep.step or step
7520     end
7521
7522     if crep and crep.after then
7523         crep.insert = true
7524         if dummy_node then
7525             item = dummy_node
7526         else -- TODO. if there is a node after?
7527             d = node.copy(item_base)
7528             head, item = node.insert_after(head, item, d)
7529             dummy_node = item
7530         end
7531     end
7532
7533     if crep and not crep.after and dummy_node then
7534         node.remove(head, dummy_node)
7535         dummy_node = nil
7536     end
7537
7538     if not enabled then
7539         last_match = save_last
7540         goto next
7541
7542     elseif crep and next(crep) == nil then -- = {}
7543         if step == 0 then
7544             last_match = save_last -- Optimization
7545         else
7546             last_match = utf8.offset(w, sc+step)
7547         end
7548         goto next
7549
7550     elseif crep == nil or crep.remove then

```

```

7551         node.remove(head, item)
7552         table.remove(w_nodes, sc)
7553         w = u.sub(w, 1, sc-1) .. u.sub(w, sc+1)
7554         sc = sc - 1 -- Nothing has been inserted.
7555         last_match = utf8.offset(w, sc+1+step)
7556         goto next
7557
7558     elseif crep and crep.kashida then -- Experimental
7559         node.set_attribute(item,
7560             Babel.attr_kashida,
7561             crep.kashida)
7562         last_match = utf8.offset(w, sc+1+step)
7563         goto next
7564
7565     elseif crep and crep.string then
7566         local str = crep.string(matches)
7567         if str == '' then -- Gather with nil
7568             node.remove(head, item)
7569             table.remove(w_nodes, sc)
7570             w = u.sub(w, 1, sc-1) .. u.sub(w, sc+1)
7571             sc = sc - 1 -- Nothing has been inserted.
7572         else
7573             local loop_first = true
7574             for s in string.utfvalues(str) do
7575                 d = node.copy(item_base)
7576                 d.char = s
7577                 if loop_first then
7578                     loop_first = false
7579                     head, new = node.insert_before(head, item, d)
7580                     if sc == 1 then
7581                         word_head = head
7582                     end
7583                     w_nodes[sc] = d
7584                     w = u.sub(w, 1, sc-1) .. u.char(s) .. u.sub(w, sc+1)
7585                 else
7586                     sc = sc + 1
7587                     head, new = node.insert_before(head, item, d)
7588                     table.insert(w_nodes, sc, new)
7589                     w = u.sub(w, 1, sc-1) .. u.char(s) .. u.sub(w, sc)
7590                 end
7591                 if Babel.debug then
7592                     print('.....', 'str')
7593                     Babel.debug_hyph(w, w_nodes, sc, first, last, last_match)
7594                 end
7595             end -- for
7596             node.remove(head, item)
7597         end -- if ''
7598         last_match = utf8.offset(w, sc+1+step)
7599         goto next
7600
7601     elseif mode == 1 and crep and (crep.pre or crep.no or crep.post) then
7602         d = node.new(7, 3) -- (disc, regular)
7603         d.pre = Babel.str_to_nodes(crep.pre, matches, item_base)
7604         d.post = Babel.str_to_nodes(crep.post, matches, item_base)
7605         d.replace = Babel.str_to_nodes(crep.no, matches, item_base)
7606         d.attr = item_base.attr
7607         if crep.pre == nil then -- TeXbook p96
7608             d.penalty = tovalue(crep.penalty) or tex.hyphenpenalty
7609         else
7610             d.penalty = tovalue(crep.penalty) or tex.exhyphenpenalty
7611         end
7612         placeholder = '|'
7613         head, new = node.insert_before(head, item, d)

```

```

7614
7615     elseif mode == 0 and crep and (crep.pre or crep.no or crep.post) then
7616         -- ERROR
7617
7618     elseif crep and crep.penalty then
7619         d = node.new(14, 0) -- (penalty, userpenalty)
7620         d.attr = item_base.attr
7621         d.penalty = tovalue(crep.penalty)
7622         head, new = node.insert_before(head, item, d)
7623
7624     elseif crep and crep.space then
7625         -- 655360 = 10 pt = 10 * 65536 sp
7626         d = node.new(12, 13) -- (glue, spaceskip)
7627         local quad = font.getfont(item_base.font).size or 655360
7628         node.setglue(d, tovalue(crep.space[1]) * quad,
7629             tovalue(crep.space[2]) * quad,
7630             tovalue(crep.space[3]) * quad)
7631         if mode == 0 then
7632             placeholder = ' '
7633         end
7634         head, new = node.insert_before(head, item, d)
7635
7636     elseif crep and crep.norule then
7637         -- 655360 = 10 pt = 10 * 65536 sp
7638         d = node.new(2, 3) -- (rule, empty) = \no*rule
7639         local quad = font.getfont(item_base.font).size or 655360
7640         d.width = tovalue(crep.norule[1]) * quad
7641         d.height = tovalue(crep.norule[2]) * quad
7642         d.depth = tovalue(crep.norule[3]) * quad
7643         head, new = node.insert_before(head, item, d)
7644
7645     elseif crep and crep.spacefactor then
7646         d = node.new(12, 13) -- (glue, spaceskip)
7647         local base_font = font.getfont(item_base.font)
7648         node.setglue(d,
7649             tovalue(crep.spacefactor[1]) * base_font.parameters['space'],
7650             tovalue(crep.spacefactor[2]) * base_font.parameters['space_stretch'],
7651             tovalue(crep.spacefactor[3]) * base_font.parameters['space_shrink'])
7652         if mode == 0 then
7653             placeholder = ' '
7654         end
7655         head, new = node.insert_before(head, item, d)
7656
7657     elseif mode == 0 and crep and crep.space then
7658         -- ERROR
7659
7660     elseif crep and crep.kern then
7661         d = node.new(13, 1) -- (kern, user)
7662         local quad = font.getfont(item_base.font).size or 655360
7663         d.attr = item_base.attr
7664         d.kern = tovalue(crep.kern) * quad
7665         head, new = node.insert_before(head, item, d)
7666
7667     elseif crep and crep.node then
7668         d = node.new(crep.node[1], crep.node[2])
7669         d.attr = item_base.attr
7670         head, new = node.insert_before(head, item, d)
7671
7672     end -- i.e., replacement cases
7673
7674     -- Shared by disc, space(factor), kern, node and penalty.
7675     if sc == 1 then
7676         word_head = head

```

```

7677         end
7678         if crep.insert then
7679             w = u.sub(w, 1, sc-1) .. placeholder .. u.sub(w, sc)
7680             table.insert(w_nodes, sc, new)
7681             last = last + 1
7682         else
7683             w_nodes[sc] = d
7684             node.remove(head, item)
7685             w = u.sub(w, 1, sc-1) .. placeholder .. u.sub(w, sc+1)
7686         end
7687
7688         last_match = utf8.offset(w, sc+1+step)
7689
7690         ::next::
7691
7692     end -- for each replacement
7693
7694     if Babel.show_transforms then texio.write_nl('> ' .. w) end
7695     if Babel.debug then
7696         print('.....', '/')
7697         Babel.debug_hyph(w, w_nodes, sc, first, last, last_match)
7698     end
7699
7700     if dummy_node then
7701         node.remove(head, dummy_node)
7702         dummy_node = nil
7703     end
7704
7705     end -- for match
7706
7707 end -- for patterns
7708
7709 ::next::
7710 word_head = nw
7711 end -- for substring
7712
7713 if Babel.show_transforms then texio.write_nl(string.rep('-', 32) .. '\n') end
7714 return head
7715 end
7716
7717 -- This table stores capture maps, numbered consecutively
7718 Babel.capture_maps = {}
7719
7720 function Babel.esc_hex_to_char(h)
7721     if tex.getcatcode(tonumber(h, 16)) ~= 11 and
7722         tex.getcatcode(tonumber(h, 16)) ~= 12 then
7723         return string.format("[%Uchar%X]", tonumber(h,16))
7724     else
7725         return unicode.utf8.char(tonumber(h, 16))
7726     end
7727 end
7728
7729 -- The following functions belong to the next macro
7730 function Babel.capture_func(key, cap)
7731     local ret = "[" .. cap:gsub('{{([0-9])}}', ")]..m[%1]..["] .. "]"
7732     local cnt
7733     local u = unicode.utf8
7734     ret = u.gsub(ret, '{(%x%x%x%x+)}', '\x01%1\x04')
7735     ret, cnt = ret:gsub('{{([0-9])}([^[^+]|(.-))}', Babel.capture_func_map)
7736     ret = u.gsub(ret, '\x01(%x%x%x%x+)\x04', Babel.esc_hex_to_char)
7737     ret = ret:gsub("%[%[%]%]%.%", '')
7738     ret = ret:gsub("%.%.%.%[%[%]%]", '')
7739     return key .. [=function(m) return ]] .. ret .. [[ end]]

```

```

7740 end
7741
7742 function Babel.capt_map(from, mapno)
7743   return Babel.capture_maps[mapno][from] or from
7744 end
7745
7746 -- Handle the {n|abc|ABC} syntax in captures
7747 function Babel.capture_func_map(capno, from, to)
7748   local u = unicode.utf8
7749   from = u.gsub(from, '\x01(%x%x%x%x+)\x04',
7750     function (n)
7751       return u.char(tonumber(n, 16))
7752     end)
7753   to = u.gsub(to, '\x01(%x%x%x%x+)\x04',
7754     function (n)
7755       return u.char(tonumber(n, 16))
7756     end)
7757   local froms = {}
7758   for s in string.utfcharacters(from) do
7759     table.insert(froms, s)
7760   end
7761   local cnt = 1
7762   table.insert(Babel.capture_maps, {})
7763   local mlen = table.getn(Babel.capture_maps)
7764   for s in string.utfcharacters(to) do
7765     Babel.capture_maps[mlen][froms[cnt]] = s
7766     cnt = cnt + 1
7767   end
7768   return "]]..Babel.capt_map(m[" .. capno .. "], " ..
7769     (mlen) .. " ).." .. "[["
7770 end
7771
7772 -- Create/Extend reversed sorted list of kashida weights:
7773 function Babel.capture_kashida(key, wt)
7774   wt = tonumber(wt)
7775   if Babel.kashida_wts then
7776     for p, q in ipairs(Babel.kashida_wts) do
7777       if wt == q then
7778         break
7779       elseif wt > q then
7780         table.insert(Babel.kashida_wts, p, wt)
7781         break
7782       elseif table.getn(Babel.kashida_wts) == p then
7783         table.insert(Babel.kashida_wts, wt)
7784       end
7785     end
7786   else
7787     Babel.kashida_wts = { wt }
7788   end
7789   return 'kashida = ' .. wt
7790 end
7791
7792 function Babel.capture_node(id, subtype)
7793   local sbt = 0
7794   for k, v in pairs(node.subtypes(id)) do
7795     if v == subtype then sbt = k end
7796   end
7797   return 'node = {' .. node.id(id) .. ', ' .. sbt .. '}'
7798 end
7799
7800 -- Experimental: applies prehyphenation transforms to a string (letters
7801 -- and spaces).
7802 function Babel.string_prehyphenation(str, locale)

```

```

7803 local n, head, last, res
7804 head = node.new(8, 0) -- dummy (hack just to start)
7805 last = head
7806 for s in string.utfvalues(str) do
7807     if s == 20 then
7808         n = node.new(12, 0)
7809     else
7810         n = node.new(29, 0)
7811         n.char = s
7812     end
7813     node.set_attribute(n, Babel.attr_locale, locale)
7814     last.next = n
7815     last = n
7816 end
7817 head = Babel.hyphenate_replace(head, 0)
7818 res = ''
7819 for n in node.traverse(head) do
7820     if n.id == 12 then
7821         res = res .. ' '
7822     elseif n.id == 29 then
7823         res = res .. unicode.utf8.char(n.char)
7824     end
7825 end
7826 tex.print(res)
7827 end
7828 (</transforms>)

```

## 10.14 Lua: Auto bidi with basic and basic-r

The file `babel-data-bidi.lua` currently only contains data. It is a large and boring file and it is not shown here (see the generated file), but here is a sample:

```

% [0x25]={d='et'},
% [0x26]={d='on'},
% [0x27]={d='on'},
% [0x28]={d='on', m=0x29},
% [0x29]={d='on', m=0x28},
% [0x2A]={d='on'},
% [0x2B]={d='es'},
% [0x2C]={d='cs'},
%

```

For the meaning of these codes, see the Unicode standard.

Now the `basic-r` bidi mode. One of the aims is to implement a fast and simple bidi algorithm, with a single loop. I managed to do it for R texts, with a second smaller loop for a special case. The code is still somewhat chaotic, but its behavior is essentially correct. I cannot resist copying the following text from Emacs `bidi.c` (which also attempts to implement the bidi algorithm with a single loop):

Arrrrgh!! The UAX#9 algorithm is too deeply entrenched in the assumption of batch-style processing [...]. May the fleas of a thousand camels infest the armpits of those who design supposedly general-purpose algorithms by looking at their own implementations, and fail to consider other possible implementations!

Well, it took me some time to guess what the batch rules in UAX#9 actually mean (in other word, *what* they do and *why*, and not only *how*), but I think (or I hope) I've managed to understand them.

In some sense, there are two bidi modes, one for numbers, and the other for text. Furthermore, setting just the direction in R text is not enough, because there are actually *two* R modes (set explicitly in Unicode with RLM and ALM). In babel the dir is set by a higher protocol based on the language/script, which in turn sets the correct dir (<l>, <r> or <al>).

From UAX#9: “Where available, markup should be used instead of the explicit formatting characters”. So, this simple version just ignores formatting characters. Actually, most of that annex is devoted to how to handle them.

BD14-BD16 are not implemented. Unicode (and the W3C) are making a great effort to deal with some special problematic cases in “streamed” plain text. I don’t think this is the way to go – particular

issues should be fixed by a high level interface taking into account the needs of the document. And here is where luatex excels, because everything related to bidi writing is under our control.

```

7829 (*basic-r)
7830 Babel.bidi_enabled = true
7831
7832 require('babel-data-bidi.lua')
7833
7834 local characters = Babel.characters
7835 local ranges = Babel.ranges
7836
7837 local DIR = node.id("dir")
7838
7839 local function dir_mark(head, from, to, outer)
7840   dir = (outer == 'r') and 'TLT' or 'TRT' -- i.e., reverse
7841   local d = node.new(DIR)
7842   d.dir = '+' .. dir
7843   node.insert_before(head, from, d)
7844   d = node.new(DIR)
7845   d.dir = '-' .. dir
7846   node.insert_after(head, to, d)
7847 end
7848
7849 function Babel.bidi(head, ispar)
7850   local first_n, last_n          -- first and last char with nums
7851   local last_es                  -- an auxiliary 'last' used with nums
7852   local first_d, last_d          -- first and last char in L/R block
7853   local dir, dir_real

```

Next also depends on script/lang (<al>/<r>). To be set by babel. tex.pardir is dangerous, could be (re)set but it should be changed only in vmode. There are two strong's – strong = l/al/r and strong\_lr = l/r (there must be a better way):

```

7854   local strong = ('TRT' == tex.pardir) and 'r' or 'l'
7855   local strong_lr = (strong == 'l') and 'l' or 'r'
7856   local outer = strong
7857
7858   local new_dir = false
7859   local first_dir = false
7860   local inmath = false
7861
7862   local last_lr
7863
7864   local type_n = ''
7865
7866   for item in node.traverse(head) do
7867
7868     -- three cases: glyph, dir, otherwise
7869     if item.id == node.id'glyph'
7870       or (item.id == 7 and item.subtype == 2) then
7871
7872       local itemchar
7873       if item.id == 7 and item.subtype == 2 then
7874         itemchar = item.replace.char
7875       else
7876         itemchar = item.char
7877       end
7878       local chardata = characters[itemchar]
7879       dir = chardata and chardata.d or nil
7880       if not dir then
7881         for nn, et in ipairs(ranges) do
7882           if itemchar < et[1] then
7883             break
7884           elseif itemchar <= et[2] then
7885             dir = et[3]

```

```

7886         break
7887     end
7888 end
7889 end
7890 dir = dir or 'l'
7891 if inmath then dir = ('TRT' == tex.mathdir) and 'r' or 'l' end

```

Next is based on the assumption babel sets the language *and* switches the script with its dir. We treat a language block as a separate Unicode sequence. The following piece of code is executed at the first glyph after a 'dir' node. We don't know the current language until then. This is not exactly true, as the math mode may insert explicit dirs in the node list, so, for the moment there is a hack by brute force (just above).

```

7892     if new_dir then
7893         attr_dir = 0
7894         for at in node.traverse(item.attr) do
7895             if at.number == Babel.attr_dir then
7896                 attr_dir = at.value & 0x3
7897             end
7898         end
7899         if attr_dir == 1 then
7900             strong = 'r'
7901         elseif attr_dir == 2 then
7902             strong = 'al'
7903         else
7904             strong = 'l'
7905         end
7906         strong_lr = (strong == 'l') and 'l' or 'r'
7907         outer = strong_lr
7908         new_dir = false
7909     end
7910
7911     if dir == 'nsm' then dir = strong end -- W1

```

**Numbers.** The dual <al>/<r> system for R is somewhat cumbersome.

```

7912     dir_real = dir -- We need dir_real to set strong below
7913     if dir == 'al' then dir = 'r' end -- W3

```

By W2, there are no <en> <et> <es> if strong == <al>, only <an>. Therefore, there are not <et en> nor <en et>, W5 can be ignored, and W6 applied:

```

7914     if strong == 'al' then
7915         if dir == 'en' then dir = 'an' end -- W2
7916         if dir == 'et' or dir == 'es' then dir = 'on' end -- W6
7917         strong_lr = 'r' -- W3
7918     end

```

Once finished the basic setup for glyphs, consider the two other cases: dir node and the rest.

```

7919     elseif item.id == node.id'dir' and not inmath then
7920         new_dir = true
7921         dir = nil
7922     elseif item.id == node.id'math' then
7923         inmath = (item.subtype == 0)
7924     else
7925         dir = nil -- Not a char
7926     end

```

Numbers in R mode. A sequence of <en>, <et>, <an>, <es> and <cs> is typeset (with some rules) in L mode. We store the starting and ending points, and only when anything different is found (including nil, i.e., a non-char), the textdir is set. This means you cannot insert, say, a whatsit, but this is what I would expect (with luacolor you may colorize some digits). Anyway, this behavior could be changed with a switch in the future. Note in the first branch only <an> is relevant if <al>.

```

7927     if dir == 'en' or dir == 'an' or dir == 'et' then
7928         if dir ~= 'et' then
7929             type_n = dir
7930         end

```



```

7931     first_n = first_n or item
7932     last_n = last_es or item
7933     last_es = nil
7934 elseif dir == 'es' and last_n then -- W3+W6
7935     last_es = item
7936 elseif dir == 'cs' then           -- it's right - do nothing
7937 elseif first_n then -- & if dir = any but en, et, an, es, cs, inc nil
7938     if strong_lr == 'r' and type_n ~= '' then
7939         dir_mark(head, first_n, last_n, 'r')
7940     elseif strong_lr == 'l' and first_d and type_n == 'an' then
7941         dir_mark(head, first_n, last_n, 'r')
7942         dir_mark(head, first_d, last_d, outer)
7943         first_d, last_d = nil, nil
7944     elseif strong_lr == 'l' and type_n ~= '' then
7945         last_d = last_n
7946     end
7947     type_n = ''
7948     first_n, last_n = nil, nil
7949 end

```

R text in L, or L text in R. Order of dir\_ mark's are relevant: d goes outside n, and therefore it's emitted after. See dir\_mark to understand why (but is the nesting actually necessary or is a flat dir structure enough?). Only L, R (and AL) chars are taken into account – everything else, including spaces, whatsits, etc., are ignored:

```

7950     if dir == 'l' or dir == 'r' then
7951         if dir ~= outer then
7952             first_d = first_d or item
7953             last_d = item
7954         elseif first_d and dir ~= strong_lr then
7955             dir_mark(head, first_d, last_d, outer)
7956             first_d, last_d = nil, nil
7957         end
7958     end

```

**Mirroring.** Each chunk of text in a certain language is considered a “closed” sequence. If <r on r> and <l on l>, it's clearly <r> and <l>, resptly, but with other combinations depends on outer. From all these, we select only those resolving <on> → <r>. At the beginning (when last\_lr is nil) of an R text, they are mirrored directly. Numbers in R mode are processed. It should not be done, but it doesn't hurt.

```

7959     if dir and not last_lr and dir ~= 'l' and outer == 'r' then
7960         item.char = characters[item.char] and
7961             characters[item.char].m or item.char
7962     elseif (dir or new_dir) and last_lr ~= item then
7963         local mir = outer .. strong_lr .. (dir or outer)
7964         if mir == 'rrr' or mir == 'lrr' or mir == 'rrl' or mir == 'rlr' then
7965             for ch in node.traverse(node.next(last_lr)) do
7966                 if ch == item then break end
7967                 if ch.id == node.id'glyph' and characters[ch.char] then
7968                     ch.char = characters[ch.char].m or ch.char
7969                 end
7970             end
7971         end
7972     end

```

Save some values for the next iteration. If the current node is 'dir', open a new sequence. Since dir could be changed, strong is set with its real value (dir\_real).

```

7973     if dir == 'l' or dir == 'r' then
7974         last_lr = item
7975         strong = dir_real           -- Don't search back - best save now
7976         strong_lr = (strong == 'l') and 'l' or 'r'
7977     elseif new_dir then
7978         last_lr = nil
7979     end
7980 end

```

Mirror the last chars if they are no directed. And make sure any open block is closed, too.

```
7981 if last_lr and outer == 'r' then
7982   for ch in node.traverse_id(node.id('glyph', node.next(last_lr)) do
7983     if characters[ch.char] then
7984       ch.char = characters[ch.char].m or ch.char
7985     end
7986   end
7987 end
7988 if first_n then
7989   dir_mark(head, first_n, last_n, outer)
7990 end
7991 if first_d then
7992   dir_mark(head, first_d, last_d, outer)
7993 end
```

In boxes, the dir node could be added before the original head, so the actual head is the previous node.

```
7994 return node.prev(head) or head
7995 end
7996 </basic-r>
```

And here the Lua code for bidi=basic:

```
7997 (*basic)
7998 -- e.g., Babel.fontmap[1][<prefontid>]=<dirfontid>
7999
8000 Babel.fontmap = Babel.fontmap or {}
8001 Babel.fontmap[0] = {} -- l
8002 Babel.fontmap[1] = {} -- r
8003 Babel.fontmap[2] = {} -- al/an
8004
8005 -- To cancel mirroring. Also OML, OMS, U?
8006 Babel.symbol_fonts = Babel.symbol_fonts or {}
8007 Babel.symbol_fonts[font.id('tenln')] = true
8008 Babel.symbol_fonts[font.id('tenlnw')] = true
8009 Babel.symbol_fonts[font.id('tencirc')] = true
8010 Babel.symbol_fonts[font.id('tencircw')] = true
8011
8012 Babel.bidi_enabled = true
8013 Babel.mirroring_enabled = true
8014
8015 require('babel-data-bidi.lua')
8016
8017 local characters = Babel.characters
8018 local ranges = Babel.ranges
8019
8020 local DIR = node.id('dir')
8021 local GLYPH = node.id('glyph')
8022
8023 local function insert_implicit(head, state, outer)
8024   local new_state = state
8025   if state.sim and state.eim and state.sim ~= state.eim then
8026     dir = ((outer == 'r') and 'TLT' or 'TRT') -- i.e., reverse
8027     local d = node.new(DIR)
8028     d.dir = '+' .. dir
8029     node.insert_before(head, state.sim, d)
8030     local d = node.new(DIR)
8031     d.dir = '-' .. dir
8032     node.insert_after(head, state.eim, d)
8033   end
8034   new_state.sim, new_state.eim = nil, nil
8035   return head, new_state
8036 end
8037
```

```

8038 local function insert_numeric(head, state)
8039   local new
8040   local new_state = state
8041   if state.san and state.ean and state.san ~= state.ean then
8042     local d = node.new(DIR)
8043     d.dir = '+TLT'
8044     _, new = node.insert_before(head, state.san, d)
8045     if state.san == state.sim then state.sim = new end
8046     local d = node.new(DIR)
8047     d.dir = '-TLT'
8048     _, new = node.insert_after(head, state.ean, d)
8049     if state.ean == state.eim then state.eim = new end
8050   end
8051   new_state.san, new_state.ean = nil, nil
8052   return head, new_state
8053 end
8054
8055 local function glyph_not_symbol_font(node)
8056   if node.id == GLYPH then
8057     return not Babel.symbol_fonts[node.font]
8058   else
8059     return false
8060   end
8061 end
8062
8063 -- TODO - \hbox with an explicit dir can lead to wrong results
8064 -- <R \hbox dir TLT{<R>}> and <L \hbox dir TRT{<L>}>. A small attempt
8065 -- was made to improve the situation, but the problem is the 3-dir
8066 -- model in babel/Unicode and the 2-dir model in LuaTeX don't fit
8067 -- well.
8068
8069 function Babel.bidi(head, ispar, hdir)
8070   local d -- d is used mainly for computations in a loop
8071   local prev_d = ''
8072   local new_d = false
8073
8074   local nodes = {}
8075   local outer_first = nil
8076   local inmath = false
8077
8078   local glue_d = nil
8079   local glue_i = nil
8080
8081   local has_en = false
8082   local first_et = nil
8083
8084   local has_hyperlink = false
8085
8086   local ATDIR = Babel.attr_dir
8087   local attr_d, temp
8088   local locale_d
8089
8090   local save_outer
8091   local locale_d = node.get_attribute(head, ATDIR)
8092   if locale_d then
8093     locale_d = locale_d & 0x3
8094     save_outer = (locale_d == 0 and 'l') or
8095                  (locale_d == 1 and 'r') or
8096                  (locale_d == 2 and 'al')
8097   elseif ispar then -- Or error? Shouldn't happen
8098     -- when the callback is called, we are just _after_ the box,
8099     -- and the textdir is that of the surrounding text
8100     save_outer = ('TRT' == tex.pardir) and 'r' or 'l'

```

```

8101 else -- Empty box
8102     save_outer = ('TRT' == hdir) and 'r' or 'l'
8103 end
8104 local outer = save_outer
8105 local last = outer
8106 -- 'al' is only taken into account in the first, current loop
8107 if save_outer == 'al' then save_outer = 'r' end
8108
8109 local fontmap = Babel.fontmap
8110
8111 for item in node.traverse(head) do
8112
8113     -- Mask: DxxxPPTT (Done, Paddir [0-2], Textdir [0-2])
8114     locale_d = node.get_attribute(item, ATDIR)
8115     node.set_attribute(item, ATDIR, 0x80)
8116
8117     -- In what follows, #node is the last (previous) node, because the
8118     -- current one is not added until we start processing the neutrals.
8119     -- three cases: glyph, dir, otherwise
8120     if glyph_not_symbol_font(item)
8121         or (item.id == 7 and item.subtype == 2) then
8122
8123         if locale_d == 0x80 then goto nextnode end
8124
8125         local d_font = nil
8126         local item_r
8127         if item.id == 7 and item.subtype == 2 then
8128             item_r = item.replace -- automatic discs have just 1 glyph
8129         else
8130             item_r = item
8131         end
8132
8133         local chardata = characters[item_r.char]
8134         d = chardata and chardata.d or nil
8135         if not d or d == 'nsm' then
8136             for nn, et in ipairs(ranges) do
8137                 if item_r.char < et[1] then
8138                     break
8139                 elseif item_r.char <= et[2] then
8140                     if not d then d = et[3]
8141                     elseif d == 'nsm' then d_font = et[3]
8142                     end
8143                     break
8144                 end
8145             end
8146         end
8147         d = d or 'l'
8148
8149         -- A short 'pause' in bidi for mapfont
8150         -- %%% TODO. move if fontmap here
8151         d_font = d_font or d
8152         d_font = (d_font == 'l' and 0) or
8153             (d_font == 'nsm' and 0) or
8154             (d_font == 'r' and 1) or
8155             (d_font == 'al' and 2) or
8156             (d_font == 'an' and 2) or nil
8157         if d_font and fontmap and fontmap[d_font][item_r.font] then
8158             item_r.font = fontmap[d_font][item_r.font]
8159         end
8160
8161         if new_d then
8162             table.insert(nodes, {nil, (outer == 'l') and 'l' or 'r', nil})
8163             if inmath then

```

```

8164         attr_d = 0
8165     else
8166         attr_d = locale_d & 0x3
8167     end
8168     if attr_d == 1 then
8169         outer_first = 'r'
8170         last = 'r'
8171     elseif attr_d == 2 then
8172         outer_first = 'r'
8173         last = 'al'
8174     else
8175         outer_first = 'l'
8176         last = 'l'
8177     end
8178     outer = last
8179     has_en = false
8180     first_et = nil
8181     new_d = false
8182 end
8183
8184 if glue_d then
8185     if (d == 'l' and 'l' or 'r') ~= glue_d then
8186         table.insert(nodes, {glue_i, 'on', nil})
8187     end
8188     glue_d = nil
8189     glue_i = nil
8190 end
8191
8192 elseif item.id == DIR then
8193     d = nil
8194     new_d = true
8195
8196 elseif item.id == node.id'glue' and item.subtype == 13 then
8197     glue_d = d
8198     glue_i = item
8199     d = nil
8200
8201 elseif item.id == node.id'math' then
8202     inmath = (item.subtype == 0)
8203
8204 elseif item.id == 8 and item.subtype == 19 then
8205     has_hyperlink = true
8206
8207 else
8208     d = nil
8209 end
8210
8211 -- AL <= EN/ET/ES      -- W2 + W3 + W6
8212 if last == 'al' and d == 'en' then
8213     d = 'an'          -- W3
8214 elseif last == 'al' and (d == 'et' or d == 'es') then
8215     d = 'on'          -- W6
8216 end
8217
8218 -- EN + CS/ES + EN      -- W4
8219 if d == 'en' and #nodes >= 2 then
8220     if (nodes[#nodes][2] == 'es' or nodes[#nodes][2] == 'cs')
8221         and nodes[#nodes-1][2] == 'en' then
8222         nodes[#nodes][2] = 'en'
8223     end
8224 end
8225
8226 -- AN + CS + AN          -- W4 too, because uax9 mixes both cases

```

```

8227 if d == 'an' and #nodes >= 2 then
8228   if (nodes[#nodes][2] == 'cs')
8229     and nodes[#nodes-1][2] == 'an' then
8230     nodes[#nodes][2] = 'an'
8231   end
8232 end
8233
8234 -- ET/EN          -- W5 + W7->l / W6->on
8235 if d == 'et' then
8236   first_et = first_et or (#nodes + 1)
8237 elseif d == 'en' then
8238   has_en = true
8239   first_et = first_et or (#nodes + 1)
8240 elseif first_et then -- d may be nil here !
8241   if has_en then
8242     if last == 'l' then
8243       temp = 'l' -- W7
8244     else
8245       temp = 'en' -- W5
8246     end
8247   else
8248     temp = 'on' -- W6
8249   end
8250   for e = first_et, #nodes do
8251     if glyph_not_symbol_font(nodes[e][1]) then nodes[e][2] = temp end
8252   end
8253   first_et = nil
8254   has_en = false
8255 end
8256
8257 -- Force mathdir in math if ON (currently works as expected only
8258 -- with 'l')
8259
8260 if inmath and d == 'on' then
8261   d = ('TRT' == tex.mathdir) and 'r' or 'l'
8262 end
8263
8264 if d then
8265   if d == 'al' then
8266     d = 'r'
8267     last = 'al'
8268   elseif d == 'l' or d == 'r' then
8269     last = d
8270   end
8271   prev_d = d
8272   table.insert(nodes, {item, d, outer_first})
8273 end
8274
8275 outer_first = nil
8276
8277 ::nextnode::
8278
8279 end -- for each node
8280
8281 -- TODO -- repeated here in case EN/ET is the last node. Find a
8282 -- better way of doing things:
8283 if first_et then -- dir may be nil here !
8284   if has_en then
8285     if last == 'l' then
8286       temp = 'l' -- W7
8287     else
8288       temp = 'en' -- W5
8289     end

```

```

8290     else
8291         temp = 'on'      -- W6
8292     end
8293     for e = first_et, #nodes do
8294         if glyph_not_symbol_font(nodes[e][1]) then nodes[e][2] = temp end
8295     end
8296 end
8297
8298 -- dummy node, to close things
8299 table.insert(nodes, {nil, (outer == 'l') and 'l' or 'r', nil})
8300
8301 ----- NEUTRAL -----
8302
8303 outer = save_outer
8304 last = outer
8305
8306 local first_on = nil
8307
8308 for q = 1, #nodes do
8309     local item
8310
8311     local outer_first = nodes[q][3]
8312     outer = outer_first or outer
8313     last = outer_first or last
8314
8315     local d = nodes[q][2]
8316     if d == 'an' or d == 'en' then d = 'r' end
8317     if d == 'cs' or d == 'et' or d == 'es' then d = 'on' end --- W6
8318
8319     if d == 'on' then
8320         first_on = first_on or q
8321     elseif first_on then
8322         if last == d then
8323             temp = d
8324         else
8325             temp = outer
8326         end
8327         for r = first_on, q - 1 do
8328             nodes[r][2] = temp
8329             item = nodes[r][1]      -- MIRRORING
8330             if Babel.mirroring_enabled and glyph_not_symbol_font(item)
8331                 and temp == 'r' and characters[item.char] then
8332                 local font_mode = ''
8333                 if item.font > 0 and font.fonts[item.font].properties then
8334                     font_mode = font.fonts[item.font].properties.mode
8335                 end
8336                 if font_mode ~= 'harf' and font_mode ~= 'plug' then
8337                     item.char = characters[item.char].m or item.char
8338                 end
8339             end
8340         end
8341         first_on = nil
8342     end
8343
8344     if d == 'r' or d == 'l' then last = d end
8345 end
8346
8347 ----- IMPLICIT, REORDER -----
8348
8349 outer = save_outer
8350 last = outer
8351
8352 local state = {}

```

```

8353 state.has_r = false
8354
8355 for q = 1, #nodes do
8356     local item = nodes[q][1]
8357
8358     outer = nodes[q][3] or outer
8359
8360     local d = nodes[q][2]
8361
8362     if d == 'nsm' then d = last end          -- W1
8363     if d == 'en' then d = 'an' end
8364     local isdir = (d == 'r' or d == 'l')
8365
8366     if outer == 'l' and d == 'an' then
8367         state.san = state.san or item
8368         state.ean = item
8369     elseif state.san then
8370         head, state = insert_numeric(head, state)
8371     end
8372
8373     if outer == 'l' then
8374         if d == 'an' or d == 'r' then      -- im -> implicit
8375             if d == 'r' then state.has_r = true end
8376             state.sim = state.sim or item
8377             state.eim = item
8378         elseif d == 'l' and state.sim and state.has_r then
8379             head, state = insert_implicit(head, state, outer)
8380         elseif d == 'l' then
8381             state.sim, state.eim, state.has_r = nil, nil, false
8382         end
8383     else
8384         if d == 'an' or d == 'l' then
8385             if nodes[q][3] then -- nil except after an explicit dir
8386                 state.sim = item -- so we move sim 'inside' the group
8387             else
8388                 state.sim = state.sim or item
8389             end
8390             state.eim = item
8391         elseif d == 'r' and state.sim then
8392             head, state = insert_implicit(head, state, outer)
8393         elseif d == 'r' then
8394             state.sim, state.eim = nil, nil
8395         end
8396     end
8397 end
8398
8399 if isdir then
8400     last = d          -- Don't search back - best save now
8401 elseif d == 'on' and state.san then
8402     state.san = state.san or item
8403     state.ean = item
8404 end
8405
8406 end
8407
8408 head = node.prev(head) or head
8409 % \end{macrocode}
8410 %
8411 % Now direction nodes has been distributed with relation to characters
8412 % and spaces, we need to take into account \TeX-specific elements in
8413 % the node list, to move them at an appropriate place. Firstly, with
8414 % hyperlinks. Secondly, we avoid them between penalties and spaces, so
8415 % that the latter are still discardable.

```



```

8416 %
8417 % \begin{macrocode}
8418 --- FIXES ---
8419 if has_hyperlink then
8420   local flag, linking = 0, 0
8421   for item in node.traverse(head) do
8422     if item.id == DIR then
8423       if item.dir == '+TRT' or item.dir == '+TLT' then
8424         flag = flag + 1
8425       elseif item.dir == '-TRT' or item.dir == '-TLT' then
8426         flag = flag - 1
8427       end
8428       elseif item.id == 8 and item.subtype == 19 then
8429         linking = flag
8430       elseif item.id == 8 and item.subtype == 20 then
8431         if linking > 0 then
8432           if item.prev.id == DIR and
8433             (item.prev.dir == '-TRT' or item.prev.dir == '-TLT') then
8434             d = node.new(DIR)
8435             d.dir = item.prev.dir
8436             node.remove(head, item.prev)
8437             node.insert_after(head, item, d)
8438           end
8439         end
8440         linking = 0
8441       end
8442     end
8443   end
8444
8445   for item in node.traverse_id(10, head) do
8446     local p = item
8447     local flag = false
8448     while p.prev and p.prev.id == 14 do
8449       flag = true
8450       p = p.prev
8451     end
8452     if flag then
8453       node.insert_before(head, p, node.copy(item))
8454       node.remove(head, item)
8455     end
8456   end
8457
8458   return head
8459 end

8460 function Babel.unset_atdir(head)
8461   local ATDIR = Babel.attr_dir
8462   for item in node.traverse(head) do
8463     node.set_attribute(item, ATDIR, 0x80)
8464   end
8465   return head
8466 end
8467 </basic>

```

## 11. Data for CJK

It is a boring file and it is not shown here (see the generated file), but here is a sample:

```

% [0x0021]={c='ex'},
% [0x0024]={c='pr'},
% [0x0025]={c='po'},
% [0x0028]={c='op'},

```

```
% [0x0029]={c='cp'},
% [0x002B]={c='pr'},
%
```

For the meaning of these codes, see the Unicode standard.

## 12. The ‘nil’ language

This ‘language’ does nothing, except setting the hyphenation patterns to nohyphenation. For this language currently no special definitions are needed or available.

The macro `\LdfInit` takes care of preventing that this file is loaded more than once, checking the category code of the `@` sign, etc.

```
8468 (*nil)
8469 \ProvidesLanguage{nil}[<@date@> v<@version@> Nil language]
8470 \LdfInit{nil}{datenil}
```

When this file is read as an option, i.e., by the `\usepackage` command, `nil` could be an ‘unknown’ language in which case we have to make it known.

```
8471 \ifx\l@nil\undefined
8472 \newlanguage\l@nil
8473 \@namedef{bbl@hyphendata@the\l@nil}{}}}% Remove warning
8474 \let\bbl@elt\relax
8475 \edef\bbl@languages{% Add it to the list of languages
8476 \bbl@languages\bbl@elt{nil}{the\l@nil}{}}
8477 \fi
```

This macro is used to store the values of the hyphenation parameters `\lefthyphenmin` and `\righthyphenmin`.

```
8478 \providehyphenmins{\CurrentOption}{\m@ne\m@ne}
```

The next step consists of defining commands to switch to (and from) the ‘nil’ language.

**`\captionnil`**

**`\datenil`**

```
8479 \let\captionnil\@empty
8480 \let\datenil\@empty
```

There is no locale file for this pseudo-language, so the corresponding fields are defined here.

```
8481 \def\bbl@inidata@nil{%
8482 \bbl@elt{identification}{tag.ini}{und}%
8483 \bbl@elt{identification}{load.level}{0}%
8484 \bbl@elt{identification}{charset}{utf8}%
8485 \bbl@elt{identification}{version}{1.0}%
8486 \bbl@elt{identification}{date}{2022-05-16}%
8487 \bbl@elt{identification}{name.local}{nil}%
8488 \bbl@elt{identification}{name.english}{nil}%
8489 \bbl@elt{identification}{name.babel}{nil}%
8490 \bbl@elt{identification}{tag.bcp47}{und}%
8491 \bbl@elt{identification}{language.tag.bcp47}{und}%
8492 \bbl@elt{identification}{tag.opentype}{dflt}%
8493 \bbl@elt{identification}{script.name}{Latin}%
8494 \bbl@elt{identification}{script.tag.bcp47}{Latn}%
8495 \bbl@elt{identification}{script.tag.opentype}{DFLT}%
8496 \bbl@elt{identification}{level}{1}%
8497 \bbl@elt{identification}{encodings}{}%
8498 \bbl@elt{identification}{derivate}{no}}
8499 \@namedef{bbl@tbcnil}{und}
8500 \@namedef{bbl@lbcnil}{und}
8501 \@namedef{bbl@casingnil}{und}
8502 \@namedef{bbl@lotfnil}{dflt}
8503 \@namedef{bbl@elname@nil}{nil}
8504 \@namedef{bbl@lname@nil}{nil}
```

```

8505 \@namedef{bbl@esname@nil}{Latin}
8506 \@namedef{bbl@sname@nil}{Latin}
8507 \@namedef{bbl@sbcpl@nil}{Latn}
8508 \@namedef{bbl@sotf@nil}{latn}

```

The macro `\ldf@finish` takes care of looking for a configuration file, setting the main language to be switched on at `\begin{document}` and resetting the category code of `@` to its original value.

```

8509 \ldf@finish{nil}
8510 </nil>

```

## 13. Calendars

The code for specific calendars are placed in the specific files, loaded when requested by an ini file in the identification section with `require.calendars`.

Start with function to compute the Julian day. It's based on the little library `calendar.js`, by John Walker, in the public domain.

```

8511 <<Compute Julian day>> ≡
8512 \def\bbl@fpmmod#1#2{(#1-#2*floor(#1/#2))}
8513 \def\bbl@cs@gregleap#1{%
8514   (\bbl@fpmmod{#1}{4} == 0) &&
8515   (!((\bbl@fpmmod{#1}{100} == 0) && (\bbl@fpmmod{#1}{400} != 0)))}
8516 \def\bbl@cs@jd#1#2#3{% year, month, day
8517   \fpeval{ 1721424.5 + (365 * (#1 - 1)) +
8518     floor((#1 - 1) / 4) + (-floor((#1 - 1) / 100)) +
8519     floor((#1 - 1) / 400) + floor(((367 * #2) - 362) / 12) +
8520     ((#2 <= 2) ? 0 : (\bbl@cs@gregleap{#1} ? -1 : -2)) + #3} }}
8521 <</Compute Julian day>>

```

### 13.1. Islamic

The code for the Civil calendar is based on it, too.

```

8522 <*ca-islamic>
8523 <@Compute Julian day@>
8524 % == islamic (default)
8525 % Not yet implemented
8526 \def\bbl@ca@islamic#1-#2-#3\@#4#5#6{}

```

The Civil calendar.

```

8527 \def\bbl@cs@isltojd#1#2#3{ % year, month, day
8528   ((#3 + ceil(29.5 * (#2 - 1)) +
8529     (#1 - 1) * 354 + floor((3 + (11 * #1)) / 30) +
8530     1948439.5) - 1) }
8531 \@namedef{bbl@ca@islamic-civil++}{\bbl@ca@islamicvl@x{+2}}
8532 \@namedef{bbl@ca@islamic-civil+}{\bbl@ca@islamicvl@x{+1}}
8533 \@namedef{bbl@ca@islamic-civil}{\bbl@ca@islamicvl@x{}}
8534 \@namedef{bbl@ca@islamic-civil-}{\bbl@ca@islamicvl@x{-1}}
8535 \@namedef{bbl@ca@islamic-civil--}{\bbl@ca@islamicvl@x{-2}}
8536 \def\bbl@ca@islamicvl@x#1#2-#3-#4\@#5#6#7{%
8537   \edef\bbl@tempa{%
8538     \fpeval{ floor(\bbl@cs@jd{#2}{#3}{#4})+0.5 #1}}%
8539   \edef#5{%
8540     \fpeval{ floor(((30*(\bbl@tempa-1948439.5)) + 10646)/10631) }}%
8541   \edef#6{\fpeval{
8542     min(12,ceil((\bbl@tempa-(29+\bbl@cs@isltojd{#5}{1}{1}))/29.5)+1) }}%
8543   \edef#7{\fpeval{ \bbl@tempa - \bbl@cs@isltojd{#5}{#6}{1} + 1} }}

```

The Umm al-Qura calendar, used mainly in Saudi Arabia, is based on moment-hijri, by Abdullah Alsigar (license MIT).

Since the main aim is to provide a suitable `\today`, and maybe some close dates, data just covers Hijri  $\sim 1435/\sim 1460$  (Gregorian  $\sim 2014/\sim 2038$ ).

```

8544 \def\bbl@cs@umalqura@data{56660, 56690,56719,56749,56778,56808,%
8545   56837,56867,56897,56926,56956,56985,57015,57044,57074,57103,%

```

```

8546 57133,57162,57192,57221,57251,57280,57310,57340,57369,57399,%
8547 57429,57458,57487,57517,57546,57576,57605,57634,57664,57694,%
8548 57723,57753,57783,57813,57842,57871,57901,57930,57959,57989,%
8549 58018,58048,58077,58107,58137,58167,58196,58226,58255,58285,%
8550 58314,58343,58373,58402,58432,58461,58491,58521,58551,58580,%
8551 58610,58639,58669,58698,58727,58757,58786,58816,58845,58875,%
8552 58905,58934,58964,58994,59023,59053,59082,59111,59141,59170,%
8553 59200,59229,59259,59288,59318,59348,59377,59407,59436,59466,%
8554 59495,59525,59554,59584,59613,59643,59672,59702,59731,59761,%
8555 59791,59820,59850,59879,59909,59939,59968,59997,60027,60056,%
8556 60086,60115,60145,60174,60204,60234,60264,60293,60323,60352,%
8557 60381,60411,60440,60469,60499,60528,60558,60588,60618,60648,%
8558 60677,60707,60736,60765,60795,60824,60853,60883,60912,60942,%
8559 60972,61002,61031,61061,61090,61120,61149,61179,61208,61237,%
8560 61267,61296,61326,61356,61385,61415,61445,61474,61504,61533,%
8561 61563,61592,61621,61651,61680,61710,61739,61769,61799,61828,%
8562 61858,61888,61917,61947,61976,62006,62035,62064,62094,62123,%
8563 62153,62182,62212,62242,62271,62301,62331,62360,62390,62419,%
8564 62448,62478,62507,62537,62566,62596,62625,62655,62685,62715,%
8565 62744,62774,62803,62832,62862,62891,62921,62950,62980,63009,%
8566 63039,63069,63099,63128,63157,63187,63216,63246,63275,63305,%
8567 63334,63363,63393,63423,63453,63482,63512,63541,63571,63600,%
8568 63630,63659,63689,63718,63747,63777,63807,63836,63866,63895,%
8569 63925,63955,63984,64014,64043,64073,64102,64131,64161,64190,%
8570 64220,64249,64279,64309,64339,64368,64398,64427,64457,64486,%
8571 64515,64545,64574,64603,64633,64663,64692,64722,64752,64782,%
8572 64811,64841,64870,64899,64929,64958,64987,65017,65047,65076,%
8573 65106,65136,65166,65195,65225,65254,65283,65313,65342,65371,%
8574 65401,65431,65460,65490,65520}
8575 \@namedef{bbl@ca@islamic-umalqura+}{\bbl@ca@islamcuqr@x{+1}}
8576 \@namedef{bbl@ca@islamic-umalqura-}{\bbl@ca@islamcuqr@x{-1}}
8577 \@namedef{bbl@ca@islamic-umalqura}{\bbl@ca@islamcuqr@x{0}}
8578 \def\bbl@ca@islamcuqr@x#1#2-#3-#4\@#5#6#7{%
8579 \ifnum#2>2014 \ifnum#2<2038
8580 \bbl@afterfi\expandafter\@gobble
8581 \fi\fi
8582 {\bbl@error{year-out-range}{2014-2038}}}%
8583 \edef\bbl@tempd{\fpeval{ % (Julian) day
8584 \bbl@cs@jd{#2}{#3}{#4} + 0.5 - 2400000 #1}}%
8585 \count@\@ne
8586 \bbl@foreach\bbl@cs@umalqura@data{%
8587 \advance\count@\@ne
8588 \ifnum##1>\bbl@tempd\else
8589 \edef\bbl@tempe{\the\count@}%
8590 \edef\bbl@tempb{##1}%
8591 \fi}%
8592 \edef\bbl@templ{\fpeval{ \bbl@tempe + 16260 + 949 }}% month~lunar
8593 \edef\bbl@tempa{\fpeval{ floor((\bbl@templ - 1) / 12) }}% annus
8594 \edef#5{\fpeval{ \bbl@tempa + 1 }}%
8595 \edef#6{\fpeval{ \bbl@templ - (12 * \bbl@tempa) }}%
8596 \edef#7{\fpeval{ \bbl@tempd - \bbl@tempb + 1 }}%
8597 \bbl@add\bbl@precalendar{%
8598 \bbl@replace\bbl@ld@calendar{-civil}}}%
8599 \bbl@replace\bbl@ld@calendar{-umalqura}}}%
8600 \bbl@replace\bbl@ld@calendar{+}}}%
8601 \bbl@replace\bbl@ld@calendar{-}}}%
8602 </ca-islamic>

```

## 13.2. Hebrew

This is basically the set of macros written by Michail Rozman in 1991, with corrections and adaptations by Rama Porrat, Misha, Dan Haran and Boris Lavva. This must be eventually replaced by computations with l3fp. An explanation of what's going on can be found in `hebcsl.sty`

```

8603 {*ca-hebrew}
8604 \newcount\bbl@cntcommon
8605 \def\bbl@remainder#1#2#3{%
8606   #3=#1\relax
8607   \divide #3 by #2\relax
8608   \multiply #3 by -#2\relax
8609   \advance #3 by #1\relax}%
8610 \newif\ifbbl@divisible
8611 \def\bbl@checkifdivisible#1#2{%
8612   {\countdef\tmp=0
8613     \bbl@remainder{#1}{#2}{\tmp}%
8614     \ifnum \tmp=0
8615       \global\bbl@divisibletrue
8616     \else
8617       \global\bbl@divisiblefalse
8618     \fi}}
8619 \newif\ifbbl@gregleap
8620 \def\bbl@ifgregleap#1{%
8621   \bbl@checkifdivisible{#1}{4}%
8622   \ifbbl@divisible
8623     \bbl@checkifdivisible{#1}{100}%
8624     \ifbbl@divisible
8625       \bbl@checkifdivisible{#1}{400}%
8626       \ifbbl@divisible
8627         \bbl@gregleaptrue
8628       \else
8629         \bbl@gregleapfalse
8630       \fi
8631     \else
8632       \bbl@gregleaptrue
8633     \fi
8634   \else
8635     \bbl@gregleapfalse
8636   \fi
8637   \ifbbl@gregleap}
8638 \def\bbl@gregdayspriormonths#1#2#3{%
8639   {#3=\ifcase #1 0 \or 0 \or 31 \or 59 \or 90 \or 120 \or 151 \or
8640     181 \or 212 \or 243 \or 273 \or 304 \or 334 \fi
8641   \bbl@ifgregleap{#2}%
8642   \ifnum #1 > 2
8643     \advance #3 by 1
8644   \fi
8645   \fi
8646   \global\bbl@cntcommon=#3}%
8647   #3=\bbl@cntcommon}
8648 \def\bbl@gregdaysprioryears#1#2{%
8649   {\countdef\tmpc=4
8650     \countdef\tmpb=2
8651     \tmpb=#1\relax
8652     \advance \tmpb by -1
8653     \tmpc=\tmpb
8654     \multiply \tmpc by 365
8655     #2=\tmpc
8656     \tmpc=\tmpb
8657     \divide \tmpc by 4
8658     \advance #2 by \tmpc
8659     \tmpc=\tmpb
8660     \divide \tmpc by 100
8661     \advance #2 by -\tmpc
8662     \tmpc=\tmpb
8663     \divide \tmpc by 400
8664     \advance #2 by \tmpc
8665     \global\bbl@cntcommon=#2\relax}%

```

```

8666 #2=\bbl@cntcommon}
8667 \def\bbl@absfromgreg#1#2#3#4{%
8668 {\countdef\tmpd=0
8669 #4=#1\relax
8670 \bbl@gregdayspriormonths{#2}{#3}{\tmpd}%
8671 \advance #4 by \tmpd
8672 \bbl@gregdaysprioryears{#3}{\tmpd}%
8673 \advance #4 by \tmpd
8674 \global\bbl@cntcommon=#4\relax}%
8675 #4=\bbl@cntcommon}
8676 \newif\ifbbl@hebrleap
8677 \def\bbl@checkleaphebrewyear#1{%
8678 {\countdef\tmpa=0
8679 \countdef\tmpb=1
8680 \tmpa=#1\relax
8681 \multiply \tmpa by 7
8682 \advance \tmpa by 1
8683 \bbl@remainder{\tmpa}{19}{\tmpb}%
8684 \ifnum \tmpb < 7
8685 \global\bbl@hebrleaptrue
8686 \else
8687 \global\bbl@hebrleapfalse
8688 \fi}}
8689 \def\bbl@hebreleapsedmonths#1#2{%
8690 {\countdef\tmpa=0
8691 \countdef\tmpb=1
8692 \countdef\tmpc=2
8693 \tmpa=#1\relax
8694 \advance \tmpa by -1
8695 #2=\tmpa
8696 \divide #2 by 19
8697 \multiply #2 by 235
8698 \bbl@remainder{\tmpa}{19}{\tmpb}% \tmpa=years%19-years this cycle
8699 \tmpc=\tmpb
8700 \multiply \tmpb by 12
8701 \advance #2 by \tmpb
8702 \multiply \tmpc by 7
8703 \advance \tmpc by 1
8704 \divide \tmpc by 19
8705 \advance #2 by \tmpc
8706 \global\bbl@cntcommon=#2}%
8707 #2=\bbl@cntcommon}
8708 \def\bbl@hebreleapseddays#1#2{%
8709 {\countdef\tmpa=0
8710 \countdef\tmpb=1
8711 \countdef\tmpc=2
8712 \bbl@hebreleapsedmonths{#1}{#2}%
8713 \tmpa=#2\relax
8714 \multiply \tmpa by 13753
8715 \advance \tmpa by 5604
8716 \bbl@remainder{\tmpa}{25920}{\tmpc}% \tmpc == ConjunctionParts
8717 \divide \tmpa by 25920
8718 \multiply #2 by 29
8719 \advance #2 by 1
8720 \advance #2 by \tmpa
8721 \bbl@remainder{#2}{7}{\tmpa}%
8722 \ifnum \tmpc < 19440
8723 \ifnum \tmpc < 9924
8724 \else
8725 \ifnum \tmpa=2
8726 \bbl@checkleaphebrewyear{#1}% of a common year
8727 \ifbbl@hebrleap
8728 \else

```

```

8729             \advance #2 by 1
8730         \fi
8731     \fi
8732 \fi
8733 \ifnum \tmpc < 16789
8734 \else
8735     \ifnum \tmpa=1
8736         \advance #1 by -1
8737         \bbl@checkleaphebrewyear{#1}% at the end of leap year
8738         \ifbbl@hebrleap
8739             \advance #2 by 1
8740         \fi
8741     \fi
8742 \fi
8743 \else
8744     \advance #2 by 1
8745 \fi
8746 \bbl@remainder{#2}{7}{\tmpa}%
8747 \ifnum \tmpa=0
8748     \advance #2 by 1
8749 \else
8750     \ifnum \tmpa=3
8751         \advance #2 by 1
8752     \else
8753         \ifnum \tmpa=5
8754             \advance #2 by 1
8755         \fi
8756     \fi
8757 \fi
8758 \global\bbl@cntcommon=#2\relax}%
8759 #2=\bbl@cntcommon}
8760 \def\bbl@daysinhebrewyear#1#2{%
8761     {\countdef\tmpe=12
8762     \bbl@hebrelapseddays{#1}{\tmpe}%
8763     \advance #1 by 1
8764     \bbl@hebrelapseddays{#1}{#2}%
8765     \advance #2 by -\tmpe
8766     \global\bbl@cntcommon=#2}%
8767 #2=\bbl@cntcommon}
8768 \def\bbl@hebrdayspriormonths#1#2#3{%
8769     {\countdef\tmpf= 14
8770     #3=\ifcase #1
8771         0 \or
8772         0 \or
8773         30 \or
8774         59 \or
8775         89 \or
8776         118 \or
8777         148 \or
8778         148 \or
8779         177 \or
8780         207 \or
8781         236 \or
8782         266 \or
8783         295 \or
8784         325 \or
8785         400
8786     \fi
8787     \bbl@checkleaphebrewyear{#2}%
8788     \ifbbl@hebrleap
8789         \ifnum #1 > 6
8790             \advance #3 by 30
8791         \fi

```

```

8792 \fi
8793 \bbl@daysinhebrewyear{#2}{\tmpf}%
8794 \ifnum #1 > 3
8795     \ifnum \tmpf=353
8796         \advance #3 by -1
8797     \fi
8798     \ifnum \tmpf=383
8799         \advance #3 by -1
8800     \fi
8801 \fi
8802 \ifnum #1 > 2
8803     \ifnum \tmpf=355
8804         \advance #3 by 1
8805     \fi
8806     \ifnum \tmpf=385
8807         \advance #3 by 1
8808     \fi
8809 \fi
8810 \global\bbl@cntcommon=#3\relax}%
8811 #3=\bbl@cntcommon}
8812 \def\bbl@absfromhebr#1#2#3#4{%
8813     {#4=#1\relax
8814     \bbl@hebrdayspriormonths{#2}{#3}{#1}%
8815     \advance #4 by #1\relax
8816     \bbl@hebreleaseddays{#3}{#1}%
8817     \advance #4 by #1\relax
8818     \advance #4 by -1373429
8819     \global\bbl@cntcommon=#4\relax}%
8820 #4=\bbl@cntcommon}
8821 \def\bbl@hebrfromgreg#1#2#3#4#5#6{%
8822     {\countdef\tmpx= 17
8823     \countdef\tmpy= 18
8824     \countdef\tmpz= 19
8825     #6=#3\relax
8826     \global\advance #6 by 3761
8827     \bbl@absfromgreg{#1}{#2}{#3}{#4}%
8828     \tmpz=1 \tmpy=1
8829     \bbl@absfromhebr{\tmpz}{\tmpy}{#6}{\tmpx}%
8830     \ifnum \tmpx > #4\relax
8831         \global\advance #6 by -1
8832         \bbl@absfromhebr{\tmpz}{\tmpy}{#6}{\tmpx}%
8833     \fi
8834     \advance #4 by -\tmpx
8835     \advance #4 by 1
8836     #5=#4\relax
8837     \divide #5 by 30
8838     \loop
8839         \bbl@hebrdayspriormonths{#5}{#6}{\tmpx}%
8840         \ifnum \tmpx < #4\relax
8841             \advance #5 by 1
8842             \tmpy=\tmpx
8843         \repeat
8844     \global\advance #5 by -1
8845     \global\advance #4 by -\tmpy}}
8846 \newcount\bbl@hebrday \newcount\bbl@hebrmonth \newcount\bbl@hebrewyear
8847 \newcount\bbl@gregday \newcount\bbl@gregmonth \newcount\bbl@gregyear
8848 \def\bbl@ca@hebrew#1-#2-#3\@#4#5#6{%
8849     \bbl@gregday=#3\relax \bbl@gregmonth=#2\relax \bbl@gregyear=#1\relax
8850     \bbl@hebrfromgreg
8851     {\bbl@gregday}{\bbl@gregmonth}{\bbl@gregyear}%
8852     {\bbl@hebrday}{\bbl@hebrmonth}{\bbl@hebrewyear}%
8853     \edef#4{\the\bbl@hebrewyear}%
8854     \edef#5{\the\bbl@hebrmonth}%

```



```

8855 \edef#6{\the\bbbl@hebrday}}
8856 </ca-hebrew>

```

### 13.3. Persian

There is an algorithm written in TeX by Jabri, Abolhassani, Pournader and Esfahbod, created for the first versions of the FarsiTeX system (no longer available), but the original license is GPL, so its use with LPL is problematic. The code here follows loosely that by John Walker, which is free and accurate, but sadly very complex, so the relevant data for the years 2013-2050 have been pre-calculated and stored. Actually, all we need is the first day (either March 20 or March 21).

```

8857 <*ca-persian>
8858 <@Compute Julian day@>
8859 \def\bbbl@cs@firstjal@xx{2012,2016,2020,2024,2028,2029,% March 20
8860 2032,2033,2036,2037,2040,2041,2044,2045,2048,2049}
8861 \def\bbbl@ca@persian#1-#2-#3\@@#4#5#6{%
8862 \edef\bbbl@tempa{#1}% 20XX-03-\bbbl@tempe = 1 farvardin:
8863 \ifnum\bbbl@tempa>2012 \ifnum\bbbl@tempa<2051
8864 \bbbl@afterfi\expandafter\@gobble
8865 \fi\fi
8866 {\bbbl@error{year-out-range}{2013-2050}{}}}%
8867 \bbbl@xin@{\bbbl@tempa}{\bbbl@cs@firstjal@xx}%
8868 \ifin@def\bbbl@tempe{20}\else\def\bbbl@tempe{21}\fi
8869 \edef\bbbl@tempc{\fpeval{\bbbl@cs@jd{\bbbl@tempa}{#2}{#3}+.5}}% current
8870 \edef\bbbl@tempb{\fpeval{\bbbl@cs@jd{\bbbl@tempa}{03}{\bbbl@tempe}+.5}}% begin
8871 \ifnum\bbbl@tempc<\bbbl@tempb
8872 \edef\bbbl@tempa{\fpeval{\bbbl@tempa-1}}% go back 1 year and redo
8873 \bbbl@xin@{\bbbl@tempa}{\bbbl@cs@firstjal@xx}%
8874 \ifin@def\bbbl@tempe{20}\else\def\bbbl@tempe{21}\fi
8875 \edef\bbbl@tempb{\fpeval{\bbbl@cs@jd{\bbbl@tempa}{03}{\bbbl@tempe}+.5}}%
8876 \fi
8877 \edef#4{\fpeval{\bbbl@tempa-621}}% set Jalali year
8878 \edef#6{\fpeval{\bbbl@tempc-\bbbl@tempb+1}}% days from 1 farvardin
8879 \edef#5{\fpeval{% set Jalali month
8880 (#6 <= 186) ? ceil(#6 / 31) : ceil((#6 - 6) / 30)}}
8881 \edef#6{\fpeval{% set Jalali day
8882 (#6 - ((#5 <= 7) ? ((#5 - 1) * 31) : (((#5 - 1) * 30) + 6)))}}
8883 </ca-persian>

```

### 13.4. Coptic and Ethiopic

Adapted from `jquery.calendars.package-1.1.4`, written by Keith Wood, 2010. Dual license: GPL and MIT. The only difference is the epoch.

```

8884 <*ca-coptic>
8885 <@Compute Julian day@>
8886 \def\bbbl@ca@coptic#1-#2-#3\@@#4#5#6{%
8887 \edef\bbbl@tempd{\fpeval{floor(\bbbl@cs@jd{#1}{#2}{#3}) + 0.5}}%
8888 \edef\bbbl@tempc{\fpeval{\bbbl@tempd - 1825029.5}}%
8889 \edef#4{\fpeval{%
8890 floor((\bbbl@tempc - floor((\bbbl@tempc+366) / 1461)) / 365) + 1}}%
8891 \edef\bbbl@tempc{\fpeval{%
8892 \bbbl@tempd - (#4-1) * 365 - floor(#4/4) - 1825029.5}}%
8893 \edef#5{\fpeval{floor(\bbbl@tempc / 30) + 1}}%
8894 \edef#6{\fpeval{\bbbl@tempc - (#5 - 1) * 30 + 1}}%
8895 </ca-coptic>
8896 <*ca-ethiopic>
8897 <@Compute Julian day@>
8898 \def\bbbl@ca@ethiopic#1-#2-#3\@@#4#5#6{%
8899 \edef\bbbl@tempd{\fpeval{floor(\bbbl@cs@jd{#1}{#2}{#3}) + 0.5}}%
8900 \edef\bbbl@tempc{\fpeval{\bbbl@tempd - 1724220.5}}%
8901 \edef#4{\fpeval{%
8902 floor((\bbbl@tempc - floor((\bbbl@tempc+366) / 1461)) / 365) + 1}}%
8903 \edef\bbbl@tempc{\fpeval{%

```

```

8904 \bbl@tempd - (#4-1) * 365 - floor(#4/4) - 1724220.5}}%
8905 \edef#5{\fpeval{floor(\bbl@tempc / 30) + 1}}%
8906 \edef#6{\fpeval{\bbl@tempc - (#5 - 1) * 30 + 1}}%
8907 </ca-ethiopic>

```

## 13.5. Julian

Based on [ReinDersh].

```

8908 <*ca-julian>
8909 <@Compute Julian day@>
8910 \def\bbl@ca@julian#1-#2-#3\@@#4#5#6{%
8911 \edef\bbl@tempj{\fpeval{floor(\bbl@cs@jd{#1}{#2}{#3}) + .5}}%
8912 \edef\bbl@tempa{\fpeval{\bbl@tempj + 32082.5}}%
8913 \edef\bbl@tempb{\fpeval{floor((4 * \bbl@tempa + 3) / 1461)}}%
8914 \edef\bbl@tempc{\fpeval{\bbl@tempa - floor(1461*\bbl@tempb/4)}}%
8915 \edef\bbl@tempd{\fpeval{floor((5 * \bbl@tempc + 2) / 153)}}%
8916 \edef#6{\fpeval{\bbl@tempc - floor((153*\bbl@tempd+2) / 5) + 1}}%
8917 \edef#5{\fpeval{\bbl@tempd + 3 - 12 * floor(\bbl@tempd / 10)}}%
8918 \edef#4{\fpeval{\bbl@tempb - 4800 + floor(\bbl@tempd / 10)}}%
8919 </ca-julian>

```

## 13.6. Buddhist

That's very simple.

```

8920 <*ca-buddhist>
8921 \def\bbl@ca@buddhist#1-#2-#3\@@#4#5#6{%
8922 \edef#4{\number\numexpr#1+543\relax}%
8923 \edef#5{#2}%
8924 \edef#6{#3}}
8925 </ca-buddhist>
8926 %
8927 % \subsection{Chinese}
8928 %
8929 % Brute force, with the Julian day of first day of each month. The
8930 % table has been computed with the help of \textsf{python-lunardate} by
8931 % Ricky Yeung, GPLv2 (but the code itself has not been used). The range
8932 % is 2015-2044.
8933 %
8934 % \begin{macrocode}
8935 <*ca-chinese>
8936 \ExplSyntaxOn
8937 <@Compute Julian day@>
8938 \def\bbl@ca@chinese#1-#2-#3\@@#4#5#6{%
8939 \edef\bbl@tempd{\fpeval{%
8940 \bbl@cs@jd{#1}{#2}{#3} - 2457072.5 }}%
8941 \count@ \z@
8942 \@tempcnta=2015
8943 \bbl@foreach\bbl@cs@chinese@data{%
8944 \ifnum##1>\bbl@tempd\else
8945 \advance\count@\@ne
8946 \ifnum\count@>12
8947 \count@\@ne
8948 \advance\@tempcnta\@ne\fi
8949 \bbl@xin@{,##1,},{,\bbl@cs@chinese@leap,}%
8950 \ifin@
8951 \advance\count@\m@ne
8952 \edef\bbl@tempe{\the\numexpr\count@+12\relax}%
8953 \else
8954 \edef\bbl@tempe{\the\count@}%
8955 \fi
8956 \edef\bbl@tempb{##1}%
8957 \fi}%

```

```

8958 \edef#4{\the\@tempcnta}%
8959 \edef#5{\bbl@tempe}%
8960 \edef#6{\the\numexpr\bbl@tempd-\bbl@tempb+1\relax}}
8961 \def\bbl@cs@chinese@leap{%
8962 885,1920,2953,3809,4873,5906,6881,7825,8889,9893,10778}
8963 \def\bbl@cs@chinese@data{0,29,59,88,117,147,176,206,236,266,295,325,
8964 354,384,413,443,472,501,531,560,590,620,649,679,709,738,%
8965 768,797,827,856,885,915,944,974,1003,1033,1063,1093,1122,%
8966 1152,1181,1211,1240,1269,1299,1328,1358,1387,1417,1447,1477,%
8967 1506,1536,1565,1595,1624,1653,1683,1712,1741,1771,1801,1830,%
8968 1860,1890,1920,1949,1979,2008,2037,2067,2096,2126,2155,2185,%
8969 2214,2244,2274,2303,2333,2362,2392,2421,2451,2480,2510,2539,%
8970 2569,2598,2628,2657,2687,2717,2746,2776,2805,2835,2864,2894,%
8971 2923,2953,2982,3011,3041,3071,3100,3130,3160,3189,3219,3248,%
8972 3278,3307,3337,3366,3395,3425,3454,3484,3514,3543,3573,3603,%
8973 3632,3662,3691,3721,3750,3779,3809,3838,3868,3897,3927,3957,%
8974 3987,4016,4046,4075,4105,4134,4163,4193,4222,4251,4281,4311,%
8975 4341,4370,4400,4430,4459,4489,4518,4547,4577,4606,4635,4665,%
8976 4695,4724,4754,4784,4814,4843,4873,4902,4931,4961,4990,5019,%
8977 5049,5079,5108,5138,5168,5197,5227,5256,5286,5315,5345,5374,%
8978 5403,5433,5463,5492,5522,5551,5581,5611,5640,5670,5699,5729,%
8979 5758,5788,5817,5846,5876,5906,5935,5965,5994,6024,6054,6083,%
8980 6113,6142,6172,6201,6231,6260,6289,6319,6348,6378,6408,6437,%
8981 6467,6497,6526,6556,6585,6615,6644,6673,6703,6732,6762,6791,%
8982 6821,6851,6881,6910,6940,6969,6999,7028,7057,7087,7116,7146,%
8983 7175,7205,7235,7264,7294,7324,7353,7383,7412,7441,7471,7500,%
8984 7529,7559,7589,7618,7648,7678,7708,7737,7767,7796,7825,7855,%
8985 7884,7913,7943,7972,8002,8032,8062,8092,8121,8151,8180,8209,%
8986 8239,8268,8297,8327,8356,8386,8416,8446,8475,8505,8534,8564,%
8987 8593,8623,8652,8681,8711,8740,8770,8800,8829,8859,8889,8918,%
8988 8948,8977,9007,9036,9066,9095,9124,9154,9183,9213,9243,9272,%
8989 9302,9331,9361,9391,9420,9450,9479,9508,9538,9567,9597,9626,%
8990 9656,9686,9715,9745,9775,9804,9834,9863,9893,9922,9951,9981,%
8991 10010,10040,10069,10099,10129,10158,10188,10218,10247,10277,%
8992 10306,10335,10365,10394,10423,10453,10483,10512,10542,10572,%
8993 10602,10631,10661,10690,10719,10749,10778,10807,10837,10866,%
8994 10896,10926,10956,10986,11015,11045,11074,11103}
8995 \ExplSyntaxOff
8996 </ca-chinese>

```

## 14. Support for Plain T<sub>E</sub>X (plain.def)

### 14.1. Not renaming hyphen.tex

As Don Knuth has declared that the filename `hyphen.tex` may only be used to designate *his* version of the american English hyphenation patterns, a new solution has to be found in order to be able to load hyphenation patterns for other languages in a plain-based T<sub>E</sub>X-format. When asked he responded:

That file name is “sacred”, and if anybody changes it they will cause severe upward/downward compatibility headaches.

People can have a file `locallyhyphen.tex` or whatever they like, but they mustn’t diddle with `hyphen.tex` (or `plain.tex` except to preload additional fonts).

The files `bplain.tex` and `blplain.tex` can be used as replacement wrappers around `plain.tex` and `lplain.tex` to achieve the desired effect, based on the `babel` package. If you load each of them with `iniTEX`, you will get a file called either `bplain.fmt` or `blplain.fmt`, which you can use as replacements for `plain.fmt` and `lplain.fmt`.

As these files are going to be read as the first thing `iniTEX` sees, we need to set some category codes just to be able to change the definition of `\input`.

```

8997 <*\bplain | blplain>
8998 \catcode`\{=1 % left brace is begin-group character
8999 \catcode`\}=2 % right brace is end-group character
9000 \catcode`\#=6 % hash mark is macro parameter character

```

If a file called `hyphen.cfg` can be found, we make sure that *it* will be read instead of the file `hyphen.tex`. We do this by first saving the original meaning of `\input` (and I use a one letter control sequence for that so as not to waste multi-letter control sequence on this in the format).

```
9001 \openin 0 hyphen.cfg
9002 \ifeof0
9003 \else
9004 \let\input
```

Then `\input` is defined to forget about its argument and load `hyphen.cfg` instead. Once that's done the original meaning of `\input` can be restored and the definition of `\a` can be forgotten.

```
9005 \def\input #1 {%
9006 \let\input\input
9007 \a hyphen.cfg
9008 \let\input\input
9009 }
9010 \fi
9011 \bblatex\blatex
```

Now that we have made sure that `hyphen.cfg` will be loaded at the right moment it is time to load `plain.tex`.

```
9012 \bblatex\blatex\plain.tex
9013 \bblatex\blatex\lplain.tex
```

Finally we change the contents of `\fmtname` to indicate that this is *not* the plain format, but a format based on plain with the `babel` package preloaded.

```
9014 \bblatex\def\fmtname{babel-plain}
9015 \bblatex\def\fmtname{babel-lplain}
```

When you are using a different format, based on `plain.tex` you can make a copy of `blplain.tex`, rename it and replace `plain.tex` with the name of your format file.

## 14.2. Emulating some $\text{\LaTeX}$ features

The file `babel.def` expects some definitions made in the  $\text{\LaTeX} 2_{\epsilon}$  style file. So, in Plain we must provide at least some predefined values as well some tools to set them (even if not all options are available). There are no package options, and therefore an alternative mechanism is provided. For the moment, only `\babeloptionstrings` and `\babeloptionmath` are provided, which can be defined before loading `babel`. `\BabelModifiers` can be set too (but not sure it works).

```
9016 \bblatex\def\EmulateLaTeX\equiv
9017 \def\@empty{}
9018 \def\loadlocalcfg#1{%
9019 \openin0#1.cfg
9020 \ifeof0
9021 \closein0
9022 \else
9023 \closein0
9024 {\immediate\write16{*****}%
9025 \immediate\write16{* Local config file #1.cfg used}%
9026 \immediate\write16{*}%
9027 }
9028 \input #1.cfg\relax
9029 \fi
9030 \@endofldef}
```

## 14.3. General tools

A number of  $\text{\LaTeX}$  macro's that are needed later on.

```
9031 \long\def\@firstofone#1{#1}
9032 \long\def\@firstoftwo#1#2{#1}
9033 \long\def\@secondoftwo#1#2{#2}
9034 \def\@nnil{\nil}
9035 \def\@gobbletwo#1#2{}
9036 \def\@ifstar#1{\@ifnextchar *{\@firstoftwo{#1}}}
```

```

9037 \def\@star@or@long#1{%
9038   \ifstar
9039   {\let\l@ngrel@x\relax#1}%
9040   {\let\l@ngrel@x\long#1}}
9041 \let\l@ngrel@x\relax
9042 \def\@car#1#2\@nil{#1}
9043 \def\@cdr#1#2\@nil{#2}
9044 \let\@typeset@protect\relax
9045 \let\protected@edef\edef
9046 \long\def\@gobble#1{}
9047 \edef\@backslashchar{\expandafter\@gobble\string\}
9048 \def\strip@prefix#1>{}
9049 \def\g@addto@macro#1#2{%
9050   \toks@\expandafter{#1#2}%
9051   \xdef#1{\the\toks@}}
9052 \def\@namedef#1{\expandafter\def\csname #1\endcsname}
9053 \def\@nameuse#1{\csname #1\endcsname}
9054 \def\@ifundefined#1{%
9055   \expandafter\ifx\csname#1\endcsname\relax
9056     \expandafter\@firstoftwo
9057   \else
9058     \expandafter\@secondoftwo
9059   \fi}
9060 \def\@expandtwoargs#1#2#3{%
9061   \edef\reserved@a{\noexpand#1{#2}{#3}}\reserved@a}
9062 \def\zap@space#1 #2{%
9063   #1%
9064   \ifx#2\@empty\else\expandafter\zap@space\fi
9065   #2}
9066 \let\bbl@trace\@gobble
9067 \def\bbl@error#1{% Implicit #2#3#4
9068   \begingroup
9069     \catcode`\=0   \catcode`\==12 \catcode`\`=12
9070     \catcode`\^M=5 \catcode`\%=14
9071     \input errbabel.def
9072   \endgroup
9073   \bbl@error{#1}}
9074 \def\bbl@warning#1{%
9075   \begingroup
9076     \newlinechar=`^^J
9077     \def\{^^J(babel) }%
9078     \message{\{#1}%
9079   \endgroup}
9080 \let\bbl@infowarn\bbl@warning
9081 \def\bbl@info#1{%
9082   \begingroup
9083     \newlinechar=`^^J
9084     \def\{^^J}%
9085     \wlog{#1}%
9086   \endgroup}

```

$\LaTeX 2_{\epsilon}$  has the command `\onlypreamble` which adds commands to a list of commands that are no longer needed after `\begin{document}`.

```

9087 \ifx\@preamblecmds\undefined
9088   \def\@preamblecmds{}
9089 \fi
9090 \def\@onlypreamble#1{%
9091   \expandafter\gdef\expandafter\@preamblecmds\expandafter{%
9092     \@preamblecmds\do#1}}
9093 \@onlypreamble\@onlypreamble

```

Mimic  $\LaTeX$ 's `\AtBeginDocument`; for this to work the user needs to add `\begindocument` to his file.

```

9094 \def\begindocument{%
9095   \@begindocumenthook

```

```

9096 \global\let\@begindocumenthook\@undefined
9097 \def\do##1{\global\let##1\@undefined}%
9098 \@preamblecmds
9099 \global\let\do\noexpand}

9100 \ifx\@begindocumenthook\@undefined
9101 \def\@begindocumenthook{}
9102 \fi
9103 \@onlypreamble\@begindocumenthook
9104 \def\AtBeginDocument{\g@addto@macro\@begindocumenthook}

```

We also have to mimic L<sup>A</sup>T<sub>E</sub>X's \AtEndOfPackage. Our replacement macro is much simpler; it stores its argument in \@endoflfd.

```

9105 \def\AtEndOfPackage#1{\g@addto@macro\@endoflfd{#1}}
9106 \@onlypreamble\AtEndOfPackage
9107 \def\@endoflfd{}
9108 \@onlypreamble\@endoflfd
9109 \let\bbl@afterlang\@empty
9110 \chardef\bbl@opt@hyphenmap\z@

```

L<sup>A</sup>T<sub>E</sub>X needs to be able to switch off writing to its auxiliary files; plain doesn't have them by default. There is a trick to hide some conditional commands from the outer \ifx. The same trick is applied below.

```

9111 \catcode`\&=\z@
9112 \ifx&\if@files\@undefined
9113 \expandafter\let\csname if@files\expandafter\endcsname
9114 \csname iffalse\endcsname
9115 \fi
9116 \catcode`\&=4

```

Mimic L<sup>A</sup>T<sub>E</sub>X's commands to define control sequences.

```

9117 \def\newcommand{\@star@or@long\new@command}
9118 \def\new@command#1{%
9119 \@testopt{\@newcommand#1}0}
9120 \def\@newcommand#1[#2]{%
9121 \@ifnextchar [{\@xargdef#1[#2]}%
9122 {\@argdef#1[#2]}}
9123 \long\def\@argdef#1[#2]#3{%
9124 \@yargdef#1\@ne{#2}{#3}}
9125 \long\def\@xargdef#1[#2][#3]#4{%
9126 \expandafter\def\expandafter#1\expandafter{%
9127 \expandafter\@protected@testopt\expandafter #1%
9128 \csname\string#1\expandafter\endcsname{#3}}}%
9129 \expandafter\@yargdef \csname\string#1\endcsname
9130 \tw@{#2}{#4}}
9131 \long\def\@yargdef#1#2#3{%
9132 \@tempcnta#3\relax
9133 \advance \@tempcnta \@ne
9134 \let\@hash@\relax
9135 \edef\reserved@a{\ifx#2\tw@ [\@hash@1]\fi}%
9136 \@tempcntb #2%
9137 \@whilenum \@tempcntb <\@tempcnta
9138 \do{%
9139 \edef\reserved@a{\reserved@a\@hash@\the\@tempcntb}%
9140 \advance\@tempcntb \@ne}%
9141 \let\@hash@##%
9142 \l@ngrelx\expandafter\def\expandafter#1\reserved@a}
9143 \def\providecommand{\@star@or@long\provide@command}
9144 \def\provide@command#1{%
9145 \begingroup
9146 \escapechar\m@ne\xdef\@gtempa{\string#1}%
9147 \endgroup
9148 \expandafter\@ifundefined\@gtempa
9149 {\def\reserved@a{\new@command#1}}%

```

```

9150     {\let\reserved@a\relax
9151     \def\reserved@a{\newcommand\reserved@a}}}%
9152     \reserved@a}%

9153 \def\DeclareRobustCommand{\@star@or@long\declare@robustcommand}
9154 \def\declare@robustcommand#1{%
9155     \edef\reserved@a{\string#1}%
9156     \def\reserved@b{#1}%
9157     \edef\reserved@b{\expandafter\strip@prefix\meaning\reserved@b}%
9158     \edef#1{%
9159         \ifx\reserved@a\reserved@b
9160             \noexpand\x@protect
9161             \noexpand#1%
9162         \fi
9163         \noexpand\protect
9164         \expandafter\noexpand\csname
9165             \expandafter\@gobble\string#1 \endcsname
9166     }%
9167     \expandafter\newcommand\csname
9168         \expandafter\@gobble\string#1 \endcsname
9169 }
9170 \def\x@protect#1{%
9171     \ifx\protect\@typeset@protect\else
9172         \x@protect#1%
9173     \fi
9174 }
9175 \catcode`\&=\z@ % Trick to hide conditionals
9176 \def\x@protect#1&fi#2#3{&fi\protect#1}

```

The following little macro `\in@` is taken from `latex.ltx`; it checks whether its first argument is part of its second argument. It uses the boolean `\in@`; allocating a new boolean inside conditionally executed code is not possible, hence the construct with the temporary definition of `\bbl@tempa`.

```

9177 \def\bbl@tempa{\csname newif\endcsname&ifin@}
9178 \catcode`\&=4
9179 \ifx\in@\@undefined
9180     \def\in@#1#2{%
9181         \def\in@@##1#1##2##3\in@@{%
9182             \ifx\in@@##2\in@false\else\in@true\fi}%
9183         \in@@##2#1\in@\in@@}
9184 \else
9185     \let\bbl@tempa\@empty
9186 \fi
9187 \bbl@tempa

```

$\TeX$  has a macro to check whether a certain package was loaded with specific options. The command has two extra arguments which are code to be executed in either the true or false case. This is used to detect whether the document needs one of the accents to be activated (`activegrave` and `activeacute`). For plain  $\TeX$  we assume that the user wants them to be active by default. Therefore the only thing we do is execute the third argument (the code for the true case).

```

9188 \def\@ifpackagewith#1#2#3#4{#3}

```

The  $\TeX$  macro `\@ifl@aded` checks whether a file was loaded. This functionality is not needed for plain  $\TeX$  but we need the macro to be defined as a no-op.

```

9189 \def\@ifl@aded#1#2#3#4{}

```

For the following code we need to make sure that the commands `\newcommand` and `\providecommand` exist with some sensible definition. They are not fully equivalent to their  $\TeX 2_{\epsilon}$  versions; just enough to make things work in plain  $\TeX$  environments.

```

9190 \ifx\@tempcnta\@undefined
9191     \csname newcount\endcsname\@tempcnta\relax
9192 \fi
9193 \ifx\@tempcntb\@undefined
9194     \csname newcount\endcsname\@tempcntb\relax
9195 \fi

```

To prevent wasting two counters in  $\TeX$  (because counters with the same name are allocated later by it) we reset the counter that holds the next free counter (`\count10`).

```

9196 \ifx\bye\@undefined
9197   \advance\count10 by -2\relax
9198 \fi
9199 \ifx\@ifnextchar\@undefined
9200   \def\@ifnextchar#1#2#3{%
9201     \let\reserved@d=#1%
9202     \def\reserved@a{#2}\def\reserved@b{#3}%
9203     \futurelet\@let@token\@ifnch}
9204   \def\@ifnch{%
9205     \ifx\@let@token\@sptoken
9206       \let\reserved@c\@xifnch
9207     \else
9208       \ifx\@let@token\reserved@d
9209         \let\reserved@c\reserved@a
9210       \else
9211         \let\reserved@c\reserved@b
9212       \fi
9213     \fi
9214     \reserved@c}
9215   \def:{\let\@sptoken= } \: % this makes \@sptoken a space token
9216   \def:{\@xifnch} \expandafter\def: {\futurelet\@let@token\@ifnch}
9217 \fi
9218 \def\@testopt#1#2{%
9219   \@ifnextchar[#{1}{#1[#2]}}
9220 \def\@protected@testopt#1{%
9221   \ifx\protect\@typeset@protect
9222     \expandafter\@testopt
9223   \else
9224     \@x@protect#1%
9225   \fi}
9226 \long\def\@whilenum#1\do #2{\ifnum #1\relax #2\relax\@iwhilenum{#1\relax
9227   #2\relax}\fi}
9228 \long\def\@iwhilenum#1{\ifnum #1\expandafter\@iwhilenum
9229   \else\expandafter\@gobble\fi{#1}}

```

## 14.4. Encoding related macros

Code from `loutenc.dtx`, adapted for use in the plain  $\TeX$  environment.

```

9230 \def\DeclareTextCommand{%
9231   \@dec@text@cmd\providecommand
9232 }
9233 \def\ProvideTextCommand{%
9234   \@dec@text@cmd\providecommand
9235 }
9236 \def\DeclareTextSymbol#1#2#3{%
9237   \@dec@text@cmd\chardef#1{#2}#3\relax
9238 }
9239 \def\@dec@text@cmd#1#2#3{%
9240   \expandafter\def\expandafter#2%
9241     \expandafter{%
9242       \csname#3-cmd\expandafter\endcsname
9243       \expandafter#2%
9244       \csname#3\string#2\endcsname
9245     }%
9246 %   \let\@ifdefinable\@rc@ifdefinable
9247   \expandafter#1\csname#3\string#2\endcsname
9248 }
9249 \def\@current@cmd#1{%
9250   \ifx\protect\@typeset@protect\else
9251     \noexpand#1\expandafter\@gobble

```



```

9252 \fi
9253 }
9254 \def\@changed@cmd#1#2{%
9255 \ifx\protect\@typeset@protect
9256 \expandafter\ifx\csname\cf@encoding\string#1\endcsname\relax
9257 \expandafter\ifx\csname ?\string#1\endcsname\relax
9258 \expandafter\def\csname ?\string#1\endcsname{%
9259 \@changed@x@err{#1}%
9260 }%
9261 \fi
9262 \global\expandafter\let
9263 \csname\cf@encoding\string#1\endcsname\expandafter\endcsname
9264 \csname ?\string#1\endcsname
9265 \fi
9266 \csname\cf@encoding\string#1%
9267 \expandafter\endcsname
9268 \else
9269 \noexpand#1%
9270 \fi
9271 }
9272 \def\@changed@x@err#1{%
9273 \errhelp{Your command will be ignored, type <return> to proceed}%
9274 \errmessage{Command \protect#1 undefined in encoding \cf@encoding}}
9275 \def\DeclareTextCommandDefault#1{%
9276 \DeclareTextCommand#1?%
9277 }
9278 \def\ProvideTextCommandDefault#1{%
9279 \ProvideTextCommand#1?%
9280 }
9281 \expandafter\let\csname OT1-cmd\endcsname\@current@cmd
9282 \expandafter\let\csname?-cmd\endcsname\@changed@cmd
9283 \def\DeclareTextAccent#1#2#3{%
9284 \DeclareTextCommand#1{#2}[1]{\accent#3 #1}
9285 }
9286 \def\DeclareTextCompositeCommand#1#2#3#4{%
9287 \expandafter\let\expandafter\reserved@a\csname#2\string#1\endcsname
9288 \edef\reserved@b{\string##1}%
9289 \edef\reserved@c{%
9290 \expandafter\@strip@args\meaning\reserved@a:-\@strip@args}%
9291 \ifx\reserved@b\reserved@c
9292 \expandafter\expandafter\expandafter\ifx
9293 \expandafter\@car\reserved@a\relax\relax\@nil
9294 \@text@composite
9295 \else
9296 \edef\reserved@b##1{%
9297 \def\expandafter\noexpand
9298 \csname#2\string#1\endcsname###1{%
9299 \noexpand\@text@composite
9300 \expandafter\noexpand\csname#2\string#1\endcsname
9301 ###1\noexpand\@empty\noexpand\@text@composite
9302 {##1}%
9303 }%
9304 }%
9305 \expandafter\reserved@b\expandafter{\reserved@a{##1}}%
9306 \fi
9307 \expandafter\def\csname\expandafter\string\csname
9308 #2\endcsname\string#1-\string#3\endcsname{#4}
9309 \else
9310 \errhelp{Your command will be ignored, type <return> to proceed}%
9311 \errmessage{\string\DeclareTextCompositeCommand\space used on
9312 inappropriate command \protect#1}
9313 \fi
9314 }

```

```

9315 \def\@text@composite#1#2#3\@text@composite{%
9316   \expandafter\@text@composite@x
9317   \csname\string#1-\string#2\endcsname
9318 }
9319 \def\@text@composite@x#1#2{%
9320   \ifx#1\relax
9321     #2%
9322   \else
9323     #1%
9324   \fi
9325 }
9326 %
9327 \def\@strip@args#1:#2-#3\@strip@args{#2}
9328 \def\DeclareTextComposite#1#2#3#4{%
9329   \def\reserved@a{\DeclareTextCompositeCommand#1{#2}{#3}}%
9330   \bgroup
9331     \lccode\@=#4%
9332     \lowercase{%
9333   \egroup
9334     \reserved@a \@%
9335   }%
9336 }
9337 %
9338 \def\UseTextSymbol#1#2{#2}
9339 \def\UseTextAccent#1#2#3{}
9340 \def\@use@text@encoding#1{}
9341 \def\DeclareTextSymbolDefault#1#2{%
9342   \DeclareTextCommandDefault#1{\UseTextSymbol{#2}#1}%
9343 }
9344 \def\DeclareTextAccentDefault#1#2{%
9345   \DeclareTextCommandDefault#1{\UseTextAccent{#2}#1}%
9346 }
9347 \def\cf@encoding{OT1}

```

Currently we only use the  $\text{\LaTeX 2\epsilon}$  method for accents for those that are known to be made active in *some* language definition file.

```

9348 \DeclareTextAccent{"}{OT1}{127}
9349 \DeclareTextAccent{'}{OT1}{19}
9350 \DeclareTextAccent{^}{OT1}{94}
9351 \DeclareTextAccent{\`}{OT1}{18}
9352 \DeclareTextAccent{\~}{OT1}{126}

```

The following control sequences are used in `babel.def` but are not defined for `PLAIN TEX`.

```

9353 \DeclareTextSymbol{\textquotedblleft}{OT1}{92}
9354 \DeclareTextSymbol{\textquotedblright}{OT1}{`\`}
9355 \DeclareTextSymbol{\textquoteleft}{OT1}{``}
9356 \DeclareTextSymbol{\textquoteright}{OT1}{``}
9357 \DeclareTextSymbol{\i}{OT1}{16}
9358 \DeclareTextSymbol{\ss}{OT1}{25}

```

For a couple of languages we need the  $\text{\LaTeX}$ -control sequence `\scriptsize` to be available. Because `plain TEX` doesn't have such a sophisticated font mechanism as  $\text{\LaTeX}$  has, we just `\let` it to `\sevenrm`.

```

9359 \ifx\scriptsize\undefined
9360   \let\scriptsize\sevenrm
9361 \fi

```

And a few more “dummy” definitions.

```

9362 \def\language{english}%
9363 \let\bbl@opt@shorthands\@nnil
9364 \def\bbl@ifshorthand#1#2#3#2{%
9365   \let\bbl@language@opts\@empty
9366   \let\bbl@provide@locale\relax
9367   \ifx\babeloptionstrings\undefined
9368     \let\bbl@opt@strings\@nnil

```

```

9369 \else
9370 \let\bbl@opt@strings\babeloptionstrings
9371 \fi
9372 \def\BabelStringsDefault{generic}
9373 \def\bbl@tempa{normal}
9374 \ifx\babeloptionmath\bbl@tempa
9375 \def\bbl@mathnormal{\noexpand\textormath}
9376 \fi
9377 \def\AfterBabelLanguage#1#2{}
9378 \ifx\BabelModifiers\undefined\let\BabelModifiers\relax\fi
9379 \let\bbl@afterlang\relax
9380 \def\bbl@opt@safe{BR}
9381 \ifx\@uclclist\undefined\let\@uclclist\empty\fi
9382 \ifx\bbl@trace\undefined\def\bbl@trace#1{}\fi
9383 \expandafter\newif\csname ifbbl@single\endcsname
9384 \chardef\bbl@bidimode\z@
9385 <</Emulate LaTeX>>

A proxy file:

9386 <*plain>
9387 \input babel.def
9388 </plain>

```

## 15. Acknowledgements

In the initial stages of the development of babel, Bernd Raichle provided many helpful suggestions and Michel Goossens supplied contributions for many languages. Ideas from Nico Poppelier, Piet van Oostrum and many others have been used. Paul Wackers and Werenfried Spit helped find and repair bugs.

More recently, there are significant contributions by Salim Bou, Ulrike Fischer, Loren Davis and Udi Fogiel.

Barbara Beeton has helped in improving the manual.

There are also many contributors for specific languages, which are mentioned in the respective files. Without them, babel just wouldn't exist.

## References

- [1] Huda Smitshuijzen Abifares, *Arabic Typography*, Saqi, 2001.
- [2] Johannes Braams, Victor Eijkhout and Nico Poppelier, *The development of national  $\TeX$  styles*, *TUGboat* 10 (1989) #3, pp. 401–406.
- [3] Yannis Haralambous, *Fonts & Encodings*, O'Reilly, 2007.
- [4] Donald E. Knuth, *The  $\TeX$ book*, Addison-Wesley, 1986.
- [5] Jukka K. Korpela, *Unicode Explained*, O'Reilly, 2006.
- [6] Leslie Lamport,  *$\TeX$ , A document preparation System*, Addison-Wesley, 1986.
- [7] Leslie Lamport, in:  $\TeX$ hax Digest, Volume 89, #13, 17 February 1989.
- [8] Ken Lunde, *CJKV Information Processing*, O'Reilly, 2nd ed., 2009.
- [9] Edward M. Reingold and Nachum Dershowitz, *Calendrical Calculations: The Ultimate Edition*, Cambridge University Press, 2018.
- [10] Hubert Partl, *German  $\TeX$* , *TUGboat* 9 (1988) #1, pp. 70–72.
- [11] Joachim Schrod, *International  $\TeX$  is ready to use*, *TUGboat* 11 (1990) #1, pp. 87–90.
- [12] Apostolos Syropoulos, Antonis Tsolomitis and Nick Sofroniu, *Digital typography using  $\TeX$* , Springer, 2002, pp. 301–373.
- [13] K.F. Treebus. *Tekstwijzer; een gids voor het grafisch verwerken van tekst*, SDU Uitgeverij ('s-Gravenhage, 1988).