

Package ‘ncaavolleyballr’

January 8, 2026

Type Package

Title Extract Data from NCAA Women's and Men's Volleyball Website

Version 0.5.1

Maintainer Jeffrey R. Stevens <jeffrey.r.stevens@protonmail.com>

Description Extracts team records/schedules and player statistics for the 2020-2025 National Collegiate Athletic Association (NCAA) women's and men's divisions I, II, and III volleyball teams from <<https://stats.ncaa.org>>. Functions can aggregate statistics for teams, conferences, divisions, or custom groups of teams.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 4.2)

RoxygenNote 7.3.3

Imports chromote, cli, curl, dplyr, httr2, lifecycle, purrr, rlang, rvest, stringr, tibble, tidyverse, xml2

Suggests knitr, rmarkdown, testthat (>= 3.0.0)

Config/testthat/edition 3

URL <https://github.com/JeffreyRStevens/ncaavolleyballr>,
<https://jeffreystevens.github.io/ncaavolleyballr/>

BugReports <https://github.com/JeffreyRStevens/ncaavolleyballr/issues>

VignetteBuilder knitr

NeedsCompilation no

Author Jeffrey R. Stevens [aut, cre, cph] (ORCID:
<<https://orcid.org/0000-0003-2375-1360>>)

Repository CRAN

Date/Publication 2026-01-07 23:30:02 UTC

Contents

conference_stats	2
division_stats	3
find_team_contests	5
find_team_id	5
find_team_name	6
get_teams	7
group_stats	8
match_pbp	9
mvb_teams	10
ncaa_conferences	11
ncaa_sports	11
ncaa_teams	12
player_match_stats	13
player_season_stats	14
team_match_stats	15
team_season_info	16
team_season_stats	17
wvb_teams	18

Index

19

conference_stats	<i>Aggregate player statistics for a NCAA conference and seasons</i>
------------------	--

Description

This is a wrapper around [group_stats\(\)](#) that extracts season, match, or pbp data from players in all teams in the chosen conference. For season stats, it aggregates all player data and team data into separate data frames and combines them into a list. For match and pbp stats, it aggregates into a data frame. Conferences names can be found in [ncaa_conferences](#).

Usage

```
conference_stats(
  year = NULL,
  conf = NULL,
  level = NULL,
  sport = "WVB",
  save = FALSE,
  path = ".",
  delay = 2
)
```

Arguments

year	Numeric vector of years for fall of desired seasons.
conf	NCAA conference name.
level	Character string defining whether to aggregate "teamseason", "teammatch", "play-ermatch", or match play-by-play ("pbp") data.
sport	Three letter abbreviation for NCAA sport (must be upper case; for example "WVB" for women's volleyball and "MVB" for men's volleyball).
save	Logical for whether to save the statistics locally as CSVs (default FALSE).
path	Character string of path to save statistics files.
delay	Numeric for time delay between teams/contests in seconds.

Value

For season level, returns list with data frames of player statistics and team statistics. For match and pbp levels, returns data frame of player statistics and play-by-play information respectively.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information. It also uses the **{chromote}** package and **requires Google Chrome** to be installed.

See Also

Other functions that aggregate statistics: [division_stats\(\)](#), [group_stats\(\)](#)

Examples

```
conference_stats(year = 2024, conf = "Peach Belt", level = "teamseason")
```

division_stats

Aggregate player statistics for a NCAA division and seasons

Description

This is a wrapper around [group_stats\(\)](#) that extracts season, match, or pbp data from players in all teams in the chosen division. For season stats, it aggregates all player data and team data into separate data frames and combines them into a list. For match and pbp stats, it aggregates into a data frame.

Usage

```
division_stats(
  year = NULL,
  division = 1,
  level = NULL,
  sport = "WVB",
  save = FALSE,
  path = ".",
  delay = 2
)
```

Arguments

year	Numeric vector of years for fall of desired seasons.
division	NCAA division (must be 1, 2, or 3).
level	Character string defining whether to aggregate "teamseason", "teammatch", "playermatch", or match play-by-play ("pbp") data.
sport	Three letter abbreviation for NCAA sport (must be upper case; for example "WVB" for women's volleyball and "MVB" for men's volleyball).
save	Logical for whether to save the statistics locally as CSVs (default FALSE).
path	Character string of path to save statistics files.
delay	Numeric for time delay between teams/contests in seconds.

Details

Note: Changes to the NCAA website have made large-scale scraping unstable, and can trigger IP address blocks when there are lots of requests. This function seems to trigger these blocks frequently now, so use caution when scraping large amounts of data.

Value

For season level, returns list with data frames of player statistics and team statistics. For match and pbp levels, returns data frame of player statistics and play-by-play information respectively.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information. It also uses the **{chromote}** package and **requires Google Chrome** to be installed.

See Also

Other functions that aggregate statistics: [conference_stats\(\)](#), [group_stats\(\)](#)

Examples

```
division_stats(year = 2024, division = 1, level = "teamseason")
```

find_team_contests	<i>Extract date, opponent, and contest ID for team and season</i>
--------------------	---

Description

NCAA datasets use a unique ID for each sport, team, season, and match. This function returns a data frame of dates, opponent team names, and contest IDs for each NCAA contest (volleyball match) for each team and season.

Usage

```
find_team_contests(team_id = NULL)
```

Arguments

team_id Team ID determined by NCAA for season. To find ID, use [find_team_id\(\)](#).

Value

Returns a data frame that includes date, team, opponent, and contest ID for each season's contest.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information. It also uses the **{chromote}** package and **requires Google Chrome** to be installed.

Examples

```
find_team_contests(team_id = "585290")
```

find_team_id	<i>Find team ID for season</i>
--------------	--------------------------------

Description

NCAA datasets use a unique ID for each team and season. To access a team's data, we must know the volleyball team ID. This function looks up the team ID from **wvb_teams** or **mvb_teams** using the team name. Team names can be found in **ncaa_teams** or searched with [find_team_name\(\)](#).

Usage

```
find_team_id(team = NULL, year = NULL, sport = "WVB")
```

Arguments

team	Name of school. Must match name used by NCAA. Find exact team name with find_team_name() .
year	Numeric vector of years for fall of desired seasons.
sport	Three letter abbreviation for NCAA sport (must be upper case; for example "WVB" for women's volleyball and "MVB" for men's volleyball).

Value

Returns a character string of team ID.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information.

See Also

Other search functions: [find_team_name\(\)](#)

Examples

```
find_team_id(team = "Nebraska", year = 2024)
find_team_id(team = "UCLA", year = 2023, sport = "MVB")
```

find_team_name

Match pattern to find team names

Description

This is a convenience function to find NCAA team names in [ncaa_teams](#). Once the proper team name is found, it can be passed to [find_team_id\(\)](#) or [group_stats\(\)](#).

Usage

```
find_team_name(pattern = NULL)
```

Arguments

pattern	Character string of pattern you want to find in the vector of team names.
---------	---

Value

Returns a character vector of team names that include the submitted pattern.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information.

See Also

Other search functions: [find_team_id\(\)](#)

Examples

```
find_team_name(pattern = "Neb")
```

get_teams

Extract data frame of team names, IDs, conference, division, and season

Description

NCAA datasets use a unique ID for each sport, team, and season. This function extracts team names, IDs, and conferences for each NCAA team in a division. However, you should not need to use this function for volleyball data from 2020-2024, as it has been used to generate [wvb_teams](#) and [mvb_teams](#). However, it is available to use for other sports, using the appropriate three letter sport code drawn from [ncaa_sports](#) (e.g., men's baseball is "MBA").

Usage

```
get_teams(year = NULL, division = 1, sport = "WVB")
```

Arguments

year	Single numeric year for fall of desired season.
division	NCAA division (must be 1, 2, or 3).
sport	Three letter abbreviation for NCAA sport (must be upper case; for example "WVB" for women's volleyball and "MVB" for men's volleyball).

Value

Returns a data frame of all teams, their team ID, division, conference, and season.

Note

This function **requires internet connectivity** as it checks the [NCAA website](#) for information.

This function is a modification of the `ncaa_teams()` function from the [{baseballr}](#) package.

Examples

```
get_teams(year = 2020, division = 1, sport = "WVB")
```

<code>group_stats</code>	<i>Aggregate player statistics and play-by-play information</i>
--------------------------	---

Description

This function aggregates player statistics and play-by-play information within a season by applying `team_match_stats()`, `player_season_stats()`, `player_match_stats()`, or `match_pbp()` across groups of teams (for `player_season_stats()`) or across contests within a season (for `team_match_stats()`, `player_match_stats()` and `match_pbp()`). For season stats, it aggregates all player data and team data into separate data frames and combines them into a list. For instance, if you want to extract the data from the teams in the women's 2024 Final Four, pass a vector of `c("Louisville", "Nebraska", "Penn State", "Pittsburgh")` to the function. For match or play-by-play data for a team, pass a single team name and year. Team names can be found in `ncaa_teams` or by using `find_team_name()`.

Usage

```
group_stats(
  teams = NULL,
  year = NULL,
  level = "teamseason",
  unique = TRUE,
  sport = "WVB",
  delay = 2
)
```

Arguments

<code>teams</code>	Character vector of team names to aggregate.
<code>year</code>	Numeric vector of years for fall of desired seasons.
<code>level</code>	Character string defining whether to aggregate "teamseason", "teammatch", "playermatch", or match play-by-play ("pbp") data.
<code>unique</code>	Logical indicating whether to only process unique contests (TRUE) or whether to process duplicated contests (FALSE). Default is TRUE.
<code>sport</code>	Three letter abbreviation for NCAA sport (must be upper case; for example "WVB" for women's volleyball and "MVB" for men's volleyball).
<code>delay</code>	Numeric for time delay between teams/contests in seconds.

Value

For season level, returns list with data frames of player statistics and team statistics. For match and pbp levels, returns data frame of player statistics and play-by-play information respectively.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information. It also uses the `{chromote}` package and **requires Google Chrome** to be installed.

See Also

Other functions that aggregate statistics: [conference_stats\(\)](#), [division_stats\(\)](#)

Examples

```
group_stats(teams = c("Louisville", "Nebraska", "Penn St.", "Pittsburgh"),
year = 2024, level = "teamseason")
```

match_pbp

Extract play-by-play information for a particular match

Description

The NCAA's page for a match/contest includes a tab called "Play By Play". This function extracts the tables of play-by-play information for each set.

Usage

```
match_pbp(contest = NULL)
```

Arguments

contest	Contest ID determined by NCAA for match. To find ID, use find_team_contests() for a team and season.
---------	--

Value

Returns a data frame of set number, teams, score, event, and player responsible for the event.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information. It also uses the [{chromote}](#) package and **requires Google Chrome** to be installed.

Examples

```
match_pbp(contest = "6080706")
```

mvb_teams

NCAA Men's Volleyball Teams 2020-2024

Description

This data frame includes all men's NCAA Division 1 and 3 teams from 2020-2024.

Usage

`mvb_teams`

Format

A data frame with 873 rows and 6 columns:

team_id Team ID for season/year

team_name Team name

conference_id Conference ID

conference Conference name

div NCAA division number (1 or 3)

yr Year for fall of season

Source

<https://stats.ncaa.org>

See Also

Other data sets: [ncaa_conferences](#), [ncaa_sports](#), [ncaa_teams](#), [wvb_teams](#)

Examples

```
head(mvb_teams)
```

ncaa_conferences *NCAA Conference Names*

Description

This vector includes names for all NCAA volleyball conferences.

Usage

```
ncaa_conferences
```

Format

A character vector with 111 conference names.

Source

<https://stats.ncaa.org>

See Also

Other data sets: [mvb_teams](#), [ncaa_sports](#), [ncaa_teams](#), [wvb_teams](#)

Examples

```
head(ncaa_conferences)
```

ncaa_sports *NCAA Sports and Sport Codes*

Description

This data frame includes all NCAA women's and men's sports and the codes used to refer to the sports.

Usage

```
ncaa_sports
```

Format

A data frame with 100 rows and 2 columns:

code Sport code

sport Sport name

Source

https://ncaaorg.s3.amazonaws.com/championships/resources/common/NCAA_SportCodes.pdf

See Also

Other data sets: [mvb_teams](#), [ncaa_conferences](#), [ncaa_teams](#), [wvb_teams](#)

Examples

```
head(ncaa_sports)
```

ncaa_teams

NCAA Team Names

Description

This vector includes names for all NCAA volleyball teams.

Usage

```
ncaa_teams
```

Format

A character vector with 1,089 team names.

Source

<https://stats.ncaa.org>

See Also

Other data sets: [mvb_teams](#), [ncaa_conferences](#), [ncaa_sports](#), [wvb_teams](#)

Examples

```
head(ncaa_teams)
```

player_match_stats	<i>Extract player statistics for a particular match</i>
--------------------	---

Description

The NCAA's page for a match/contest includes a tab called "Individual Statistics". This function extracts the tables of player match statistics for both home and away teams, as well as team statistics (though these can be omitted). If a particular team is specified, only that team's statistics will be returned.

Usage

```
player_match_stats(  
  contest = NULL,  
  team = NULL,  
  team_stats = TRUE,  
  sport = "WVB"  
)
```

Arguments

contest	Contest ID determined by NCAA for match. To find ID, use find_team_contests() for a team and season.
team	Name of school. Must match name used by NCAA. Find exact team name with find_team_name() .
team_stats	Logical indicating whether to include (TRUE) or exclude (FALSE) team statistics. Default includes team statistics with player statistics.
sport	Three letter abbreviation for NCAA sport (must be upper case; for example "WVB" for women's volleyball and "MVB" for men's volleyball).

Value

By default, returns data frame that includes both home and away team match statistics. If team is specified, only that team's data are returned.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information. It also uses the **{chromote}** package and **requires Google Chrome** to be installed.

See Also

Other functions that extract player statistics: [player_season_stats\(\)](#)

Examples

```
player_match_stats(contest = "6080706")
```

`player_season_stats` *Extract player statistics from a particular team and season*

Description

The NCAA's main page for a team includes a tab called "Team Statistics". This function extracts the table of player statistics for the season, as well as team and opponent statistics (though these can be omitted).

Usage

```
player_season_stats(team_id, team_stats = TRUE)
```

Arguments

`team_id` Team ID determined by NCAA for season. To find ID, use [find_team_id\(\)](#).

`team_stats` Logical indicating whether to include (TRUE) or exclude (FALSE) team statistics. Default includes team statistics with player statistics.

Value

Returns a data frame of player statistics. Note that hometown and high school were added in 2024.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information. It also uses the **{chromote}** package and **requires Google Chrome** to be installed.

See Also

Other functions that extract player statistics: [player_match_stats\(\)](#)

Examples

```
player_season_stats(team_id = "585290")
```

team_match_stats	<i>Extract team summary statistics for all matches in a particular season</i>
------------------	---

Description

The NCAA's main page for a team includes a tab called "Game By Game" and a section called "Game by Game Stats". This function extracts the team's summary statistics for each match of the season.

Usage

```
team_match_stats(team_id = NULL, sport = "WVB")
```

Arguments

team_id	Team ID determined by NCAA for season. To find ID, use find_team_id() .
sport	Three letter abbreviation for NCAA sport (must be upper case; for example "WVB" for women's volleyball and "MVB" for men's volleyball).

Value

Returns a data frame of summary team statistics for each match of the season.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information. It also uses the **{chromote}** package and **requires Google Chrome** to be installed.

See Also

Other functions that extract team statistics: [team_season_info\(\)](#), [team_season_stats\(\)](#)

Examples

```
team_match_stats(team_id = "585290")
```

team_season_info	<i>Extract arena, coach, record, and schedule information for a particular team and season</i>
------------------	--

Description

The NCAA's main page for a team includes a tab called "Schedule/Results". This function extracts information about the team's venue, coach, and records, as well as the table of the schedule and results. This returns a list, so you can subset specific components with \$ (e.g., for coach information from an object called `output`, use `output$coach`).

Usage

```
team_season_info(team_id = NULL)
```

Arguments

`team_id` Team ID determined by NCAA for season. To find ID, use [find_team_id\(\)](#).

Value

Returns a list that includes arena, coach, schedule, and record information.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information. It also uses the **{chromote}** package and **requires Google Chrome** to be installed.

See Also

Other functions that extract team statistics: [team_match_stats\(\)](#), [team_season_stats\(\)](#)

Examples

```
team_season_info(team_id = "585290")
```

team_season_stats *Extract teams statistics for season statistics from 2020-2024*

Description

The NCAA's main page for a team includes a tab called "Game By Game" and a section called "Career Totals". This function extracts season summary stats.

Usage

```
team_season_stats(team = NULL, opponent = FALSE, sport = "WVB")
```

Arguments

team	Name of school. Must match name used by NCAA. Find exact team name with find_team_name() .
opponent	Logical indicating whether to include team's stats (FALSE) or opponent's stats (TRUE). Default is set to FALSE, returning team stats.
sport	Three letter abbreviation for NCAA sport (must be upper case; for example "WVB" for women's volleyball and "MVB" for men's volleyball).

Value

Returns a data frame of summary team statistics for each season.

Note

This function **requires internet connectivity** as it checks the **NCAA website** for information. It also uses the **{chromote}** package and **requires Google Chrome** to be installed.

See Also

Other functions that extract team statistics: [team_match_stats\(\)](#), [team_season_info\(\)](#)

Examples

```
team_season_stats(team = "Nebraska")
```

wvb_teams

NCAA Women's Volleyball Teams 2020-2024

Description

This data frame includes all women's NCAA Division 1, 2, and 3 teams from 2020-2024.

Usage

`wvb_teams`

Format

A data frame with 5,289 rows and 6 columns:

team_id Team ID for season/year
team_name Team name
conference_id Conference ID
conference Conference name
div NCAA division number (1, 2, or 3)
yr Year for fall of season

Source

<https://stats.ncaa.org>

See Also

Other data sets: [mvb_teams](#), [ncaa_conferences](#), [ncaa_sports](#), [ncaa_teams](#)

Examples

`head(wvb_teams)`

Index

- * **data sets**
 - mvb_teams, 10
 - ncaa_conferences, 11
 - ncaa_sports, 11
 - ncaa_teams, 12
 - wvb_teams, 18
- * **datasets**
 - mvb_teams, 10
 - ncaa_conferences, 11
 - ncaa_sports, 11
 - ncaa_teams, 12
 - wvb_teams, 18
- * **functions that aggregate statistics**
 - conference_stats, 2
 - division_stats, 3
 - group_stats, 8
- * **functions that extract player statistics**
 - player_match_stats, 13
 - player_season_stats, 14
- * **functions that extract team statistics**
 - team_match_stats, 15
 - team_season_info, 16
 - team_season_stats, 17
- * **search functions**
 - find_team_id, 5
 - find_team_name, 6

conference_stats, 2, 4, 9

division_stats, 3, 3, 9

find_team_contests, 5

find_team_contests(), 9, 13

find_team_id, 5, 7

find_team_id(), 5, 6, 14–16

find_team_name, 6, 6

find_team_name(), 5, 6, 8, 13, 17

get_teams, 7

group_stats, 3, 4, 8

group_stats(), 2, 3, 6

match_pbp, 9

match_pbp(), 8

mvb_teams, 5, 7, 10, 11, 12, 18

ncaa_conferences, 2, 10, 11, 12, 18

ncaa_sports, 7, 10, 11, 11, 12, 18

ncaa_teams, 5, 6, 8, 10–12, 12, 18

player_match_stats, 13, 14

player_match_stats(), 8

player_season_stats, 13, 14

player_season_stats(), 8

team_match_stats, 15, 16, 17

team_match_stats(), 8

team_season_info, 15, 16, 17

team_season_stats, 15, 16, 17

wvb_teams, 5, 7, 10–12, 18