

Package ‘rmake’

January 8, 2026

Type Package

Title Makefile Generator for R Analytical Projects

Version 1.2.2

Date 2026-01-08

Maintainer Michal Burda <michal.burda@osu.cz>

Description Creates and maintains a build process for complex analytic tasks in R.

Package allows to easily generate Makefile for the (GNU) 'make' tool, which drives the build process by (in parallel) executing build commands in order to update results accordingly to given dependencies on changed data or updated source files.

URL <https://github.com/beerda/rmake>, <https://beerda.github.io/rmake/>

BugReports <https://github.com/beerda/rmake/issues>

License GPL (>= 3.0)

Encoding UTF-8

Imports tools, assertthat, rmarkdown, visNetwork, knitr

Suggests testthat

RoxygenNote 7.3.3

VignetteBuilder knitr

Language en-US

NeedsCompilation no

Author Michal Burda [aut, cre] (ORCID: <<https://orcid.org/0000-0002-4182-4407>>)

Repository CRAN

Date/Publication 2026-01-08 13:30:02 UTC

Contents

copyRule	2
defaultVars	3
depRule	4
expandTemplate	4
getParam	6
hasGnuMake	7
inShell	8
is.rule	9
knitrRule	9
make	11
makefile	12
markdownRule	13
offlineRule	15
prerequisites	16
replaceSuffix	17
replaceVariables	17
rmakeSkeleton	18
rRule	19
rule	20
sanitizePath	22
sanitizeSpaces	22
subdirRule	23
visualizeRules	23
%>>%	24

Index

26

copyRule	<i>Rule for copying a file to a new location</i>
----------	--

Description

This rule copies a file from one location to another. The rule executes the following command:
`$(CP) depends[1] target`

Usage

```
copyRule(target, depends, task = "all")
```

Arguments

target	Target file name to copy the file to
depends	Name of the file to copy from (only the first element of the vector is used)
task	A character vector of parent task names. The mechanism of tasks allows grouping rules. Anything different from 'all' will cause the creation of a new task depending on the given rule. Executing <code>make taskname</code> will then force building this rule.

Value

Instance of S3 class `rmake.rule`

Author(s)

Michal Burda

See Also

[rule\(\)](#), [makefile\(\)](#)

defaultVars

Variables used within the Makefile generating process

Description

`defaultVars` is a reserved variable, a named vector that defines Makefile variables, i.e., shell variables that will exist during the execution of Makefile rules. The content of this variable is written to the resulting Makefile during the execution of the [makefile\(\)](#) function.

Usage

`defaultVars`

Format

An object of class `character` of length 4.

Author(s)

Michal Burda

See Also

[makefile\(\)](#)

depRule	<i>A rule that defines a dependency between targets without actually providing any execution script.</i>
---------	--

Description

This rule is useful when you want to specify that a target depends on another target but you do not want to execute any script to build it.

Usage

```
depRule(target, depends = NULL, task = "all")
```

Arguments

target	Target file name that depends on depends
depends	A character vector of prerequisite file names that target depends on.
task	A character vector of parent task names. The mechanism of tasks allows grouping rules. Anything different from 'all' will cause the creation of a new task depending on the given rule. Executing <code>make taskname</code> will then force building this rule.

Value

Instance of S3 class `rmake.rule`

Author(s)

Michal Burda

See Also

[rule\(\)](#), [makefile\(\)](#)

expandTemplate	<i>Expand template rules into a list of rules by replacing rmake variables with their values</i>
----------------	--

Description

The functionality of `expandTemplate()` differs according to the type of the first argument. If the first argument is a template job (i.e., a list of template rules) or a template rule, then a job is created from templates by replacing rmake variables in templates with the values of these variables, as specified in the second argument. An rmake variable is a part of a string in the format `[$VARIABLE_NAME]`.

Usage

```
expandTemplate(template, vars)
```

Arguments

template	An instance of the S3 <code>rmake.rule</code> class, or a list of such objects, or a character vector.
vars	A named character vector, matrix, or data frame with variable definitions. For character vector, names are variable names, values are variable values. For matrix or data frame, colnames are variable names and column values are variable values.

Details

If `vars` is a character vector, then all variables in `vars` are replaced in `template` so that the result will contain `length(template)` rules. If `vars` is a data frame or a character matrix, then the replacement of variables is performed row-wise. That is, a new sequence of rules is created from `template` for each row of variables in `vars`, so that the result will contain `nrow(vars) * length(template)` rules.

If the first argument of `expandTemplate()` is a character vector, then the result is a character vector created by row-wise replacements of `rmake` variables, similarly to the case of `template` jobs. See examples.

Value

If `template` is an instance of the S3 `rmake.rule` class, or a list of such objects, a list of rules created from `template` by replacing `rmake` variables is returned. If `template` is a character vector then a character vector with all variants of `rmake` values is returned.

Author(s)

Michal Burda

See Also

[replaceVariables\(\)](#), [rule\(\)](#)

Examples

```
# Examples with template jobs and rules:  
  
tmpl <- rRule('data-$[VERSION].csv', 'process-$[TYPE].R', 'output-$[VERSION]-$[TYPE].csv')  
  
job <- expandTemplate(tmpl, c(VERSION='small', TYPE='a'))  
# is equivalent to  
job <- list(rRule('data-small.csv', 'process-a.R', 'output-small-a.csv'))  
  
job <- expandTemplate(tmpl, expand.grid(VERSION=c('small', 'big'), TYPE=c('a', 'b', 'c')))  
# is equivalent to  
job <- list(rRule('data-small.csv', 'process-a.R', 'output-small-a.csv'),
```

```

rRule('data-big.csv', 'process-a.R', 'output-big-a.csv'),
rRule('data-small.csv', 'process-b.R', 'output-small-b.csv'),
rRule('data-big.csv', 'process-b.R', 'output-big-b.csv'),
rRule('data-small.csv', 'process-c.R', 'output-small-c.csv'),
rRule('data-big.csv', 'process-c.R', 'output-big-c.csv'))


# Examples with template character vectors:
expandTemplate('data-[MAJOR].[MINOR].csv',
                c(MAJOR=3, MINOR=1))
# returns: c('data-3.1.csv')

expandTemplate('data-[MAJOR].[MINOR].csv',
               expand.grid(MAJOR=c(3:4), MINOR=c(0:2)))
# returns: c('data-3.0.csv', 'data-4.0.csv',
#           'data-3.1.csv', 'data-4.1.csv',
#           'data-3.2.csv', 'data-4.2.csv')

```

getParam*Wrapper around the params global variable***Description**

Returns an element of the global params variable that is normally used to send parameters to a script from the Makefile generated by `rmake`. Script parameters may be defined with the `params` argument of the `rRule()` or `markdownRule()` functions.

Usage

```
getParam(name, default = NA)
```

Arguments

<code>name</code>	Name of the parameter
<code>default</code>	Default value to be returned if the <code>params</code> global variable does not exist, which typically occurs if the script is executed outside of the Makefile.

Value

The function returns an element of the given name from the `params` variable that is created inside the Makefile recipe. If the `params` global variable does not exist (the script is likely being executed directly, i.e., not from the Makefile generated by `rmake`), the `default` value is returned and a warning is generated. If the `params` global variable exists but it is not a list or the `name` element does not exist in it, an error is thrown.

Author(s)

Michal Burda

See Also[rRule\(\)](#), [markdownRule\(\)](#)**Examples**

```
task <- getParam('task', 'default')
```

hasGnuMake

Check if GNU Make is available via the 'make' command

Description

Function checks if GNU Make is installed and available in the system PATH via the 'make' command. It also verifies that the version of GNU Make is at least the minimum required version needed by the package, which is currently set to 3.82.

Usage

```
hasGnuMake()
```

Value

Logical value indicating if GNU Make is available

Author(s)

Michal Burda

Examples

```
if (hasGnuMake()) {  
  message("GNU Make is available")  
}
```

inShell	<i>Convert R code to a character vector of shell commands evaluating the given R code.</i>
---------	--

Description

The function takes R commands, deparses them, substitutes existing variables, and converts everything to character strings, from which a shell command is created that sends the given R code to the R interpreter. The function is used internally to print the commands of R rules into the Makefile.

Usage

```
inShell(...)
```

Arguments

... R commands to be converted

Value

A character vector of shell commands that send the given R code by pipe to the R interpreter

Author(s)

Michal Burda

See Also

[rRule\(\)](#), [markdownRule\(\)](#)

Examples

```
inShell({  
  x <- 1  
  y <- 2  
  print(x+y)  
})
```

is.rule	<i>Check if the argument is a valid rule object.</i>
---------	--

Description

Function tests whether `x` is a valid rule object, i.e., whether it is a list and inherits from the `rmake.rule` S3 class. Instances of `rule` represent an atomic building unit, i.e., a command that must be executed, which optionally depends on some files or other rules – see [rule\(\)](#) for more details.

Usage

```
is.rule(x)
```

Arguments

<code>x</code>	An argument to be tested
----------------	--------------------------

Value

TRUE if `x` is a valid rule object and FALSE otherwise.

Author(s)

Michal Burda

See Also

[rule\(\)](#), [makefile\(\)](#), [rRule\(\)](#), [markdownRule\(\)](#), [offlineRule\(\)](#)

knitrRule	<i>Rule for building text documents using the knitr package</i>
-----------	---

Description

This rule executes knitr to create a text file, as described in [knitr::knit\(\)](#).

Usage

```
knitrRule(target, script, depends = NULL, params = list(), task = "all")
```

Arguments

target	Name of the output file to be created
script	Name of the RNW file to be rendered
depends	A vector of file names that the markdown script depends on, or <code>NULL</code> .
params	A list of R values that become available within the <code>script</code> in a <code>params</code> variable.
task	A character vector of parent task names. The mechanism of tasks allows grouping rules. Anything different from ' <code>all</code> ' will cause the creation of a new task depending on the given rule. Executing <code>make taskname</code> will then force building this rule.

Details

This rule executes the following command in a separate R process: `library(knitr); params <- params; knitr::knit(some_code, params = params)`

That is, the parameters given in the `params` argument are stored in the global variable and then the `script` is processed with `knitr`. Note that the re-generation of the `Makefile` with any change to `params` will not cause the re-execution of the recipe unless other script dependencies change.

Issuing `make clean` from the shell causes removal of all files specified in the `target` parameter.

Value

Instance of S3 class `rmake.rule`

Author(s)

Michal Burda

See Also

[markdownRule\(\)](#), [rule\(\)](#), [makefile\(\)](#), [rRule\(\)](#)

Examples

```
r <- knitrRule(target='report.tex',
                 script='report.Rnw',
                 depends=c('data1.csv', 'data2.csv'))

# generate the content of a makefile (as character vector)
makefile(list(r))

# generate to file
tmp <- tempdir()
makefile(list(r), file.path(tmp, "Makefile"))
```

make	<i>Run make in the system</i>
------	-------------------------------

Description

This function executes the `make` command to rebuild all dependencies according to the `Makefile` generated by `makefile()`.

Usage

```
make(..., .stdout = "", .stderr = "", .stdin = "")
```

Arguments

...	Command-line arguments passed to the <code>make</code> command (see <code>?make</code> in your shell for details)
<code>.stdout</code>	Where to direct standard output; see <code>base::system2()</code> .
<code>.stderr</code>	Where to direct standard error; see <code>base::system2()</code> .
<code>.stdin</code>	Where to get standard input; see <code>base::system2()</code>

Value

Exit status of the command; see `base::system2()` for details.

Author(s)

Michal Burda

See Also

`makefile()`, `rmakeSkeleton()`

Examples

```
## Not run:
make()          # make all
make('clean')  # make the 'clean' task
make('-j', 4)  # make with 4 processes in parallel

## End(Not run)
```

makefile*Generate Makefile from a given list of rules (job).*

Description

In the (GNU) make jargon, a *rule* is a sequence of commands to build a result. In this package, a rule should be understood similarly: It is a command or a sequence of commands that optionally produces some files and depends on some other files (such as data files or scripts) or other rules. Moreover, a rule contains a command for cleanup, i.e., for removal of generated files.

Usage

```
makefile(
  job = list(),
  fileName = NULL,
  makeScript = "Makefile.R",
  vars = NULL,
  all = TRUE,
  tasks = TRUE,
  clean = TRUE,
  makefile = TRUE,
  depends = NULL
)
```

Arguments

job	A list of rules (i.e., instances of the S3 class <code>rmake.rule</code> - see rule())
fileName	A file to write to. If <code>NULL</code> , the result is returned as a character vector instead of writing to a file.
makeScript	The name of the file that calls this function (used to generate the <code>makefile</code> rule)
vars	A named character vector of shell variables that will be declared in the resulting Makefile (in addition to <code>[defaultVars]</code>)
all	TRUE if the <code>all</code> rule should be automatically created and added: the created <code>all</code> rule has dependencies on all the other rules, which causes everything to be built if <code>make all</code> is executed in the shell's command line.
tasks	TRUE if "task" rules should be automatically created and added – see rule() for more details.
clean	TRUE if the <code>clean</code> rule should be automatically created and added
makefile	TRUE if the <code>Makefile</code> rule should be automatically created and added: this rule ensures that any change in the R script that generates the Makefile (i.e., that calls makefile()) triggers the re-generation of the Makefile at the beginning of any build.
depends	A character vector of file names that the makefile generating script depends on

Details

The `makefile()` function takes a list of rules (see `rule()`) and generates a Makefile from them. Additionally, `all` and `clean` rules are optionally generated too, which can be executed from the shell by issuing the `make all` or `make clean` command, respectively, to build everything or erase all generated files.

If there is a need to group some rules together, it can be done either via dependencies or by using the task mechanism. Each rule may be assigned one or more tasks (see `task` in `rule()`). Each task is then created as a standalone rule depending on the assigned rules. That way, executing `make task_name` will build all rules with the assigned task `task_name`. By default, all rules are assigned to task `all`, which allows `make all` to build everything.

Value

If `fileName` is `NULL`, the function returns a character vector with the contents of the Makefile. Otherwise, the content is written to the given `fileName`.

Author(s)

Michal Burda

See Also

`rule()`, `rmakeSkeleton()`

Examples

```
# create some jobs
job <- list(
  rRule('dataset.rds', 'preprocess.R', 'dataset.csv'),
  markdownRule('report.pdf', 'report.Rmd', 'dataset.rds'),
  markdownRule('details.pdf', 'details.Rmd', 'dataset.rds'))

# generate Makefile (output as a character vector)
makefile(job)

# generate to file
tmp <- tempdir()
makefile(job, file.path(tmp, "Makefile"))
```

Description

This rule executes Markdown rendering to create text files in various supported formats such as PDF, DOCX, etc.

Usage

```
markdownRule(target, script, depends = NULL, params = list(), task = "all")
```

Arguments

target	Name of the output file to be created
script	Name of the markdown file to be rendered
depends	A vector of file names that the markdown script depends on, or NULL.
params	A list of R values that become available within the script in a params variable.
task	A character vector of parent task names. The mechanism of tasks allows grouping rules. Anything different from 'all' will cause the creation of a new task depending on the given rule. Executing make taskname will then force building this rule.

Details

This rule executes the following command in a separate R process: `params <- params; rmarkdown::render(script, output = target)`.

That is, the parameters given in the params argument are stored in the global variable and then the script is rendered with rmarkdown. Note that the re-generation of the Makefile with any change to params will not cause the re-execution of the recipe unless other script dependencies change.

Issuing `make clean` from the shell causes removal of all files specified in the target parameter.

Value

Instance of S3 class `rmake.rule`

Author(s)

Michal Burda

See Also

[rule\(\)](#), [makefile\(\)](#), [rRule\(\)](#)

Examples

```
r <- markdownRule(target='report.pdf',
                   script='report.Rmd',
                   depends=c('data1.csv', 'data2.csv'))

# generate the content of a makefile (as character vector)
makefile(list(r))

# generate to file
tmp <- tempdir()
makefile(list(r), file.path(tmp, "Makefile"))
```

offlineRule	<i>Rule for requesting manual user action</i>
-------------	---

Description

Instead of building the target, this rule simply issues the given error message. This rule is useful for cases where the target `target` depends on `depends` but must be updated by some manual process. So if `target` is older than any of its dependencies, `make` will throw an error until the user manually updates the target.

Usage

```
offlineRule(target, message, depends = NULL, task = "all")
```

Arguments

<code>target</code>	A character vector of target file names of the manual (offline) build command
<code>message</code>	An error message to be issued if targets are older than dependencies in <code>depends</code>
<code>depends</code>	A character vector of file names the targets depend on
<code>task</code>	A character vector of parent task names. The mechanism of tasks allows grouping rules. Anything different from 'all' will cause the creation of a new task depending on the given rule. Executing <code>make taskname</code> will then force building this rule.

Value

Instance of S3 class `rmake.rule`

Author(s)

Michał Burda

See Also

[rule\(\)](#), [makefile\(\)](#)

Examples

```
r <- offlineRule(target='offlinedata.csv',
                  message='Please re-generate manually offlinedata.csv',
                  depends=c('source1.csv', 'source2.csv'))

# generate the content of a makefile (as character vector)
makefile(list(r))

# generate to file
tmp <- tempdir()
makefile(list(r), file.path(tmp, "Makefile"))
```

prerequisites*Return a given set of properties of all rules in a list*

Description

`targets()` returns a character vector of all unique values of `target` properties, `prerequisites()` returns `depends` and `script` properties, and `tasks()` returns task properties of the given `rule()` or list of rules.

Usage

```
prerequisites(x)

targets(x)

tasks(x)

terminals(x)
```

Arguments

`x` An instance of the `rmake.rule` class or a list of such instances

Details

`terminals()` returns only such targets that are not prerequisites to any other rule.

Value

A character vector of unique values of the selected property obtained from all rules in `x`

Author(s)

Michal Burda

See Also

[rule\(\)](#)

Examples

```
job <- 'data.csv' %>>%
  rRule('process.R', task='basic') %>>%
  'data.rds' %>>%
  markdownRule('report.Rnw', task='basic') %>>%
  'report.pdf'

prerequisites(job)    # returns c('process.R', data.csv', 'report.Rnw', 'data.rds')
targets(job)          # returns c('data.rds', 'report.pdf')
```

```
tasks(job)          # returns 'basic'
```

replaceSuffix

Replace the suffix of a given file name with a new extension (suffix)

Description

This helper function takes a file name `fileName`, removes its extension (suffix), and adds a new extension `newSuffix`.

Usage

```
replaceSuffix(fileName, newSuffix)
```

Arguments

<code>fileName</code>	A character vector with original filenames
<code>newSuffix</code>	A new extension to replace old extensions in file names <code>fileName</code>

Value

A character vector with new file names with old extensions replaced with `newSuffix`

Author(s)

Michal Burda

Examples

```
replaceSuffix('filename.Rmd', '.pdf')          # 'filename.pdf'
replaceSuffix(c('a.x', 'b.y', 'c.z'), '.csv')  # 'a.csv', 'b.csv', 'c.csv'
```

replaceVariables

Replace rmake variables in a character vector

Description

This function searches for all `rmake` variables in the given vector `x` and replaces them with their values that are defined in the `vars` argument. An `rmake` variable is identified by the `$[VARIABLE_NAME]` string.

Usage

```
replaceVariables(x, vars)
```

Arguments

- x A character vector where to replace the rmake variables
- vars A named character vector with variable definitions (names are variable names, values are variable values)

Value

A character vector with rmake variables replaced with their values

Author(s)

Michal Burda

See Also

[expandTemplate\(\)](#)

Examples

```
vars <- c(SIZE='small', METHOD='abc')
replaceVariables('result-$[SIZE]-$[METHOD].csv', vars) # returns 'result-small-abc.csv'
```

rmakeSkeleton

Prepare an existing project for building with rmake.

Description

This function creates a `Makefile.R` with an empty `rmake` project and generates a basic `Makefile` from it.

Usage

```
rmakeSkeleton(path)
```

Arguments

- path Path to the target directory where to create files. Use `."` for the current directory.

Author(s)

Michal Burda

See Also

[makefile\(\)](#), [rule\(\)](#)

Examples

```
# creates/overrides Makefile.R and Makefile in a temporary directory
rmakeSkeleton(path=tempdir())
```

rRule	<i>Rule for running R scripts</i>
-------	-----------------------------------

Description

This rule executes R scripts to create various file outputs.

Usage

```
rRule(
  target,
  script,
  depends = NULL,
  params = list(),
  task = "all",
  preBuild = NULL,
  postBuild = NULL
)
```

Arguments

target	Name of output files to be created
script	Name of the R script to be executed
depends	A vector of file names that the R script depends on, or NULL.
params	A list of R values that become available within the <code>script</code> in a <code>params</code> variable.
task	A character vector of parent task names. The mechanism of tasks allows grouping rules. Anything different from 'all' will cause the creation of a new task depending on the given rule. Executing <code>make taskname</code> will then force building this rule.
preBuild	A character vector of shell commands to be executed before building the target
postBuild	A character vector of shell commands to be executed after building the target

Details

In detail, this rule executes the following command in a separate R process: `params <- params; source(script)`

That is, the parameters given in the `params` argument are stored in the global variable and then the `script` is sourced. Note that the re-generation of the Makefile with any change to `params` will not cause the re-execution of the recipe unless other script dependencies change.

Issuing `make clean` from the shell causes removal of all files specified in the `target` parameter.

Value

Instance of S3 class `rmake.rule`

Author(s)

Michal Burda

See Also

`rule()`, `makefile()`, `markdownRule()`

Examples

```
r <- rRule(target='cleandata.csv',
           script='clean.R',
           depends=c('data1.csv', 'data2.csv'))

# generate the content of a makefile (as character vector)
makefile(list(r))

# generate to file
tmp <- tempdir()
makefile(list(r), file.path(tmp, "Makefile"))
```

rule

General creator of an instance of the S3 `rmake.rule` class

Description

A rule is an atomic element of the build process. It defines a set of target file names to be built with a given build command from a given set of depends files that the targets depend on, and which can be removed by a given clean command.

Usage

```
rule(
  target,
  depends = NULL,
  build = NULL,
  clean = NULL,
  task = "all",
  phony = FALSE,
  type = "")
```

Arguments

target	A character vector of target file names that are created by the given build command
depends	A character vector of file names the build command depends on
build	A shell command that runs the build of the given target
clean	A shell command that erases all files produced by the build command
task	A character vector of parent task names. The mechanism of tasks allows grouping rules. Anything different from 'all' will cause the creation of a new task depending on the given rule. Executing <code>make taskname</code> will then force building this rule.
phony	Whether the rule has a PHONY (i.e., non-file) target. A rule should be marked with <code>phony</code> if the target is not a file name that would be generated by the <code>build</code> commands. E.g., <code>all</code> or <code>clean</code> are phony targets. Also, all targets representing tasks (see <code>task</code> above) are phony.
type	A string representing a type of rule used e.g. when printing a rule in an easily readable format. For instance, <code>rRule()</code> uses R, <code>markdownRule()</code> uses <code>markdown</code> , etc.

Details

If there is a need to group some rules together, one can assign them the same task identifier in the `task` argument. Each rule may be assigned one or more tasks. Tasks may then be built by executing `make task_name` on the command line, which forces rebuilding of all rules assigned to task '`task_name`'. By default, all rules are assigned to task `all`, which causes the `make all` command to build everything.

Value

Instance of S3 class `rmake.rule`

Author(s)

Michal Burda

See Also

[makefile\(\)](#), [inShell\(\)](#)

Examples

```
r <- rule(target='something.abc',
           depends=c('file.a', 'file.b', 'file.c'),
           build='myCompiler file.a file.b file.c -o something.abc',
           clean='${RM} something.abc')

# generate the content of a makefile (as character vector)
makefile(list(r))
```

```
# generate to file
tmp <- tempdir()
makefile(list(r), file.path(tmp, "Makefile"))
```

sanitizePath*Sanitize a file path for the current operating system***Description**

This function replaces forward slashes with backslashes on Windows systems, and leaves the path unchanged on Unix-like systems.

Usage

```
sanitizePath(path)
```

Arguments

path A character string representing the file path to be sanitized.

Value

A sanitized file path suitable for the current operating system.

Author(s)

Michal Burda

sanitizeSpaces*Escape spaces in a string as needed in file names used in Makefile files***Description**

Escape spaces in a string as needed in file names used in Makefile files

Usage

```
sanitizeSpaces(x)
```

Arguments

x A character vector to be sanitized

Value

A character vector with spaces replaced by \

Author(s)

Michal Burda

subdirRule*Rule for running the make process in a subdirectory*

Description

The subdirectory in the target argument is assumed to contain its own Makefile. This rule executes make <targetTask> in this subdirectory (where <targetTask> is the value of the targetTask argument).

Usage

```
subdirRule(target, depends = NULL, task = "all", targetTask = "all")
```

Arguments

target	Name of the subdirectory
depends	Must be NULL
task	A character vector of parent task names. The mechanism of tasks allows grouping rules. Anything different from 'all' will cause the creation of a new task depending on the given rule. Executing make taskname will then force building this rule.
targetTask	What task to execute in the subdirectory.

Value

An instance of S3 class `rmake.rule`

Author(s)

Michał Burda

See Also

[rule\(\)](#), [makefile\(\)](#)

visualizeRules*Visualize dependencies defined by a rule or a list of rules*

Description

Visualize dependencies defined by a rule or a list of rules

Usage

```
visualizeRules(x, legend = TRUE)
```

Arguments

- x An instance of the S3 `rmake.rule` class or a list of such objects
- legend Whether to draw a legend

Author(s)

Michal Burda

See Also

`makefile()`, `rule()`

Examples

```
job <- c('data1.csv', 'data2.csv') %>>%
  rRule('process.R') %>>%
  'data.rds' %>>%
  markdownRule('report.Rmd') %>>%
  'report.pdf'

## Not run:
visualizeRules(job)

## End(Not run)
```

%>>%

A pipe operator for rmake rules

Description

This pipe operator simplifies the definition of multiple `rmake` rules that constitute a chain, that is, if a first rule depends on the results of a second rule, which depends on the results of a third rule and so on.

Usage

```
lhs %>>% rhs
```

Arguments

- lhs A dependency file name or a call to a function that creates a `rmake.rule`.
- rhs A target file or a call to a function that creates a `rmake.rule`.

Details

The format of proper usage is as follows: 'inFile' %>>% rule(), which is equivalent to the call rule(depends='inFile', target='outFile'). rule must be a function that accepts the named parameters depends and target and creates the rmake.rule object (see [rule\(\)](#), [rRule\(\)](#), [markdownRule\(\)](#), etc.). inFile and outFile are file names.

Multiple rules may be pipe-lined as follows: 'inFile' %>>% rRule('script1.R') %>>% 'medFile' %>>% rRule('script2.R') %>>% 'outFile', which is equivalent to a job of two rules created with: rRule(script='script1.R', depends='inFile', target='medFile') and rRule(script='script2.R', depends='medFile', target='outFile').

Value

A list of instances of the rmake.rule class.

Author(s)

Michal Burda (%>>% operator is derived from the code of the `magrittr` package by Stefan Milton Bache and Hadley Wickham)

See Also

[rule\(\)](#), [makefile\(\)](#)

Examples

```
job1 <- 'data.csv' %>>%  
  rRule('preprocess.R') %>>%  
  'data.rds' %>>%  
  markdownRule('report.rnw') %>>%  
  'report.pdf'  
  
# is equivalent to  
  
job2 <- list(rRule(target='data.rds', script='preprocess.R', depends='data.csv'),  
            markdownRule(target='report.pdf', script='report.rnw', depends='data.rds'))
```

Index

* **datasets**
 defaultVars, 3
 %>>%, 24

base::system2(), 11

copyRule, 2

defaultVars, 3

depRule, 4

expandTemplate, 4

expandTemplate(), 18

getParam, 6

getters (prerequisites), 16

hasGnuMake, 7

inShell, 8

inShell(), 21

is.rule, 9

knitr::knit(), 9

knitrRule, 9

make, 11

makefile, 12

makefile(), 3, 4, 9–15, 18, 20, 21, 23–25

markdownRule, 13

markdownRule(), 6–10, 20, 21, 25

offlineRule, 15

offlineRule(), 9

prerequisites, 16

replaceSuffix, 17

replaceVariables, 17

replaceVariables(), 5

rmake.rule(rule), 20

rmakeSkeleton, 18

rmakeSkeleton(), 11, 13

rRule, 19

rRule(), 6–10, 14, 21, 25

rule, 20

rule(), 3–5, 9, 10, 12–16, 18, 20, 23–25

sanitizePath, 22

sanitizeSpaces, 22

subdirRule, 23

targets (prerequisites), 16

tasks (prerequisites), 16

terminals (prerequisites), 16

visualizeRules, 23