

Package ‘text’

January 8, 2026

Type Package

Title Analyses of Text using Transformers Models from HuggingFace,
Natural Language Processing and Machine Learning

Version 1.8.0

Description Link R with Transformers from Hugging Face to transform text variables to word embeddings; where the word embeddings are used to statistically test the mean difference between set of texts, compute semantic similarity scores between texts, predict numerical variables, and visual statistically significant words according to various dimensions etc. For more information see <<https://www.r-text.org>>.

License GPL-3

URL <https://r-text.org/>, <https://github.com/OscarKjell/text/>

BugReports <https://github.com/OscarKjell/text/issues/>

Encoding UTF-8

Archs x64

SystemRequirements Python (>= 3.6.0)

LazyData true

BuildVignettes true

Imports topics, dplyr, tibble, stringi, tidyverse, ggplot2, ggrepel,
cowplot, rlang, purrr, magrittr, parsnip, recipes (>= 0.1.16),
rsample, reticulate, tune, workflows, yardstick, future, furrr,
hardhat

RoxygenNote 7.3.3

Suggests knitr, rmarkdown, testthat, rio, glmnet, randomForest,
overlapping, covr, xml2, ranger, utils, ggwordcloud, reactable,
osfr, vdiffr, svglite

VignetteBuilder knitr

Depends R (>= 4.1.0)

NeedsCompilation no

Author Oscar Kjell [aut, cre] (ORCID: <<https://orcid.org/0000-0002-2728-6278>>),
Salvatore Giorgi [aut] (ORCID: <<https://orcid.org/0000-0001-7381-6295>>),
Andrew Schwartz [aut] (ORCID: <<https://orcid.org/0000-0002-6383-3339>>)

Maintainer Oscar Kjell <oscar.kjell@psy.lu.se>

Repository CRAN

Date/Publication 2026-01-08 11:50:02 UTC

Contents

centrality_data_harmony	3
DP_projections_HILS_SWLS_100	4
Language_based_assessment_data_3_100	5
Language_based_assessment_data_8	5
PC_projections_satisfactionwords_40	6
raw_embeddings_1	6
textCentrality	7
textCentralityPlot	8
textClean	11
textCleanNonASCII	12
textDescriptives	13
textDiagnostics	14
textDimName	15
textDistance	16
textDistanceMatrix	17
textDistanceNorm	18
textDomainCompare	19
textEmbed	20
textEmbedLayerAggregation	23
textEmbedRawLayers	24
textEmbedReduce	27
textEmbedStatic	28
textExamples	29
textFindNonASCII	31
textFineTuneDomain	32
textFineTuneTask	34
textGeneration	36
textLBAM	38
textModelLayers	38
textModels	39
textModelsRemove	40
textNER	41
textPCA	42
textPCAPlot	43
textPlot	45
textPredict	51
textPredictAll	57
textPredictTest	58
textProjection	60
textProjectionPlot	62
textQA	67

textrpp_initialize	68
textrpp_install	69
textrpp_uninstall	71
textSimilarity	72
textSimilarityMatrix	73
textSimilarityNorm	74
textSum	75
textTokenize	76
textTokenizeAndCount	78
textTopics	78
textTopicsReduce	80
textTopicsTest	81
textTopicsTree	82
textTopicsWordcloud	82
textTrain	83
textTrainLists	84
textTrainN	85
textTrainNPlot	87
textTrainRandomForest	90
textTrainRegression	93
textTranslate	97
textZeroShot	99
word_embeddings_4	100

Index	102
--------------	------------

centrality_data_harmony

Example data for plotting a Semantic Centrality Plot.

Description

The dataset is a shortened version of the data sets of Study 1 from Kjell, et al., 2016.

Usage

`centrality_data_harmony`

Format

A data frame with 2,146 and 4 variables:

words unique words

n overall word frequency

central_semantic_similarity cosine semantic similarity to the aggregated word embedding

n_percent frequency in percent

Source

<https://link.springer.com/article/10.1007/s11205-015-0903-z>

DP_projections_HILS_SWLS_100

Data for plotting a Dot Product Projection Plot.

Description

Tibble is the output from textProjection. The dataset is a shortened version of the data sets of Study 3-5 from Kjell, Kjell, Garcia and Sikström 2018.

Usage

DP_projections_HILS_SWLS_100

Format

A data frame with 583 rows and 12 variables:

words unique words

dot.x dot product projection on the x-axes

p_values_dot.x p-value for the word in relation to the x-axes

n_g1.x frequency of the word in group 1 on the x-axes variable

n_g2.x frequency of the word in group 2 on the x-axes variable

dot.y dot product projection on the y-axes

p_values_dot.y p-value for the word in relation to the y-axes

n_g1.y frequency of the word in group 1 on the y-axes variable

n_g2.y frequency of the word in group 2 on the y-axes variable

n overall word frequency

n.percent frequency in percent

N_participant_responses number of participants (as this is needed in the analyses)

Language_based_assessment_data_3_100
Example text and numeric data.

Description

The dataset is a shortened version of the data sets of Study 3-5 from Kjell, Kjell, Garcia and Sikström 2018.

Usage

Language_based_assessment_data_3_100

Format

A data frame with 100 rows and 4 variables:

harmonywords Word responses from the harmony in life word question
hilstotal total score of the Harmony In Life Scale
swltotal total score of the Satisfaction With Life Scale

Language_based_assessment_data_8
Text and numeric data for 10 participants.

Description

The dataset is a shortened version of the data sets of Study 3-5 from Kjell et al., (2018; <https://psyarxiv.com/er6t7/>).

Usage

Language_based_assessment_data_8

Format

A data frame with 40 participants and 8 variables:

harmonywords descriptive words where respondents describe their harmony in life
satisfactionwords descriptive words where respondents describe their satisfaction with life
harmonyt texts text where respondents describe their harmony in life
satisfactiontexts text where respondents describe their satisfaction with life
hilstotal total score of the Harmony In Life Scale
swltotal total score of the Satisfaction With Life Scale
age respondents age in years
gender respondents gender 1=male, 2=female

Source

<https://pubmed.ncbi.nlm.nih.gov/37126041/>

PC_projections_satisfactionwords_40

Example data for plotting a Principle Component Projection Plot.

Description

The dataset is a shortened version of the data sets of Study 1 from Kjell, et al., 2016.

Usage

PC_projections_satisfactionwords_40

Format

A data frame.

words unique words

n overall word frequency

Dim_PC1 Principle component value for dimension 1

Dim_PC2 Principle component value for dimension 2

Source

<https://link.springer.com/article/10.1007/s11205-015-0903-z>

raw_embeddings_1

Word embeddings from textEmbedRawLayers function

Description

The dataset is a shortened version of the data sets of Study 3-5 from Kjell, Kjell, Garcia and Sikström 2018.

Usage

raw_embeddings_1

Format

A list with token-level word embeddings for harmony words.

tokens words

layer_number layer of the transformer model

Dim1:Dim8 Word embeddings dimensions

textCentrality	<i>Semantic similarity score between single words' and an aggregated word embeddings</i>
-----------------------	--

Description

`textCentrality()` computes semantic similarity score between single words' word embeddings and the aggregated word embedding of all words.

Usage

```
textCentrality(  
  words,  
  word_embeddings,  
  word_types_embeddings = word_types_embeddings_df,  
  method = "cosine",  
  aggregation = "mean",  
  min_freq_words_test = 0  
)
```

Arguments

<code>words</code>	(character) Word or text variable to be plotted.
<code>word_embeddings</code>	Word embeddings from <code>textEmbed</code> for the words to be plotted (i.e., the aggregated word embeddings for the "words" variable).
<code>word_types_embeddings</code>	Word embeddings from <code>textEmbed</code> for individual words (i.e., the decontextualized word embeddings).
<code>method</code>	(character) Character string describing type of measure to be computed. Default is "cosine" (see also "spearman", "pearson" as well as measures from <code>textDistance()</code> (which here is computed as 1 - <code>textDistance</code>) including "euclidean", "maximum", "manhattan", "canberra", "binary" and "minkowski").
<code>aggregation</code>	(character) Method to aggregate the word embeddings (default = "mean"; see also "min", "max" or "[CLS]").
<code>min_freq_words_test</code>	(numeric) Option to select words that have at least occurred a specified number of times (default = 0); when creating the semantic similarity scores.

Value

A data frame with variables (e.g., including semantic similarity, frequencies) for the individual words that are used as input for the plotting in the `textCentralityPlot` function.

See Also

See [textCentralityPlot](#) and [textProjection](#).

Examples

```

# Computes the semantic similarity between the individual word embeddings (Iwe)
# in the "harmonywords" column of the pre-installed dataset: Language_based_assessment_data_8,
# and the aggregated word embedding (Awe).
# The Awe can be interpreted the latent meaning of the text.

## Not run:
df_for_plotting <- textCentrality(
  words = Language_based_assessment_data_8["harmonywords"],
  word_embeddings = word_embeddings_4$texts$harmonywords,
  word_types_embeddings = word_embeddings_4$word_types
)

# df_for_plotting contain variables (e.g., semantic similarity, frequencies) for
# the individual words that are used for plotting by the textCentralityPlot function.

## End(Not run)

```

textCentralityPlot *Plots words from textCentrality()*

Description

`textCentralityPlot()` plots words according to semantic similarity to the aggregated word embedding.

Usage

```

textCentralityPlot(
  word_data,
  min_freq_words_test = 1,
  plot_n_word_extreme = 10,
  plot_n_word_frequency = 10,
  plot_n_words_middle = 10,
  titles_color = "#61605e",
  x_axes = "central_semantic_similarity",
  title_top = "Semantic Centrality Plot",
  x_axes_label = "Semantic Centrality",
  scale_x_axes_lim = NULL,
  scale_y_axes_lim = NULL,
  word_font = NULL,
  centrality_color_codes = c("#EAEAEA", "#85DB8E", "#398CF9", "#9e9d9d"),
  word_size_range = c(3, 8),
  position_jitter_hight = 0,
  position_jitter_width = 0.03,
  point_size = 0.5,
  arrow_transparency = 0.1,
  points_without_words_size = 0.5,
  points_without_words_alpha = 0.5,

```

```

  legend_title = "SC",
  legend_x_axes_label = "x",
  legend_x_position = 0.02,
  legend_y_position = 0.02,
  legend_h_size = 0.2,
  legend_w_size = 0.2,
  legend_title_size = 7,
  legend_number_size = 2,
  seed = 1007
)

```

Arguments

word_data Tibble from the textPlot function.

min_freq_words_test Select words to significance test that have occurred at least min_freq_words_test (default = 1).

plot_n_word_extreme Number of words per dimension to plot with extreme Supervised Dimension Projection value (default = 10). (i.e., even if not significant; duplicates are removed).

plot_n_word_frequency Number of words to plot according to their frequency (default = 10). (i.e., even if not significant).

plot_n_words_middle Number of words to plot that are in the middle in Supervised Dimension Projection score (default = 10). (i.e., even if not significant; duplicates are removed).

titles_color Color for all the titles (default: "#61605e").

x_axes Variable to be plotted on the x-axes (default: "central_semantic_similarity", could also select "n", "n_percent").

title_top Title (default: " ").

x_axes_label Label on the x-axes (default: "Semantic Centrality").

scale_x_axes_lim Length of the x-axes (default: NULL, which uses c(min(word_data\$central_semantic_similarity)-0.05, max(word_data\$central_semantic_similarity)+0.05); change this by e.g., try c(-5, 5)).

scale_y_axes_lim Length of the y-axes (default: NULL, which uses c(-1, 1); change e.g., by trying c(-5, 5)).

word_font Type of font (default: NULL).

centrality_color_codes (HTML color codes. type = character) Colors of the words selected as plot_n_word_extreme (minimum values), plot_n_words_middle, plot_n_word_extreme (maximum values) and plot_n_word_frequency; the default is c("#EAEAEA", "#85DB8E", "#398CF9", "#9e9d9d", respectively).

```

word_size_range
  Vector with minimum and maximum font size (default: c(3, 8)).
position_jitter_height
  Jitter height (default: .0).
position_jitter_width
  Jitter width (default: .03).
point_size      Size of the points indicating the words' position (default: 0.5).
arrow_transparency
  Transparency of the lines between each word and point (default: 0.1).
points_without_words_size
  Size of the points not linked to a word (default is to not show the point; , i.e., 0).
points_without_words_alpha
  Transparency of the points that are not linked to a word (default is to not show it; i.e., 0).
legend_title    Title of the color legend (default: "SCP").
legend_x_axes_label
  Label on the color legend (default: "x").
legend_x_position
  Position on the x coordinates of the color legend (default = 0.02).
legend_y_position
  Position on the y coordinates of the color legend (default = 0.05).
legend_h_size    Height of the color legend (default = 0.15).
legend_w_size    Width of the color legend (default = 0.15).
legend_title_size
  Font size of the title (default = 7).
legend_number_size
  Font size of the values in the legend (default = 2).
seed            Set different seed (default = 1007).

```

Value

A 1-dimensional word plot based on similarity to the aggregated word embedding, as well as tibble with processed data used to plot.

See Also

See [textCentrality](#) and [textProjection](#).

Examples

```

# Plot a centrality plot from the dataframe df_for_plotting
# that is returned by the textCentrality function.
## Not run:
textCentralityPlot(
  df_for_plotting,
  min_freq_words_test = 1,

```

```

plot_n_word_extreme = 10,
plot_n_word_frequency = 10,
plot_n_words_middle = 10,
titles_color = "#61605e",
x_axes = "central_semantic_similarity",
title_top = "Semantic Centrality Plot",
x_axes_label = "Semantic Centrality",
scale_x_axes_lim = NULL,
scale_y_axes_lim = NULL,
word_font = NULL,
centrality_color_codes = c("#EAEAEA", "#85DB8E", "#398CF9", "#9e9d9d"),
word_size_range = c(3, 8),
position_jitter_hight = 0,
position_jitter_width = 0.03,
point_size = 0.5,
arrow_transparency = 0.1,
points_without_words_size = 0.5,
points_without_words_alpha = 0.5,
legend_title = "SC",
legend_x_axes_label = "x",
legend_x_position = 0.02,
legend_y_position = 0.02,
legend_h_size = 0.2,
legend_w_size = 0.2,
legend_title_size = 7,
legend_number_size = 2,
seed = 1007
)
## End(Not run)

```

textClean

Cleans text from standard personal information

Description

The text is being cleaned from information that may identify them; however, note that this is not a guarantee for anonymization.

Usage

```

textClean(
  text,
  replace = TRUE,
  date = TRUE,
  time = TRUE,
  phone = TRUE,
  email = TRUE,

```

```

  ip = TRUE,
  money = TRUE,
  creditcard = TRUE,
  bitcoin = TRUE,
  location = TRUE,
  ssn = TRUE,
  at_symbol = TRUE,
  url = TRUE
)

```

Arguments

text	(character) The text to be cleaned.
replace	(boolean)
date	(boolean)
time	(boolean)
phone	(boolean)
email	(boolean)
ip	(boolean)
money	(boolean)
creditcard	(boolean)
bitcoin	(boolean)
location	(boolean)
ssn	(boolean)
at_symbol	(boolean)
url	(boolean)

Value

Text cleaned from typical personal identifiable information

textCleanNonASCII *Clean non-ASCII characters*

Description

textCleanNonASCII() cleans all text entries with a non-ASCII character in a tibble.

Usage

```
textCleanNonASCII(data_tibble)
```

Arguments

data_tibble	A tibble with character variables.
-------------	------------------------------------

Value

a tibble with removed ascii characters

textDescriptives	<i>Compute descriptive statistics of character variables.</i>
------------------	---

Description

Compute descriptive statistics of character variables.

Usage

```
textDescriptives(
  words,
  compute_total = TRUE,
  entropy_unit = "log2",
  na.rm = TRUE,
  locale = "en_US"
)
```

Arguments

words	One or several character variables; if its a tibble or dataframe, all the character variables will be selected.
compute_total	Boolean. If the input (words) is a tibble/dataframe with several character variables, a total variable is computed.
entropy_unit	The unit entropy is measured in. The default is to used bits (i.e., log2; see also, "log", "log10"). If a total score for several varaibles is computed, the text columns are combined using the dplyr unite function. For more information about the entropy see the entropy package and specifically its entropy.plugin function.
na.rm	Option to remove NAs when computing mean, median etc (see under return).
locale	(character string) Locale Identifiers for example in US-English ('en_US') and Australian-English ('en_AU'); see help(about_locale) in the stringi package

Value

A tibble with descriptive statistics, including variable = the variable names of input "words"; w_total = total number of words in the variable; w_mean = mean number of words in each row of the variable; w_median = median number of words in each row of the variable; w_range_min = smallest number of words of all rows; w_range_max = largest number of words of all rows; w_sd = the standard deviation of the number of words of all rows; unique_tokens = the unique number of tokens (using the word_tokenize function from python package nltk) n_token = number of tokens in the variable (using the word_tokenize function from python package nltk) entropy = the entropy of the variable. It is computed as the Shannon entropy H of a discrete random variable from the specified bin frequencies. (see library entropy and specifically the entropy.plugin function)

See Also

see [textEmbed](#)

Examples

```
## Not run:
textDescriptives(Language_based_assessment_data_8[1:2])

## End(Not run)
```

textDiagnostics *Run diagnostics for the text package*

Description

This function prints system and environment diagnostics useful for debugging or user support.

Usage

```
textDiagnostics(
  include_other_envs = TRUE,
  search_omp = FALSE,
  full_session_info = FALSE
)
```

Arguments

<code>include_other_envs</code>	Logical; if TRUE, lists other available Python/Conda environments.
<code>search_omp</code>	Logical; if TRUE, scans for OMP-related shared libraries.
<code>full_session_info</code>	Logical; if TRUE, includes full sessionInfo() output.

Value

A named list with all diagnostic information (also printed with message()).

textDimName	<i>Change dimension names</i>
-------------	-------------------------------

Description

textDimName() changes the names of the dimensions in the word embeddings.

Usage

```
textDimName(word_embeddings, dim_names = TRUE, name = NULL)
```

Arguments

word_embeddings	List of word embeddings or a single tibble
dim_names	Logical. If TRUE, the word embedding name or a custom name will be attached to the name of each dimension. If FALSE, the attached part of the name will be removed.
name	Optional character. If provided and dim_names = TRUE, this custom name will be attached after each column (e.g., dim1_name).

Value

Word embeddings with changed names.

See Also

[textEmbed](#)

Examples

```
# Note that dimensions are called Dim1_harmonytexts etc.
word_embeddings_4$texts$harmonytexts

# Change to just Dim
w_e_T <- textDimName(word_embeddings_4$texts["harmonytexts"],
                      dim_names = FALSE
)

# Change back to include the original name
w_e_F <- textDimName(w_e_T, dim_names = TRUE)

# Change and add a custom name
w_e_custom <- textDimName(w_e_T, dim_names = TRUE, name = "CustomName")
```

textDistance	<i>Semantic distance</i>
--------------	--------------------------

Description

`textDistance()` computes the semantic distance between two text variables.

Usage

```
textDistance(x, y, method = "euclidean", center = FALSE, scale = FALSE)
```

Arguments

x	Word embeddings (from <code>textEmbed()</code>).
y	Word embeddings (from <code>textEmbed()</code>).
method	(character) Character string describing type of measure to be computed; default is "euclidean" (see also measures from <code>stats:dist()</code> including "maximum", "manhattan", "canberra", "binary" and "minkowski". It is also possible to use "cosine", which computes the cosine distance (i.e., $1 - \text{cosine}(x, y)$).
center	(boolean; from <code>base::scale</code>) If <code>center</code> is TRUE then centering is done by subtracting the embedding mean (omitting NAs) of <code>x</code> from each of its dimension, and if <code>center</code> is FALSE, no centering is done.
scale	(boolean; from <code>base::scale</code>) If <code>scale</code> is TRUE then scaling is done by dividing the (centered) embedding dimensions by the standard deviation of the embedding if <code>center</code> is TRUE, and the root mean square otherwise.

Value

A vector comprising semantic distance scores.

See Also

See `textSimilarity` and `textSimilarityNorm`.

Examples

```
# Compute the semantic distance score between the embeddings
# from "harmonyttext" and "satisfactiontext".

## Not run:
distance_scores <- textDistance(
  x = word_embeddings_4$texts$harmonyttext,
  y = word_embeddings_4$texts$satisfactiontext
)

# Show information about how distance_scores were constructed.
```

```
comment(distance_scores)

## End(Not run)
```

textDistanceMatrix *Semantic distance across multiple word embeddings*

Description

textDistanceMatrix() computes semantic distance scores between all combinations in a word embedding

Usage

```
textDistanceMatrix(x, method = "euclidean", center = FALSE, scale = FALSE)
```

Arguments

x	Word embeddings (from textEmbed()).
method	(character) Character string describing type of measure to be computed; default is "euclidean" (see also measures from stats::dist() including "maximum", "manhattan", "canberra", "binary" and "minkowski". It is also possible to use "cosine", which computes the cosine distance (i.e., $1 - \text{cosine}(x, y)$).
center	(boolean; from base::scale) If center is TRUE then centering is done by subtracting the embedding mean (omitting NAs) of x from each of its dimension, and if center is FALSE, no centering is done.
scale	(boolean; from base::scale) If scale is TRUE then scaling is done by dividing the (centered) embedding dimensions by the standard deviation of the embedding if center is TRUE, and the root mean square otherwise.

Value

A matrix of semantic distance scores

See Also

see [textDistanceNorm](#)

Examples

```
distance_scores <- textDistanceMatrix(word_embeddings_4$texts$harmonytex[1:3, ])
round(distance_scores, 3)
```

textDistanceNorm	<i>Semantic distance between a text variable and a word norm</i>
------------------	--

Description

textDistanceNorm() computes the semantic distance between a text variable and a word norm (i.e., a text represented by one word embedding that represent a construct/concept).

Usage

```
textDistanceNorm(x, y, method = "euclidean", center = FALSE, scale = FALSE)
```

Arguments

x	Word embeddings (from textEmbed()).
y	Word embedding from textEmbed (from only one text).
method	(character) Character string describing type of measure to be computed; default is "euclidean" (see also measures from stats::dist() including "maximum", "manhattan", "canberra", "binary" and "minkowski". It is also possible to use "cosine", which computes the cosine distance (i.e., $1 - \text{cosine}(x, y)$).
center	(boolean; from base::scale) If center is TRUE then centering is done by subtracting the embedding mean (omitting NAs) of x from each of its dimension, and if center is FALSE, no centering is done.
scale	(boolean; from base::scale) If scale is TRUE then scaling is done by dividing the (centered) embedding dimensions by the standard deviation of the embedding if center is TRUE, and the root mean square otherwise.

Value

A vector comprising semantic distance scores.

See Also

see [textDistance](#)

Examples

```
## Not run:
library(dplyr)
library(tibble)
harmonynorm <- c("harmony peace ")
satisfactionnorm <- c("satisfaction achievement")

norms <- tibble::tibble(harmonynorm, satisfactionnorm)
word_embeddings <- word_embeddings_4$texts
word_embeddings_wordnorm <- textEmbed(norms)
similarity_scores <- textDistanceNorm(
```

```
word_embeddings$harmonytext,  
word_embeddings_wordnorm$harmonynorm  
)  
  
## End(Not run)
```

textDomainCompare *Compare two language domains*

Description

Compare two language domains

Usage

```
textDomainCompare(train_language, assess_language)
```

Arguments

```
train_language A word-frequency data frame from textTokenizeAndCount  
assess_language  
A word-frequency data frame from textTokenizeAndCount
```

Value

List with similarity scores: overlapp_percentage, test_recall_percentage and cosine_similarity

See Also

see [textTokenizeAndCount](#)

Examples

```
## Not run:  
train_language <- textTokenizeAndCount(Language_based_assessment_data_8["harmonytexts"])  
assess_language <- textTokenizeAndCount(Language_based_assessment_data_8["satisfactiontexts"])  
textDomainCompare(train_language, assess_language)  
  
## End(Not run)
```

textEmbed	<i>textEmbed()</i> extracts layers and aggregate them to word embeddings, for all character variables in a given dataframe.
-----------	---

Description

`textEmbed()` extracts layers and aggregate them to word embeddings, for all character variables in a given dataframe.

Usage

```
textEmbed(
  texts,
  text_ids = NULL,
  group_ids = NULL,
  model = "bert-base-uncased",
  layers = -2,
  dim_name = TRUE,
  aggregation_from_layers_to_tokens = "concatenate",
  aggregation_from_tokens_to_texts = "mean",
  aggregation_from_tokens_to_word_types = NULL,
  keep_token_embeddings = TRUE,
  batch_size = 100,
  remove_non_ascii = TRUE,
  tokens_select = NULL,
  tokens_deselect = NULL,
  decontextualize = FALSE,
  model_max_length = NULL,
  max_token_to_sentence = 4,
  tokenizer_parallelism = FALSE,
  device = NULL,
  hg_gated = FALSE,
  hg_token = Sys.getenv("HUGGINGFACE_TOKEN", unset = ""),
  logging_level = "error",
  trust_remote_code = FALSE,
  ...
)
```

Arguments

<code>texts</code>	A character variable or a tibble/dataframe with at least one character variable.
<code>text_ids</code>	(Numeric) unique identifiers for each text_string. If empty, it will be defaulted to 1:nrow(texts).
<code>group_ids</code>	(Numeric; experimental) unique identifiers incase there are group ids. If empty, it will be defaulted to 1:nrow(texts).

model	Character string specifying pre-trained language model (default 'bert-base-uncased'). For full list of options see pretrained models at HuggingFace . For example use "bert-base-multilingual-cased", "openai-gpt", "gpt2", "ctrl", "transfo-xl-wt103", "xlnet-base-cased", "xlm-mlm-enfr-1024", "distilbert-base-cased", "roberta-base", or "xlm-roberta-base". Only load models that you trust from HuggingFace; loading a malicious model can execute arbitrary code on your computer).
layers	(string or numeric) Specify the layers that should be extracted (default -2 which give the second to last layer). It is more efficient to only extract the layers that you need (e.g., 11). You can also extract several (e.g., 11:12), or all by setting this parameter to "all". Layer 0 is the decontextualized input layer (i.e., not comprising hidden states) and thus should normally not be used. These layers can then be aggregated in the textEmbedLayerAggregation function.
dim_name	(boolean) If TRUE append the variable name after all variable-names in the output. (This differentiates between word embedding dimension names; e.g., Dim1_text_variable_name). see textDimName to change names back and forth.
aggregation_from_layers_to_tokens	(string) Aggregated layers of each token. Method to aggregate the contextualized layers (e.g., "mean", "min" or "max, which takes the minimum, maximum or mean, respectively, across each column; or "concatenate", which links together each word embedding layer to one long row.
aggregation_from_tokens_to_texts	(string) Method to carry out the aggregation among the word embeddings for the words/tokens, including "min", "max" and "mean" which takes the minimum, maximum or mean across each column; or "concatenate", which links together each layer of the word embedding to one long row (default = "mean"). If set to NULL, embeddings are not aggregated.
aggregation_from_tokens_to_word_types	(string) Aggregates to the word type (i.e., the individual words) rather than texts. If set to "individually", then duplicate words are not aggregated, (i.e, the context of individual is preserved). (default = NULL).
keep_token_embeddings	(boolean) Whether to also keep token embeddings when using texts or word types aggregation.
batch_size	Number of rows in each batch
remove_non_ascii	(boolean) TRUE warns and removes non-ascii (using textFindNonASCII()).
tokens_select	Option to select word embeddings linked to specific tokens such as [CLS] and [SEP] for the context embeddings.
tokens_deselect	Option to deselect embeddings linked to specific tokens such as [CLS] and [SEP] for the context embeddings.
decontextualize	(boolean) Provide word embeddings of single words as input to the model (these embeddings are, e.g., used for plotting; default is to use). If using this, then set single_context_embeddings to FALSE.

model_max_length	The maximum length (in number of tokens) for the inputs to the transformer model (default the value stored for the associated model).
max_token_to_sentence	(numeric) Maximum number of tokens in a string to handle before switching to embedding text sentence by sentence.
tokenizer_parallelism	(boolean) If TRUE this will turn on tokenizer parallelism. Default FALSE.
device	(character) Name of device to use: 'cpu', 'gpu', 'gpu:k' or 'mps'/'mps:k' for MacOS, where k is a specific device number. (default = "cpu"). Default is NULL, which sets gpu:0/mps:0 depending on OS.
hg_gated	Set to TRUE if the accessed model is gated.
hg_token	The token needed to access the gated model. Create a token from the ['Settings' page](https://huggingface.co/settings/tokens) of the Hugging Face website. An environment variable HUGGINGFACE_TOKEN can be set to avoid the need to enter the token each time.
logging_level	Set the logging level. Default: "warning". Options (ordered from less logging to more logging): critical, error, warning, info, debug
trust_remote_code	(boolean) use a model with custom code on the Huggingface Hub
...	settings from textEmbedRawLayers().

Value

A tibble with tokens, a column for layer identifier and word embeddings. Note that layer 0 is the input embedding to the transformer.

See Also

See [textEmbedLayerAggregation](#), [textEmbedRawLayers](#) and [textDimName](#).

Examples

```
# Automatically transforms the characters in the example dataset:
# Language_based_assessment_data_8 (included in text-package), to embeddings.
## Not run:
word_embeddings <- textEmbed(Language_based_assessment_data_8[1:2, 1:2],
  layers = 10:11,
  aggregation_from_layers_to_tokens = "concatenate",
  aggregation_from_tokens_to_texts = "mean",
  aggregation_from_tokens_to_word_types = "mean"
)

# Show information about how the embeddings were constructed.
comment(word_embeddings$texts$satisfactiontexts)
comment(word_embeddings$word_types)
comment(word_embeddings$tokens$satisfactiontexts)

# See how the word embeddings are structured.
```

```

word_embeddings

# Save the word embeddings to avoid having to embed the text again.
saveRDS(word_embeddings, "word_embeddings.rds")

# Retrieve the saved word embeddings.
word_embeddings <- readRDS("word_embeddings.rds")

## End(Not run)

```

textEmbedLayerAggregation
Aggregate layers

Description

textEmbedLayerAggregation selects and aggregates layers of hidden states to form a word embedding.

Usage

```

textEmbedLayerAggregation(
  word_embeddings_layers,
  layers = "all",
  aggregation_from_layers_to_tokens = "concatenate",
  aggregation_from_tokens_to_texts = "mean",
  return_tokens = FALSE,
  tokens_select = NULL,
  tokens_deselect = NULL
)

```

Arguments

word_embeddings_layers	Layers returned by the textEmbedRawLayers function.
layers	(character or numeric) The numbers of the layers to be aggregated (e.g., c(11:12) to aggregate the eleventh and twelfth). Note that layer 0 is the input embedding to the transformer, and should normally not be used. Selecting 'all' thus removes layer 0 (default = "all")
aggregation_from_layers_to_tokens	(character) Method to carry out the aggregation among the layers for each word/token, including "min", "max" and "mean" which takes the minimum, maximum or mean across each column; or "concatenate", which links together each layer of the word embedding to one long row (default = "concatenate").

aggregation_from_tokens_to_texts
 (character) Method to carry out the aggregation among the word embeddings for the words/tokens, including "min", "max" and "mean" which takes the minimum, maximum or mean across each column; or "concatenate", which links together each layer of the word embedding to one long row (default = "mean").

return_tokens (boolean) If TRUE, provide the tokens used in the specified transformer model (default = FALSE).

tokens_select (character) Option to only select embeddings linked to specific tokens in the textEmbedLayerAggregation() phase such as "[CLS]" and "[SEP]" (default NULL).

tokens_deselect
 (character) Option to deselect embeddings linked to specific tokens in the textEmbedLayerAggregation() phase such as "[CLS]" and "[SEP]" (default NULL).

Value

A tibble with word embeddings. Note that layer 0 is the input embedding to the transformer, which is normally not used.

See Also

See [textEmbedRawLayers](#) and [textEmbed](#).

Examples

```
# Aggregate the hidden states from textEmbedRawLayers
# to create a word embedding representing the entire text.
# This is achieved by concatenating layer 11 and 12.
## Not run:
word_embedding <- textEmbedLayerAggregation(
  imf_embeddings_11_12$context_tokens,
  layers = 11:12,
  aggregation_from_layers_to_tokens = "concatenate",
  aggregation_from_tokens_to_texts = "mean"
)

# Examine word_embedding
word_embedding

## End(Not run)
```

[textEmbedRawLayers](#) *Extract layers of hidden states*

Description

`textEmbedRawLayers` extracts layers of hidden states (word embeddings) for all character variables in a given dataframe.

Usage

```
textEmbedRawLayers(
  texts,
  text_ids = NULL,
  group_ids = NULL,
  model = "bert-base-uncased",
  layers = -2,
  return_tokens = TRUE,
  word_type_embeddings = FALSE,
  decontextualize = FALSE,
  keep_token_embeddings = TRUE,
  device = NULL,
  tokenizer_parallelism = FALSE,
  model_max_length = NULL,
  max_token_to_sentence = 4,
  hg_gated = FALSE,
  hg_token = Sys.getenv("HUGGINGFACE_TOKEN", unset = ""),
  trust_remote_code = FALSE,
  logging_level = "error",
  sort = TRUE
)
```

Arguments

texts	A character variable or a tibble with at least one character variable.
text_ids	(Numeric) unique identifiers for each text_string. If empty, it will be defaulted to 1:nrow(texts).
group_ids	(Numeric; experimental) unique identifiers incase there are group ids. If empty, it will be defaulted to 1:nrow(texts).
model	(character) Character string specifying pre-trained language model (default = 'bert-base-uncased'). For full list of options see pretrained models at HuggingFace . For example use "bert-base-multilingual-cased", "openai-gpt", "gpt2", "ctrl", "transfo-xl-wt103", "xlnet-base-cased", "xlm-mlm-enfr-1024", "distilbert-base-cased", "roberta-base", or "xlm-roberta-base". Only load models that you trust from HuggingFace; loading a malicious model can execute arbitrary code on your computer).
layers	(character or numeric) Specify the layers that should be extracted (default -2, which give the second to last layer). It is more efficient to only extract the layers that you need (e.g., 11). You can also extract several (e.g., 11:12), or all by setting this parameter to "all". Layer 0 is the decontextualized input layer (i.e., not comprising hidden states) and thus should normally not be used. These layers can then be aggregated in the textEmbedLayerAggregation function.
return_tokens	(boolean) If TRUE, provide the tokens used in the specified transformer model. (default = TRUE)
word_type_embeddings	(boolean) Whether to provide embeddings for each word/token type. (default = FALSE)

decontextualize
 (boolean) Whether to decontextualise embeddings (i.e., embedding one word at a time). (default = TRUE)

keep_token_embeddings
 (boolean) Whether to keep token level embeddings in the output (when using word_types aggregation). (default= TRUE)

device
 (character) Name of device to use: 'cpu', 'gpu', 'gpu:k' or 'mps'/'mps:k' for MacOS, where k is a specific device number. (default = "cpu"). Default is NULL, which sets gpu:0/mps:0 depending on OS.

tokenizer_parallelism
 (boolean) If TRUE this will turn on tokenizer parallelism. (default = FALSE).

model_max_length
 The maximum length (in number of tokens) for the inputs to the transformer model (default the value stored for the associated model).

max_token_to_sentence
 (numeric) Maximum number of tokens in a string to handle before switching to embedding text sentence by sentence. (default= 4)

hg_gated
 Set to TRUE if the accessed model is gated.

hg_token
 The token needed to access the gated model. Create a token from the ['Settings' page](<https://huggingface.co/settings/tokens>) of the Hugging Face website. An environment variable HUGGINGFACE_TOKEN can be set to avoid the need to enter the token each time.

trust_remote_code
 use a model with custom code on the Huggingface Hub

logging_level
 (character) Set the logging level. (default ="error") Options (ordered from less logging to more logging): critical, error, warning, info, debug

sort
 (boolean) If TRUE sort the output to tidy format. (default = TRUE)

Value

The textEmbedRawLayers() takes text as input, and returns the hidden states for each token of the text, including the [CLS] and the [SEP]. Note that layer 0 is the input embedding to the transformer, and should normally not be used.

See Also

See [textEmbedLayerAggregation](#) and [textEmbed](#).

Examples

```
# Get hidden states of layer 11 and 12 for "I am fine".
## Not run:
imf_embeddings_11_12 <- textEmbedRawLayers(
  "I am fine",
  layers = 11:12
)

# Show hidden states of layer 11 and 12.
```

```
imf_embeddings_11_12
## End(Not run)
```

textEmbedReduce	<i>Pre-trained dimension reduction (experimental)</i>
-----------------	---

Description

Pre-trained dimension reduction (experimental)

Usage

```
textEmbedReduce(
  embeddings,
  n_dim = NULL,
  scalar = "fb20/scalar.csv",
  pca = "fb20/rpca_roberta_768_D_20.csv"
)
```

Arguments

embeddings	(list) Embedding(s) - including, tokens, texts and/or word_types.
n_dim	(numeric) Number of dimensions to reduce to.
scalar	(string or matrix) Name or URL to scalar for standardizing the embeddings. If a URL, the function first examines whether it has been downloaded before. The string should be to a csv file containing a matrix with the pca weights for matrix multiplication. For more information see reference below.
pca	(string or matrix) Name or URL to pca weights. If a URL, the function first examines whether it has been downloaded before. The string should be to a csv file containing a matrix. For more information see reference below.

Details

To use this method please see and cite:

Ganesan, A. V., Matero, M., Ravula, A. R., Vu, H., & Schwartz, H. A. (2021, June). Empirical evaluation of pre-trained transformers for human-level nlp: The role of sample size and dimensionality. In Proceedings of the conference. Association for Computational Linguistics. North American Chapter. Meeting (Vol. 2021, p. 4515). NIH Public Access.

See [Git-Hub Empirical-Evaluation](#)

Value

Returns embeddings with reduced number of dimensions.

See Also[textEmbed](#)**Examples**

```
## Not run:
embeddings <- textEmbedReduce(word_embeddings_4$texts)

## End(Not run)
```

textEmbedStatic *Apply static word embeddings*

Description

`textEmbedStatic()` applies word embeddings from a given decontextualized static space (such as from Latent Semantic Analyses) to all character variables

Usage

```
textEmbedStatic(
  df,
  space,
  tk_df = "null",
  aggregation_from_tokens_to_texts = "mean",
  dim_name = FALSE,
  tolower = FALSE
)
```

Arguments

<code>df</code>	dataframe that at least contains one character column.
<code>space</code>	decontextualized/static space with a column called "words" and the semantic representations are in columns called Dim1, Dim2 (or V1, V2, ...) and so on (from textSpace, which is not included in the current text package).
<code>tk_df</code>	default "null"; option to use either the "tk" or "df" space (if using textSpace, which has not been implemented yet).
<code>aggregation_from_tokens_to_texts</code>	method to aggregate semantic representation when their are more than a single word. (default is "mean"; see also "min" and "max", "concatenate" and "normalize")
<code>dim_name</code>	Boolean, if TRUE append the variable name after all variable-names in the output. (This differentiates between word embedding dimension names; e.g., Dim1_text_variable_name)
<code>tolower</code>	(boolean) Lower case input.

Value

A list with tibbles for each character variable. Each tibble comprises a column with the text, followed by columns representing the semantic representations of the text. The tibbles are called the same as the original variable.

See Also

see [textEmbed](#)

textExamples	<i>Identify language examples.</i>
--------------	------------------------------------

Description

This function identifies examples based on the frequency of use of n-grams (see the topics-pacakge), estimated topic prevalence (see the topics-pacakge), or assessment scores from textTrain() or textPredict().

Usage

```
textExamples(  
  text,  
  x_variable,  
  y_variable = NULL,  
  type = "default",  
  n_tile = 4,  
  n_examples = 5,  
  jitter = NULL,  
  filter_words = NULL,  
  target_color = "darkgreen",  
  predictions_color = "darkblue",  
  error_color = "darkred",  
  distribution_color = c("#00508c", "#805259", "#a71200", "#0a6882", "#a4a4a4",  
    "#e04b39", "#19956e", "#22a567", "#5c8a59"),  
  figure_format = "svg",  
  scatter_legend_dot_size = 3,  
  scatter_legend_bg_dot_size = 2,  
  scatter_legend_dots_alpha = 0.8,  
  scatter_legend_bg_dots_alpha = 0.2,  
  scatter_show_axis_values = TRUE,  
  scatter_legend_regression_line_colour = NULL,  
  x_axis_range = NULL,  
  y_axis_range = NULL,  
  grid_legend_x_axes_label = NULL,  
  grid_legend_y_axes_label = NULL,  
  grid_legend_title = NULL,  
  grid_legend_number_size = 8,
```

```

grid_legend_number_color = "white",
grid_legend_title_color = "black",
grid_legend_title_size = 0,
seed = 42
)

```

Arguments

text	(string) the language that was used for prediction/assessment/classification.
x_variable	(numeric) the variable used for training (y).
y_variable	(numeric) the outcome from the model (i.e., y_hat).
type	(string) If you are plotting errors between predicted and targeted scores, you can set the type to "prediction_errors", to produce two extra plots: distribution of scores and absolute error.
n_tile	(integer) the n tile to split the data in (to show the most extreme tiles in different colours).
n_examples	(integer) the number of language examples to show/select in each quadrant. When providing both x_variable and y_variable, each example is categorized into one of nine bivariate quadrants based on its position in the scatterplot (e.g., low-low, high-high, center). Within each quadrant, the function selects the most extreme examples by computing the distance to that quadrant's corner: Corner quadrants (1, 3, 7, 9): Examples closest to the corner points (e.g., min x & max y) are selected using Euclidean distance. Edge quadrants (2, 4, 6, 8): Examples furthest along the relevant axis (x or y) are selected. Center quadrant (5): Examples closest to the mean of both x and y are selected.
jitter	(integer) the percentage of jitter to add to the data for the scatter plot.
filter_words	(character vector) words required to be included in examples.
target_color	(string)
predictions_color	(string) = "darkblue",
error_color	= (string) "darkred",
distribution_color	(string) colors of the distribution plot
figure_format	(string) file format of the figures.
scatter_legend_dot_size	(integer) The size of highlighted dots in the scatter legend.
scatter_legend_bg_dot_size	(integer) The size of background dots in the scatter legend.
scatter_legend_dots_alpha	(numeric) The transparency alpha level of the dots.
scatter_legend_bg_dots_alpha	(numeric) The transparency alpha level of the background dots. For example: c(1,0,1) result in one dot in each quadrant except for the middle quadrant.
scatter_show_axis_values	(boolean) If TRUE, the estimate values are shown on the distribution plot axes.

```

scatter_legend_regression_line_colour
  (string) If a colour string is added, a regression line will be plotted.

x_axis_range  (numeric vector) range of x axis (e.g., c(1, 100)).
y_axis_range  (numeric vector) range of y axis (e.g., c(1, 100)).
grid_legend_x_axes_label
  (string) x-axis label of the grid topic plot.
grid_legend_y_axes_label
  (string) y-axis label of the grid topic plot.
grid_legend_title
  (string)
grid_legend_number_size
  (integer)
grid_legend_number_color
  (string)
grid_legend_title_color
  (string)
grid_legend_title_size
  (integer)
seed          (integer) The seed to set for reproducibility.

```

Value

A tibble including examples with descriptive variables.

`textFindNonASCII` *Detect non-ASCII characters*

Description

This function to detect non-ASCII characters in a tibble with multiple columns.

Usage

```
textFindNonASCII(data_tibble)
```

Arguments

`data_tibble` A character variable or a tibble including character variables.

Value

a tibble containing variable names, row numbers and text including non-ascii.

textFineTuneDomain	<i>Domain Adapted Pre-Training (EXPERIMENTAL - under development)</i>
--------------------	---

Description

Domain Adapted Pre-Training (EXPERIMENTAL - under development)

Usage

```
textFineTuneDomain(
  text_data,
  model_name_or_path = "bert-base-uncased",
  output_dir = "./runs",
  validation_proportion = 0.1,
  evaluation_proportion = 0.1,
  config_name = NULL,
  tokenizer_name = NULL,
  max_seq_length = 128L,
  evaluation_strategy = "epoch",
  eval_accumulation_steps = NULL,
  num_train_epochs = 3,
  past_index = -1,
  set_seed = 2022,
  ...
)
```

Arguments

text_data	A data frame, where the first column contain text data, and the second column the to-be-predicted variable (numeric or categorical).
model_name_or_path	(string) Path to foundation/pretrained model or model identifier from huggingface.co/models
output_dir	(string) Path to the output directory.
validation_proportion	(Numeric) Proportion of the text_data to be used for validation.
evaluation_proportion	(Numeric) Proportion of the text_data to be used for evaluation.
config_name	(String) Pretrained config name or path if not the same as model_name.
tokenizer_name	(String) Pretrained tokenizer name or path if not the same as model_name
max_seq_length	(Numeric) The maximum total input sequence length after tokenization. Sequences longer than this will be truncated, sequences shorter will be padded.

<code>evaluation_strategy</code>	(String or IntervalStrategy) — The evaluation strategy to adopt during training. Possible values are: "no": No evaluation is done during training. "steps": Evaluation is done (and logged) every eval_steps. "epoch": Evaluation is done at the end of each epoch.
<code>eval_accumulation_steps</code>	(Integer) Number of predictions steps to accumulate the output tensors for, before moving the results to the CPU. If left unset, the whole predictions are accumulated on GPU/TPU before being moved to the CPU (faster but requires more memory).
<code>num_train_epochs</code>	(Numeric) Total number of training epochs to perform (if not an integer, will perform the decimal part percents of the last epoch before stopping training).
<code>past_index</code>	(Numeric, defaults to -1) Some models like TransformerXL or XLNet can make use of the past hidden states for their predictions. If this argument is set to a positive int, the Trainer will use the corresponding output (usually index 2) as the past state and feed it to the model at the next training step under the keyword argument mems.
<code>set_seed</code>	(Numeric) Set the seed
<code>...</code>	Parameters related to the fine tuning, which can be seen in the text-package file <code>inst/python/arg2.json</code> .

Details

Information about more parameters see `inst/python/args2.json` (<https://github.com/OscarKjell/text/tree/master/inst/python/args2.json>)
 Descriptions of settings can be found in `inst/python/task_finetune.py` under "class ModelArguments" and "class DataTrainingArguments" as well as online at https://huggingface.co/docs/transformers/main_classes/training

Value

A folder containing the pretrained model and output data. The model can then be used, for example, by `textEmbed()` by providing the model parameter with a the path to the output folder.

See Also

see [textEmbed](#), [textEmbed](#)

Examples

```
## Not run:
textFineTuneDomain(text_data)

## End(Not run)
```

textFineTuneTask	<i>Task Adapted Pre-Training (EXPERIMENTAL - under development)</i>
------------------	---

Description

Task Adapted Pre-Training (EXPERIMENTAL - under development)

Usage

```
textFineTuneTask(
  text_outcome_data,
  model_name_or_path = "bert-base-uncased",
  output_dir = "./runs",
  validation_proportion = 0.1,
  evaluation_proportion = 0.1,
  is_regression = TRUE,
  config_name = NULL,
  tokenizer_name = NULL,
  max_seq_length = 128L,
  evaluation_strategy = "epoch",
  eval_accumulation_steps = NULL,
  num_train_epochs = 3,
  past_index = -1,
  set_seed = 2022,
  label_names = NULL,
  pytorch_mps_high_watermark_ratio = FALSE,
  tokenizer_parallelism = FALSE,
  ...
)
```

Arguments

text_outcome_data	A dataframe, where the first column contain text data, and the second column the to-be-predicted variable (numeric or categorical).
model_name_or_path	(string) Path to foundation/pretrained model or model identifier from huggingface.co/models
output_dir	(string) Path to the output directory.
validation_proportion	(Numeric) Proportion of the text_outcome_data to be used for validation.
evaluation_proportion	(Numeric) Proportion of the text_outcome_data to be used for evaluation.
is_regression	(Boolean) TRUE for regression tasks, FALSE for classification.
config_name	(String) Pretrained config name or path if not the same as model_name.

tokenizer_name (String) Pretrained tokenizer name or path if not the same as `model_name`
max_seq_length (Numeric) The maximum total input sequence length after tokenization. Sequences longer than this will be truncated, sequences shorter will be padded.
evaluation_strategy
 (String or IntervalStrategy) — The evaluation strategy to adopt during training. Possible values are: "no": No evaluation is done during training. "steps": Evaluation is done (and logged) every `eval_steps`. "epoch": Evaluation is done at the end of each epoch.
eval_accumulation_steps
 (Integer) Number of predictions steps to accumulate the output tensors for, before moving the results to the CPU. If left unset, the whole predictions are accumulated on GPU/TPU before being moved to the CPU (faster but requires more memory).
num_train_epochs
 (Numeric) Total number of training epochs to perform (if not an integer, will perform the decimal part percents of the last epoch before stopping training).
past_index
 (Numeric, defaults to -1) Some models like TransformerXL or XLNet can make use of the past hidden states for their predictions. If this argument is set to a positive int, the Trainer will use the corresponding output (usually index 2) as the past state and feed it to the model at the next training step under the keyword argument `mems`.
set_seed
 (Numeric) Set the seed
label_names
 label name in case of classification; e.g., `label_names = c("female", "male")`.
pytorch_mps_high_watermark_ratio
 Set to TRUE to solve error RuntimeError: MPS backend out of memory. Use PYTORCH_MPS_HIGH_WATERMARK_RATIO=0.0 to disable upper limit for memory allocations (may cause system failure). Monitor System Resources: If you decide to adjust this setting, closely monitor your system's resource usage to ensure it does not become unstable.
tokenizer_parallelism
 (boolean) If TRUE this will turn on tokenizer parallelism. Default FALSE.
...
 Parameters related to the fine tuning, which can be seen in the text-package file `inst/python/arg2.json`.

Details

Information about more parameters see `inst/python/args2.json` (<https://github.com/OscarKjell/text/tree/master/inst/python/args2.json>). Descriptions of settings can be found in `inst/python/task_finetune.py` under "class `ModelArguments`" and "class `DataTrainingArguments`" as well as online at https://huggingface.co/docs/transformers/main_classes/trainer

Value

A folder containing the pretrained model and output data. The model can then be used, for example, by `textEmbed()` by providing the `model` parameter with a the path to the output folder.

See Also

see `textEmbed`, `textEmbed`

Examples

```
## Not run:
textFineTuneTask(text_outcome_data)

## End(Not run)
```

textGeneration	<i>Text generation</i>
----------------	------------------------

Description

textGeneration() predicts the words that will follow a specified text prompt. (experimental)

Usage

```
textGeneration(
  x,
  model = "gpt2",
  device = "cpu",
  tokenizer_parallelism = FALSE,
  max_length = NULL,
  max_new_tokens = 20,
  min_length = 0,
  min_new_tokens = NULL,
  logging_level = "warning",
  force_return_results = FALSE,
  return_tensors = FALSE,
  return_full_text = TRUE,
  clean_up_tokenization_spaces = FALSE,
  prefix = "",
  handle_long_generation = NULL,
  set_seed = 202208L
)
```

Arguments

x	(string) A variable or a tibble/dataframe with at least one character variable.
model	(string) Specification of a pre-trained language model that have been trained with an autoregressive language modeling objective, which includes the unidirectional models (e.g., gpt2).
device	(string) Device to use: 'cpu', 'gpu', or 'gpu:k' where k is a specific device number
tokenizer_parallelism	(boolean) If TRUE this will turn on tokenizer parallelism.
max_length	(Integer) The maximum length the generated tokens can have. Corresponds to the length of the input prompt + 'max_new_tokens'. Its effect is overridden by 'max_new_tokens', if also set. Defaults to NULL.

max_new_tokens	(Integer) The maximum numbers of tokens to generate, ignoring the number of tokens in the prompt. The default value is 20.
min_length	(Integer) The minimum length of the sequence to be generated. Corresponds to the length of the input prompt + 'min_new_tokens'. Its effect is overridden by 'min_new_tokens', if also set. The default value is 0.
min_new_tokens	(Integer) The minimum numbers of tokens to generate, ignoring the number of tokens in the prompt. Default is NULL.
logging_level	(string) Set the logging level. Options (ordered from less logging to more logging): critical, error, warning, info, debug
force_return_results	(boolean) Stop returning some incorrectly formatted/structured results. This setting does NOT evaluate the actual results (whether or not they make sense, exist, etc.). All it does is to ensure the returned results are formatted correctly (e.g., does the question-answering dictionary contain the key "answer", is sentiments from textClassify containing the labels "positive" and "negative").
return_tensors	(boolean) Whether or not the output should include the prediction tensors (as token indices).
return_full_text	(boolean) If FALSE only the added text is returned, otherwise the full text is returned. (This setting is only meaningful if return_text is set to TRUE)
clean_up_tokenization_spaces	(boolean) Option to clean up the potential extra spaces in the returned text.
prefix	(string) Option to add a prefix to prompt.
handle_long_generation	By default, this function does not handle long generation (those that exceed the model maximum length).
set_seed	(Integer) Set seed. (more info : https://github.com/huggingface/transformers/issues/14033#issuecomment-948385227). This setting provides some ways to work around the problem: None: default way, where no particular strategy is applied. "hole": Truncates left of input, and leaves a gap that is wide enough to let generation happen. (this might truncate a lot of the prompt and not suitable when generation exceed the model capacity)

Value

A tibble with generated text.

See Also

see [textClassify](#), [textNER](#), [textSum](#), [textQA](#), [textTranslate](#)

Examples

```
# generated_text <- textGeneration("The meaning of life is")
# generated_text
```

`textLBAM`*The LBAM library*

Description

Retrieve the Language-Based Assessment Models library (LBAM).

Usage

```
textLBAM(columns = NULL, construct_start = NULL, lbam_update = FALSE)
```

Arguments

columns	(string) Select which columns to retrieve e.g., c("Name", "Path")
construct_start	(string) Select which constructs concepts and/or behaviors to retrieve.
lbam_update	(boolean) TRUE downloads a new copy of the LBAM file

Value

Data frame containing information about the Language-based assessment models library (LBAM).

Examples

```
## Not run:
library(dplyr)
test_lbam <- textLBAM(
  lbam_update = TRUE
)
subset(
  lbam,
  substr(Construct_Concept_Behaviours, 1, 3) == "Dep",
  select = c(Construct_Concept_Behaviours, Name)
)

## End(Not run)
```

`textModelLayers`*Number of layers*

Description

This functions gets the number of layers in a given model.

Usage

```
textModelLayers(  
  target_model,  
  hg_gated = FALSE,  
  hg_token = Sys.getenv("HUGGINGFACE_TOKEN", unset = ""),  
  trust_remote_code = FALSE  
)
```

Arguments

target_model	(string) The name of the model to know the number of layers of.
hg_gated	Set to TRUE if the accessed model is gated.
hg_token	The token needed to access the gated model. Create a token from the ['Settings' page](https://huggingface.co/settings/tokens) of the Hugging Face website. An environment variable HUGGINGFACE_TOKEN can be set to avoid the need to enter the token each time.
trust_remote_code	use a model with custom code on the Huggingface Hub

Value

Number of layers.

See Also

see [textModels](#)

Examples

```
## Not run:  
textModelLayers(target_model = "bert-base-uncased")  
  
## End(Not run)
```

textModels

Check downloaded, available models.

Description

Check downloaded, available models.

Usage

```
textModels()
```

Value

List of names of models and tokenizers

See Also

see [textModelsRemove](#)

Examples

```
## Not run:  
textModels()  
  
## End(Not run)
```

textModelsRemove *Delete a specified model*

Description

This functions delete specified mode and associated files.

Usage

```
textModelsRemove(target_model)
```

Arguments

target_model (string) The name of the model to be deleted.

Value

Confirmation whether the model has been deleted.

See Also

see [textModels](#)

Examples

```
## Not run:  
textModelsRemove("name-of-model-to-delete")  
  
## End(Not run)
```

textNER	<i>Named Entity Recognition. (experimental)</i>
---------	---

Description

Named Entity Recognition. (experimental)

Usage

```
textNER(  
  x,  
  model = "dslim/bert-base-NER",  
  device = "cpu",  
  tokenizer_parallelism = FALSE,  
  logging_level = "error",  
  force_return_results = FALSE,  
  set_seed = 202208L  
)
```

Arguments

x	(string) A variable or a tibble/dataframe with at least one character variable.
model	(string) Specification of a pre-trained language model for token classification that have been fine-tuned on a NER task (e.g., see "dslim/bert-base-NER"). Use for predicting the classes of tokens in a sequence: person, organisation, location or miscellaneous).
device	(string) Device to use: 'cpu', 'gpu', or 'gpu:k' where k is a specific device number
tokenizer_parallelism	(boolean) If TRUE this will turn on tokenizer parallelism.
logging_level	(string) Set the logging level. Options (ordered from less logging to more logging): critical, error, warning, info, debug
force_return_results	(boolean) Stop returning some incorrectly formatted/structured results. This setting does NOT evaluate the actual results (whether or not they make sense, exist, etc.). All it does is to ensure the returned results are formatted correctly (e.g., does the question-answering dictionary contain the key "answer", is sentiments from textClassify containing the labels "positive" and "negative").
set_seed	(Integer) Set seed.

Value

A list with tibble(s) with NER classifications for each column.

See Also

see [textClassify](#), [textGeneration](#), [textNER](#), [textSum](#), [textQA](#), [textTranslate](#)

Examples

```
# ner_example <- textNER("Arnes plays football with Daniel")
# ner_example
```

textPCA

textPCA()

Description

`textPCA()` computes 2 PCA dimensions of the word embeddings for individual words.

Usage

```
textPCA(
  words,
  word_types_embeddings = word_types_embeddings_df,
  to_lower_case = TRUE,
  seed = 1010
)
```

Arguments

<code>words</code>	Word or text variable to be plotted.
<code>word_types_embeddings</code>	Word embeddings from <code>textEmbed</code> for individual words (i.e., decontextualized embeddings).
<code>to_lower_case</code>	Lower case words
<code>seed</code>	Set different seed.

Value

A dataframe with words, their frequency and two PCA dimensions from the `word_embeddings` for the individual words that is used for the plotting in the `textPCAPlot` function.

See Also

see [textPCAPlot](#)

Examples

```
## Not run:
# Data
df_for_plotting2d <- textPCA(
  words = Language_based_assessment_data_8$harmonywords,
  word_types_embeddings = word_embeddings_4$word_types
)
```

```
df_for_plotting2d  
## End(Not run)
```

textPCAPlot

textPCAPlot

Description

`textPCAPlot()` plots words according to 2-D plot from 2 PCA components.

Usage

```
textPCAPlot(  
  word_data,  
  min_freq_words_test = 1,  
  plot_n_word_extreme = 5,  
  plot_n_word_frequency = 5,  
  plot_n_words_middle = 5,  
  titles_color = "#61605e",  
  title_top = "Principal Component (PC) Plot",  
  x_axes_label = "PC1",  
  y_axes_label = "PC2",  
  scale_x_axes_lim = NULL,  
  scale_y_axes_lim = NULL,  
  word_font = NULL,  
  bivariate_color_codes = c("#398CF9", "#60A1F7", "#5dc688", "#e07f6a", "#EAEAEA",  
    "#40DD52", "#FF0000", "#EA7467", "#85DB8E"),  
  word_size_range = c(3, 8),  
  position_jitter_hight = 0,  
  position_jitter_width = 0.03,  
  point_size = 0.5,  
  arrow_transparency = 0.1,  
  points_without_words_size = 0.2,  
  points_without_words_alpha = 0.2,  
  legend_title = "PC",  
  legend_x_axes_label = "PC1",  
  legend_y_axes_label = "PC2",  
  legend_x_position = 0.02,  
  legend_y_position = 0.02,  
  legend_h_size = 0.2,  
  legend_w_size = 0.2,  
  legend_title_size = 7,  
  legend_number_size = 2,  
  seed = 1002  
)
```

Arguments

word_data	Dataframe from textPCA
min_freq_words_test	Select words to significance test that have occurred at least min_freq_words_test (default = 1).
plot_n_word_extreme	Number of words that are extreme on Supervised Dimension Projection per dimension. (i.e., even if not significant; per dimensions, where duplicates are removed).
plot_n_word_frequency	Number of words based on being most frequent. (i.e., even if not significant).
plot_n_words_middle	Number of words plotted that are in the middle in Supervised Dimension Projection score (i.e., even if not significant; per dimensions, where duplicates are removed).
titles_color	Color for all the titles (default: "#61605e")
title_top	Title (default " ")
x_axes_label	Label on the x-axes.
y_axes_label	Label on the y-axes.
scale_x_axes_lim	Manually set the length of the x-axes (default = NULL, which uses ggplot2::scale_x_continuous(limits = scale_x_axes_lim); change e.g., by trying c(-5, 5)).
scale_y_axes_lim	Manually set the length of the y-axes (default = NULL; which uses ggplot2::scale_y_continuous(limits = scale_y_axes_lim); change e.g., by trying c(-5, 5)).
word_font	Font type (default: NULL).
bivariate_color_codes	The different colors of the words (default: c("#398CF9", "#60A1F7", "#5dc688", "#e07f6a", "#EAEAEA", "#40DD52", "#FF0000", "#EA7467", "#85DB8E")).
word_size_range	Vector with minimum and maximum font size (default: c(3, 8)).
position_jitter_height	Jitter height (default: .0).
position_jitter_width	Jitter width (default: .03).
point_size	Size of the points indicating the words' position (default: 0.5).
arrow_transparency	Transparency of the lines between each word and point (default: 0.1).
points_without_words_size	Size of the points not linked with a words (default is to not show it, i.e., 0).
points_without_words_alpha	Transparency of the points not linked with a words (default is to not show it, i.e., 0).

```
legend_title      Title on the color legend (default: "(PCA)".  
legend_x_axes_label  
                  Label on the color legend (default: "(x)".  
legend_y_axes_label  
                  Label on the color legend (default: "(y)".  
legend_x_position  
                  Position on the x coordinates of the color legend (default: 0.02).  
legend_y_position  
                  Position on the y coordinates of the color legend (default: 0.05).  
legend_h_size     Height of the color legend (default 0.15).  
legend_w_size     Width of the color legend (default 0.15).  
legend_title_size  
                  Font size (default: 7).  
legend_number_size  
                  Font size of the values in the legend (default: 2).  
seed              Set different seed.
```

Value

A 1- or 2-dimensional word plot, as well as tibble with processed data used to plot..

See Also

see [textPCA](#)

Examples

```
# The test-data included in the package is called: DP_projections_HILS_SWLS_100  
  
# Supervised Dimension Projection Plot  
principle_component_plot_projection <- textPCAPlot(PC_projections_satisfactionwords_40)  
principle_component_plot_projection  
  
names(DP_projections_HILS_SWLS_100)
```

Description

textPlot() plots words from textProjection() or textWordPrediction().

Usage

```
textPlot(
  word_data,
  k_n_words_to_test = FALSE,
  min_freq_words_test = 1,
  min_freq_words_plot = 1,
  plot_n_words_square = 3,
  plot_n_words_p = 5,
  plot_n_word_extreme = 5,
  plot_n_word_extreme_xy = 0,
  plot_n_word_frequency = 5,
  plot_n_words_middle = 5,
  plot_n_word_random = 0,
  titles_color = "#61605e",
  y_axes = FALSE,
  p_alpha = 0.05,
  overlapping = TRUE,
  p_adjust_method = "none",
  projection_metric = "dot_product",
  title_top = "Supervised Dimension Projection",
  x_axes_label = "Supervised Dimension Projection (SDP)",
  y_axes_label = "Supervised Dimension Projection (SDP)",
  scale_x_axes_lim = NULL,
  scale_y_axes_lim = NULL,
  word_font = NULL,
  bivariate_color_codes = c("#398CF9", "#60A1F7", "#5dc688", "#e07f6a", "#EAEAEA",
    "#40DD52", "#FF0000", "#EA7467", "#85DB8E"),
  word_size_range = c(3, 8),
  position_jitter_hight = 0,
  position_jitter_width = 0.03,
  point_size = 0.5,
  arrow_transparency = 0.1,
  points_without_words_size = 0.2,
  points_without_words_alpha = 0.2,
  legend_title = "SDP",
  legend_x_axes_label = "x",
  legend_y_axes_label = "y",
  legend_x_position = 0.02,
  legend_y_position = 0.02,
  legend_h_size = 0.2,
  legend_w_size = 0.2,
  legend_title_size = 7,
  legend_number_size = 2,
  legend_number_colour = "white",
  group_embeddings1 = FALSE,
  group_embeddings2 = FALSE,
  projection_embedding = FALSE,
  aggregated_point_size = 0.8,
```

```

aggregated_shape = 8,
aggregated_color_G1 = "black",
aggregated_color_G2 = "black",
projection_color = "blue",
seed = 1005,
explore_words = NULL,
explore_words_color = "#ad42f5",
explore_words_point = "ALL_1",
explore_words_aggregation = "mean",
remove_words = NULL,
n_contrast_group_color = NULL,
n_contrast_group_remove = FALSE,
space = NULL,
scaling = FALSE,
...
)

```

Arguments

word_data Dataframe from textProjection.

k_n_words_to_test Select the k most frequent words to significance test ($k = \sqrt{100*N}$; N = number of participant responses) (default = TRUE).

min_freq_words_test Select words to significance test that have occurred at least min_freq_words_test (default = 1).

min_freq_words_plot Select words to plot that has occurred at least min_freq_words_plot times (default = 1).

plot_n_words_square Select number of significant words in each square of the figure to plot. The significant words, in each square is selected according to most frequent words (default = 3).

plot_n_words_p Number of significant words to plot on each (positive and negative) side of the x-axes and y-axes, (where duplicates are removed); selects first according to lowest p-value and then according to frequency (default = 5). Hence, on a two dimensional plot it is possible that plot_n_words_p = 1 yield 4 words.

plot_n_word_extreme Number of words that are extreme on Supervised Dimension Projection per dimension. (i.e., even if not significant; per dimension, where duplicates are removed).

plot_n_word_extreme_xy Number of words that are extreme in both x and y dimensions, considering overall distance from the origin in the Supervised Dimension Projection space. This selects words based on their combined extremity score, calculated as the Euclidean distance from (0,0). Ensures balance across all nine squares by selecting at least one extreme word per square if available.

plot_n_word_frequency
 Number of words based on being most frequent (default = 5). (i.e., even if not significant).

plot_n_words_middle
 Number of words plotted that are in the middle in Supervised Dimension Projection score (default = 5). (i.e., even if not significant; per dimensions, where duplicates are removed).

plot_n_word_random
 (numeric) select random words to plot.

titles_color Color for all the titles (default: "#61605e").

y_axes (boolean) If TRUE, also plotting on the y-axes (default = FALSE, i.e, a 1-dimensional plot is generated). Also plotting on y-axes produces a two dimension 2-dimensional plot, but the textProjection function has to have had a variable on the y-axes.

p_alpha Alpha (default = .05).

overlapping (boolean) Allow overlapping (TRUE) or disallow (FALSE) (default = TRUE).

p_adjust_method
 (character) Method to adjust/correct p-values for multiple comparisons (default = "none"; see also "holm", "hochberg", "hommel", "bonferroni", "BH", "BY", "fdr").

projection_metric
 (character) Metric to plot according to; "dot_product" or "cohens_d".

title_top Title (default " ").

x_axes_label (character) Label on the x-axes (default = "Supervised Dimension Projection (SDP)").

y_axes_label (character) Label on the y-axes (default = "Supervised Dimension Projection (SDP)").

scale_x_axes_lim
 Manually set the length of the x-axes (default = NULL, which uses ggplot2::scale_x_continuous(limits = scale_x_axes_lim); change e.g., by trying c(-5, 5)).

scale_y_axes_lim
 Manually set the length of the y-axes (default = NULL; which uses ggplot2::scale_y_continuous(limits = scale_y_axes_lim); change e.g., by trying c(-5, 5)).

word_font Font type (default = NULL).

bivariate_color_codes
 (HTML color codes. Type = character) The different colors of the words. Note that, at the moment, two squares should not have the exact same colour-code because the numbers within the squares of the legend will then be aggregated (and show the same, incorrect value). (default: c("#398CF9", "#60A1F7", "#5dc688", "#e07f6a", "#EAEAEA", "#40DD52", "#FF0000", "#EA7467", "#85DB8E")).

word_size_range
 Vector with minimum and maximum font size (default: c(3, 8)).

position_jitter_height
 Jitter height (default: .0).

position_jitter_width
Jitter width (default: .03).

point_size Size of the points indicating the words' position (default: 0.5).

arrow_transparency
Transparency of the lines between each word and point (default: 0.1).

points_without_words_size
Size of the points not linked with a words (default is to not show it, i.e., 0).

points_without_words_alpha
Transparency of the points not linked with a words (default is to not show it, i.e., 0).

legend_title Title on the color legend (default: "SDP").

legend_x_axes_label
Label on the color legend (default: "x").

legend_y_axes_label
Label on the color legend (default: "y").

legend_x_position
Position on the x coordinates of the color legend (default: 0.02).

legend_y_position
Position on the y coordinates of the color legend (default: 0.05).

legend_h_size Height of the color legend (default 0.15).

legend_w_size Width of the color legend (default 0.15).

legend_title_size
Font size (default: 7).

legend_number_size
Font size of the values in the legend (default: 2).

legend_number_colour
(string) Colour of the numbers in the box legend.

group_embeddings1
(boolean) Shows a point representing the aggregated word embedding for group 1 (default = FALSE).

group_embeddings2
(boolean) Shows a point representing the aggregated word embedding for group 2 (default = FALSE).

projection_embedding
(boolean) Shows a point representing the aggregated direction embedding (default = FALSE).

aggregated_point_size
Size of the points representing the group_embeddings1, group_embeddings2 and projection_embedding (default = 0.8).

aggregated_shape
Shape type of the points representing the group_embeddings1, group_embeddings2 and projection_embedding (default = 8).

aggregated_color_G1
Color (default = "black").

```

aggregated_color_G2
  Color (default = "black").
projection_color
  Color (default = "blue").
seed
  (numeric) Set different seed (default = 1005).. 
explore_words Explore where specific words are positioned in the embedding space. For example, c("happy content", "sad down") (default = NULL).
explore_words_color
  Specify the color(s) of the words being explored. For example c("#ad42f5", "green") (default = "#ad42f5").
explore_words_point
  Specify the names of the point for the aggregated word embeddings of all the explored words (default = "ALL_1").
explore_words_aggregation
  Specify how to aggregate the word embeddings of the explored words (default = "mean").
remove_words Manually remove words from the plot (which is done just before the words are plotted so that the remove_words are part of previous counts/analyses) (default = NULL).
n_contrast_group_color
  Set color to words that have higher frequency (N) on the other opposite side of its dot product projection (default = NULL).
n_contrast_group_remove
  Remove words that have higher frequency (N) on the other opposite side of its dot product projection (default = FALSE).
space
  Provide a semantic space if using static embeddings and wanting to explore words (default = NULL).
scaling
  Scaling word embeddings before aggregation (default = FALSE).
...
  Settings for textOwnWordsProjection().

```

Value

A 1- or 2-dimensional word plot, as well as tibble with processed data used to plot.

See Also

See [textProjection](#).

Examples

```

# The test-data included in the package is called: DP_projections_HILS_SWLS_100

# Supervised Dimension Projection Plot
plot_projection <- textPlot(
  word_data = DP_projections_HILS_SWLS_100,
  k_n_words_to_test = FALSE,
  min_freq_words_test = 1,

```

```

plot_n_words_square = 3,
plot_n_words_p = 3,
plot_n_word_extreme = 1,
plot_n_word_frequency = 1,
plot_n_words_middle = 1,
y_axes = FALSE,
p_alpha = 0.05,
title_top = "Supervised Dimension Projection (SDP)",
x_axes_label = "Low vs. High HILS score",
y_axes_label = "Low vs. High SWLS score",
p_adjust_method = "bonferroni",
scale_y_axes_lim = NULL
)
plot_projection

names(DP_projections_HILS_SWLS_100)

```

textPredict*textPredict, textAssess and textClassify*

Description

Trained models created by e.g., textTrain() or stored on e.g., github of huggingface can be used to predict scores or classes from embeddings or text using one of these function aliases.

Usage

```

textPredict(
  model_info = "valence_facebook_mxbai23_eijsbroek2024",
  texts = NULL,
  model_type = "detect",
  lbam_update = TRUE,
  word_embeddings = NULL,
  x_append = NULL,
  append_first = TRUE,
  dim_names = TRUE,
  check_matching_word_embeddings = TRUE,
  language_distribution = NULL,
  language_distribution_min_words = "trained_distribution_min_words",
  save_model = TRUE,
  threshold = NULL,
  show_texts = FALSE,
  device = "cpu",
  participant_id = NULL,
  save_embeddings = TRUE,
  save_dir = "wd",
  save_name = "textPredict",
  story_id = NULL,

```

```
dataset_to_merge_assessments = NULL,  
previous_sentence = FALSE,  
tokenizer_parallelism = FALSE,  
logging_level = "error",  
force_return_results = TRUE,  
return_all_scores = FALSE,  
function_to_apply = NULL,  
set_seed = 202208,  
...  
)  
  
textAssess(  
  model_info = "valence_facebook_mxbai23_eijsbroek2024",  
  texts = NULL,  
  model_type = "detect",  
  lbam_update = TRUE,  
  word_embeddings = NULL,  
  x_append = NULL,  
  append_first = TRUE,  
  dim_names = TRUE,  
  check_matching_word_embeddings = TRUE,  
  language_distribution = NULL,  
  language_distribution_min_words = "trained_distribution_min_words",  
  save_model = TRUE,  
  threshold = NULL,  
  show_texts = FALSE,  
  device = "cpu",  
  participant_id = NULL,  
  save_embeddings = TRUE,  
  save_dir = "wd",  
  save_name = "textPredict",  
  story_id = NULL,  
  dataset_to_merge_assessments = NULL,  
  previous_sentence = FALSE,  
  tokenizer_parallelism = FALSE,  
  logging_level = "error",  
  force_return_results = TRUE,  
  return_all_scores = FALSE,  
  function_to_apply = NULL,  
  set_seed = 202208,  
  ...  
)  
  
textClassify(  
  model_info = "valence_facebook_mxbai23_eijsbroek2024",  
  texts = NULL,  
  model_type = "detect",  
  lbam_update = TRUE,
```

```

word_embeddings = NULL,
x_append = NULL,
append_first = TRUE,
dim_names = TRUE,
check_matching_word_embeddings = TRUE,
language_distribution = NULL,
language_distribution_min_words = "trained_distribution_min_words",
save_model = TRUE,
threshold = NULL,
show_texts = FALSE,
device = "cpu",
participant_id = NULL,
save_embeddings = TRUE,
save_dir = "wd",
save_name = "textPredict",
story_id = NULL,
dataset_to_merge_assessments = NULL,
previous_sentence = FALSE,
tokenizer_parallelism = FALSE,
logging_level = "error",
force_return_results = TRUE,
return_all_scores = FALSE,
function_to_apply = NULL,
set_seed = 202208,
...
)

```

Arguments

model_info	(character or r-object) model_info has four options, including: 1: An R model (e.g, saved output from one of the textTrain() functions). 2: The name specified in the L-BAM Documentation . For the following settings, remember to also set the model_type parameter: 3: Link to a text-trained model online (either in a github repo (e.g, "https://github.com/CarlViggo/pretrained_swls_model/raw/main/trained_github_model_ OSF https://osf.io/8fp7v") 4: Name or link to a fine-tuned model from Huggingface (e.g., "distilbert-base-uncased-finetuned-sst-2-english"). 5: Path to a model stored locally (e.g, "path/to/your/model/model_name.rds").
texts	(character) Text to predict. If this argument is specified, then arguments "word_embeddings" and "premade embeddings" cannot be defined (default = NULL).
model_type	(character) Specify how the function should handle the model argument. The default is "detect" where the function tries to detect it automatically. Setting it to "fine-tuned" or "text-trained" will apply their respective default behaviors, while setting it to "implicit motives" will trigger specific steps tailored to these models.
lbam_update	(boolean) Updating the L-BAM file by automatically downloading it from Google Sheet.
word_embeddings	(tibble; only for "text-trained"-model_type) Embeddings from e.g., textEmbed().

	If you're using a pre-trained model, then texts and embeddings cannot be submitted simultaneously (default = NULL).
x_append	(tibble; only for "text-trained"-model_type) Variables to be appended with the word embeddings (x).
append_first	(boolean; only for "text-trained" models) If TRUE, x_appened is added before word embeddings.
dim_names	(boolean; only for "text-trained"-models) Account for specific dimension names from textEmbed() (rather than generic names including Dim1, Dim2 etc.). If FALSE the models need to have been trained on word embeddings created with dim_names FALSE, so that embeddings were only called Dim1, Dim2 etc.
check_matching_word_embeddings	(boolean) If 'TRUE', the function will check whether the word embeddings (model type and layer) match the requirement of the trained model - if a mismatch is found the function till stop. If 'FALSE', the function will not verify.
language_distribution	(character column; only for "text-trained" models) If you provide the raw language data used for making the embeddings used for assessment, the language distribution (i.e., a word and frequency table) will be compared with saved one in the model object (if one exists). This enables calculating similarity scores.
language_distribution_min_words	(string or numeric; only for "text-trained" models) Default is to use the removal threshold used when creating the distribution in the in the training set ("trained_distribution_min_words"). You can set it yourself with a numeric value.
save_model	(boolean; only for "text-trained"-models) The model will by default be saved in your work-directory (default = TRUE). If the model already exists in your work-directory, it will automatically be loaded from there.
threshold	(numeric; only for "text-trained"-models) Determine threshold if you are using a logistic model (default = 0.5).
show_texts	(boolean; only for "implicit-motives"-models) Show texts together with predictions (default = FALSE).
device	Name of device to use: 'cpu', 'gpu', 'gpu:k' or 'mps'/'mps:k' for MacOS, where k is a specific device number such as 'mps:1'.
participant_id	(list; only for "implicit-motives"-models) Vector of participant-ids. Specify this for getting person level scores (i.e., summed sentence probabilities to the person level corrected for word count). (default = NULL)
save_embeddings	(boolean; only for "text-trained"-models) If set to TRUE, embeddings will be saved with a unique identifier, and will be automatically opened next time textPredict is run with the same text. (default = TRUE)
save_dir	(character; only for "text-trained"-models) Directory to save embeddings. (default = "wd" (i.e, work-directory))
save_name	(character; only for "text-trained"-models) Name of the saved embeddings (will be combined with a unique identifier). (default = ""). Obs: If no save_name is provided, and model_info is a character, then save_name will be set to model_info.

story_id	(vector; only for "implicit-motives"-models) Vector of story-ids. Specify this to get story level scores (i.e., summed sentence probabilities corrected for word count). When there is both story_id and participant_id indicated, the function returns a list including both story level and person level prediction corrected for word count. (default = NULL)
dataset_to_merge_assessments	(R-object, tibble; only for "implicit-motives"-models) Insert your data here to integrate predictions to your dataset, (default = NULL).
previous_sentence	(boolean; only for "implicit-motives"-models) If set to TRUE, word-embeddings will be averaged over the current and previous sentence per story-id. For this, both participant-id and story-id must be specified.
tokenizer_parallelism	(boolean; only for "fine-tuned"-models) If TRUE this will turn on tokenizer parallelism.
logging_level	(string; only for "fine-tuned"-models) Set the logging level. Options (ordered from less logging to more logging): critical, error, warning, info, debug
force_return_results	(boolean; only for "fine-tuned"-models) Stop returning some incorrectly formatted/structured results. This setting does NOT evaluate the actual results (whether or not they make sense, exist, etc.). All it does is to ensure the returned results are formatted correctly (e.g., does the question-answering dictionary contain the key "answer", is sentiments from textClassify containing the labels "positive" and "negative").
return_all_scores	(boolean; only for "fine-tuned"-models) Whether to return all prediction scores or just the one of the predicted class.
function_to_apply	(string; only for "fine-tuned"-models) The function to apply to the model outputs to retrieve the scores.
set_seed	(Integer; only for "fine-tuned" models) Set seed.
...	Setting from stats::predict can be called.

Value

Predictions from word-embedding or text input.

See Also

See [textTrain](#), [textTrainLists](#) and [textTrainRandomForest](#).

Examples

```
## Not run:

# Text data from Language_based_assessment_data_8
text_to_predict <- "I am not in harmony in my life as much as I would like to be."
```

```

# Example 1: (predict using pre-made embeddings and an R model-object)
prediction1 <- textPredict(
  model_info = trained_model,
  word_embeddings_4$texts$satisfactiontexts
)

# Example 2: (predict using a pretrained github model)
prediction2 <- textPredict(
  texts = text_to_predict,
  model_info = "https://github.com/CarlViggo/pretrained-models/raw/main/trained_hils_model.RDS"
)

# Example 3: (predict using a pretrained logistic github model and return
# probabilities and classifications)
prediction3 <- textPredict(
  texts = text_to_predict,
  model_info = "https://github.com/CarlViggo/pretrained-models/raw/main/
  trained_github_model_logistic.RDS",
  type = "class_prob",
  threshold = 0.7
)

# Example 4: (predict from texts using a pretrained model stored in an osf project)
prediction4 <- textPredict(
  texts = text_to_predict,
  model_info = "https://osf.io/8fp7v"
)
##### Automatic implicit motive coding section #####
# Create example dataset
implicit_motive_data <- dplyr::mutate(.data = Language_based_assessment_data_8,
  participant_id = dplyr::row_number())

# Code implicit motives.
implicit_motives <- textPredict(
  texts = implicit_motive_data$satisfactiontexts,
  model_info = "implicit_power_roberta_large_L23_v1",
  participant_id = implicit_motive_data$participant_id,
  dataset_to_merge_assessments = implicit_motive_data
)

# Examine results
implicit_motives$sentence_predictions
implicit_motives$person_predictions

## End(Not run)

## Not run:
# Examine the correlation between the predicted values and
# the Satisfaction with life scale score (pre-included in text).

psych::corr.test(

```

```
predictions1$word_embeddings__ypred,  
Language_based_assessment_data_8$swlstotal  
)  
  
## End(Not run)
```

textPredictAll *Predict from several models, selecting the correct input*

Description

Predict from several models, selecting the correct input

Usage

```
textPredictAll(models, word_embeddings, x_append = NULL, ...)
```

Arguments

models	Object containing several models.
word_embeddings	List of word embeddings (if using word embeddings from more than one text-variable use dim_names = TRUE throughout the pipeline).
x_append	A tibble/dataframe with additional variables used in the training of the models (optional).
...	Settings from textPredict.

Value

A tibble with predictions.

See Also

see [textPredict](#) and [textTrain](#)

Examples

```
# x <- Language_based_assessment_data_8[1:2, 1:2]  
# word_embeddings_with_layers <- textEmbedLayersOutput(x, layers = 11:12)
```

textPredictTest

*Significance testing for model prediction performance***Description**

Compares predictive performance between two models, using either a paired t-test on errors or bootstrapped comparisons of correlation or AUC.

Usage

```
textPredictTest(
  y1,
  y2,
  yhat1,
  yhat2,
  method = "t-test",
  statistic = "correlation",
  paired = TRUE,
  event_level = "first",
  bootstraps_times = 10000,
  seed = 20250622,
  ...
)
```

Arguments

y1	The observed scores (i.e., what was used to predict when training a model).
y2	The second observed scores (default = NULL; i.e., for when comparing models that are predicting different outcomes. In this case a bootstrap procedure is used to create two distributions of correlations that are compared (see description above).
yhat1	The predicted scores from model 1.
yhat2	The predicted scores from model 2 that will be compared with model 1.
method	Character string specifying the comparison approach. - "t-test": Use when comparing prediction errors from two models predicting the same outcome (only supported when statistic = "correlation"). Performs a paired t-test on absolute errors. - "bootstrap_difference": Use to compare AUCs from two models predicting either the same outcome (e.g., does Model A outperform Model B on the same classification task) or different outcomes (e.g., mental vs physical health). Bootstraps the difference in AUC across resamples to compute confidence intervals and p-values. - "bootstrap_overlap": Use when comparing predictions for different outcomes by generating bootstrap distributions of correlation or AUC values (depending on statistic), and testing overlap in distributions. (requires the overlapping package).

Choose the method that aligns with your research question: error comparison on the same outcome, AUC difference testing on the same or different outcomes, or overlap of performance distributions across different outcomes.

statistic	Character ("correlation", "auc") describing statistic to be compared in bootstrapping.
paired	Paired test or not in stats::t.test (default TRUE).
event_level	Character "first" or "second" for computing the auc in the bootstrap.
bootstraps_times	Number of bootstraps (when providing y2).
seed	Set seed.
...	Settings from stats::t.test or overlapping::overlap (e.g., plot = TRUE).

Details

- If 'method = "t-test"' is chosen, the function compares the absolute prediction errors ($|yhat - y|$) from two models predicting the **same** outcome using a paired t-test. Only 'y1', 'yhat1', and 'yhat2' are required.
- If 'method = "bootstrap_difference"' is chosen, the function compares differences in correlation or AUC between **two outcomes** (or the same outcome if $y1 = y2$), using bootstrapped resampling. Both 'y1' and 'y2' must be provided (and have the same length).
- If 'method = "bootstrap_overlap"' is chosen, the function generates bootstrap distributions of correlation or AUC values for each outcome and tests the overlap of these distributions, assessing similarity in predictive performance.

Choose the method that aligns with your research question:

- Error comparison on the same outcome
- Bootstrapped difference testing on the same or different outcomes
- Overlap of performance distributions across different outcomes

Value

Comparison of correlations either a t-test or the overlap of a bootstrapped procedure (see \$OV).

See Also

see [textTrain](#) [textPredict](#)

Examples

```
# Example random data
y1 <- runif(10)
yhat1 <- runif(10)
y2 <- runif(10)
yhat2 <- runif(10)

boot_test <- textPredictTest(y1, y2, yhat1, yhat2)
```

textProjection	<i>Supervised Dimension Projection</i>
----------------	--

Description

textProjection() computes Supervised Dimension Projection and related variables for plotting words.

Usage

```
textProjection(
  words,
  word_embeddings,
  word_types_embeddings,
  x,
  y = NULL,
  pca = NULL,
  aggregation = "mean",
  split = "quartile",
  word_weight_power = 1,
  min_freq_words_test = 0,
  mean_centering = FALSE,
  mean_centering2 = FALSE,
  Npermutations = 10000,
  n_per_split = 50000,
  seed = 1003
)
```

Arguments

words	(character) Word or text variable to be plotted.
word_embeddings	Word embeddings from textEmbed for the words to be plotted (i.e., the aggregated word embeddings for the "words" parameter).
word_types_embeddings	Word embeddings from textEmbed for individual words (i.e., decontextualized embeddings).
x	Numeric variable that the words should be plotted according to on the x-axes.
y	Numeric variable that the words should be plotted according to on the y-axes (default = NULL, i.e., a 1-dimensional plot is created).
pca	Number of PCA dimensions applied to the word embeddings in the beginning of the function (default = NULL). A number below 1 takes out % of variance; An integer specify number of components to extract. (default is NULL as this setting has not yet been evaluated).
aggregation	(character) Method to aggregate the word embeddings (default = "mean"; see also "min", "max", and "[CLS]").

split	(character) Method to split the axes (default = "quartile" involving selecting lower and upper quartile; see also "mean"). However, if the variable is only containing two different values (i.e., being dichotomous) mean split is used.
word_weight_power	Compute the power of the frequency of the words and multiply the word embeddings with this in the computation of aggregated word embeddings for group low (1) and group high (2). This increases the weight of more frequent words.
min_freq_words_test	(numeric) Option to select words that have occurred a specified number of times (default = 0); when creating the Supervised Dimension Projection line (i.e., single words receive Supervised Dimension Projection and p-value).
mean_centering	(boolean) Separately mean centering the Group 1 split aggregation embedding, and the Group 2 split aggregation embedding
mean_centering2	(boolean) Separately mean centering the G1 and G2 split aggregation embeddings
Npermutations	(numeric) Number of permutations in the creation of the null distribution (default = 10000).
n_per_split	(numeric) Setting to split Npermutations to avoid reaching computer memory limits; set it lower than Npermutations <- and the higher it is set the faster the computation completes, but too high may lead to abortion (default = 50000).
seed	(numeric) Set different seed (default = 1003).

Value

A data frame with variables (e.g., including Supervised Dimension Projection, frequencies, p-values) for the individual words that is used for the plotting in the `textProjectionPlot` function.

See Also

See [textProjectionPlot](#).

Examples

```
# Pre-processing data for plotting.
## Not run:
df_for_plotting <- textProjection(
  words = Language_based_assessment_data_8$harmonywords,
  word_embeddings = word_embeddings_4$texts$harmonywords,
  word_types_embeddings = word_embeddings_4$word_types,
  x = Language_based_assessment_data_8$hilstotal,
  split = "mean",
  Npermutations = 10,
  n_per_split = 1
)
# Run df_for_plotting to examine result.
df_for_plotting

## End(Not run)
```

textProjectionPlot *Plot Supervised Dimension Projection*

Description

textProjectionPlot() plots words according to Supervised Dimension Projection.

Usage

```
textProjectionPlot(
  word_data,
  k_n_words_to_test = FALSE,
  min_freq_words_test = 1,
  min_freq_words_plot = 1,
  plot_n_words_square = 3,
  plot_n_words_p = 5,
  plot_n_word_extreme = 5,
  plot_n_word_frequency = 5,
  plot_n_words_middle = 5,
  plot_n_word_random = 0,
  titles_color = "#61605e",
  y_axes = FALSE,
  p_alpha = 0.05,
  overlapping = TRUE,
  p_adjust_method = "none",
  projection_metric = "dot_product",
  title_top = "Supervised Dimension Projection",
  x_axes_label = "Supervised Dimension Projection (SDP)",
  y_axes_label = "Supervised Dimension Projection (SDP)",
  scale_x_axes_lim = NULL,
  scale_y_axes_lim = NULL,
  word_font = NULL,
  bivariate_color_codes = c("#398CF9", "#60A1F7", "#5dc688", "#e07f6a", "#EAEAEA",
    "#40DD52", "#FF0000", "#EA7467", "#85DB8E"),
  word_size_range = c(3, 8),
  position_jitter_hight = 0,
  position_jitter_width = 0.03,
  point_size = 0.5,
  arrow_transparency = 0.1,
  points_without_words_size = 0.2,
  points_without_words_alpha = 0.2,
  legend_title = "SDP",
  legend_x_axes_label = "x",
  legend_y_axes_label = "y",
  legend_x_position = 0.02,
  legend_y_position = 0.02,
  legend_h_size = 0.2,
```

```

legend_w_size = 0.2,
legend_title_size = 7,
legend_number_size = 2,
legend_number_colour = "white",
group_embeddings1 = FALSE,
group_embeddings2 = FALSE,
projection_embedding = FALSE,
aggregated_point_size = 0.8,
aggregated_shape = 8,
aggregated_color_G1 = "black",
aggregated_color_G2 = "black",
projection_color = "blue",
seed = 1005,
explore_words = NULL,
explore_words_color = "#ad42f5",
explore_words_point = "ALL_1",
explore_words_aggregation = "mean",
remove_words = NULL,
n_contrast_group_color = NULL,
n_contrast_group_remove = FALSE,
space = NULL,
scaling = FALSE
)

```

Arguments

word_data Dataframe from textProjection

k_n_words_to_test
Select the k most frequent words to significance test ($k = \sqrt{100 \cdot N}$; N = number of participant responses). Default = TRUE.

min_freq_words_test
Select words to significance test that have occurred at least min_freq_words_test (default = 1).

min_freq_words_plot
Select words to plot that has occurred at least min_freq_words_plot times.

plot_n_words_square
Select number of significant words in each square of the figure to plot. The significant words, in each square is selected according to most frequent words.

plot_n_words_p Number of significant words to plot on each(positive and negative) side of the x-axes and y-axes, (where duplicates are removed); selects first according to lowest p-value and then according to frequency. Hence, on a two dimensional plot it is possible that plot_n_words_p = 1 yield 4 words.

plot_n_word_extreme
Number of words that are extreme on Supervised Dimension Projection per dimension. (i.e., even if not significant; per dimensions, where duplicates are removed).

plot_n_word_frequency
Number of words based on being most frequent. (i.e., even if not significant).

plot_n_words_middle
 Number of words plotted that are in the middle in Supervised Dimension Projection score (i.e., even if not significant; per dimensions, where duplicates are removed).

plot_n_word_random
 (numeric) select random words to plot.

titles_color Color for all the titles (default: "#61605e")

y_axes If TRUE, also plotting on the y-axes (default is FALSE). Also plotting on y-axes produces a two dimension 2-dimensional plot, but the textProjection function has to have had a variable on the y-axes.

p_alpha Alpha (default = .05).

overlapping (boolean) Allow overlapping (TRUE) or disallow (FALSE) (default = TRUE).

p_adjust_method
 Method to adjust/correct p-values for multiple comparisons (default = "holm"; see also "none", "hochberg", "hommel", "bonferroni", "BH", "BY", "fdr").

projection_metric
 (character) Metric to plot according to; "dot_product" or "cohens_d".

title_top Title (default " ")

x_axes_label Label on the x-axes.

y_axes_label Label on the y-axes.

scale_x_axes_lim
 Manually set the length of the x-axes (default = NULL, which uses ggplot2::scale_x_continuous(limits = scale_x_axes_lim); change e.g., by trying c(-5, 5)).

scale_y_axes_lim
 Manually set the length of the y-axes (default = NULL; which uses ggplot2::scale_y_continuous(limits = scale_y_axes_lim); change e.g., by trying c(-5, 5)).

word_font Font type (default: NULL).

bivariate_color_codes
 The different colors of the words. Note that, at the moment, two squares should not have the exact same colour-code because the numbers within the squares of the legend will then be aggregated (and show the same, incorrect value). (default: c("#398CF9", "#60A1F7", "#5dc688", "#e07f6a", "#EAEAEA", "#40DD52", "#FF0000", "#EA7467", "#85DB8E")).

word_size_range
 Vector with minimum and maximum font size (default: c(3, 8)).

position_jitter_height
 Jitter height (default: .0).

position_jitter_width
 Jitter width (default: .03).

point_size Size of the points indicating the words' position (default: 0.5).

arrow_transparency
 Transparency of the lines between each word and point (default: 0.1).

points_without_words_size
 Size of the points not linked with a words (default is to not show it, i.e., 0).

```
points_without_words_alpha
    Transparency of the points not linked with a words (default is to not show it, i.e., 0).

legend_title    Title on the color legend (default: "(SDP)".
legend_x_axes_label
    Label on the color legend (default: "(x)".
legend_y_axes_label
    Label on the color legend (default: "(y)".
legend_x_position
    Position on the x coordinates of the color legend (default: 0.02).
legend_y_position
    Position on the y coordinates of the color legend (default: 0.05).
legend_h_size    Height of the color legend (default 0.15).
legend_w_size    Width of the color legend (default 0.15).
legend_title_size
    Font size (default: 7).
legend_number_size
    Font size of the values in the legend (default: 2).
legend_number_colour
    (string) Colour of the numbers in the box legend.
group_embeddings1
    Shows a point representing the aggregated word embedding for group 1 (default = FALSE).
group_embeddings2
    Shows a point representing the aggregated word embedding for group 2 (default = FALSE).
projection_embedding
    Shows a point representing the aggregated direction embedding (default = FALSE).
aggregated_point_size
    Size of the points representing the group_embeddings1, group_embeddings2 and projection_embedding
aggregated_shape
    Shape type of the points representing the group_embeddings1, group_embeddings2 and projection_embedding
aggregated_color_G1
    Color
aggregated_color_G2
    Color
projection_color
    Color
seed
    Set different seed.
explore_words
    Explore where specific words are positioned in the embedding space. For example, c("happy content", "sad down").
```

```

explore_words_color
  Specify the color(s) of the words being explored. For example c("#ad42f5",
  "green")
explore_words_point
  Specify the names of the point for the aggregated word embeddings of all the
  explored words.
explore_words_aggregation
  Specify how to aggregate the word embeddings of the explored words.
remove_words  manually remove words from the plot (which is done just before the words are
  plotted so that the remove_words are part of previous counts/analyses).
n_contrast_group_color
  Set color to words that have higher frequency (N) on the other opposite side of
  its dot product projection (default = NULL).
n_contrast_group_remove
  Remove words that have higher frequency (N) on the other opposite side of its
  dot product projection (default = FALSE).
space        Provide a semantic space if using static embeddings and wanting to explore
  words.
scaling      Scaling word embeddings before aggregation.

```

Value

A 1- or 2-dimensional word plot, as well as tibble with processed data used to plot.

See Also

See [textProjection](#).

Examples

```

# The test-data included in the package is called: DP_projections_HILS_SWLS_100.
# The dataframe created by textProjection can also be used as input-data.

# Supervised Dimension Projection Plot
plot_projection <- textProjectionPlot(
  word_data = DP_projections_HILS_SWLS_100,
  k_n_words_to_test = FALSE,
  min_freq_words_test = 1,
  plot_n_words_square = 3,
  plot_n_words_p = 3,
  plot_n_word_extreme = 1,
  plot_n_word_frequency = 1,
  plot_n_words_middle = 1,
  y_axes = FALSE,
  p_alpha = 0.05,
  title_top = "Supervised Dimension Projection (SDP)",
  x_axes_label = "Low vs. High HILS score",
  y_axes_label = "Low vs. High SWLS score",
  p_adjust_method = "bonferroni",

```

```
  scale_y_axes_lim = NULL
)
plot_projection

# Investigate elements in DP_projections_HILS_SWLS_100.
names(DP_projections_HILS_SWLS_100)
```

textQA

Question Answering. (experimental)

Description

Question Answering. (experimental)

Usage

```
textQA(
  question,
  context,
  model = "",
  device = "cpu",
  tokenizer_parallelism = FALSE,
  logging_level = "warning",
  force_return_results = FALSE,
  top_k = 1L,
  doc_stride = 128L,
  max_answer_len = 15L,
  max_seq_len = 384L,
  max_question_len = 64L,
  handle_impossible_answer = FALSE,
  set_seed = 202208L
)
```

Arguments

question	(string) A question
context	(string) The context(s) where the model will look for the answer.
model	(string) HuggingFace name of a pre-trained language model that have been fine-tuned on a question answering task.
device	(string) Device to use: 'cpu', 'gpu', or 'gpu:k' where k is a specific device number
tokenizer_parallelism	(boolean) If TRUE this will turn on tokenizer parallelism.
logging_level	(string) Set the logging level. Options (ordered from less logging to more logging): critical, error, warning, info, debug

force_return_results	(boolean) Stop returning some incorrectly formatted/structured results. This setting does NOT evaluate the actual results (whether or not they make sense, exist, etc.). All it does is to ensure the returned results are formatted correctly (e.g., does the question-answering dictionary contain the key "answer", is sentiments from textClassify containing the labels "positive" and "negative").
top_k	(integer) (int) Indicates number of possible answer span(s) to get from the model output.
doc_stride	(integer) If the context is too long to fit with the question for the model, it will be split into overlapping chunks. This setting controls the overlap size.
max_answer_len	(integer) Max answer size to be extracted from the model's output.
max_seq_len	(integer) The max total sentence length (context + question) in tokens of each chunk passed to the model. If needed, the context is split in chunks (using doc_stride as overlap).
max_question_len	(integer) The max question length after tokenization. It will be truncated if needed.
handle_impossible_answer	(boolean) Whether or not impossible is accepted as an answer.
set_seed	(Integer) Set seed.

Value

Answers.

See Also

see [textClassify](#), [textGeneration](#), [textNER](#), [textSum](#), [textQA](#), [textTranslate](#)

Examples

```
# qa_examples <- textQA(question = "Which colour have trees?",  
#   context = "Trees typically have leaves, are mostly green and like water.")
```

textrpp_initialize *Initialize text required python packages*

Description

Initialize text required python packages to call from R.

Usage

```
textrpp_initialize(  
    python_executable = NULL,  
    virtualenv = NULL,  
    condaenv = "textrpp_condaenv",  
    ask = FALSE,  
    refresh_settings = FALSE,  
    save_profile = FALSE,  
    check_env = TRUE,  
    textEmbed_test = FALSE,  
    prompt = TRUE  
)
```

Arguments

python_executable	the full path to the Python executable, for which text required python packages is installed.
virtualenv	set a path to the Python virtual environment with text required python packages installed Example: virtualenv = "~/myenv"
condaenv	set a path to the anaconda virtual environment with text required python packages installed Example: condalenv = "myenv"
ask	logical; if FALSE, use the first text required python packages installation found; if TRUE, list available text required python packages installations and prompt the user for which to use. If another (e.g. python_executable) is set, then this value will always be treated as FALSE.
refresh_settings	logical; if TRUE, text will ignore the saved settings in the profile and initiate a search of new settings.
save_profile	logical; if TRUE, the current text required python packages setting will be saved for the future use.
check_env	logical; check whether conda/virtual environment generated by textrpp_install() exists
textEmbed_test	logical; Test whether function (textEmbed) that requires python packages works.
prompt	logical; asking whether user wants to set the environment as default.

Description

Install text required python packages (rpp) in a self-contained environment. For macOS and Linux-based systems, this will also install Python itself via a "miniconda" environment, for `textrpp_install`. Alternatively, an existing conda installation may be used, by specifying its path. The default setting of "auto" will locate and use an existing installation automatically, or download and install one if none exists.

For Windows, automatic installation of miniconda installation is not currently available, so the user will need to install [miniconda \(or Anaconda\) manually](#).

If you wish to install Python in a "virtualenv", use the `textrpp_install_virtualenv` function. It requires that you have a python version and path to it (such as "/usr/local/bin/python3.9" for Mac and Linux.).

Usage

```
textrpp_install(
  conda = "auto",
  update_conda = FALSE,
  force_conda = FALSE,
  rpp_version = "rpp_version_system_specific_defaults",
  python_version = "python_version_system_specific_defaults",
  envname = "textrpp_condaenv",
  pip = TRUE,
  python_path = NULL,
  prompt = TRUE,
  conda_forge = TRUE
)

textrpp_install_virtualenv(
  rpp_version = c("torch==2.0.0", "transformers==4.19.2", "numpy", "pandas", "nltk"),
  python_path = NULL,
  pip_version = NULL,
  bin = "python3",
  envname = "textrpp_virtualenv",
  prompt = TRUE
)
```

Arguments

<code>conda</code>	character; path to conda executable. Default "auto" which automatically find the path
<code>update_conda</code>	Boolean; update to the latest version of Miniconda after install? (should be combined with <code>force_conda = TRUE</code>)
<code>force_conda</code>	Boolean; force re-installation if Miniconda is already installed at the requested path?
<code>rpp_version</code>	character; default is "rpp_version_system_specific_defaults", because diffent systems require different combinations of python version and packages. It is also

	possible to specify your own, such as c("torch==2.0.0", "transformers==4.19.2", "numpy", "pandas", "nltk", "scikit-learn", "datasets", "evaluate").
python_version	character; default is "python_version_system_specific_defaults". You can specify your Python version for the condaenv yourself. installation.
envname	character; name of the conda-environment to install text required python packages. Default is "textrpp_condaenv".
pip	TRUE to use pip for installing rpp If FALSE, conda package manager with conda-forge channel will be used for installing rpp.
python_path	character; path to Python only for virtualenvironment installation
prompt	logical; ask whether to proceed during the installation
conda_forge	(boolean) TRUE ensures using forge channels to avoid having to accept Terms of Service from Anaconda
pip_version	character;
bin	character; e.g., "python", only for virtualenvironment installation

Examples

```
## Not run:
# install text required python packages in a miniconda environment (macOS and Linux)
textrpp_install(prompt = FALSE)

# install text required python packages to an existing conda environment
textrpp_install(conda = "~/anaconda/bin/")

## End(Not run)
## Not run:
# install text required python packages in a virtual environment
textrpp_install_virtualenv()

## End(Not run)
```

textrpp_uninstall *Uninstall textrpp conda environment*

Description

Removes the conda environment created by textrpp_install()

Usage

```
textrpp_uninstall(conda = "auto", prompt = TRUE, envname = "textrpp_condaenv")
```

Arguments

conda	path to conda executable, default to "auto" which automatically finds the path
prompt	logical; ask whether to proceed during the installation
envname	character; name of conda environment to remove

textSimilarity	<i>Semantic Similarity</i>
----------------	----------------------------

Description

`textSimilarity()` Computes the semantic similarity between two text variables.

Usage

```
textSimilarity(x, y, method = "cosine", center = TRUE, scale = FALSE)
```

Arguments

<code>x</code>	Word embeddings from <code>textEmbed()</code> .
<code>y</code>	Word embeddings from <code>textEmbed()</code> .
<code>method</code>	(character) Character string describing type of measure to be computed. Default is "cosine" (see also "spearman", "pearson" as well as measures from <code>textDistance()</code> (which here is computed as 1 - <code>textDistance</code>) including "euclidean", "maximum", "manhattan", "canberra", "binary" and "minkowski").
<code>center</code>	(boolean; from <code>base::scale</code>) If <code>center</code> is TRUE then centering is done by subtracting the column means (omitting NAs) of <code>x</code> from their corresponding columns, and if <code>center</code> is FALSE, no centering is done.
<code>scale</code>	(boolean; from <code>base::scale</code>) If <code>scale</code> is TRUE then scaling is done by dividing the (centered) columns of <code>x</code> by their standard deviations if <code>center</code> is TRUE, and the root mean square otherwise.

Value

A vector comprising semantic similarity scores. The closer the value is to 1 when using the default method, "cosine", the higher the semantic similarity.

See Also

See [textDistance](#) and [textSimilarityNorm](#).

Examples

```
# Compute the semantic similarity between the embeddings from "harmonytex" and "satisfactiontext".
## Not run:
similarity_scores <- textSimilarity(
  x = word_embeddings_4$texts$harmonytex,
  y = word_embeddings_4$texts$satisfactiontext
)

# Show information about how similarity_scores were constructed.
comment(similarity_scores)

## End(Not run)
```

`textSimilarityMatrix` *Semantic similarity across multiple word embeddings*

Description

`textSimilarityMatrix` computes semantic similarity scores between all combinations in a word embedding

Usage

```
textSimilarityMatrix(x, method = "cosine", center = TRUE, scale = FALSE)
```

Arguments

<code>x</code>	Word embeddings from <code>textEmbed()</code> .
<code>method</code>	(character) Character string describing type of measure to be computed. Default is "cosine" (see also "spearmen", "pearson" as well as measures from <code>textDistance()</code> (which here is computed as 1 - <code>textDistance</code>) including "euclidean", "maximum", "manhattan", "canberra", "binary" and "minkowski").
<code>center</code>	(boolean; from <code>base::scale</code>) If <code>center</code> is TRUE then centering is done by subtracting the column means (omitting NAs) of <code>x</code> from their corresponding columns, and if <code>center</code> is FALSE, no centering is done.
<code>scale</code>	(boolean; from <code>base::scale</code>) If <code>scale</code> is TRUE then scaling is done by dividing the (centered) columns of <code>x</code> by their standard deviations if <code>center</code> is TRUE, and the root mean square otherwise.

Value

A matrix of semantic similarity scores

See Also

see [textSimilarityNorm](#)

Examples

```
similarity_scores <- textSimilarityMatrix(word_embeddings_4$texts$harmonystext[1:3, ])
round(similarity_scores, 3)
```

`textSimilarityNorm` *Semantic similarity between a text variable and a word norm*

Description

`textSimilarityNorm()` computes the semantic similarity between a text variable and a word norm (i.e., a text represented by one word embedding that represent a construct).

Usage

```
textSimilarityNorm(x, y, method = "cosine", center = TRUE, scale = FALSE)
```

Arguments

<code>x</code>	Word embeddings from <code>textEmbed()</code> .
<code>y</code>	Word embedding from <code>textEmbed</code> (from only one text).
<code>method</code>	(character) Character string describing type of measure to be computed. Default is "cosine" (see also "spearmen", "pearson" as well as measures from <code>textDistance()</code> (which here is computed as 1 - <code>textDistance</code>) including "euclidean", "maximum", "manhattan", "canberra", "binary" and "minkowski").
<code>center</code>	(boolean; from <code>base::scale</code>) If <code>center</code> is TRUE then centering is done by subtracting the column means (omitting NAs) of <code>x</code> from their corresponding columns, and if <code>center</code> is FALSE, no centering is done.
<code>scale</code>	(boolean; from <code>base::scale</code>) If <code>scale</code> is TRUE then scaling is done by dividing the (centered) columns of <code>x</code> by their standard deviations if <code>center</code> is TRUE, and the root mean square otherwise.

Value

A vector comprising semantic similarity scores.

See Also

see [textSimilarity](#)

Examples

```
## Not run:
library(dplyr)
library(tibble)
harmonynorm <- c("harmony peace ")
satisfactionnorm <- c("satisfaction achievement")

norms <- tibble::tibble(harmonynorm, satisfactionnorm)
word_embeddings <- word_embeddings_4$texts
word_embeddings_wordnorm <- textEmbed(norms)
similarity_scores <- textSimilarityNorm(
```

```

  word_embeddings$harmonytex,
  word_embeddings_wordnorm$harmonynorm
)
## End(Not run)

```

textSum

Summarize texts. (experimental)

Description

Summarize texts. (experimental)

Usage

```

textSum(
  x,
  min_length = 10L,
  max_length = 20L,
  model = "t5-small",
  device = "cpu",
  tokenizer_parallelism = FALSE,
  logging_level = "warning",
  force_return_results = FALSE,
  return_text = TRUE,
  return_tensors = FALSE,
  clean_up_tokenization_spaces = FALSE,
  set_seed = 202208L
)

```

Arguments

x	(string) A variable or a tibble/dataframe with at least one character variable.
min_length	(explicit integer; e.g., 10L) The minimum number of tokens in the summed output.
max_length	(explicit integer higher than min_length; e.g., 20L) The maximum number of tokens in the summed output.
model	(string) Specification of a pre-trained language model that have been fine-tuned on a summarization task, such as 'bart-large-cnn', 't5-small', 't5-base', 't5-large', 't5-3b', 't5-11b'.
device	(string) Device to use: 'cpu', 'gpu', or 'gpu:k' where k is a specific device number.
tokenizer_parallelism	(boolean) If TRUE this will turn on tokenizer parallelism.
logging_level	(string) Set the logging level. Options (ordered from less logging to more logging): critical, error, warning, info, debug

```

force_return_results
  (boolean) Stop returning some incorrectly formatted/structured results. This setting does NOT evaluate the actual results (whether or not they make sense, exist, etc.). All it does is to ensure the returned results are formatted correctly (e.g., does the question-answering dictionary contain the key "answer", is sentiments from textClassify containing the labels "positive" and "negative").
return_text      (boolean) Whether or not the outputs should include the decoded text.
return_tensors   (boolean) Whether or not the output should include the prediction tensors (as token indices).
clean_up_tokenization_spaces
  (boolean) Option to clean up the potential extra spaces in the returned text.
set_seed         (Integer) Set seed.

```

Value

A tibble with summed text(s).

See Also

see [textClassify](#), [textGeneration](#), [textNER](#), [textSum](#), [textQA](#), [textTranslate](#)

Examples

```

# sum_examples <- textSum(Language_based_assessment_data_8[1:2,1:2],
# min_length = 5L,
# max_length = 10L)

```

textTokenize *Tokenize text-variables*

Description

textTokenize() tokenizes according to different huggingface transformers

Usage

```

textTokenize(
  texts,
  model,
  max_token_to_sentence = 4,
  device = NULL,
  tokenizer_parallelism = FALSE,
  model_max_length = NULL,
  hg_gated = FALSE,
  hg_token = Sys.getenv("HUGGINGFACE_TOKEN", unset = ""),
  trust_remote_code = FALSE,
  logging_level = "error"
)

```

Arguments

texts	A character variable or a tibble/dataframe with at least one character variable.
model	Character string specifying pre-trained language model (default 'bert-base-uncased'). For full list of options see pretrained models at HuggingFace . For example use "bert-base-multilingual-cased", "openai-gpt", "gpt2", "ctrl", "transfo-xl-wt103", "xlnet-base-cased", "xlm-mlm-enfr-1024", "distilbert-base-cased", "roberta-base", or "xlm-roberta-base".
max_token_to_sentence	(numeric) Maximum number of tokens in a string to handle before switching to embedding text sentence by sentence.
device	(character) Name of device to use: 'cpu', 'gpu', 'gpu:k' or 'mps'/'mps:k' for MacOS, where k is a specific device number. (default = "cpu"). Default is NULL, which sets gpu:0/mps:0 depending on OS.
tokenizer_parallelism	If TRUE this will turn on tokenizer parallelism. Default FALSE.
model_max_length	The maximum length (in number of tokens) for the inputs to the transformer model (default the value stored for the associated model).
hg_gated	Set to TRUE if the accessed model is gated.
hg_token	The token needed to access the gated model. Create a token from the ['Settings' page](https://huggingface.co/settings/tokens) of the Hugging Face website. An environment variable HUGGINGFACE_TOKEN can be set to avoid the need to enter the token each time.
trust_remote_code	use a model with custom code on the Huggingface Hub
logging_level	Set the logging level. Default: "warning". Options (ordered from less logging to more logging): critical, error, warning, info, debug

Value

Returns tokens according to specified huggingface transformer.

See Also

see [textEmbed](#)

Examples

```
# tokens <- textTokenize("hello are you?")
```

`textTokenizeAndCount` *Tokenize and count*

Description

Tokenize and count

Usage

```
textTokenizeAndCount(data, n_remove_threshold = 3)
```

Arguments

<code>data</code>	(string) Language to tokenise and count.
<code>n_remove_threshold</code>	(numeric) Threshold deciding which words to remove

Value

A word-frequency data frame (can be saved to a model object or compared in `textDomainCompare`).

See Also

see [textDomainCompare](#)

Examples

```
## Not run:
textTokenizeAndCount(Language_based_assessment_data_8["harmonytexts"])

## End(Not run)
```

`textTopics` *BERTTopics*

Description

`textTopics` creates and trains a BERTopic model (based on bertopic python packaged) on a text-variable in a tibble/data.frame. (EXPERIMENTAL)

Usage

```
textTopics(
  data,
  variable_name,
  embedding_model = "distilroberta",
  umap_model = "default",
  hdbscan_model = "default",
  vectorizer_model = "default",
  representation_model = "mmr",
  num_top_words = 10,
  n_gram_range = c(1, 3),
  stopwords = "english",
  min_df = 5,
  bm25_weighting = FALSE,
  reduce_frequent_words = TRUE,
  set_seed = 8,
  save_dir
)
```

Arguments

data	(tibble/data.frame) A tibble with a text-variable to be analysed, and optional numeric/categorical variables that you might want to use for later analyses testing the significance of topics in relation to these variables.
variable_name	(string) Name of the text-variable in the data tibble that you want to perform topic modeling on.
embedding_model	(string) Name of the embedding model to use such as "miniLM", "mpnet", "multi-mpnet", "distilroberta".
umap_model	(string) The dimension reduction algorithm, currently only "default" is supported.
hdbscan_model	(string) The clustering algorithm to use, currently only "default" is supported.
vectorizer_model	(string) Name of the vectorizer model, currently only "default" is supported.
representation_model	(string) Name of the representation model used for topics, including "keybert" or "mmr".
num_top_words	(integer) Determine the number of top words presented for each topic.
n_gram_range	(vector) Two-dimensional vector indicating the ngram range used for the vectorizer model.
stopwords	(string) Name of the stopword dictionary to use.
min_df	(integer) The minimum document frequency of terms.
bm25_weighting	(boolean) Determine whether bm25_weighting is used for ClassTfidfTransformer.
reduce_frequent_words	(boolean) Determine whether frequent words are reduced by ClassTfidfTransformer.

<code>set_seed</code>	(integer) The random seed for initialization of the umap model.
<code>save_dir</code>	(string) The directory for saving results.

Value

A folder containing the model, data, folder with terms and values for each topic, and the document-topic matrix. Moreover the model itself is returned formatted as a data.frame together with metdata. See [textTopicsReduce](#) [textTopicsTest](#) and [textTopicsWordcloud](#).

<code>textTopicsReduce</code>	<i>textTopicsReduce (EXPERIMENTAL)</i>
-------------------------------	--

Description

`textTopicsReduce (EXPERIMENTAL)`

Usage

```
textTopicsReduce(
  data,
  data_var,
  n_topics = 10,
  load_path = "./results",
  save_dir,
  embedding_model = "default"
)
```

Arguments

<code>data</code>	(tibble/data.frame) A tibble with a text-variable to be analysed, and optional numeric/categorical variables that you might want to use for later analyses testing the significance of topics in relation to these variables.
<code>data_var</code>	(string) Name of the text-variable in the data tibble that you want to perform topic modeling on.
<code>n_topics</code>	(string) The dimension reduction algorithm, currently only "default" is supported.
<code>load_path</code>	(string) The clustering algorithm to use, currently only "default" is supported.
<code>save_dir</code>	(string) The directory for saving results.
<code>embedding_model</code>	(string) Name of the embedding model to use such as "miniLM", "mpnet", "multi-mpnet", "distilroberta".

Value

A folder containing the model, data, folder with terms and values for each topic, and the document-topic matrix. Moreover the model itself is returned formatted as a data.frame together with metdata.

See Also

See [textTopics](#) [textTopicsTest](#) and [textTopicsWordcloud](#).

[textTopicsTest](#)

Wrapper for topicsTest function from the topics package

Description

Wrapper for topicsTest function from the topics package

Usage

```
textTopicsTest(  
  model,  
  x_variable = NULL,  
  y_variable = NULL,  
  controls = c(),  
  test_method = "default",  
  p_adjust_method = "fdr",  
  ...  
)
```

Arguments

model	(list) The trained model
x_variable	(string) The x variable name to be predicted, and to be plotted (only needed for regression or correlation)
y_variable	(string) The y variable name to be predicted, and to be plotted (only needed for regression or correlation)
controls	(vector) The control variables (not supported yet)
test_method	(string) The test method to use, either "correlation", "t-test", "linear_regression", "logistic_regression", or "ridge_regression"
p_adjust_method	(character) Method to adjust/correct p-values for multiple comparisons (default = "none"; see also "holm", "hochberg", "hommel", "bonferroni", "BH", "BY", "fdr").
...	Parameter settings from topicsTest in the topics-package.

Value

A list of the test results, test method, and prediction variable

<code>textTopicsTree</code>	<i>textTopicsTest (EXPERIMENTAL) to get the hierarchical topic tree</i>
-----------------------------	---

Description

`textTopicsTest (EXPERIMENTAL)` to get the hierarchical topic tree

Usage

```
textTopicsTree(topic_model, data, data_var)
```

Arguments

<code>topic_model</code>	(list) The output from <code>textTopics</code> .
<code>data</code>	(tibble/data.frame) A tibble with the data
<code>data_var</code>	(string) The name of the text variable that the topic model was trained on

Value

prints a hierarchical topic tree on the console

<code>textTopicsWordcloud</code>	<i>Plot word clouds</i>
----------------------------------	-------------------------

Description

This function create word clouds and topic fugures

Usage

```
textTopicsWordcloud(model = NULL, ngrams = NULL, test = NULL, seed = 2024, ...)
```

Arguments

<code>model</code>	(list) A trained topics model. For examples from <code>topicsModel()</code> . Should be <code>NULL</code> if plotting ngrams.
<code>ngrams</code>	(list) The output from the <code>topicsGram()</code> function . Should be <code>NULL</code> if plotting topics.
<code>test</code>	(list) The test results; if plotting according to dimension(s) include the object from <code>topicsTest()</code> function.
<code>seed</code>	(integer) The seed to set for reproducibility; need to be the same seed number as in <code>in</code>
<code>...</code>	Parameters from the <code>topicsPlot()</code> function in the <code>topics</code> package.

Value

The function saves figures in the `save_dir`.

textTrain	<i>Trains word embeddings</i>
-----------	-------------------------------

Description

textTrain() trains word embeddings to a numeric (ridge regression) or categorical (random forest) variable.

Usage

```
textTrain(x, y, force_train_method = "automatic", ...)
```

Arguments

x Word embeddings from textEmbed (or textEmbedLayerAggregation). Can analyze several variables at the same time; but if training to several outcomes at the same time use a tibble within the list as input rather than just a tibble input (i.e., keep the name of the wordembedding).

y Numeric variable to predict. Can be several; although then make sure to have them within a tibble (this is required even if it is only one outcome but several word embeddings variables).

force_train_method Default is "automatic", so if y is a factor random_forest is used, and if y is numeric ridge regression is used. This can be overridden using "regression" or "random_forest".

... Arguments from textTrainRegression or textTrainRandomForest the textTrain function.

Value

A correlation between predicted and observed values; as well as a tibble of predicted values (t-value, degree of freedom (df), p-value, alternative-hypothesis, confidence interval, correlation coefficient).

See Also

See [textTrainRegression](#), [textTrainRandomForest](#) and [textTrainLists](#).

Examples

```
# Examines how well the embeddings from "harmonystext" can
# predict the numeric variable "hilstotal" in the pre-included
# dataset "Language_based_assessment_data_8".

## Not run:
trained_model <- textTrain(
  x = word_embeddings_4$texts$harmonystext,
  y = Language_based_assessment_data_8$hilstotal
```

```

)
# Examine results (t-value, degree of freedom (df), p-value,
# alternative-hypothesis, confidence interval, correlation coefficient).

trained_model$results

## End(Not run)

```

textTrainLists	<i>Train lists of word embeddings</i>
----------------	---------------------------------------

Description

textTrainLists() individually trains word embeddings from several text variables to several numeric or categorical variables.

Usage

```
textTrainLists(
  x,
  y,
  force_train_method = "automatic",
  save_output = "all",
  method_cor = "pearson",
  eval_measure = "rmse",
  p_adjust_method = "holm",
  ...
)
```

Arguments

- x Word embeddings from textEmbed (or textEmbedLayerAggregation). It is possible to have word embeddings from one text variable and several numeric/categorical variables; or vice versa, word embeddings from several text variables to one numeric/categorical variable. It is not possible to mix numeric and categorical variables.
- y Tibble with several numeric or categorical variables to predict. Please note that you cannot mix numeric and categorical variables.
- force_train_method (character) Default is "automatic"; see also "regression" and "random_forest".
- save_output (character) Option not to save all output; default "all". See also "only_results" and "only_results_predictions".
- method_cor (character) A character string describing type of correlation (default "Pearson").
- eval_measure (character) Type of evaluative measure to assess models on (default "rmse").

```

p_adjust_method
  Method to adjust/correct p-values for multiple comparisons. (default = "holm";
  see also "none", "hochberg", "hommel", "bonferroni", "BH", "BY", "fdr").
  ...
  Arguments from textTrainRegression or textTrainRandomForest (the textTrain
  function).

```

Value

Correlations between predicted and observed values (t-value, degree of freedom (df), p-value, confidence interval, alternative hypothesis, correlation coefficient) stored in a dataframe.

See Also

See [textTrain](#), [textTrainRegression](#) and [textTrainRandomForest](#).

Examples

```

# Examines how well the embeddings from Language_based_assessment_data_8 can
# predict the numerical numerical variables in Language_based_assessment_data_8.
# The training is done combination wise, i.e., correlations are tested pair wise,
# column: 1-5,1-6,2-5,2-6, resulting in a dataframe with four rows.

## Not run:
word_embeddings <- word_embeddings_4$texts[1:2]
ratings_data <- Language_based_assessment_data_8[5:6]

trained_model <- textTrainLists(
  x = word_embeddings,
  y = ratings_data
)

# Examine results (t-value, degree of freedom (df), p-value,
# alternative-hypothesis, confidence interval, correlation coefficient).

trained_model$results

## End(Not run)

```

Description

textTrainN() computes cross-validated correlations for different sample-sizes of a data set. The cross-validation process can be repeated several times to enhance the reliability of the evaluation.

Usage

```
textTrainN(
  x,
  y,
  sample_percents = c(25, 50, 75, 100),
  handle_word_embeddings = "individually",
  n_cross_val = 1,
  sampling_strategy = "subsets",
  use_same_penalty_mixture = TRUE,
  model = "regression",
  penalty = 10^seq(-16, 16),
  mixture = c(0),
  seed = 2024,
  ...
)
```

Arguments

x	Word embeddings from textEmbed (or textEmbedLayerAggregation). If several word embedding are provided in a list they will be concatenated.
y	Numeric variable to predict.
sample_percents	(numeric) Numeric vector that specifies the percentages of the total number of data points to include in each sample (default = c(25,50,75,100), i.e., correlations are evaluated for 25 each new sample).
handle_word_embeddings	Determine whether to use a list of word embeddings or an individual word_embedding (default = "individually", also "concatenate"). If a list of word embeddings are provided, then they will be concatenated.
n_cross_val	(numeric) Value that determines the number of times to repeat the cross-validation (i.e., number of tests). (default = 1, i.e., cross-validation is only performed once). Warning: The training process gets proportionately slower to the number of cross-validations, resulting in a time complexity that increases with a factor of n (n cross-validations).
sampling_strategy	Sample a "random" sample for each subset from all data or sample a "subset" from the larger subsets (i.e., each subset contain the same data).
use_same_penalty_mixture	If TRUE it only searches the penalty and mixture search grid once, and then use the same thereafter; if FALSE, it searches the grid every time.
model	Type of model. Default is "regression"; see also "logistic" and "multinomial" for classification.
penalty	(numeric) Hyper parameter that is tuned (default = 10^seq(-16,16)).
mixture	A number between 0 and 1 (inclusive) that reflects the proportion of L1 regularization (i.e. lasso) in the model (for more information see the linear_reg-function in the parsnip-package). When mixture = 1, it is a pure lasso model

while `mixture = 0` indicates that ridge regression is being used (specific engines only).

`seed` (numeric) Set different seed (default = 2024).

`...` Additional parameters from `textTrainRegression`.

Value

A tibble containing correlations for each sample. If `n_cross_val > 1`, correlations for each new cross-validation, along with standard-deviation, mean and standard error of correlation is included in the tibble. The information in the tibble is visualised via the `textTrainNPlot` function.

See Also

See [textTrainNPlot](#).

Examples

```
# Compute correlations for 25%, 50%, 75% and 100% of the data in word_embeddings and perform
# cross-validation thrice.

## Not run:
tibble_to_plot <- textTrainN(
  x = word_embeddings_4$texts$harmonystext,
  y = Language_based_assessment_data_8$hilstotal,
  sample_percents = c(25, 50, 75, 100),
  n_cross_val = 3
)

# tibble_to_plot contains correlation-coefficients for each cross_validation and
# standard deviation and mean value for each sample. The tibble can be plotted
# using the textTrainNPlot function.

# Examine tibble
tibble_to_plot

## End(Not run)
```

`textTrainNPlot`

Plot cross-validated accuracies across sample sizes

Description

`textTrainNPlot()` plots cross-validated correlation coefficients across different sample-sizes from the object returned by the `textTrainN` function. If the number of cross-validations exceed one, then error-bars will be included in the plot.

Usage

```
textTrainNPlot(
  results_data,
  breaks = NULL,
  x_unit = "percent",
  y_range = NULL,
  title = "Cross-validated correlation coefficients across sample sizes",
  x_axes_label = "Sample Size (percent)",
  y_axes_label = "Correlation Coefficient (r)",
  point_color = "#5dc688",
  error_bar = "std_err",
  bar_color = "#60A1F7",
  line_color = "grey",
  bar_width = 1,
  bar_size = 0.8,
  line_size = 0.6,
  line_type = "straight",
  point_size = 3,
  log_transform_x = FALSE
)
```

Arguments

results_data	(list) One or several objects returned by the function textTrainN as a list (e.g, list(object1, object2)). Also, if several models are provided, then one can add a vector c() with settings (i.e the parameters below) for each model (make sure to add the settings in the order as the models are ordered, if you look to keep the original settings then write "").
breaks	(numeric) Vector containing the percents of the total number of data points that is included in each sample (default = NULL, which takes the breaks from the percentages). If several models are provided, then one can add a vector c() with settings for each model (make sure to add the settings in the order as the models are ordered).
x_unit	(character, "percent" or "quantity") Determines whether the x-axis-values should represent the number of elements in each sample, or the number of percent of the total data they represent (default = "percent").
y_range	(numeric) Optional. Determines the y_range. E.g, y_range = c(1,2) sets the y_range from 1 to 2 (default = NULL).
title	(character) Determine plot title (default = "Cross-validated correlation coefficients across different sample sizes").
x_axes_label	(character) Determine x-axis-label (default = "Sample Size (percent)").
y_axes_label	(character) Determine y-axis-label (default = "Correlation Coefficient (r)").
point_color	(character, (Hex color codes)) Determine point color (default = "#5dc688"). Can set a vector if several results_data are provided.
error_bar	Default "std_err"; see also "std", NULL. Can set a vector if several results_data are provided.

bar_color	(character, (Hex color codes)) Determine error-bar color (default = "#60A1F7"). Can set a vector if several results_data are provided.
line_color	(character, (Hex color codes)) Determine line color (default = "grey"). Can set a vector if several results_data are provided.
bar_width	(numeric) Determine bar-width (default = 1). Can set a vector if several results_data are provided.
bar_size	(numeric) Determine bar-size (default = 1). Can set a vector if several results_data are provided.
line_size	(numeric) Determine line-size (default = 1). Can set a vector if several results_data are provided.
line_type	(character, either "straight" or "smooth") Determine line-type (default = "straight"). Can set a vector if several results_data are provided.
point_size	(numeric) Determine points size (default = 1). Can set a vector if several results_data are provided.
log_transform_x	(boolean) Determine whether to log-transform x in case of displaying number of samples (default = FALSE).

Value

A plot with correlation coefficient on y-axis and sample size in quantity or percent on x axis. If number of cross-validations exceed 1, then error bars measuring standard deviations will be plotted.

See Also

See [textTrainN](#).

Examples

```
# Plot cross-validated correlation coefficients across different sample-sizes from the object
# returned by the textTrainN function.

## Not run:
# Plot the performance of a single model across different sample sizes
plot_object1 <- textTrainNPlot(
  train_data = tibble_to_plot,
  n_cross_val = 3,
  x_unit = "quantity"
)

# Visualize plot
plot_object1

# Plot the performance of several models across different sample sizes.
plot_object2 <- textTrainNPlot(train_data = list(object1, object2, object3),
  n_cross_val = c(2,1,1),
  line_color = c("", "", "#0000FF")) # "" gives the default settings.

# Visualize plot
```

```
plot_object2

## End(Not run)
```

textTrainRandomForest *Trains word embeddings usig random forest*

Description

`textTrainRandomForest()` trains word embeddings to a categorical variable using random forest.

Usage

```
textTrainRandomForest(
  x,
  y,
  x_append = NULL,
  append_first = FALSE,
  cv_method = "validation_split",
  outside_folds = 10,
  inside_folds = 3/4,
  strata = "y",
  outside_strata = TRUE,
  outside_breaks = 4,
  inside_strata = TRUE,
  inside_breaks = 4,
  mode_rf = "classification",
  preprocess_step_center = FALSE,
  preprocess_scale_center = FALSE,
  preprocess_PCA = NA,
  extremely_randomised_splitrule = "extratrees",
  mtry = c(1, 10, 20, 40),
  min_n = c(1, 10, 20, 40),
  trees = c(1000),
  parameter_selection_method = "lowest_mtry",
  eval_measure = "bal_accuracy",
  model_description = "Consider writing a description of your model here",
  multi_cores = "multi_cores_sys_default",
  save_output = "all",
  simulate.p.value = FALSE,
  seed = 2020,
  ...
)
```

Arguments

x Word embeddings from `textEmbed`.

y	Categorical variable to predict.
x_append	(optional) Variables to be appended after the word embeddings (x); if wanting to prepend them before the word embeddings use the option first = TRUE. If not wanting to train with word embeddings, set x_append = NULL (default = null).
append_first	(boolean) Option to add variables before or after all word embeddings (default = FALSE).
cv_method	(character) Cross-validation method to use within a pipeline of nested outer and inner loops of folds (see nested_cv in rsample). Default is using cv_folds in the outside folds and "validation_split" using rsample::validation_split in the inner loop to achieve a development and assessment set (note that for validation_split the inside_folds should be a proportion, e.g., inside_folds = 3/4); whereas "cv_folds" uses rsample::vfold_cv to achieve n-folds in both the outer and inner loops.
outside_folds	(numeric) Number of folds for the outer folds (default = 10).
inside_folds	(numeric) Number of folds for the inner folds (default = 3/4).
strata	(string or tibble; default "y") Variable to stratify according; if a string the variable needs to be in the training set - if you want to stratify according to another variable you can include it as a tibble (please note you can only add 1 variable to stratify according). Can set it to NULL.
outside_strata	(boolean) Whether to stratify the outside folds.
outside_breaks	(numeric) The number of bins wanted to stratify a numeric stratification variable in the outer cross-validation loop (default = 4).
inside_strata	(boolean) Whether to stratify the outside folds.
inside_breaks	The number of bins wanted to stratify a numeric stratification variable in the inner cross-validation loop (default = 4).
mode_rf	Default is "classification" ("regression" is not supported yet).
preprocess_step_center	(boolean) Normalizes dimensions to have a mean of zero; default is set to FALSE For more info see (step_center in recipes).
preprocess_scale_center	(boolean) Normalizes dimensions to have a standard deviation of one; default is set to FALSE. For more info see (step_scale in recipes).
preprocess_PCA	Pre-processing threshold for PCA. Can select amount of variance to retain (e.g., .90 or as a grid c(0.80, 0.90)); or number of components to select (e.g., 10). (To skip this step, set preprocess_PCA to NA) Default is "min_halving", which is a function that selects the number of PCA components based on number of participants and feature (word embedding dimensions) in the data. The formula is: preprocess_PCA = round(max(min(number_features/2), number_participants/2), min(50, number_features))).
extremely_randomised_splitrule	Default is "extratrees", which thus implement a random forest; can also select: NULL, "gini" or "hellinger"; if these are selected your mtry settings will be overridden (see Geurts et al. (2006) Extremely randomized trees for details; and see the ranger r-package for details on implementations).

<code>mtry</code>	Hyper parameter that may be tuned; default: <code>c(1, 20, 40)</code> ,
<code>min_n</code>	Hyper parameter that may be tuned; default: <code>c(1, 20, 40)</code>
<code>trees</code>	Number of trees to use (default 1000).
<code>parameter_selection_method</code>	If several results are tied for different parameters (i.e., <code>mtry</code> or <code>min_n</code>), then select the "lowest_mtry", "highest_mtry", "median_mtry", or "lowest_min_n", the "highest_min_n" or the "median_min_n" order of all the tied <code>mtry</code> / <code>min_n</code>
<code>eval_measure</code>	(character) Measure to evaluate the models in order to select the best hyperparameters default "roc_auc"; see also "accuracy", "bal_accuracy", "sens", "spec", "precision", "kappa", "f_measure".
<code>model_description</code>	(character) Text to describe your model (optional; good when sharing the model with others).
<code>multi_cores</code>	If TRUE it enables the use of multiple cores if the computer system allows for it (i.e., only on unix, not windows). Hence it makes the analyses considerably faster to run. Default is "multi_cores_sys_default", where it automatically uses TRUE for Mac and Linux and FALSE for Windows. Note that having it to TRUE does not enable reproducible results at the moment (i.e., cannot set seed).
<code>save_output</code>	(character) Option not to save all output; default "all". See also "only_results" and "only_results_predictions".
<code>simulate.p.value</code>	(Boolean) From <code>fisher.test</code> : a logical indicating whether to compute p-values by Monte Carlo simulation, in larger than 2×2 tables. The test can be turned off if set to "turn_off".
<code>seed</code>	(numeric) Set different seed (default = 2020).
<code>...</code>	For example settings in <code>yardstick::accuracy</code> to set <code>event_level</code> (e.g., <code>event_level = "second"</code>).

Value

A list with `roc_curve_data`, `roc_curve_plot`, `truth` and `predictions`, `preprocessing_recipe`, `final_model`, `model_description` `chisq` and `fishers` test as well as evaluation measures, e.g., including `accuracy`, `f_meas` and `roc_auc` (for details on these measures see the `yardstick` r-package documentation).

See Also

See [textEmbedLayerAggregation](#), [textTrainLists](#) and [textTrainRegression](#).

Examples

```
# Examines how well the embeddings from column "harmonywords" in
# Language_based_assessment_data_8 can binarily classify gender.

## Not run:
trained_model <- textTrainRandomForest(
  x = word_embeddings_4$texts$harmonywords,
  y = as.factor(Language_based_assessment_data_8$gender),
```

```
  trees = c(1000, 1500),
  mtry = c(1), # this is short because of testing
  min_n = c(1), # this is short because of testing
  multi_cores = FALSE # This is FALSE due to CRAN testing and Windows machines.
)

# Examine results (t-value, degree of freedom (df), p-value,
# alternative-hypothesis, confidence interval, correlation coefficient).

trained_model$results

## End(Not run)
```

textTrainRegression *Train word embeddings to a numeric variable.*

Description

textTrainRegression() trains word embeddings to a numeric or a factor variable.

Usage

```
textTrainRegression(
  x,
  y,
  x_append = NULL,
  append_first = FALSE,
  cv_method = "validation_split",
  id_variable = NULL,
  outside_folds = 10,
  inside_folds = 3/4,
  strata = "y",
  outside_strata = TRUE,
  outside_breaks = 4,
  inside_strata = TRUE,
  inside_breaks = 4,
  model = "regression",
  eval_measure = "default",
  save_aggregated_word_embedding = FALSE,
  language_distribution = NULL,
  language_distribution_min_words = 3,
  preprocess_step_center = TRUE,
  preprocess_step_scale = TRUE,
  preprocess_PCA = NA,
  penalty = 10^seq(-3, 3),
  parameter_selection_method = "lowest_penalty",
  mixture = c(0),
```

```

  first_n_predictors = NA,
  impute_missing = FALSE,
  method_cor = "pearson",
  model_description = "Consider writing a description of your model here.",
  multi_cores = "multi_cores_sys_default",
  save_output = "all",
  simulate.p.value = FALSE,
  seed = 2020,
  weights = NULL,
  ...
)

```

Arguments

<code>x</code>	Word embeddings from <code>textEmbed</code> (or <code>textEmbedLayerAggregation</code>). If several word embedding are provided in a list they will be concatenated.
<code>y</code>	Numeric variable to predict.
<code>x_append</code>	(optional) Variables to be appended after the word embeddings (x); if wanting to prepend them before the word embeddings use the option <code>first = TRUE</code> . If not wanting to train with word embeddings, set <code>x = NULL</code> (default = <code>NULL</code>).
<code>append_first</code>	(boolean) Option to add variables before or after all word embeddings (default = <code>False</code>).
<code>cv_method</code>	(character) Cross-validation method to use within a pipeline of nested outer and inner loops of folds (see <code>nested_cv</code> in <code>rsample</code>). Default is using "cv_folds" in the outside folds and "validation_split" using <code>rsample::validation_split</code> in the inner loop to achieve a development and assessment set (note that for "validation_split" the <code>inside_folds</code> should be a proportion, e.g., <code>inside_folds = 3/4</code>); whereas "cv_folds" uses <code>rsample::vfold_cv</code> to achieve n-folds in both the outer and inner loops. Use "group_cv" to ensure that all cases with the same ID remain in the same fold. (it uses <code>rsample::group_vfold_cv</code> uses to ensure that all cases with the same ID remain in the same fold. <code>group_vfold_cv</code> cannot handle stratification, so if that is requested, it tries to approximate stratification while preserving group integrity.
<code>id_variable</code>	(variable) If specifying <code>cv_method = "group_cv"</code> , you need to submit an id variable here.
<code>outside_folds</code>	(numeric) Number of folds for the outer folds (default = 10).
<code>inside_folds</code>	(numeric) The proportion of data to be used for modeling/analysis; (default proportion = 3/4). For more information see <code>validation_split</code> in <code>rsample</code> .
<code>strata</code>	(string or tibble; default "y") Variable to stratify according; if a string the variable needs to be in the training set - if you want to stratify according to another variable you can include it as a tibble (please note you can only add 1 variable to stratify according). Can set it to <code>NULL</code> .
<code>outside_strata</code>	(boolean) Whether to stratify the outside folds.
<code>outside_breaks</code>	(numeric) The number of bins wanted to stratify a numeric stratification variable in the outer cross-validation loop (default = 4).
<code>inside_strata</code>	Whether to stratify the outside folds.

inside_breaks	The number of bins wanted to stratify a numeric stratification variable in the inner cross-validation loop (default = 4).
model	Type of model. Default is "regression"; see also "logistic" and "multinomial" for classification.
eval_measure	(character) Type of evaluative measure to select models from. Default = "rmse" for regression, "weighted_correlations" for weighted regression and "bal_accuracy" for logistic. For regression use "rsq" or "rmse"; and for classification use "accuracy", "bal_accuracy", "sens", "spec", "precision", "kappa", "f_measure", or "roc_auc", (for more details see the yardstick package). See also the method_cor setting below.
save_aggregated_word_embedding	(boolean) If TRUE, the aggregated word embeddings (mean, min, and max) are saved for comparison with other language input when the model is applied to other types of data.
language_distribution	(Character column) If you provide the raw language data used for making the embeddings, the language distribution (i.e., a word and frequency table) will be saved to the model object. This enables calculating similarity scores when the model is being applied to new language domains. Note that this saves the individual words, which, if you are analyzing sensitive data, can be problematic from a privacy perspective; to some extent this can be mitigated by increasing the number of words needed to be saved.
language_distribution_min_words	(numeric) Minimum number a words need to occur in the data set to be saved to the language distribution.
preprocess_step_center	(boolean) Normalizes dimensions to have a mean of zero; default is set to TRUE. For more info see (step_center in recipes).
preprocess_step_scale	(boolean) Normalize dimensions to have a standard deviation of one; default is set to TRUE. For more info see (step_scale in recipes).
preprocess_PCA	Pre-processing threshold for PCA (to skip this step set it to NA). Can select amount of variance to retain (e.g., .90 or as a grid c(0.80, 0.90)); or number of components to select (e.g., 10). Default is "min_halving", which is a function that selects the number of PCA components based on number of participants and feature (word embedding dimensions) in the data. The formula is: preprocess_PCA = round(max(min(number_features/2), number_participants/2), min(50, number_features))).
penalty	(numeric) Hyper parameter that is tuned (default = 10^seq(-16,16)).
parameter_selection_method	If several results are tied for different parameters (i.e., penalty or mixture), then select the "lowest_penalty", "highest_penalty", "median_penalty", or "lowest_mixture", the "highest_mixture" or the "median_mixture" order of all the tied penalties/mixtures.
mixture	A number between 0 and 1 (inclusive) that reflects the proportion of L1 regularization (i.e. lasso) in the model (for more information see the linear_reg function in the parsnip-package). When mixture = 1, it is a pure lasso model

while mixture = 0 indicates that ridge regression is being used (specific engines only).

first_n_predictors

By default this setting is turned off (i.e., NA). To use this method, set it to the highest number of predictors you want to test. Then the X first dimensions are used in training, using a sequence from Kjell et al., 2019 paper in Psychological Methods. Adding 1, then multiplying by 1.3 and finally rounding to the nearest integer (e.g., 1, 3, 5, 8). This option is currently only possible for one embedding at the time.

impute_missing Default FALSE (can be set to TRUE if something else than word_embeddings are trained).

method_cor Type of correlation used in final model estimation evaluation (default "pearson"; can set to "spearman" or "kendall").

model_description

(character) Text to describe your model (optional; good when sharing the model with others).

multi_cores If TRUE it enables the use of multiple cores if the computer system allows for it (i.e., only on unix, not windows). Hence it makes the analyses considerably faster to run. Default is "multi_cores_sys_default", where it automatically uses TRUE for Mac and Linux and FALSE for Windows.

save_output (character) Option not to save all output; default = "all". see also "no_plot", "only_results", and "only_results_predictions". Note that "no_plot" is good when wanting to save a logistic or multinomial regression, since the lot makes the saved object bloated when being saved.

simulate.p.value

(Boolean or string) From fisher.test: a logical indicating whether to compute p-values by Monte Carlo simulation, in larger than 2 * 2 tables. The test can be turned off if set to "turn_off".

seed (numeric) Set different seed (default = 2020).

weights Optional vector containing weights (default = NULL); for details see importance_weights hardhat. For now only working for model = "regression".

... For example settings in yardstick::accuracy to set event_level (e.g., event_level = "second").

Details

By default, NAs are treated as follows: 1. rows with NAs in word embeddings are removed. 2. rows with NAs in y are removed 3. rows with NAs in x_append are removed; if impute_missing is set to TRUE, missing values will be imputed using k-nearest neighbours. When rows are omitted, the user will get a warning. The CV predictions will include NAs with the same length as the input.

Value

A (one-sided) correlation test between predicted and observed values; tibble of predicted values (t-value, degree of freedom (df), p-value, alternative-hypothesis, confidence interval, correlation coefficient), as well as information about the model (preprocessing_recipe, final_model and model_description).

See Also

See [textEmbedLayerAggregation](#), [textTrainLists](#) and [textTrainRandomForest](#).

Examples

```
# Examines how well the embeddings from the column "harmonytex" can
# predict the numerical values in the column "hilstotal".

## Not run:
trained_model <- textTrainRegression(
  x = word_embeddings_4$texts$harmonytex,
  y = Language_based_assessment_data_8$hilstotal,
  multi_cores = FALSE # This is FALSE due to CRAN testing and Windows machines.
)

# Examine results (t-value, degree of freedom (df), p-value, alternative-hypothesis,
# confidence interval, correlation coefficient).

trained_model$results

## End(Not run)
```

textTranslate *Translation. (experimental)*

Description

Translation. (experimental)

Usage

```
textTranslate(
  x,
  source_lang = "",
  target_lang = "",
  model = "xlm-roberta-base",
  device = "cpu",
  tokenizer_parallelism = FALSE,
  logging_level = "warning",
  force_return_results = FALSE,
  return_tensors = FALSE,
  return_text = TRUE,
  clean_up_tokenization_spaces = FALSE,
  set_seed = 202208L,
  max_length = 400
)
```

Arguments

x	(string) The text to be translated.
source_lang	(string) The input language. Might be needed for multilingual models (it will not have any effect for single pair translation models). using ISO 639-1 Code, such as: "en", "zh", "es", "fr", "de", "it", "sv", "da", "nn".
target_lang	(string) The desired language output. Might be required for multilingual models (will not have any effect for single pair translation models).
model	(string) Specify a pre-trained language model that have been fine-tuned on a translation task.
device	(string) Name of device to use: 'cpu', 'gpu', or 'gpu:k' where k is a specific device number
tokenizer_parallelism	(boolean) If TRUE this will turn on tokenizer parallelism.
logging_level	(string) Set the logging level. Options (ordered from less logging to more logging): critical, error, warning, info, debug
force_return_results	(boolean) Stop returning some incorrectly formatted/structured results. This setting does NOT evaluate the actual results (whether or not they make sense, exist, etc.). All it does is to ensure the returned results are formatted correctly (e.g., does the question-answering dictionary contain the key "answer", is sentiments from textClassify containing the labels "positive" and "negative").
return_tensors	(boolean) Whether or not to include the predictions' tensors as token indices in the outputs.
return_text	(boolean) Whether or not to also output the decoded texts.
clean_up_tokenization_spaces	(boolean) Whether or not to clean the output from potential extra spaces.
set_seed	(Integer) Set seed.
max_length	Set max length of text to be translated

Value

A tibble with transalted text.

See Also

see [textClassify](#), [textGeneration](#), [textNER](#), [textSum](#), and [textQA](#)

Examples

```
# translation_example <- text::textTranslate(
#   Language_based_assessment_data_8[1,1:2],
#   source_lang = "en",
#   target_lang = "fr",
#   model = "t5-base")
```

textZeroShot	<i>Zero Shot Classification (Experimental)</i>
--------------	--

Description

Zero Shot Classification (Experimental)

Usage

```
textZeroShot(  
    sequences,  
    candidate_labels,  
    hypothesis_template = "This example is {}.",  
    multi_label = FALSE,  
    model = "",  
    device = "cpu",  
    tokenizer_parallelism = FALSE,  
    logging_level = "error",  
    force_return_results = FALSE,  
    set_seed = 202208L  
)
```

Arguments

sequences	(string) The sequence(s) to classify (not that they will be truncated if the model input is too large).
candidate_labels	(string) The set of class labels that is possible in the to classification of each sequence. It may be a single label, a string of comma-separated labels, or a list of labels.
hypothesis_template	(string; optional) The template that is used for turning each of the label into an NLI-style hypothesis. This template must include a "" or similar syntax so that the candidate label can be inserted into the template. For example, the default template is "This example is ." With the candidate label "sports", this would be fed into the model like "<cls> sequence to classify <sep> This example is sports . <sep>". The default template works well in many cases, but it may be worthwhile to experiment with different templates depending on the task setting (see https://huggingface.co/docs/transformers/).
multi_label	(boolean; optional) It indicates whether multiple candidate labels can be true. If FALSE, the scores are normalized such that the sum of the label likelihoods for each sequence is 1. If TRUE, the labels are considered independent and probabilities are normalized for each candidate by doing a softmax of the entailment score vs. the contradiction score.
model	(string) Specify a pre-trained language model that have been fine-tuned on a translation task.

device (string) Name of device to use: 'cpu', 'gpu', or 'gpu:k' where k is a specific device number

tokenizer_parallelism (boolean) If TRUE this will turn on tokenizer parallelism.

logging_level (string) Set the logging level. Options (ordered from less logging to more logging): critical, error, warning, info, debug

force_return_results (boolean) Stop returning some incorrectly formatted/structured results. This setting does NOT evaluate the actual results (whether or not they make sense, exist, etc.). All it does is to ensure the returned results are formatted correctly (e.g., does the question-answering dictionary contain the key "answer", is sentiments from textClassify containing the labels "positive" and "negative").

set_seed (Integer) Set seed.

Value

A tibble with the result with the following keys: sequence (string) The imputed sequence. labels (string) The labels sorted in the order of likelihood. scores (numeric) The probabilities for each of the labels.

See Also

see [textClassify](#), [textGeneration](#), [textNER](#), [textSum](#), [textQA](#), [textTranslate](#)

Examples

```
# ZeroShot_example <- text::textZeroShot(sequences = c("I play football",
# "The forest is wonderful"),
# candidate_labels = c("sport", "nature", "research"),
# model = "facebook/bart-large-mnli")
```

word_embeddings_4 *Word embeddings for 4 text variables for 40 participants*

Description

The dataset is a shortened version of the data sets of Study 3-5 from Kjell, Kjell, Garcia and Sikström 2018.

Usage

word_embeddings_4

Format

A list with word embeddings for harmony words, satisfaction words, harmony text, satisfaction text and decontextualized word embeddings. BERT-base embeddings based on mean aggregation of layer 11 and 12.

words words

n word frequency

Dim1:Dim768 Word embeddings dimensions

Index

* datasets

centrality_data_harmony, 3
DP_projections_HILS_SWLS_100, 4
Language_based_assessment_data_3_100,
5
Language_based_assessment_data_8,
5
PC_projections_satisfactionwords_40,
6
raw_embeddings_1, 6
word_embeddings_4, 100

centrality_data_harmony, 3
DP_projections_HILS_SWLS_100, 4
Language_based_assessment_data_3_100,
5
Language_based_assessment_data_8, 5
PC_projections_satisfactionwords_40, 6
raw_embeddings_1, 6

textAssess (textPredict), 51
textCentrality, 7, 10
textCentralityPlot, 7, 8
textClassify, 37, 41, 68, 76, 98, 100
textClassify (textPredict), 51
textClean, 11
textCleanNonASCII, 12
textDescriptives, 13
textDiagnostics, 14
textDimName, 15, 21, 22
textDistance, 16, 18, 72
textDistanceMatrix, 17
textDistanceNorm, 17, 18
textDomainCompare, 19, 78
textEmbed, 14, 15, 20, 24, 26, 28, 29, 33, 35,
77

textEmbedLayerAggregation, 22, 23, 26, 92,
97
textEmbedRawLayers, 22, 24, 24
textEmbedReduce, 27
textEmbedStatic, 28
textExamples, 29
textFindNonASCII, 31
textFineTuneDomain, 32
textFineTuneTask, 34
textGeneration, 36, 41, 68, 76, 98, 100
textLBAM, 38
textModelLayers, 38
textModels, 39, 39, 40
textModelsRemove, 40, 40
textNER, 37, 41, 41, 68, 76, 98, 100
textPCA, 42, 45
textPCAPlot, 42, 43
textPlot, 45
textPredict, 51, 57, 59
textPredictAll, 57
textPredictTest, 58
textProjection, 7, 10, 50, 60, 66
textProjectionPlot, 61, 62
textQA, 37, 41, 67, 68, 76, 98, 100
textrpp_initialize, 68
textrpp_install, 69
textrpp_install_virtualenv
 (textrpp_install), 69
textrpp_uninstall, 71
textSimilarity, 16, 72, 74
textSimilarityMatrix, 73
textSimilarityNorm, 16, 72, 73, 74
textSum, 37, 41, 68, 75, 76, 98, 100
textTokenize, 76
textTokenizeAndCount, 19, 78
textTopics, 78, 81
textTopicsReduce, 80, 80
textTopicsTest, 80, 81, 81
textTopicsTree, 82

textTopicsWordcloud, 80, 81, 82
textTrain, 55, 57, 59, 83, 85
textTrainLists, 55, 83, 84, 92, 97
textTrainN, 85, 89
textTrainNPlot, 87, 87
textTrainRandomForest, 55, 83, 85, 90, 97
textTrainRegression, 83, 85, 92, 93
textTranslate, 37, 41, 68, 76, 97, 100
textZeroShot, 99

word_embeddings_4, 100