

# Propensity scores for multiple treatments: A tutorial for the `mnps` function in the `twang` package

Lane Burgette, Beth Ann Griffin and Dan McCaffrey \*  
RAND Corporation

December 22, 2025

## 1 Introduction

The Toolkit for Weighting and Analysis of Nonequivalent Groups, `twang`, was designed to make causal estimates in the binary treatment setting. In `twang` versions 1.3 and later, we have extended this software package to handle more than two treatment conditions through the `mnps` function, which stands for multinomial nonpropensity scores. McCaffrey et al. (2013) describe the methodology behind the `mnps` function; the purpose of this document is to describe the syntax and features related to the implementation in `twang`.

At a high level, the `mnps` function decomposes the propensity score estimation into several applications of the `ps` function, which was designed for the standard dichotomous treatment setting. For this reason, users who are new to `twang` are encouraged to learn about the `ps` function before using the `mnps` function. The other vignette that accompanies the package (Ridgeway et al., 2014) provides an extensive overview of the `ps` function, and much of that information will not be repeated here.

## 2 An ATE example

To demonstrate the package we use a random subset of the data described in McCaffrey et al. (2013). This truncated dataset is called `AOD`, and is included in the package. There are three treatment groups in the study, and the data include records for 200 youths in each treatment group of an alcohol and other drug treatment evaluation. We begin by loading the package and the data.<sup>1</sup>

```
> library(twang)
> data(AOD)
> set.seed(1)
```

For the `AOD` dataset, the variable `treat` contains the treatment indicators, which have possible values `community`, `metcbt5`, and `scy`. The other variables included in the dataset are:

- `suf12`: outcome variable, substance use frequency at 12 month follow-up

---

\*The development of this software and tutorial was funded by National Institute of Drug Abuse grants number 1R01DA015697 (PI: McCaffrey) and 1R01DA034065 (PIs: Griffin/McCaffrey).

<sup>1</sup>Code used in this tutorial can be found in stand alone text file at [http://www.rand.org/statistics/twang/downloads.html/mnps\\_tutorial\\_code.r](http://www.rand.org/statistics/twang/downloads.html/mnps_tutorial_code.r).

- `illact`: pretreatment covariate, illicit activities scale
- `crimjust`: pretreatment covariate, criminal justice involvement
- `subprob`: pretreatment covariate, substance use problem scale
- `subdep`: pretreatment covariate, substance use dependence scale
- `white`: pretreatment covariate, indicator for non-Hispanic white youth

In such an observational study, there are several quantities that one may be interested in estimating. The estimands that are most commonly of interest are the average treatment effect on the population (ATE) and the average treatment effect on the treated (ATT). The differences between these quantities are explained at length in McCaffrey et al. (2013), but in brief the ATE answers the question of how, on average, the outcome of interest would change if everyone in the population of interest had been assigned to a particular treatment relative to if they had all received another single treatment. The ATT answers the question of how the average outcome would change if everyone who received one particular treatment had instead received another treatment. We first demonstrate the use of `mmps` when ATE is the effect of interest and then turn to using the function to support estimation of ATT.

## 2.1 Estimating the weights

The main argument for the `mmps` function is a formula with the treatment variable on the left-hand side of a tilde, and pretreatment variables on the right-hand side, separated by plus signs. Other key arguments are `data`, which simply tells the function the name of the dataframe that contains the variables for the propensity score estimation; the `estimand`, which can either be “ATT” or “ATE”; and `verbose`, which if set as `TRUE` instructs the function to print updates on the model fitting process, which can take a few minutes.

```
> mmps.AOD <- mmps(treat ~ illact + crimjust + subprob + subdep + white,
+                      data = AOD,
+                      estimand = "ATE",
+                      verbose = FALSE,
+                      stop.method = c("es.mean", "ks.mean"),
+                      n.trees = 3000)
```

The `twang` methods rely on tree-based regression models that are built in an iterative fashion. As the iterations or number of regression trees added to the model increases, the model becomes more complex. However, at some point, more complex models typically result in worse balance on the pretreatment variables and therefore are less useful in a propensity score weighting context. The `n.trees` argument controls the maximum number of iterations.

Another key choice is the measure of balance that one uses when fitting these models. This is specified in the `stop.method` argument. As with the `ps` function, four `stop.method` objects are included in the package. They are `es.mean`, `es.max`, `ks.mean`, and `ks.max`. The four stopping rules are defined by two components: a balance metric for covariates and rule for summarizing across covariates. The balance metric summarizes the difference between two univariate distributions of a single pretreatment variable (e.g., illicit activities scale). The default stopping rules in `twang` use two balance metrics: absolute standardized mean difference (ASMD; also referred to as the absolute standardized bias or the effect size (ES)) and the Kolmogorov-Smirnov (KS) statistic. The stopping rule use two different rules for summarizing across covariates: the mean of the covariate balance metrics (“mean”) or the maximum of the balance metrics (“max”). The first piece of the stopping rule name identifies the balance metric (ES or KS) and the second

piece specifies the method for summarizing across balance metrics. For instance, `es.mean` uses the effect size or ASMD and summarizes across variables with the mean and the `ks.max` uses the KS statistics to assess balances and summarizes using the maximum across variables and the other two stopping rules use the remaining two combinations of balance metrics and summary statistics. In this example, we chose to examine both `es.mean` and `ks.mean`.


After running the `mmps()` command, a useful first step is to make sure that we let the models run for a sufficiently large number of iterations in order to optimize the balance statistics of interest. We do this by seeing whether any of the balance measures of interest still appear to be decreasing after the number of iterations specified by the argument `n.trees` which we set to 3,000 for this example (10,000 iterations is the default).

```
> plot(mmps.AOD, plots = 1)
```

[[1]]

[[2]]

[[3]]



As noted above, `mmps` estimates weights by repeated use of the `ps` function and comparing each treatment the pooled sample of other treatments. The figure has one plot corresponding to each of those fits. Each plot is then further divided into one panel for each stopping rule used in the estimation. Since we used the “es.mean” and “ks.mean” stopping rules there are two panels in each plot. By default the plots for the different treatments are plotted in a single row; setting the height and width of the graphics device can make the plots easier to view. In this figure, it appears that each of the balance measures are optimized with substantially fewer than 3,000 iterations, so we do not have evidence that we should re-run the `mmps()` call with a higher number of iterations or trees.

A key assumption in propensity score analyses is that each experimental unit has a non-zero probability of receiving each treatment. The plausibility of this assumption may be assessed by examining the overlap of the empirical propensity score distributions. This diagnostic is available

using the `plots = 2` argument in the `plot` function. We use the `subset` option to specify which stopping rule we wish present in the plot.<sup>2</sup>

---


<sup>2</sup>The value for the `subset` argument can be a character variable with the name of the stopping, as was used in the example code, or a number corresponding to the stopping rule. Stopping rules are numbered by the alphabetical ordering among the rules specified in the `mnpS` call.

```
> plot(mnps.AOD, plots = 2, subset = "es.mean")
```

```
[[1]]
```

```
[[2]]
```

```
[[3]]
```




Here, the overlap assumption generally seems to be met, although there should be some concern that adolescents in the metcbt5 and scy conditions do not overlap well with the community group given the top most graphic. See McCaffrey et al. (2013) for more details on this issue.

## 2.2 Graphical assessments of balance

As with the `ps` function for the binary treatment setting, the default plotting function for `mnps`-class objects also displays information on commonly-used balance statistics. In particular, when the `plots` argument is set equal to 3, it provides comparisons of the absolute standardized mean differences (ASMD) between the treatment groups on the pretreatment covariates, before

and after weighting. When the `plots` argument is set equal to 4, the display is of  $t$ - and chi-squared statistic  $p$ -values comparing the two groups before and after weighting. However, whereas there is a single plot for these balance diagnostics in the binary treatment setting, in the multiple treatment case, one can either examine a plot for each of the treatment conditions, or summarize the balance statistics in some way, across the treatment conditions. As a default, the `plot` function for an `mnpss` object returns the maximum of the pairwise balance statistics across treatment groups for each of the covariates:

```
> plot(mnpss.AOD, plots = 3)
```



As shown here, after weighting, the maximum ASMD decreases for all pretreatment covariates. The statistically significant difference (before taking the maximum across treatment groups) is indicated by the solid circle. One may see the balance plots for the individual fits by setting the `pairwiseMax` argument to `FALSE`.


```
> plot(mnps.AOD, plots = 3, pairwiseMax = FALSE, figureRows = 3)
```

```
[[1]]
```


```
[[2]]
```

```
[[3]]
```


**Balance of community versus metcbt5**



**Balance of community versus scy**




**Balance of metcbt5 versus scy**



The additional `figureRows` argument instructs the function to spread the plots over three rows; by default the plots would be arranged in a single row rather than a column. We note here that red lines represent pretreatment covariates for which the pairwise ASMDs increase after weighting.

Setting the **plots** argument equal to 4 displays *t*-test or  $\chi^2$  statistic pairwise minimum *p*-values for differences between each of the individual treatment groups and observations in all other treatment groups.

```
> plot(mnps.AOD, plots = 4)
```



As seen in this figure, the pairwise minimum  $p$ -values all increase after propensity score weighting.


Some of the figures include many frames, which can result in figures that are too big or difficult to read for some methods of display. To control this, three controls are available. First, the **treatments** argument can be used to specify only comparisons that involve a specific treatment level or, in the ATE case, only comparisons between two specified treatment levels. Similarly, the **singlePlot** argument . For example, **singlePlot = 2** would display only the second frame of those produced by the **plot** command (see figure below). Finally, specifying **multiPage = TRUE** prints the frames in succession. If this option is used after specifying a file to plot to (e.g., using **pdf()**), the frames will be printed on separate pages.

```
> plot(mnps.AOD, plots = 2, subset = "es.mean", singlePlot = 2)
```

```
[[1]]
```

```
[[2]]
```

```
[[3]]
```



### 2.3 Tabular assessments of balance

Beyond graphics, there are several other functions that may be of interest to `mmps` users. The first is given by the `bal.table` function. For propensity score analyses with multiple treatments, this function returns a lot of information. The intention with this function is that its output be loaded into a spreadsheet software program. (E.g., one can write the output into a .csv file using the `write.csv` function and open the resulting file using a spreadsheet application.) For each outcome category, and each stopping rule (in addition to the unweighted analysis) the `bal.table` function gives balance statistics such as weighted and unweighted means by treatment group.

```
> bal.table(mmps.AOD, digits = 2)
```

	tmt1	tmt2	var	mean1	mean2	pop.sd	std.eff.sz	p	ks	ks.pval
1	community	metcbt5	illact	0.10	0.01	1.01	0.09	0.38	0.10	0.27
2	community	metcbt5	crimjust	-0.07	0.04	1.04	0.10	0.33	0.11	0.22
3	community	metcbt5	subprob	-0.06	0.03	0.98	0.09	0.39	0.09	0.39
4	community	metcbt5	subdep	0.05	0.06	1.03	0.01	0.91	0.05	0.92
5	community	metcbt5	white	0.16	0.20	0.38	0.10	0.30	0.04	1.00
6	community		scy	illact	0.10	0.12	1.01	0.02	0.82	0.06
7	community		scy	crimjust	-0.07	-0.17	1.04	0.10	0.30	0.08
8	community		scy	subprob	-0.06	-0.01	0.98	0.05	0.63	0.09
9	community		scy	subdep	0.05	-0.06	1.03	0.10	0.31	0.09
10	community		scy	white	0.16	0.17	0.38	0.04	0.69	0.02
11	metcbt5		scy	illact	0.01	0.12	1.01	0.11	0.26	0.11
12	metcbt5		scy	crimjust	0.04	-0.17	1.04	0.20	0.04	0.13
13	metcbt5		scy	subprob	0.03	-0.01	0.98	0.04	0.70	0.07
14	metcbt5		scy	subdep	0.06	-0.06	1.03	0.11	0.25	0.09
15	metcbt5		scy	white	0.20	0.17	0.38	0.07	0.52	0.02
16	community	metcbt5	illact	0.09	0.05	1.01	0.03	0.74	0.06	0.92
17	community	metcbt5	crimjust	-0.09	-0.06	1.04	0.03	0.79	0.05	0.95

```

18 community metcbt5 subprob -0.01 -0.02 0.98 0.00 0.97 0.06 0.87
19 community metcbt5 subdep 0.02 0.02 1.03 0.01 0.96 0.05 0.98
20 community metcbt5 white 0.17 0.20 0.38 0.06 0.59 0.02 1.00
21 community scy illact 0.09 0.07 1.01 0.01 0.92 0.05 0.99
22 community scy crimjust -0.09 -0.09 1.04 0.00 0.99 0.04 1.00
23 community scy subprob -0.01 -0.01 0.98 0.01 0.95 0.07 0.80
24 community scy subdep 0.02 -0.04 1.03 0.05 0.58 0.05 0.97
25 community scy white 0.17 0.17 0.38 0.01 0.95 0.00 1.00
26 metcbt5 scy illact 0.05 0.07 1.01 0.02 0.83 0.06 0.85
27 metcbt5 scy crimjust -0.06 -0.09 1.04 0.03 0.77 0.06 0.92
28 metcbt5 scy subprob -0.02 -0.01 0.98 0.01 0.92 0.04 1.00
29 metcbt5 scy subdep 0.02 -0.04 1.03 0.06 0.56 0.07 0.82
30 metcbt5 scy white 0.20 0.17 0.38 0.06 0.53 0.02 1.00
31 community metcbt5 illact 0.08 0.06 1.01 0.03 0.79 0.06 0.91
32 community metcbt5 crimjust -0.08 -0.07 1.04 0.01 0.95 0.05 0.98
33 community metcbt5 subprob 0.00 -0.03 0.98 0.03 0.78 0.05 0.99
34 community metcbt5 subdep 0.00 0.02 1.03 0.02 0.87 0.06 0.92
35 community metcbt5 white 0.17 0.20 0.38 0.07 0.49 0.03 1.00
36 community scy illact 0.08 0.08 1.01 0.00 0.97 0.05 0.98
37 community scy crimjust -0.08 -0.09 1.04 0.01 0.90 0.04 1.00
38 community scy subprob 0.00 -0.01 0.98 0.01 0.92 0.06 0.92
39 community scy subdep 0.00 -0.04 1.03 0.04 0.66 0.05 0.97
40 community scy white 0.17 0.17 0.38 0.00 0.96 0.00 1.00
41 metcbt5 scy illact 0.06 0.08 1.01 0.02 0.83 0.07 0.82
42 metcbt5 scy crimjust -0.07 -0.09 1.04 0.02 0.85 0.05 0.95
43 metcbt5 scy subprob -0.03 -0.01 0.98 0.02 0.87 0.04 1.00
44 metcbt5 scy subdep 0.02 -0.04 1.03 0.06 0.55 0.06 0.86
45 metcbt5 scy white 0.20 0.17 0.38 0.07 0.51 0.03 1.00

stop.method
1 unw
2 unw
3 unw
4 unw
5 unw
6 unw
7 unw
8 unw
9 unw
10 unw
11 unw
12 unw
13 unw
14 unw
15 unw
16 es.mean
17 es.mean
18 es.mean
19 es.mean
20 es.mean
21 es.mean

```

```

22  es.mean
23  es.mean
24  es.mean
25  es.mean
26  es.mean
27  es.mean
28  es.mean
29  es.mean
30  es.mean
31  ks.mean
32  ks.mean
33  ks.mean
34  ks.mean
35  ks.mean
36  ks.mean
37  ks.mean
38  ks.mean
39  ks.mean
40  ks.mean
41  ks.mean
42  ks.mean
43  ks.mean
44  ks.mean
45  ks.mean

```

As of version 1.4 of TWANG, the balance measures are given for all pairwise combinations. (Prior to that version the balance measures were reported for each treatment against all others; we feel that the pairwise comparisons give a fuller accounting of balance in ATE applications.)

More parsimonious versions of the summaries are available using the `collapse.to` argument. Setting `collapse.to = 'covariate'` gives the maximum of the ASMD and the minimum of the *p*-value across all pairwise comparisons for each pretreatment covariate and stopping rule.

```
> bal.table(mnps.AOD, collapse.to = 'covariate', digits = 4)
```

	var	max.std.eff.sz	min.p	max.ks	min.ks.pval	stop.method
1	illact	0.1112	0.2591	0.1100	0.1777	unw
2	crimjust	0.2027	0.0416	0.1300	0.0681	unw
3	subprob	0.0867	0.3896	0.0900	0.3927	unw
4	subdep	0.1120	0.2514	0.0900	0.3927	unw
5	white	0.1044	0.2984	0.0400	0.9972	unw
6	illact	0.0323	0.7441	0.0634	0.8456	es.mean
7	crimjust	0.0283	0.7743	0.0569	0.9215	es.mean
8	subprob	0.0101	0.9213	0.0665	0.8034	es.mean
9	subdep	0.0598	0.5577	0.0651	0.8225	es.mean
10	white	0.0649	0.5275	0.0249	1.0000	es.mean
11	illact	0.0263	0.7896	0.0653	0.8158	ks.mean
12	crimjust	0.0184	0.8524	0.0540	0.9454	ks.mean
13	subprob	0.0275	0.7840	0.0565	0.9238	ks.mean
14	subdep	0.0606	0.5507	0.0619	0.8624	ks.mean
15	white	0.0722	0.4899	0.0277	1.0000	ks.mean

As shown, for each pretreatment variable, the maximum ASMD has decreased and the minimum  $p$ -values have increased after applying weights that arise from either `stop.method`.

Another useful summary table sets `collapse.to = 'stop.method'` which further collapses the results above so that we summarize balance across all covariates and all pairwise group comparisons.

```
> bal.table(mmps.AOD, collapse.to = 'stop.method', digits = 4)

  max.std.eff.sz  min.p max.ks min.ks.pval stop.method
1      0.2027 0.0416 0.1300      0.0681      unw
2      0.0649 0.5275 0.0665      0.8034    es.mean
3      0.0722 0.4899 0.0653      0.8158    ks.mean
```

Here we quickly see how the maximum ASMDs and minimum  $p$ -values have all moved in the desired direction after propensity score weighting.

Rather than collapsing the values of the table as described above, there are also several options for subsetting the `bal.table` output. The arguments `subset.var` and `subset.stop.method` instruct the function to include only the covariates indicated, and `stop.method` results indicated, respectively. The `subset.treat` instructs the function to return only the pairwise comparisons including the specified treatment or, if two treatment levels are indicated, the pairwise comparisons that include those two treatments. Note that `subset.treat` may not be used when `collapse.to` is specified as `'stop.method'` or `'covariate'`. Further, the table may be subset on the basis of ES and KS and the related  $p$ -values via the `es.cutoff`, `ks.cutoff`, `p.cutoff`, and `ks.p.cutoff` arguments. These cutoffs exclude rows that are well-balanced as measured by the corresponding. For example `p.cutoff = 0.1` would exclude rows with  $p$ -values greater than 10%, and `es.cutoff = 0.2` excludes rows with ES values below 0.2 in absolute value. Examples of the use of these subsetting arguments are given below.

```
> bal.table(mmps.AOD, subset.treat = c('community', 'metcbt5'),
+           subset.var = c('white', 'illact', 'crimjust'))

  tmt1    tmt2    var  mean1  mean2 pop.sd std.eff.sz      p      ks
1 community metcbt5 illact  0.097  0.007  1.014    0.089  0.385  0.100
2 community metcbt5 crimjust -0.065  0.037  1.041    0.098  0.328  0.105
5 community metcbt5 white   0.160  0.200  0.383    0.104  0.298  0.040
16 community metcbt5 illact  0.085  0.052  1.014    0.032  0.744  0.057
17 community metcbt5 crimjust -0.092 -0.064  1.041    0.027  0.786  0.054
20 community metcbt5 white   0.173  0.195  0.383    0.058  0.586  0.022
31 community metcbt5 illact  0.083  0.056  1.014    0.026  0.790  0.058
32 community metcbt5 crimjust -0.080 -0.074  1.041    0.006  0.950  0.048
35 community metcbt5 white   0.169  0.196  0.383    0.072  0.490  0.028

  ks.pval stop.method
1      0.270      unw
2      0.220      unw
5      0.997      unw
16     0.924    es.mean
17     0.952    es.mean
20     1.000    es.mean
31     0.915    ks.mean
32     0.980    ks.mean
35     1.000    ks.mean
```

```

> bal.table(mnps.AOD, subset.stop.method = 'es.mean', collapse.to = 'covariate')

      var max.std.eff.sz min.p max.ks min.ks.pval stop.method
6  illact      0.032 0.744  0.063      0.846   es.mean
7  crimjust    0.028 0.774  0.057      0.921   es.mean
8  subprob     0.010 0.921  0.067      0.803   es.mean
9  subdep      0.060 0.558  0.065      0.822   es.mean
10 white       0.065 0.527  0.025      1.000   es.mean

> bal.table(mnps.AOD, es.cutoff = 0.1)

      tmt1    tmt2      var  mean1  mean2 pop.sd std.eff.sz      p      ks
5  community metcbt5    white  0.160  0.200  0.383      0.104  0.298  0.040
7  community      scy  crimjust -0.065 -0.174  1.041      0.104  0.295  0.080
9  community      scy  subdep  0.046 -0.058  1.031      0.100  0.312  0.085
11 metcbt5      scy  illact  0.007  0.120  1.014      0.111  0.259  0.110
12 metcbt5      scy  crimjust 0.037 -0.174  1.041      0.203  0.042  0.130
14 metcbt5      scy  subdep  0.058 -0.058  1.031      0.112  0.251  0.090
      ks.pval stop.method
5    0.997      unw
7    0.544      unw
9    0.465      unw
11   0.178      unw
12   0.068      unw
14   0.393      unw

```

Finally, there is also `summary` method for the `mnps` objects which gives the collapsed version of `bal.table()` as well as information about the effective sample sizes for each treatment group under each stop.method. The `summary` function for an `mnps` output object does not have a `digits` argument.

```

> summary(mnps.AOD)

Summary of pairwise comparisons:
      max.std.eff.sz      min.p      max.ks min.ks.pval stop.method
1    0.20266446 0.04161562 0.13000000  0.06809222      unw
2    0.06494694 0.52748089 0.06650091  0.80344844   es.mean
3    0.07219687 0.48991560 0.06526362  0.81581283   ks.mean

Sample sizes and effective sample sizes:
      treatment    n ESS.es.mean ESS:ks.mean
1  community  200    184.5216    188.3090
2  metcbt5   200    185.9791    187.9000
3      scy    200    188.9734    190.0047

```

After examining the graphical and tabular diagnostics provided by `twang`, we can analyze the outcome variable using the propensity scores generated by the `mnps` function. Although two stop methods were specified initially (`es.mean` and `ks.mean`), at this point we have to commit to a single set of weights. From the `bal.table` call above, we see that the balance properties are very similar for the two stopping rules, and from the `summary` statement, we see that the effective sample sizes (ESS) are similar as well. Hence, we expect the two stop methods to give similar results; we choose to analyze the data with the `es.mean` weights.

## 2.4 Estimating treatment effects

In order to analyze the data using the weights, it is recommended that one use the `survey` package, which performs weighted analyses. We can add the weights to the dataset using the `get.weights` function and specify the survey design as follows:

```
> library(survey)
> AOD$w <- get.weights(mnps.AOD, stop.method = "es.mean")
> design.mnps <- svydesign(ids=~1, weights=~w, data=AOD)
```

As shown in the `ps` vignette, we can then perform the propensity score-adjusted regression using the `svyglm` function:

```
> glm1 <- svyglm(suf12 ~ as.factor(treat), design = design.mnps)
> summary(glm1)
```

Call:

```
svyglm(formula = suf12 ~ as.factor(treat), design = design.mnps)
```

Survey design:

```
svydesign(ids = ~1, weights = ~w, data = AOD)
```

Coefficients:

	Estimate	Std. Error	t value	Pr(> t )
(Intercept)	-0.09911	0.06736	-1.471	0.142
as.factor(treat)metcbt5	0.14810	0.10512	1.409	0.159
as.factor(treat)scy	0.06454	0.10007	0.645	0.519

(Dispersion parameter for gaussian family taken to be 1.002453)

Number of Fisher Scoring iterations: 2

By default, `svyglm` includes dummy variables for MET/CBT-5 and SCY, Community is the holdout group (the holdout is the group with the label that comes first alphabetically). Consequently, the estimated effect for MET/CBT-5 equals the weighted mean for the MET/CBT-5 sample less the weighted mean for the Community sample, where both means are weighted to match the overall sample. Similarly, the effect for SCY equals the difference in the weighted means for the SCY and Community samples. The coefficients estimate the causal effects of MET/CBT-5 vs. Community and SCY vs. Community, respectively, assuming there are no unobserved confounders. Using this small subset of the data, we are unable to detect differences in the treatment group means. In the context of this application, the signs of the estimates correspond to higher substance use frequency for youths exposed to MET/CBT-5 or SCY relative to Community. More details on how to obtain all relevant pairwise differences can be found in McCaffrey et al. (2013).

As an alternative to estimating the pairwise differences, we could also estimate the causal effect of each treatment relative to the average potential outcome of all the treatments. This estimate is easy to obtain using `svyglm` through the use of the `contrast` argument in the function.

```
> glm2 <- svyglm(suf12 ~ treat, design = design.mnps, contrast=list(treat=contr.sum))
> summary(glm2)
```

```

Call:
svyglm(formula = suf12 ~ treat, design = design.mnps, contrast = list(treat = contr.sum))

Survey design:
svydesign(ids = ~1, weights = ~w, data = AOD)

Coefficients:
            Estimate Std. Error t value Pr(>|t|)    
(Intercept) -0.02823   0.04285 -0.659   0.510    
treat1       -0.07088   0.05787 -1.225   0.221    
treat2        0.07722   0.06331  1.220   0.223    
(Dispersion parameter for gaussian family taken to be 1.002453)

Number of Fisher Scoring iterations: 2

```

The function now provides the estimates for Community and MET/CBT-5. It labels them “treat1” and “treat2” because it uses their numeric codings rather than the factor levels. We have seen previously that the factor levels for treatment are “community”, “metcbt5”, and “scy” as levels, 1, 2, and 3. Relative to the average of all the treatments, the weighted Community group has lower substance use and the weighted MET/CBT-5 group has higher use. The SCY estimate is not reported because it is a linear combination of the other two estimates. It can be found by:

```

> -sum(coef(glm2)[-1])
[1] -0.006342546

```

The standard error of this estimate can be calculated using the covariance matrix for the estimated coefficients:

```

> sqrt(c(-1,-1) %*% summary(glm2)$cov.scaled[-1,-1] %*% c(-1,-1))
[1] 0.06051521

```

The SCY mean is about equal to the average and the difference between them is very small relative to its standard error.

### 3 An ATT example

#### 3.1 Estimating the weights

It is also possible to explore treatment effects on the treated (ATTs) using the `mnps` function. A key difference in the multiple treatment setting is that we must be clear as to which treatment condition “the treated” refers to. This is done through the `treatATT` argument. Here, we define the treatment group of interest to be the community group; thus, we are trying to draw inferences about the relative effectiveness of the three treatment groups for individuals like those who were enrolled in the community program.

```

> mnps.AOD.ATT <- mnps(treat ~ illact + crimjust + subprob + subdep + white,
+                           data = AOD,

```

```

+
+           estimand = "ATT",
+           treatATT = "community",
+           verbose = FALSE,
+           n.trees = 3000,
+           stop.method = c("es.mean", "ks.mean"))

```


### 3.2 Graphical assessments of balance

The same basic graphical descriptions are available as in the ATE case, though it is important to note that these comparisons all assess balance relative to the “treatment” group rather than by comparing balance for all possibly pairwise treatment group comparisons as is done with ATE.


```

> plot(mnps.AOD.ATT, plots = 1)
[[1]]
[[2]]

```




```
> plot(mnps.AOD.ATT, plots = 3)
```




```
> plot(mnps.AOD.ATT, plots = 3, pairwiseMax = FALSE)
```

```
[[1]]
```

```
[[2]]
```



```
> plot(mnps.AOD.ATT, plots = 4)
```



### 3.3 Tabular assessments of balance

The `bal.table` output is similar to the ATE case. However, for ATT, we only report pairwise comparisons that include the `treatATT` category.

```
> bal.table(mnps.AOD.ATT, digits = 2)
```

Note that `tx' refers to the category specified as the treatATT, community.

	var	tx.mn	tx.sd	ct.mn	ct.sd	std.eff.sz	stat	p	ks	ks.pval	control
1	illact	0.10	1.04	0.01	1.03		0.09	0.87	0.38	0.10	0.27 metcbt5
2	crimjust	-0.07	1.05	0.04	1.04		-0.10	-0.98	0.33	0.11	0.22 metcbt5
3	subprob	-0.06	0.97	0.03	1.02		-0.09	-0.86	0.39	0.09	0.39 metcbt5
4	subdep	0.05	1.08	0.06	1.05		-0.01	-0.11	0.91	0.05	0.92 metcbt5
5	white	0.16	0.37	0.20	0.40		-0.11	-1.04	0.30	0.04	1.00 metcbt5
6	illact	0.10	1.04	0.12	0.96		-0.02	-0.22	0.82	0.06	0.86 scy
7	crimjust	-0.07	1.05	-0.17	1.03		0.10	1.05	0.30	0.08	0.54 scy
8	subprob	-0.06	0.97	-0.01	0.97		-0.05	-0.48	0.63	0.09	0.39 scy
9	subdep	0.05	1.08	-0.06	0.96		0.10	1.01	0.31	0.09	0.47 scy
10	white	0.16	0.37	0.17	0.38		-0.04	-0.40	0.69	0.02	1.00 scy
11	illact	0.10	1.04	0.09	1.02		0.01	0.10	0.92	0.04	1.00 metcbt5
12	crimjust	-0.07	1.05	-0.03	1.00		-0.03	-0.30	0.76	0.05	0.97 metcbt5
13	subprob	-0.06	0.97	-0.06	0.99		0.00	0.01	0.99	0.04	1.00 metcbt5
14	subdep	0.05	1.08	0.06	1.05		-0.01	-0.10	0.92	0.05	0.98 metcbt5
15	white	0.16	0.37	0.19	0.39		-0.07	-0.67	0.50	0.03	1.00 metcbt5
16	illact	0.10	1.04	0.10	1.01		0.00	-0.02	0.98	0.06	0.92 scy
17	crimjust	-0.07	1.05	-0.06	1.00		0.00	-0.02	0.99	0.05	0.96 scy
18	subprob	-0.06	0.97	-0.03	0.97		-0.03	-0.34	0.74	0.06	0.93 scy
19	subdep	0.05	1.08	-0.02	0.99		0.06	0.60	0.55	0.07	0.74 scy
20	white	0.16	0.37	0.18	0.38		-0.04	-0.43	0.67	0.02	1.00 scy
21	illact	0.10	1.04	0.09	1.02		0.01	0.10	0.92	0.04	1.00 metcbt5
22	crimjust	-0.07	1.05	-0.03	1.00		-0.03	-0.31	0.75	0.05	0.97 metcbt5
23	subprob	-0.06	0.97	-0.06	0.99		0.00	0.02	0.99	0.04	1.00 metcbt5
24	subdep	0.05	1.08	0.06	1.05		-0.01	-0.10	0.92	0.05	0.98 metcbt5
25	white	0.16	0.37	0.19	0.39		-0.07	-0.66	0.51	0.03	1.00 metcbt5
26	illact	0.10	1.04	0.10	1.04		0.00	-0.01	1.00	0.05	0.97 scy
27	crimjust	-0.07	1.05	-0.04	0.97		-0.02	-0.23	0.81	0.04	1.00 scy
28	subprob	-0.06	0.97	-0.02	0.98		-0.04	-0.40	0.69	0.04	0.99 scy
29	subdep	0.05	1.08	-0.04	0.99		0.08	0.74	0.46	0.07	0.70 scy
30	white	0.16	0.37	0.16	0.37		-0.01	-0.08	0.94	0.00	1.00 scy
	stop.method										
1		unw									
2		unw									
3		unw									
4		unw									
5		unw									
6		unw									
7		unw									
8		unw									
9		unw									
10		unw									
11		es.mean									
12		es.mean									
13		es.mean									
14		es.mean									
15		es.mean									

```

16      es.mean
17      es.mean
18      es.mean
19      es.mean
20      es.mean
21      ks.mean
22      ks.mean
23      ks.mean
24      ks.mean
25      ks.mean
26      ks.mean
27      ks.mean
28      ks.mean
29      ks.mean
30      ks.mean

> bal.table(mnps.AOD.ATT, digits = 2, collapse.to = "covariate")

      var max.std.eff.sz min.p max.ks min.ks.pval stop.method
1  illact      0.09  0.38  0.10      0.27      unw
2  crimjust    0.10  0.30  0.11      0.22      unw
3  subprob     0.09  0.39  0.09      0.39      unw
4  subdep      0.10  0.31  0.09      0.47      unw
5  white        0.11  0.30  0.04      1.00      unw
6  illact      0.01  0.92  0.06      0.92      es.mean
7  crimjust    0.03  0.76  0.05      0.96      es.mean
8  subprob     0.03  0.74  0.06      0.93      es.mean
9  subdep      0.06  0.55  0.07      0.74      es.mean
10 white        0.07  0.50  0.03      1.00      es.mean
11 illact      0.01  0.92  0.05      0.97      ks.mean
12 crimjust    0.03  0.75  0.05      0.97      ks.mean
13 subprob     0.04  0.69  0.04      0.99      ks.mean
14 subdep      0.08  0.46  0.07      0.70      ks.mean
15 white        0.07  0.51  0.03      1.00      ks.mean

> bal.table(mnps.AOD.ATT, digits = 3, collapse.to = "stop.method")

      max.std.eff.sz min.p max.ks min.ks.pval stop.method
1      0.109 0.295  0.105      0.220      unw
2      0.071 0.505  0.069      0.743      es.mean
3      0.076 0.457  0.074      0.701      ks.mean

```

### 3.4 Estimating treatment effects

The process to analyze the outcome variable is also similar:

```

> require(survey)
> AOD$w.ATT <- get.weights(mnps.AOD.ATT, stop.method = "es.mean")
> design.mnps.ATT <- svydesign(ids=~1, weights=~w.ATT, data=AOD)

> glm1 <- svyglm(suf12 ~ as.factor(treat), design = design.mnps.ATT)
> summary(glm1)

```

```

Call:
svyglm(formula = suf12 ~ as.factor(treat), design = design.mnps.ATT)

Survey design:
svydesign(ids = ~1, weights = ~w.ATT, data = AOD)

Coefficients:
Estimate Std. Error t value Pr(>|t|) 
(Intercept) -0.10505  0.06383 -1.646  0.1003 
as.factor(treat)metcbt5 0.20356  0.10423  1.953  0.0513 .
as.factor(treat)scy    0.08076  0.09901  0.816  0.4150 
---
Signif. codes:  0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1

(Dispersion parameter for gaussian family taken to be 0.9743464)

Number of Fisher Scoring iterations: 2

```

Note in this case that the estimated treatment effect of community on those exposed to the community treatment is slightly stronger than in the ATE case (high numbers are bad for the outcome variable). Although not statistically significant, such differences are compatible with the notion that the youths who actually received the community treatment responded more favorably to it than the “average” youth would have (where the average is taken across the whole collection of youths enrolled in the study).

The discussion in McCaffrey et al. (2013) may be useful for determining whether the ATE or ATT is of greater interest in a particular application.

## 4 Conclusion

Often, more than two treatments are available to study participants. If the study is not randomized, analysts may be interested in using a propensity score approach. Previously, few tools existed to aide the analysis of such data, perhaps tempting analysts to ignore all but two of the treatment conditions. We hope that this extension to the `twang` package will encourage more appropriate analyses of observational data with more than two treatment conditions.

## Acknowledgements

The random subset of data was supported by the Center for Substance Abuse Treatment (CSAT), Substance Abuse and Mental Health Services Administration (SAMHSA) contract # 270-07-0191 using data provided by the following grantees: Adolescent Treatment Model (Study: ATM: CSAT/SAMHSA contracts # 270-98-7047, # 270-97-7011, #2 77-00-6500, # 270-2003-00006 and grantees: TI-11894, TI-11874, TI-11892), the Effective Adolescent Treatment (Study: EAT; CSAT/SAMHSA contract # 270-2003-00006 and grantees: TI-15413, TI-15433, TI-15447, TI-15461, TI-15467, TI-15475, TI-15478, TI-15479, TI-15481, TI-15483, TI-15486, TI-15511, TI-15514, TI-15545, TI-15562, TI-15670, TI-15671, TI-15672, TI-15674, TI-15678, TI-15682, TI-15686, TI-15415, TI-15421, TI-15438, TI-15446, TI-15458, TI-15466, TI-15469, TI-15485, TI-15489, TI-15524, TI-15527, TI-15577, TI-15584, TI-15586, TI-15677), and the Strengthening Communities-Youth (Study: SCY; CSAT/SAMHSA contracts # 277-00-6500, # 270-2003-00006 and grantees: TI-13305, TI-13308, TI-13313, TI-13322, TI-13323, TI-13344, TI-13345,

TI-13354). The authors thank these grantees and their participants for agreeing to share their data to support the development of the `mnpss` functionality.

## References

- [1] Burgette, L.F., D.F. McCaffrey, B.A. Griffin (forthcoming). “Propensity score estimation with boosted regression.” In W. Pan and H. Bai (Eds.) *Propensity Score Analysis: Fundamentals, Developments and Extensions*. New York: Guilford Publications, Inc.
- [2] McCaffrey, D.F., B.A. Griffin, D. Almirall, M.E. Slaughter, R. Ramchand, and L.F. Burgette (2013). “A tutorial on propensity score estimation for multiple treatments using generalized boosted models.” Forthcoming at *Statistics in Medicine*.
- [3] Ridgeway, G., D. McCaffrey, B.A. Griffin, and L. Burgette (2014). “twang: Toolkit for weighting and analysis of non-equivalent groups.” Available at <http://cran.r-project.org/web/packages/twang/vignettes/twang.pdf>.